

Yukinori Yabuta

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5737566/publications.pdf>

Version: 2024-02-01

101
papers

6,212
citations

94433

37
h-index

71685

76
g-index

102
all docs

102
docs citations

102
times ranked

7141
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of Vitamin B12 Deficiency on Amyloid- β Toxicity in <i>Caenorhabditis elegans</i> . <i>Antioxidants</i> , 2021, 10, 962.	5.1	12
2	Lemon myrtle extract inhibits lactate production by <i>Streptococcus mutans</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2021, 85, 2185-2190.	1.3	2
3	Dityrosine Crosslinking of Collagen and Amyloid- β Peptides Is Formed by Vitamin B12 Deficiency-Generated Oxidative Stress in <i>Caenorhabditis elegans</i> . <i>International Journal of Molecular Sciences</i> , 2021, 22, 12959.	4.1	4
4	Natural variation in the expression and catalytic activity of a naringenin 7-O-methyltransferase influences antifungal defenses in diverse rice cultivars. <i>Plant Journal</i> , 2020, 101, 1103-1117.	5.7	37
5	High-dose folic acid supplementation results in significant accumulation of unmetabolized homocysteine, leading to severe oxidative stress in <i>Caenorhabditis elegans</i> . <i>Redox Biology</i> , 2020, 37, 101724.	9.0	21
6	5-hydroxymethyl-2-furaldehyde purified from Japanese pear (<i>Pyrus pyrifolia</i> Nakai cv. Nijisseiki) juice concentrate inhibits melanogenesis in B16 mouse melanoma cells. <i>Bioscience, Biotechnology and Biochemistry</i> , 2020, 84, 2374-2384.	1.3	9
7	L-Ascorbate Biosynthesis Involves Carbon Skeleton Rearrangement in the Nematode <i>Caenorhabditis elegans</i> . <i>Metabolites</i> , 2020, 10, 334.	2.9	4
8	Food Additives (Hypochlorous Acid Water, Sodium Metabisulfite, and Sodium Sulfite) Strongly Affect the Chemical and Biological Properties of Vitamin B ₁₂ in Aqueous Solution. <i>ACS Omega</i> , 2020, 5, 6207-6214.	3.5	16
9	Variation of diterpenoid phytoalexin oryzalexin A production in cultivated and wild rice. <i>Phytochemistry</i> , 2019, 166, 112057.	2.9	10
10	Biosynthesis of Phenylamide Phytoalexins in Pathogen-Infected Barley. <i>International Journal of Molecular Sciences</i> , 2019, 20, 5541.	4.1	22
11	Involvement of Spermidine in the Reduced Lifespan of <i>Caenorhabditis elegans</i> During Vitamin B12 Deficiency. <i>Metabolites</i> , 2019, 9, 192.	2.9	3
12	Induction of defense responses by extracts of spent mushroom substrates in rice. <i>Journal of Pesticide Sciences</i> , 2019, 44, 89-96.	1.4	10
13	Cycloalliin Inhibits Melanin Biosynthesis in B16 Mouse Melanoma Cells. <i>Food Science and Technology Research</i> , 2018, 24, 627-633.	0.6	1
14	A lemon myrtle extract inhibits glucosyltransferases activity of <i>Streptococcus mutans</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2018, 82, 1584-1590.	1.3	6
15	Vitamin B12 deficiency results in severe oxidative stress, leading to memory retention impairment in <i>Caenorhabditis elegans</i> . <i>Redox Biology</i> , 2017, 11, 21-29.	9.0	66
16	Distribution of the tryptophan pathway-derived defensive secondary metabolites gramine and benzoxazinones in Poaceae. <i>Bioscience, Biotechnology and Biochemistry</i> , 2017, 81, 431-440.	1.3	31
17	Yolk of the Century Egg (Pidan) Contains a Readily Digestible Form of Free Vitamin B ₁₂ . <i>Journal of Nutritional Science and Vitaminology</i> , 2016, 62, 366-371.	0.6	10
18	Functions of heat shock transcription factors involved in response to photooxidative stresses in <i>Arabidopsis</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2016, 80, 1254-1263.	1.3	21

#	ARTICLE	IF	CITATIONS
19	Characterization and Quantitation of Vitamin B ₁₂ Compounds in Various <i>Chlorella</i> Supplements. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 8516-8524.	5.2	29
20	Generation of transgenic tobacco plants with enhanced tocotrienol levels through the ectopic expression of rice homogentisate geranylgeranyl transferase. <i>Plant Biotechnology</i> , 2015, 32, 233-238.	1.0	17
21	Determination and characterization of vitamin B12 compounds in edible sea snails, ivory shell <i>Babylonia japonica</i> and turban shell <i>Turdo Batillus cornutus</i> . <i>Fisheries Science</i> , 2015, 81, 1105-1111.	1.6	7
22	Functional and structural characteristics of methylmalonyl-CoA mutase from <i>Pyrococcus horikoshii</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2015, 79, 710-717.	1.3	9
23	Transcriptional control of vitamin C defective 2 and tocopherol cyclase genes by light and plastid-derived signals: The partial involvement of GENOMES UNCOUPLED 1. <i>Plant Science</i> , 2015, 231, 20-29.	3.6	13
24	Occurrence of Biologically Inactive Corrinoid Compounds in Canned Edible Apple Snails (Escargots). <i>Food and Nutrition Sciences (Print)</i> , 2015, 06, 1071-1077.	0.4	4
25	Gene cloning and biochemical characterization of eryngase, a serine aminopeptidase of <i>Pleurotus eryngii</i> belonging to the family S9 peptidases. <i>Bioscience, Biotechnology and Biochemistry</i> , 2014, 78, 1856-1863.	1.3	3
26	Tetrapyrrole Compounds of Cyanobacteria. <i>Studies in Natural Products Chemistry</i> , 2014, 42, 341-351.	1.8	4
27	Identification of vitamin B12 and pseudovitamin B12 from various edible shellfish using liquid chromatography-electrospray ionization/tandem mass spectrometry. <i>Fisheries Science</i> , 2014, 80, 1065-1071.	1.6	15
28	A dodecylamine derivative of cyanocobalamin potently inhibits the activities of cobalamin-dependent methylmalonyl-CoA mutase and methionine synthase of <i>Caenorhabditis elegans</i> . <i>FEBS Open Bio</i> , 2014, 4, 722-729.	2.3	5
29	Vitamin B ₁₂ [<i>c</i> -lactone], a Biologically Inactive Corrinoid Compound, Occurs in Cultured and Dried Lion's Mane Mushroom (<i>Hericium erinaceus</i>) Fruiting Bodies. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 1726-1732.	5.2	20
30	Characterization of vitamin B12 compounds in the fruiting bodies of shiitake mushroom (<i>Lentinula</i>)	0.8	23
31	Characterization of a Hot Water Extract of an Edible Cyanobacterium <i>Nostochopsis</i> sp. for Use as an Ingredient in Cosmetics. <i>Food Science and Technology Research</i> , 2014, 20, 505-507.	0.6	4
32	Vitamin B12-Containing Plant Food Sources for Vegetarians. <i>Nutrients</i> , 2014, 6, 1861-1873.	4.1	192
33	Characterization of Corrinoid Compounds in the Edible Cyanobacterium <i>Nostoc flagelliforme</i> ; the Hair Vegetable. <i>Food and Nutrition Sciences (Print)</i> , 2014, 05, 334-340.	0.4	5
34	Improvement of vitamin E quality and quantity in tobacco and lettuce by chloroplast genetic engineering. <i>Transgenic Research</i> , 2013, 22, 391-402.	2.4	54
35	Biologically Active Vitamin B ₁₂ Compounds in Foods for Preventing Deficiency among Vegetarians and Elderly Subjects. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 6769-6775.	5.2	128
36	Characterization of vitamin B12 compounds from the brackish-water bivalve <i>Corbicula japonica</i> . <i>Fisheries Science</i> , 2013, 79, 321-326.	1.6	5

#	ARTICLE	IF	CITATIONS
37	Vitamin B ₁₂ deficiency in <i>Caenorhabditis elegans</i> results in loss of fertility, extended life cycle, and reduced lifespan. <i>FEBS Open Bio</i> , 2013, 3, 112-117.	2.3	65
38	Production and Characterization of Cyanocobalamin-Enriched Lettuce (<i>Lactuca sativa</i> L.) Grown Using Hydroponics. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 3852-3858.	5.2	11
39	Miniaturized HPTLC of Vitamin B12 Compounds in Foods. <i>Chromatographia</i> , 2013, 76, 1333-1337.	1.3	6
40	Isolation and Expression of a cDNA Encoding Methylmalonic Aciduria Type A Protein from <i>Euglena gracilis</i> Z. <i>Metabolites</i> , 2013, 3, 144-154.	2.9	1
41	Characterization of vitamin B12 compound from Japanese common squid liver. <i>Nippon Suisan Gakkaishi</i> , 2012, 78, 749-751.	0.1	1
42	Characterization of Vitamin B12 Compounds in the Wild Edible Mushrooms Black Trumpet (<i>Craterellus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Vitaminology, 2012, 58, 438-441.	0.6	29
43	Characterization of Corrinoid Compounds from Edible Cyanobacterium <i>Nostochopsis</i> sp.. <i>Journal of Nutritional Science and Vitaminology</i> , 2012, 58, 50-53.	0.6	8
44	Purification and Characterization of Phycobiliproteins from Edible Cyanobacterium <i>Nostochopsis</i> sp.. <i>Food Science and Technology Research</i> , 2012, 18, 485-490.	0.6	8
45	Cytosolic ascorbate peroxidase 1 protects organelles against oxidative stress by wounding- and jasmonate-induced H ₂ O ₂ in <i>Arabidopsis</i> plants. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2012, 1820, 1901-1907.	2.4	35
46	H ₂ O ₂ -triggered Retrograde Signaling from Chloroplasts to Nucleus Plays Specific Role in Response to Stress. <i>Journal of Biological Chemistry</i> , 2012, 287, 11717-11729.	3.4	188
47	Broth from Canned Clams Is Suitable for Use as an Excellent Source of Free Vitamin B12. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 12054-12058.	5.2	8
48	<i>Arabidopsis</i> NADPH oxidases, AtrbohD and AtrbohF, are essential for jasmonic acid-induced expression of genes regulated by MYC2 transcription factor. <i>Plant Science</i> , 2011, 180, 655-660.	3.6	81
49	Involvement of <i>Arabidopsis</i> NAC transcription factor in the regulation of 20S and 26S proteasomes. <i>Plant Science</i> , 2011, 181, 421-427.	3.6	17
50	Loss of Vitamin B12 in Fish (Round Herring) Meats during Various Cooking Treatments. <i>Journal of Nutritional Science and Vitaminology</i> , 2011, 57, 432-436.	0.6	29
51	Characterization of a Corrinoid Compound from Pacific Bluefin Tuna (<i>Thunnus orientalis</i>) Liver. <i>Food Science and Technology Research</i> , 2011, 17, 589-594.	0.6	6
52	HsfA1d and HsfA1e Involved in the Transcriptional Regulation of HsfA2 Function as Key Regulators for the Hsf Signaling Network in Response to Environmental Stress. <i>Plant and Cell Physiology</i> , 2011, 52, 933-945.	3.1	204
53	TLC-ANALYSIS OF A CORRINOID COMPOUND FROM JAPANESE ROCK-OYSTER <i>CRASSOSTREA</i> Tj ETQq1_1 0.78431 1.8	1.8	1
54	Antioxidant Activity of the Phycoerythrobilin Compound Formed from a Dried Korean Purple Laver (<i>Porphyra</i> sp.) during in Vitro Digestion. <i>Food Science and Technology Research</i> , 2010, 16, 347-352.	0.6	68

#	ARTICLE	IF	CITATIONS
55	Oral Administration of Paramylon, a .BETA.-1,3-D-Glucan Isolated from <i>Euglena gracilis</i> Z Inhibits Development of Atopic Dermatitis-Like Skin Lesions in NC/Nga Mice. <i>Journal of Veterinary Medical Science</i> , 2010, 72, 755-763.	0.9	96
56	Characterization of methylmalonyl-CoA mutase involved in the propionate photoassimilation of <i>Euglena gracilis</i> Z. <i>Archives of Microbiology</i> , 2010, 192, 437-446.	2.2	16
57	Eryngase: a <i>Pleurotus eryngii</i> aminopeptidase exhibiting peptide bond formation activity. <i>Applied Microbiology and Biotechnology</i> , 2010, 87, 1791-1801.	3.6	9
58	Methyladeninylcobamide functions as the cofactor of methionine synthase in a Cyanobacterium, <i>Spirulina platensis</i> . <i>FEBS Letters</i> , 2010, 584, 3223-3226.	2.8	37
59	The 26S Proteasome Function and Hsp90 Activity Involved in the Regulation of HsfA2 Expression in Response to Oxidative Stress. <i>Plant and Cell Physiology</i> , 2010, 51, 486-496.	3.1	70
60	The Contribution of <i>Arabidopsis</i> Homologs of <i>L-Gulonono-1,4-lactone Oxidase</i> to the Biosynthesis of Ascorbic Acid. <i>Bioscience, Biotechnology and Biochemistry</i> , 2010, 74, 1494-1497.	1.3	54
61	Identification of recognition sequence of ANAC078 protein by the cyclic amplification and selection of targets technique. <i>Plant Signaling and Behavior</i> , 2010, 5, 695-697.	2.4	15
62	<i>Arabidopsis</i> Chloroplastic Ascorbate Peroxidase Isoenzymes Play a Dual Role in Photoprotection and Gene Regulation under Photooxidative Stress. <i>Plant and Cell Physiology</i> , 2010, 51, 190-200.	3.1	140
63	TLC-BIOAUTOGRAPHY ANALYSIS OF VITAMIN B ₁₂ COMPOUND FROM THE SHORT-NECKED CLAM (<i>Ruditapes philippinarum</i>) EXTRACT USED AS A FLAVORING. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2010, 33, 972-979.	1.0	8
64	Analysis of the Regulation of Target Genes by an <i>Arabidopsis</i> Heat Shock Transcription Factor, HsfA2. <i>Bioscience, Biotechnology and Biochemistry</i> , 2009, 73, 890-895.	1.3	59
65	Characterization of Vitamin B ₁₂ Compounds from Korean Purple Laver (<i>Porphyra</i>) Tj ETQq1 1 0.784314 rgBT /Over	3.2	37
66	Cobalamin deficiency results in an abnormal increase in methylmalonyl-co-enzyme-A mutase expression in rat liver and COS-7 cells. <i>British Journal of Nutrition</i> , 2009, 101, 492-498.	2.3	9
67	<i>Arabidopsis</i> Sgt1a as an important factor for the acquirement of thermotolerance. <i>Plant Science</i> , 2009, 177, 676-681.	3.6	5
68	TLC-Bioautogram Analysis of Vitamin B ₁₂ Compounds from Boiled and Dried Japanese Anchovy (<i>Engraulis japonica</i>) Products. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2009, 32, 1175-1182.	1.0	6
69	<i>Arabidopsis</i> NAC Transcription Factor, ANAC078, Regulates Flavonoid Biosynthesis under High-light. <i>Plant and Cell Physiology</i> , 2009, 50, 2210-2222.	3.1	197
70	Hepatoprotective Effects of Paramylon, a .BETA.-1,3-D-Glucan Isolated from <i>Euglena gracilis</i> Z, on Acute Liver Injury Induced by Carbon Tetrachloride in Rats. <i>Journal of Veterinary Medical Science</i> , 2009, 71, 885-890.	0.9	65
71	Occurrence of Pseudovitamin B12 and Its Possible Function as the Cofactor of Cobalamin-Dependent Methionine Synthase in a Cyanobacterium <i>Synechocystis</i> sp. PCC6803. <i>Journal of Nutritional Science and Vitaminology</i> , 2009, 55, 518-521.	0.6	23
72	Conversion of <i>L-Galactono-1,4-lactone</i> to <i>L-Ascorbate</i> Is Regulated by the Photosynthetic Electron Transport Chain in <i>Arabidopsis</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2008, 72, 2598-2607.	1.3	28

#	ARTICLE	IF	CITATIONS
73	Arabidopsis Phosphomannose Isomerase 1, but Not Phosphomannose Isomerase 2, Is Essential for Ascorbic Acid Biosynthesis. <i>Journal of Biological Chemistry</i> , 2008, 283, 28842-28851.	3.4	92
74	Analysis of Vitamin B ₁₂ in Food by Silica Gel 60 TLC and Bioautography with Vitamin B ₁₂ -Dependent <i>Escherichia coli</i> 215. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2008, 31, 1977-1985.	1.0	32
75	Galactinol and Raffinose Constitute a Novel Function to Protect Plants from Oxidative Damage. <i>Plant Physiology</i> , 2008, 147, 1251-1263.	4.8	888
76	The Pathway via D-Galacturonate/L-Galactonate Is Significant for Ascorbate Biosynthesis in <i>Euglena gracilis</i> . <i>Journal of Biological Chemistry</i> , 2008, 283, 31133-31141.	3.4	58
77	Molecular Design of Photosynthesis-Elevated Chloroplasts for Mass Accumulation of a Foreign Protein. <i>Plant and Cell Physiology</i> , 2008, 49, 375-385.	3.1	42
78	The contribution of carbohydrates including raffinose family oligosaccharides and sugar alcohols to protection of plant cells from oxidative damage. <i>Plant Signaling and Behavior</i> , 2008, 3, 1016-1018.	2.4	120
79	Light regulation of ascorbate biosynthesis is dependent on the photosynthetic electron transport chain but independent of sugars in Arabidopsis. <i>Journal of Experimental Botany</i> , 2007, 58, 2661-2671.	4.8	220
80	A Bacterial Transgene for Catalase Protects Translation of D1 Protein during Exposure of Salt-Stressed Tobacco Leaves to Strong Light. <i>Plant Physiology</i> , 2007, 145, 258-265.	4.8	98
81	Differential Expression of Alternatively Spliced mRNAs of Arabidopsis SR Protein Homologs, atSR30 and atSR45a, in Response to Environmental Stress. <i>Plant and Cell Physiology</i> , 2007, 48, 1036-1049.	3.1	116
82	Differential Expression of Alternatively Spliced mRNAs of Arabidopsis SR Protein Homologs, atSR30 and atSR45a, in Response to Environmental Stress. <i>Plant and Cell Physiology</i> , 2007, 48, 1826-1826.	3.1	2
83	Glutathione peroxidase-like protein of <i>Synechocystis</i> PCC 6803 confers tolerance to oxidative and environmental stresses in transgenic Arabidopsis. <i>Physiologia Plantarum</i> , 2006, 128, 251-262.	5.2	64
84	Hydroperoxide reduction by thioredoxin-specific glutathione peroxidase isoenzymes of Arabidopsis <i>thaliana</i> . <i>FEBS Journal</i> , 2006, 273, 5589-5597.	4.7	116
85	Arabidopsis heat shock transcription factor A2 as a key regulator in response to several types of environmental stress. <i>Plant Journal</i> , 2006, 48, 535-547.	5.7	481
86	Functional Characterization of D-Galacturonic Acid Reductase, a Key Enzyme of the Ascorbate Biosynthesis Pathway, from <i>Euglena gracilis</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2006, 70, 2720-2726.	1.3	22
87	Carbon metabolism in the Calvin cycle. <i>Plant Biotechnology</i> , 2005, 22, 355-360.	1.0	34
88	Acclimation to Diverse Environmental Stresses Caused by a Suppression of Cytosolic Ascorbate Peroxidase in Tobacco BY-2 cells. <i>Plant and Cell Physiology</i> , 2005, 46, 1264-1271.	3.1	32
89	Decline in leaf photooxidative-stress tolerance with age in tobacco. <i>Plant Science</i> , 2005, 168, 1487-1493.	3.6	30
90	Two Distinct Redox Signaling Pathways for Cytosolic APX Induction under Photooxidative Stress. <i>Plant and Cell Physiology</i> , 2004, 45, 1586-1594.	3.1	95

#	ARTICLE	IF	CITATIONS
91	Feedback Inhibition of Spinach L-Galactose Dehydrogenase by L-Ascorbate. <i>Plant and Cell Physiology</i> , 2004, 45, 1271-1279.	3.1	73
92	Crystal Structure of Chloroplastic Ascorbate Peroxidase from Tobacco Plants and Structural Insights into its Instability. <i>Journal of Biochemistry</i> , 2003, 134, 239-244.	1.7	45
93	Identification of a cis Element for Tissue-specific Alternative Splicing of Chloroplast Ascorbate Peroxidase Pre-mRNA in Higher Plants. <i>Journal of Biological Chemistry</i> , 2002, 277, 40623-40632.	3.4	83
94	Crystallization and preliminary X-ray diffraction analysis of chloroplastic ascorbate peroxidase of tobacco plants. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2002, 58, 559-561.	2.5	5
95	Thylakoid membrane-bound ascorbate peroxidase is a limiting factor of antioxidative systems under photo-oxidative stress. <i>Plant Journal</i> , 2002, 32, 915-925.	5.7	207
96	Regulation and function of ascorbate peroxidase isoenzymes. <i>Journal of Experimental Botany</i> , 2002, 53, 1305-1319.	4.8	60
97	Regulation and function of ascorbate peroxidase isoenzymes. <i>Journal of Experimental Botany</i> , 2002, 53, 1305-19.	4.8	257
98	Expression of Spinach Ascorbate Peroxidase Isoenzymes in Response to Oxidative Stresses. <i>Plant Physiology</i> , 2000, 123, 223-234.	4.8	326
99	Molecular Characterization of Tobacco Mitochondrial L-Galactono- γ -Lactone Dehydrogenase and Its Expression in <i>Escherichia coli</i> . <i>Plant and Cell Physiology</i> , 2000, 41, 666-675.	3.1	58
100	Alternatively spliced mRNA variants of chloroplast ascorbate peroxidase isoenzymes in spinach leaves. <i>Biochemical Journal</i> , 1999, 338, 41-48.	3.7	66
101	Alternatively spliced mRNA variants of chloroplast ascorbate peroxidase isoenzymes in spinach leaves. <i>Biochemical Journal</i> , 1999, 338, 41.	3.7	19