

Vivek Malhotra

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/573762/publications.pdf>

Version: 2024-02-01

118
papers

12,480
citations

18436

62
h-index

25716

108
g-index

145
all docs

145
docs citations

145
times ranked

10754
citing authors

#	ARTICLE	IF	CITATIONS
1	Involvement of GTP-binding proteins in transport through the Golgi stack. <i>Cell</i> , 1987, 51, 1053-1062.	13.5	503
2	Purification of a novel class of coated vesicles mediating biosynthetic protein transport through the Golgi stack. <i>Cell</i> , 1989, 58, 329-336.	13.5	410
3	Role of Diacylglycerol in PKD Recruitment to the TGN and Protein Transport to the Plasma Membrane. <i>Science</i> , 2002, 295, 325-328.	6.0	397
4	Role of an N-ethylmaleimide-sensitive transport component in promoting fusion of transport vesicles with cisternae of the Golgi stack. <i>Cell</i> , 1988, 54, 221-227.	13.5	377
5	Unconventional secretion of Acb1 is mediated by autophagosomes. <i>Journal of Cell Biology</i> , 2010, 188, 527-536.	2.3	360
6	Protein Kinase D Regulates the Fission of Cell Surface Destined Transport Carriers from the Trans-Golgi Network. <i>Cell</i> , 2001, 104, 409-420.	13.5	343
7	Functional genomics reveals genes involved in protein secretion and Golgi organization. <i>Nature</i> , 2006, 439, 604-607.	13.7	337
8	TANGO1 Facilitates Cargo Loading at Endoplasmic Reticulum Exit Sites. <i>Cell</i> , 2009, 136, 891-902.	13.5	320
9	Dissection of a single round of vesicular transport: Sequential intermediates for intercisternal movement in the Golgi stack. <i>Cell</i> , 1989, 56, 357-368.	13.5	274
10	G12/13-Mediated Regulation of Golgi Organization Is through the Direct Activation of Protein Kinase D. <i>Cell</i> , 1999, 98, 59-68.	13.5	265
11	Non-autophagic roles of autophagy-related proteins. <i>EMBO Reports</i> , 2013, 14, 143-151.	2.0	243
12	Fragmentation and Dispersal of the Pericentriolar Golgi Complex Is Required for Entry into Mitosis in Mammalian Cells. <i>Cell</i> , 2002, 109, 359-369.	13.5	234
13	Diversity in unconventional protein secretion. <i>Journal of Cell Science</i> , 2012, 125, 5251-5255.	1.2	229
14	CP110 Suppresses Primary Cilia Formation through Its Interaction with CEP290, a Protein Deficient in Human Ciliary Disease. <i>Developmental Cell</i> , 2008, 15, 187-197.	3.1	228
15	Protein kinase D regulates basolateral membrane protein exit from trans-Golgi network. <i>Nature Cell Biology</i> , 2004, 6, 106-112.	4.6	225
16	Fatty acyl-coenzyme a is required for budding of transport vesicles from Golgi cisternae. <i>Cell</i> , 1989, 59, 95-102.	13.5	221
17	Protein kinase D: an intracellular traffic regulator on the move. <i>Trends in Cell Biology</i> , 2002, 12, 193-200.	3.6	220
18	The Curious Status of the Golgi Apparatus. <i>Cell</i> , 1998, 95, 883-889.	13.5	212

#	ARTICLE	IF	CITATIONS
19	The Golgi-Associated Protein GRASP Is Required for Unconventional Protein Secretion during Development. <i>Cell</i> , 2007, 130, 524-534.	13.5	211
20	The formation of golgi stacks from vesiculated golgi membranes requires two distinct fusion events. <i>Cell</i> , 1995, 82, 895-904.	13.5	209
21	Complete vesiculation of Golgi membranes and inhibition of protein transport by a novel sea sponge metabolite, ilimaquinone. <i>Cell</i> , 1993, 73, 1079-1090.	13.5	208
22	The Formation of TGN-to-Plasma-Membrane Transport Carriers. <i>Annual Review of Cell and Developmental Biology</i> , 2006, 22, 439-455.	4.0	183
23	Signaling via Mitogen-Activated Protein Kinase Kinase (MEK1) Is Required for Golgi Fragmentation during Mitosis. <i>Cell</i> , 1998, 92, 183-192.	13.5	180
24	Golgi spectrin: identification of an erythroid beta-spectrin homolog associated with the Golgi complex.. <i>Journal of Cell Biology</i> , 1994, 127, 707-723.	2.3	178
25	ARF signaling: A potential role for phospholipase D in membrane traffic. <i>Cell</i> , 1993, 75, 1045-1048.	13.5	172
26	Biogenesis of a novel compartment for autophagosome-mediated unconventional protein secretion. <i>Journal of Cell Biology</i> , 2011, 195, 979-992.	2.3	165
27	Sedlin Controls the ER Export of Procollagen by Regulating the Sar1 Cycle. <i>Science</i> , 2012, 337, 1668-1672.	6.0	157
28	Journeys through the Golgiâ€”taking stock in a new era. <i>Journal of Cell Biology</i> , 2009, 187, 449-453.	2.3	156
29	Recruitment of protein kinase D to the trans-Golgi network via the first cysteine-rich domain. <i>EMBO Journal</i> , 2001, 20, 5982-5990.	3.5	150
30	Unconventional protein secretion: an evolving mechanism. <i>EMBO Journal</i> , 2013, 32, 1660-1664.	3.5	143
31	cTAGE5 mediates collagen secretion through interaction with TANGO1 at endoplasmic reticulum exit sites. <i>Molecular Biology of the Cell</i> , 2011, 22, 2301-2308.	0.9	141
32	The Pathway of Collagen Secretion. <i>Annual Review of Cell and Developmental Biology</i> , 2015, 31, 109-124.	4.0	137
33	PKCÎ is required for Î²1Î²2/Î²3Î²2- and PKD-mediated transport to the cell surface and the organization of the Golgi apparatus. <i>Journal of Cell Biology</i> , 2005, 169, 83-91.	2.3	128
34	The Golgi-associated Protein GRASP65 Regulates Spindle Dynamics and Is Essential for Cell Division. <i>Molecular Biology of the Cell</i> , 2005, 16, 3211-3222.	0.9	126
35	Dimeric PKD regulates membrane fission to form transport carriers at the TGN. <i>Journal of Cell Biology</i> , 2007, 179, 1123-1131.	2.3	121
36	Regulation of Golgi Structure through Heterotrimeric G Proteins. <i>Cell</i> , 1997, 91, 617-626.	13.5	115

#	ARTICLE	IF	CITATIONS
37	A Golgi fragmentation pathway in neurodegeneration. <i>Neurobiology of Disease</i> , 2008, 29, 221-231.	2.1	115
38	Polo-like kinase is required for the fragmentation of pericentriolar Golgi stacks during mitosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 9128-9132.	3.3	107
39	Cell-cycle-specific Golgi fragmentation: how and why?. <i>Current Opinion in Cell Biology</i> , 2003, 15, 462-467.	2.6	106
40	TANGO1 builds a machine for collagen export by recruiting and spatially organizing COPII, tethers and membranes. <i>ELife</i> , 2018, 7, .	2.8	106
41	The mechanism of Golgi segregation during mitosis is cell type-specific. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 14467-14470.	3.3	104
42	TANGO1 and Mia2/cTAGE5 (TALI) cooperate to export bulky pre-chylomicrons/VLDLs from the endoplasmic reticulum. <i>Journal of Cell Biology</i> , 2016, 213, 343-354.	2.3	99
43	Ligand binding by the p150,95 antigen of U937 monocytic cells: properties in common with complement receptor type 3 (CR3). <i>European Journal of Immunology</i> , 1986, 16, 1117-1123.	1.6	98
44	The organisation of the Golgi apparatus. <i>Current Opinion in Cell Biology</i> , 1998, 10, 493-498.	2.6	98
45	A Specific Activation of the Mitogen-Activated Protein Kinase Kinase 1 (Mek1) Is Required for Golgi Fragmentation during Mitosis. <i>Journal of Cell Biology</i> , 2000, 149, 331-340.	2.3	98
46	Actin remodeling by ADF/cofilin is required for cargo sorting at the trans-Golgi network. <i>Journal of Cell Biology</i> , 2009, 187, 1055-1069.	2.3	98
47	Src Regulates Golgi Structure and KDEL Receptor-dependent Retrograde Transport to the Endoplasmic Reticulum. <i>Journal of Biological Chemistry</i> , 2003, 278, 46601-46606.	1.6	97
48	Membrane Fission: The Biogenesis of Transport Carriers. <i>Annual Review of Biochemistry</i> , 2012, 81, 407-427.	5.0	96
49	Prefission Constriction of Golgi Tubular Carriers Driven by Local Lipid Metabolism: A Theoretical Model. <i>Biophysical Journal</i> , 2003, 85, 3813-3827.	0.2	88
50	ADF/Cofilin Regulates Secretory Cargo Sorting at the TGN via the Ca ²⁺ ATPase SPCA1. <i>Developmental Cell</i> , 2011, 20, 652-662.	3.1	88
51	A new class of carriers that transport selective cargo from the trans Golgi network to the cell surface. <i>EMBO Journal</i> , 2012, 31, 3976-3990.	3.5	88
52	PKD Regulates Membrane Fission to Generate TGN to Cell Surface Transport Carriers. <i>Cold Spring Harbor Perspectives in Biology</i> , 2011, 3, a005280-a005280.	2.3	87
53	TANGO1 recruits ERGIC membranes to the endoplasmic reticulum for procollagen export. <i>ELife</i> , 2015, 4, .	2.8	86
54	Myosin Motors and Not Actin Comets Are Mediators of the Actin-based Golgi-to-Endoplasmic Reticulum Protein Transport. <i>Molecular Biology of the Cell</i> , 2003, 14, 445-459.	0.9	84

#	ARTICLE	IF	CITATIONS
55	Cab45 is required for Ca ²⁺ -dependent secretory cargo sorting at the trans-Golgi network. <i>Journal of Cell Biology</i> , 2012, 199, 1057-1066.	2.3	80
56	Golgi Membranes Remain Segregated from the Endoplasmic Reticulum during Mitosis in Mammalian Cells. <i>Cell</i> , 2004, 116, 99-107.	13.5	79
57	Sphingolipid metabolic flow controls phosphoinositide turnover at the trans-Golgi network. <i>EMBO Journal</i> , 2017, 36, 1736-1754.	3.5	79
58	The Role of GRASP55 in Golgi Fragmentation and Entry of Cells into Mitosis. <i>Molecular Biology of the Cell</i> , 2008, 19, 2579-2587.	0.9	78
59	TANGO1 assembles into rings around COPII coats at ER exit sites. <i>Journal of Cell Biology</i> , 2017, 216, 901-909.	2.3	76
60	Protein export at the ER: loading big collagens into COPII carriers. <i>EMBO Journal</i> , 2011, 30, 3475-3480.	3.5	75
61	SLY1 and Syntaxin 18 specify a distinct pathway for procollagen VII export from the endoplasmic reticulum. <i>ELife</i> , 2014, 3, e02784.	2.8	75
62	Sphingomyelin organization is required for vesicle biogenesis at the Golgi complex. <i>EMBO Journal</i> , 2012, 31, 4535-4546.	3.5	74
63	Protein Kinase D Regulates Trafficking of Dendritic Membrane Proteins in Developing Neurons. <i>Journal of Neuroscience</i> , 2008, 28, 9297-9308.	1.7	68
64	Unconventional secretion of FABP4 by endosomes and secretory lysosomes. <i>Journal of Cell Biology</i> , 2018, 217, 649-665.	2.3	64
65	RAF1-activated MEK1 is found on the Golgi apparatus in late prophase and is required for Golgi complex fragmentation in mitosis. <i>Journal of Cell Biology</i> , 2003, 161, 27-32.	2.3	61
66	Recruitment of arfaptins to the trans-Golgi network by PI(4)P and their involvement in cargo export. <i>EMBO Journal</i> , 2013, 32, 1717-1729.	3.5	61
67	Role of the Second Cysteine-rich Domain and Pro275 in Protein Kinase D2 Interaction with ADP-Ribosylation Factor 1, Trans-Golgi Network Recruitment, and Protein Transport. <i>Molecular Biology of the Cell</i> , 2010, 21, 1011-1022.	0.9	57
68	Location of Golgi membranes with reference to dividing nuclei in syncytial <i>Drosophila</i> embryos. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994, 91, 1878-1882.	3.3	56
69	Protein transport by vesicles and tunnels. <i>Journal of Cell Biology</i> , 2019, 218, 737-739.	2.3	55
70	ESCRT-III drives the final stages of CUPS maturation for unconventional protein secretion. <i>ELife</i> , 2016, 5, .	2.8	54
71	Remodeling of secretory compartments creates CUPS during nutrient starvation. <i>Journal of Cell Biology</i> , 2014, 207, 695-703.	2.3	52
72	Expression of complement factor H on the cell surface of the human monocytic cell line U937. <i>European Journal of Immunology</i> , 1985, 15, 935-941.	1.6	51

#	ARTICLE	IF	CITATIONS
73	Microtubule independent vesiculation of Golgi membranes and the reassembly of vesicles into Golgi stacks. <i>Journal of Cell Biology</i> , 1993, 122, 1197-1206.	2.3	50
74	Role of NAD ⁺ and ADP-Ribosylation in the Maintenance of the Golgi Structure. <i>Journal of Cell Biology</i> , 1997, 139, 1109-1118.	2.3	50
75	Unconventional Secretion of AcbA in <i>Dictyostelium discoideum</i> through a Vesicular Intermediate. <i>Eukaryotic Cell</i> , 2010, 9, 1009-1017.	3.4	50
76	Kinesin-5/Eg5 is important for transport of CARTS from the trans-Golgi network to the cell surface. <i>Journal of Cell Biology</i> , 2013, 202, 241-250.	2.3	49
77	TRPM5-mediated calcium uptake regulates mucin secretion from human colon goblet cells. <i>ELife</i> , 2013, 2, e00658.	2.8	49
78	Sphingomyelin homeostasis is required to form functional enzymatic domains at the trans-Golgi network. <i>Journal of Cell Biology</i> , 2014, 206, 609-618.	2.3	45
79	Biallelic TANGO1 mutations cause a novel syndromal disease due to hampered cellular collagen secretion. <i>ELife</i> , 2020, 9, .	2.8	45
80	Reconstitution of vesiculated Golgi membranes into stacks of cisternae: requirement of NSF in stack formation.. <i>Journal of Cell Biology</i> , 1995, 129, 577-589.	2.3	43
81	A diacidic motif determines unconventional secretion of wild-type and ALS-linked mutant SOD1. <i>Journal of Cell Biology</i> , 2017, 216, 2691-2700.	2.3	42
82	Coatomers and SNAREs in promoting membrane traffic. <i>Cell</i> , 1993, 75, 593-596.	13.5	41
83	Rothman and Schekman SNAREd by Lasker for Trafficking. <i>Cell</i> , 2002, 111, 1-3.	13.5	41
84	Cofilin-mediated sorting and export of specific cargo from the Golgi apparatus in yeast. <i>Molecular Biology of the Cell</i> , 2012, 23, 2327-2338.	0.9	40
85	Procollagen export from the endoplasmic reticulum. <i>Biochemical Society Transactions</i> , 2015, 43, 104-107.	1.6	39
86	GRASP55 and UPR Control Interleukin-1 β Aggregation and Secretion. <i>Developmental Cell</i> , 2019, 49, 145-155.e4.	3.1	39
87	Unconventional protein secretion triggered by nutrient starvation. <i>Seminars in Cell and Developmental Biology</i> , 2018, 83, 22-28.	2.3	37
88	Chemical Analysis of Norrisolide-Induced Golgi Vesiculation. <i>Journal of the American Chemical Society</i> , 2006, 128, 4190-4191.	6.6	34
89	The Golgi grows up. <i>Nature</i> , 2006, 441, 939-940.	13.7	34
90	Sodium channel TRPM4 and sodium/calcium exchangers (NCX) cooperate in the control of Ca ²⁺ -induced mucin secretion from goblet cells. <i>Journal of Biological Chemistry</i> , 2019, 294, 816-826.	1.6	33

#	ARTICLE	IF	CITATIONS
91	Sphingomyelin metabolism controls the shape and function of the Golgi cisternae. <i>ELife</i> , 2017, 6, .	2.8	33
92	Fragmentation of Golgi membranes by norrisolide and designed analogues. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2004, 14, 5035-5039.	1.0	28
93	MEK1 inactivates Myt1 to regulate Golgi membrane fragmentation and mitotic entry in mammalian cells. <i>EMBO Journal</i> , 2012, 32, 72-85.	3.5	28
94	The Golgi Apparatus Maintains Its Organization Independent of the Endoplasmic Reticulum. <i>Molecular Biology of the Cell</i> , 2006, 17, 5372-5380.	0.9	27
95	Membrane fusion in organelle biogenesis. <i>Current Opinion in Cell Biology</i> , 1996, 8, 519-523.	2.6	26
96	TANGO1 membrane helices create a lipid diffusion barrier at curved membranes. <i>ELife</i> , 2020, 9, .	2.8	26
97	Structure and specificity of complement receptors. <i>Immunology Letters</i> , 1987, 14, 183-190.	1.1	25
98	New factors for protein transport identified by a genome-wide CRISPRi screen in mammalian cells. <i>Journal of Cell Biology</i> , 2019, 218, 3861-3879.	2.3	25
99	A physical mechanism of TANGO1-mediated bulky cargo export. <i>ELife</i> , 2020, 9, .	2.8	24
100	A Tendon Cell Specific RNAi Screen Reveals Novel Candidates Essential for Muscle Tendon Interaction. <i>PLoS ONE</i> , 2015, 10, e0140976.	1.1	23
101	Vesicle biogenesis: The coat connection. <i>Cell</i> , 1995, 83, 667-669.	13.5	22
102	Investigation of the biological mode of action of clerocidin using whole cell assays. <i>Bioorganic and Medicinal Chemistry</i> , 2001, 9, 1365-1370.	1.4	22
103	The function of GORASPs in Golgi apparatus organization in vivo. <i>Journal of Cell Biology</i> , 2020, 219, .	2.3	22
104	TANGO1 marshals the early secretory pathway for cargo export. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2021, 1863, 183700.	1.4	19
105	Reactive oxygen species triggers unconventional secretion of antioxidants and Acb1. <i>Journal of Cell Biology</i> , 2020, 219, .	2.3	19
106	KCHIP3 coupled to Ca ²⁺ oscillations exerts a tonic brake on baseline mucin release in the colon. <i>ELife</i> , 2018, 7, .	2.8	18
107	Role of complement receptor CR1 in the breakdown of soluble and zymosan-bound C3b. <i>Biochemical Society Transactions</i> , 1984, 12, 781-782.	1.6	17
108	Chemical biology studies on norrisolide. <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 2115-2122.	1.4	17

#	ARTICLE	IF	CITATIONS
109	Golgi enzymes do not cycle through the endoplasmic reticulum during protein secretion or mitosis. <i>Molecular Biology of the Cell</i> , 2017, 28, 141-151.	0.9	16
110	Trifunctional norrisolide probes for the study of Golgi vesiculation. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007, 17, 320-325.	1.0	13
111	Membranes and sorting. <i>Current Opinion in Cell Biology</i> , 1997, 9, 475-476.	2.6	10
112	The pleasure of publishing. <i>ELife</i> , 2015, 4, .	2.8	8
113	Protein kinase D regulates metabolism and growth by controlling secretion of insulin like peptide. <i>Developmental Biology</i> , 2018, 434, 175-185.	0.9	6
114	Reversing chemorefraction in colorectal cancer cells by controlling mucin secretion. <i>ELife</i> , 2022, 11, .	2.8	6
115	COPII Vesicles Get Supersized by Ubiquitin. <i>Cell</i> , 2012, 149, 20-21.	13.5	5
116	Membranes and organelles. <i>Current Opinion in Cell Biology</i> , 2005, 17, 343-344.	2.6	2
117	Reconstitution of Golgi stacks from vesiculated Golgi membranes in permeabilized cells. <i>Seminars in Cell and Developmental Biology</i> , 1996, 7, 511-516.	2.3	1
118	Regulated assembly of proteins and lipids at the Golgi to generate membrane fission activity. <i>Chemistry and Physics of Lipids</i> , 2008, 154, S3.	1.5	1