Vivek Malhotra

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/573762/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Involvement of GTP-binding "G―proteins in transport through the Golgi stack. Cell, 1987, 51, 1053-1062.	28.9	503
2	Purification of a novel class of coated vesicles mediating biosynthetic protein transport through the Golgi stack. Cell, 1989, 58, 329-336.	28.9	410
3	Role of Diacylglycerol in PKD Recruitment to the TGN and Protein Transport to the Plasma Membrane. Science, 2002, 295, 325-328.	12.6	397
4	Role of an N-ethylmaleimide-sensitive transport component in promoting fusion of transport vesicles with cisternae of the Golgi stack. Cell, 1988, 54, 221-227.	28.9	377
5	Unconventional secretion of Acb1 is mediated by autophagosomes. Journal of Cell Biology, 2010, 188, 527-536.	5.2	360
6	Protein Kinase D Regulates the Fission of Cell Surface Destined Transport Carriers from the Trans-Golgi Network. Cell, 2001, 104, 409-420.	28.9	343
7	Functional genomics reveals genes involved in protein secretion and Golgi organization. Nature, 2006, 439, 604-607.	27.8	337
8	TANGO1 Facilitates Cargo Loading at Endoplasmic Reticulum Exit Sites. Cell, 2009, 136, 891-902.	28.9	320
9	Dissection of a single round of vesicular transport: Sequential intermediates for intercisternal movement in the Golgi stack. Cell, 1989, 56, 357-368.	28.9	274
10	Gβγ-Mediated Regulation of Golgi Organization Is through the Direct Activation of Protein Kinase D. Cell, 1999, 98, 59-68.	28.9	265
11	Nonâ€autophagic roles of autophagyâ€related proteins. EMBO Reports, 2013, 14, 143-151.	4.5	243
12	Fragmentation and Dispersal of the Pericentriolar Golgi Complex Is Required for Entry into Mitosis in Mammalian Cells. Cell, 2002, 109, 359-369.	28.9	234
13	Diversity in unconventional protein secretion. Journal of Cell Science, 2012, 125, 5251-5255.	2.0	229
14	CP110 Suppresses Primary Cilia Formation through Its Interaction with CEP290, a Protein Deficient in Human Ciliary Disease. Developmental Cell, 2008, 15, 187-197.	7.0	228
15	Protein kinase D regulates basolateral membrane protein exit from trans-Golgi network. Nature Cell Biology, 2004, 6, 106-112.	10.3	225
16	Fatty acyl-coenzyme a is required for budding of transport vesicles from Golgi cisternae. Cell, 1989, 59, 95-102.	28.9	221
17	Protein kinase D: an intracellular traffic regulator on the move. Trends in Cell Biology, 2002, 12, 193-200.	7.9	220
18	The Curious Status of the Golgi Apparatus. Cell, 1998, 95, 883-889.	28.9	212

#	Article	IF	CITATIONS
19	The Golgi-Associated Protein GRASP Is Required for Unconventional Protein Secretion during Development. Cell, 2007, 130, 524-534.	28.9	211
20	The formation of golgi stacks from vesiculated golgi membranes requires two distinct fusion events. Cell, 1995, 82, 895-904.	28.9	209
21	Complete vesiculation of Golgi membranes and inhibition of protein transport by a novel sea sponge metabolite, ilimaquinone. Cell, 1993, 73, 1079-1090.	28.9	208
22	The Formation of TGN-to-Plasma-Membrane Transport Carriers. Annual Review of Cell and Developmental Biology, 2006, 22, 439-455.	9.4	183
23	Signaling via Mitogen-Activated Protein Kinase Kinase (MEK1) Is Required for Golgi Fragmentation during Mitosis. Cell, 1998, 92, 183-192.	28.9	180
24	Golgi spectrin: identification of an erythroid beta-spectrin homolog associated with the Golgi complex Journal of Cell Biology, 1994, 127, 707-723.	5.2	178
25	ARF signaling: A potential role for phospholipase D in membrane traffic. Cell, 1993, 75, 1045-1048.	28.9	172
26	Biogenesis of a novel compartment for autophagosome-mediated unconventional protein secretion. Journal of Cell Biology, 2011, 195, 979-992.	5.2	165
27	Sedlin Controls the ER Export of Procollagen by Regulating the Sar1 Cycle. Science, 2012, 337, 1668-1672.	12.6	157
28	Journeys through the Golgi—taking stock in a new era. Journal of Cell Biology, 2009, 187, 449-453.	5.2	156
29	Recruitment of protein kinase D to the trans-Golgi network via the first cysteine-rich domain. EMBO Journal, 2001, 20, 5982-5990.	7.8	150
30	Unconventional protein secretion: an evolving mechanism. EMBO Journal, 2013, 32, 1660-1664.	7.8	143
31	cTAGE5 mediates collagen secretion through interaction with TANGO1 at endoplasmic reticulum exit sites. Molecular Biology of the Cell, 2011, 22, 2301-2308.	2.1	141
32	The Pathway of Collagen Secretion. Annual Review of Cell and Developmental Biology, 2015, 31, 109-124.	9.4	137
33	PKCη is required for β1γ2/β3γ2- and PKD-mediated transport to the cell surface and the organization of the Golgi apparatus. Journal of Cell Biology, 2005, 169, 83-91.	5.2	128
34	The Golgi-associated Protein GRASP65 Regulates Spindle Dynamics and Is Essential for Cell Division. Molecular Biology of the Cell, 2005, 16, 3211-3222.	2.1	126
35	Dimeric PKD regulates membrane fission to form transport carriers at the TGN. Journal of Cell Biology, 2007, 179, 1123-1131.	5.2	121
36	Regulation of Golgi Structure through Heterotrimeric G Proteins. Cell, 1997, 91, 617-626.	28.9	115

#	Article	IF	CITATIONS
37	A Golgi fragmentation pathway in neurodegeneration. Neurobiology of Disease, 2008, 29, 221-231.	4.4	115
38	Polo-like kinase is required for the fragmentation of pericentriolar Golgi stacks during mitosis. Proceedings of the National Academy of Sciences of the United States of America, 2001, 98, 9128-9132.	7.1	107
39	Cell-cycle-specific Golgi fragmentation: how and why?. Current Opinion in Cell Biology, 2003, 15, 462-467.	5.4	106
40	TANGO1 builds a machine for collagen export by recruiting and spatially organizing COPII, tethers and membranes. ELife, 2018, 7, .	6.0	106
41	The mechanism of Golgi segregation during mitosis is cell type-specific. Proceedings of the National Academy of Sciences of the United States of America, 1997, 94, 14467-14470.	7.1	104
42	TANGO1 and Mia2/cTAGE5 (TALI) cooperate to export bulky pre-chylomicrons/VLDLs from the endoplasmic reticulum. Journal of Cell Biology, 2016, 213, 343-354.	5.2	99
43	Ligand binding by the pl50,95 antigen of U937 monocytic cells: properties in common with complement receptor type 3 (CR3). European Journal of Immunology, 1986, 16, 1117-1123.	2.9	98
44	The organisation of the Golgi apparatus. Current Opinion in Cell Biology, 1998, 10, 493-498.	5.4	98
45	A Specific Activation of the Mitogen-Activated Protein Kinase Kinase 1 (Mek1) Is Required for Golgi Fragmentation during Mitosis. Journal of Cell Biology, 2000, 149, 331-340.	5.2	98
46	Actin remodeling by ADF/cofilin is required for cargo sorting at the trans-Golgi network. Journal of Cell Biology, 2009, 187, 1055-1069.	5.2	98
47	Src Regulates Golgi Structure and KDEL Receptor-dependent Retrograde Transport to the Endoplasmic Reticulum. Journal of Biological Chemistry, 2003, 278, 46601-46606.	3.4	97
48	Membrane Fission: The Biogenesis of Transport Carriers. Annual Review of Biochemistry, 2012, 81, 407-427.	11.1	96
49	Prefission Constriction of Golgi Tubular Carriers Driven by Local Lipid Metabolism: A Theoretical Model. Biophysical Journal, 2003, 85, 3813-3827.	0.5	88
50	ADF/Cofilin Regulates Secretory Cargo Sorting at the TGN via the Ca2+ ATPase SPCA1. Developmental Cell, 2011, 20, 652-662.	7.0	88
51	A new class of carriers that transport selective cargo from the trans Golgi network to the cell surface. EMBO Journal, 2012, 31, 3976-3990.	7.8	88
52	PKD Regulates Membrane Fission to Generate TGN to Cell Surface Transport Carriers. Cold Spring Harbor Perspectives in Biology, 2011, 3, a005280-a005280.	5.5	87
53	TANGO1 recruits ERGIC membranes to the endoplasmic reticulum for procollagen export. ELife, 2015, 4,	6.0	86
54	Myosin Motors and Not Actin Comets Are Mediators of the Actin-based Golgi-to-Endoplasmic Reticulum Protein Transport. Molecular Biology of the Cell, 2003, 14, 445-459.	2.1	84

#	Article	IF	CITATIONS
55	Cab45 is required for Ca2+-dependent secretory cargo sorting at the trans-Golgi network. Journal of Cell Biology, 2012, 199, 1057-1066.	5.2	80
56	Golgi Membranes Remain Segregated from the Endoplasmic Reticulum during Mitosis in Mammalian Cells. Cell, 2004, 116, 99-107.	28.9	79
57	Sphingolipid metabolic flow controls phosphoinositide turnover at the <i>trans</i> â€Golgi network. EMBO Journal, 2017, 36, 1736-1754.	7.8	79
58	The Role of GRASP55 in Golgi Fragmentation and Entry of Cells into Mitosis. Molecular Biology of the Cell, 2008, 19, 2579-2587.	2.1	78
59	TANGO1 assembles into rings around COPII coats at ER exit sites. Journal of Cell Biology, 2017, 216, 901-909.	5.2	76
60	Protein export at the ER: loading big collagens into COPII carriers. EMBO Journal, 2011, 30, 3475-3480.	7.8	75
61	SLY1 and Syntaxin 18 specify a distinct pathway for procollagen VII export from the endoplasmic reticulum. ELife, 2014, 3, e02784.	6.0	75
62	Sphingomyelin organization is required for vesicle biogenesis at the Golgi complex. EMBO Journal, 2012, 31, 4535-4546.	7.8	74
63	Protein Kinase D Regulates Trafficking of Dendritic Membrane Proteins in Developing Neurons. Journal of Neuroscience, 2008, 28, 9297-9308.	3.6	68
64	Unconventional secretion of FABP4 by endosomes and secretory lysosomes. Journal of Cell Biology, 2018, 217, 649-665.	5.2	64
65	RAF1-activated MEK1 is found on the Golgi apparatus in late prophase and is required for Golgi complex fragmentation in mitosis. Journal of Cell Biology, 2003, 161, 27-32.	5.2	61
66	Recruitment of arfaptins to the trans-Golgi network by PI(4)P and their involvement in cargo export. EMBO Journal, 2013, 32, 1717-1729.	7.8	61
67	Role of the Second Cysteine-rich Domain and Pro275 in Protein Kinase D2 Interaction with ADP-Ribosylation Factor 1, <i>Trans</i> -Golgi Network Recruitment, and Protein Transport. Molecular Biology of the Cell, 2010, 21, 1011-1022.	2.1	57
68	Location of Golgi membranes with reference to dividing nuclei in syncytial Drosophila embryos Proceedings of the National Academy of Sciences of the United States of America, 1994, 91, 1878-1882.	7.1	56
69	Protein transport by vesicles and tunnels. Journal of Cell Biology, 2019, 218, 737-739.	5.2	55
70	ESCRT-III drives the final stages of CUPS maturation for unconventional protein secretion. ELife, 2016, 5, .	6.0	54
71	Remodeling of secretory compartments creates CUPS during nutrient starvation. Journal of Cell Biology, 2014, 207, 695-703.	5.2	52
72	Expression of complement factor H on the cell surface of the human monocytic cell line U937. European Journal of Immunology, 1985, 15, 935-941.	2.9	51

#	Article	IF	CITATIONS
73	Microtubule independent vesiculation of Golgi membranes and the reassembly of vesicles into Golgi stacks. Journal of Cell Biology, 1993, 122, 1197-1206.	5.2	50
74	Role of NAD+ and ADP-Ribosylation in the Maintenance of the Golgi Structure. Journal of Cell Biology, 1997, 139, 1109-1118.	5.2	50
75	Unconventional Secretion of AcbA in Dictyostelium discoideum through a Vesicular Intermediate. Eukaryotic Cell, 2010, 9, 1009-1017.	3.4	50
76	Kinesin-5/Eg5 is important for transport of CARTS from the trans-Golgi network to the cell surface. Journal of Cell Biology, 2013, 202, 241-250.	5.2	49
77	TRPM5-mediated calcium uptake regulates mucin secretion from human colon goblet cells. ELife, 2013, 2, e00658.	6.0	49
78	Sphingomyelin homeostasis is required to form functional enzymatic domains at the trans-Golgi network. Journal of Cell Biology, 2014, 206, 609-618.	5.2	45
79	Biallelic TANGO1 mutations cause a novel syndromal disease due to hampered cellular collagen secretion. ELife, 2020, 9, .	6.0	45
80	Reconstitution of vesiculated Golgi membranes into stacks of cisternae: requirement of NSF in stack formation Journal of Cell Biology, 1995, 129, 577-589.	5.2	43
81	A diacidic motif determines unconventional secretion of wild-type and ALS-linked mutant SOD1. Journal of Cell Biology, 2017, 216, 2691-2700.	5.2	42
82	Coatomers and SNAREs in promoting membrane traffic. Cell, 1993, 75, 593-596.	28.9	41
83	Rothman and Schekman SNAREd by Lasker for Trafficking. Cell, 2002, 111, 1-3.	28.9	41
84	Cofilin-mediated sorting and export of specific cargo from the Golgi apparatus in yeast. Molecular Biology of the Cell, 2012, 23, 2327-2338.	2.1	40
85	Procollagen export from the endoplasmic reticulum. Biochemical Society Transactions, 2015, 43, 104-107.	3.4	39
86	GRASP55 and UPR Control Interleukin-1β Aggregation and Secretion. Developmental Cell, 2019, 49, 145-155.e4.	7.0	39
87	Unconventional protein secretion triggered by nutrient starvation. Seminars in Cell and Developmental Biology, 2018, 83, 22-28.	5.0	37
88	Chemical Analysis of Norrisolide-Induced Golgi Vesiculation. Journal of the American Chemical Society, 2006, 128, 4190-4191.	13.7	34
89	The Golgi grows up. Nature, 2006, 441, 939-940.	27.8	34
90	Sodium channel TRPM4 and sodium/calcium exchangers (NCX) cooperate in the control of Ca2+-induced mucin secretion from goblet cells. Journal of Biological Chemistry, 2019, 294, 816-826.	3.4	33

#	Article	IF	CITATIONS
91	Sphingomyelin metabolism controls the shape and function of the Golgi cisternae. ELife, 2017, 6, .	6.0	33
92	Fragmentation of Golgi membranes by norrisolide and designed analogues. Bioorganic and Medicinal Chemistry Letters, 2004, 14, 5035-5039.	2.2	28
93	MEK1 inactivates Myt1 to regulate Colgi membrane fragmentation and mitotic entry in mammalian cells. EMBO Journal, 2012, 32, 72-85.	7.8	28
94	The Golgi Apparatus Maintains Its Organization Independent of the Endoplasmic Reticulum. Molecular Biology of the Cell, 2006, 17, 5372-5380.	2.1	27
95	Membrane fusion in organelle biogenesis. Current Opinion in Cell Biology, 1996, 8, 519-523.	5.4	26
96	TANGO1 membrane helices create a lipid diffusion barrier at curved membranes. ELife, 2020, 9, .	6.0	26
97	Structure and specificity of complement receptors. Immunology Letters, 1987, 14, 183-190.	2.5	25
98	New factors for protein transport identified by a genome-wide CRISPRi screen in mammalian cells. Journal of Cell Biology, 2019, 218, 3861-3879.	5.2	25
99	A physical mechanism of TANGO1-mediated bulky cargo export. ELife, 2020, 9, .	6.0	24
100	A Tendon Cell Specific RNAi Screen Reveals Novel Candidates Essential for Muscle Tendon Interaction. PLoS ONE, 2015, 10, e0140976.	2.5	23
101	Vesicle biogenesis: The coat connection. Cell, 1995, 83, 667-669.	28.9	22
102	Investigation of the biological mode of action of clerocidin using whole cell assays. Bioorganic and Medicinal Chemistry, 2001, 9, 1365-1370.	3.0	22
103	The function of GORASPs in Golgi apparatus organization in vivo. Journal of Cell Biology, 2020, 219, .	5.2	22
104	TANGO1 marshals the early secretory pathway for cargo export. Biochimica Et Biophysica Acta - Biomembranes, 2021, 1863, 183700.	2.6	19
105	Reactive oxygen species triggers unconventional secretion of antioxidants and Acb1. Journal of Cell Biology, 2020, 219, .	5.2	19
106	KChIP3 coupled to Ca2+ oscillations exerts a tonic brake on baseline mucin release in the colon. ELife, 2018, 7, .	6.0	18
107	Role of complement receptor CR1 in the breakdown of soluble and zymosan-bound C3b. Biochemical Society Transactions, 1984, 12, 781-782.	3.4	17
108	Chemical biology studies on norrisolide. Bioorganic and Medicinal Chemistry, 2010, 18, 2115-2122.	3.0	17

#	Article	IF	CITATIONS
109	Golgi enzymes do not cycle through the endoplasmic reticulum during protein secretion or mitosis. Molecular Biology of the Cell, 2017, 28, 141-151.	2.1	16
110	Trifunctional norrisolide probes for the study of Golgi vesiculation. Bioorganic and Medicinal Chemistry Letters, 2007, 17, 320-325.	2.2	13
111	Membranes and sorting. Current Opinion in Cell Biology, 1997, 9, 475-476.	5.4	10
112	The pleasure of publishing. ELife, 2015, 4, .	6.0	8
113	Protein kinase D regulates metabolism and growth by controlling secretion of insulin like peptide. Developmental Biology, 2018, 434, 175-185.	2.0	6
114	Reversing chemorefraction in colorectal cancer cells by controlling mucin secretion. ELife, 2022, 11, .	6.0	6
115	COPII Vesicles Get Supersized by Ubiquitin. Cell, 2012, 149, 20-21.	28.9	5
116	Membranes and organelles. Current Opinion in Cell Biology, 2005, 17, 343-344.	5.4	2
117	Reconstitution of Golgi stacks from vesiculated Golgi membranes in permeabilized cells. Seminars in Cell and Developmental Biology, 1996, 7, 511-516.	5.0	1
118	Regulated assembly of proteins and lipids at the Golgi to generate membrane fission activity. Chemistry and Physics of Lipids, 2008, 154, S3.	3.2	1