

Andreas Hinz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5739455/publications.pdf>

Version: 2024-02-01

132
papers

6,353
citations

109321

35
h-index

82547

72
g-index

146
all docs

146
docs citations

146
times ranked

9651
citing authors

#	ARTICLE	IF	CITATIONS
1	Loss and grief in elderly people: Results from the LIFE-Adult-Study. <i>Death Studies</i> , 2022, 46, 1621-1630.	2.7	13
2	Psychometric evaluations of the Life Orientation Test-Revised (LOT-R), based on nine samples. <i>Psychology and Health</i> , 2022, 37, 767-779.	2.2	9
3	Quality of life in urologic cancer patients: importance of and satisfaction with specific quality of life domains. <i>Quality of Life Research</i> , 2022, 31, 759-767.	3.1	7
4	Measuring physical, cognitive, and emotional aspects of exhaustion with the BOSS II-short version "â€" results from a representative population-based study in Germany. <i>BMC Public Health</i> , 2022, 22, 579.	2.9	1
5	Importance of and Satisfaction with Domains of Health-Related Quality of Life in Cancer Rehabilitation. <i>Cancers</i> , 2022, 14, 1991.	3.7	1
6	Depression and quality of life in old age: a closer look. <i>European Journal of Ageing</i> , 2021, 18, 75-83.	2.8	27
7	Course of Self-Reported Dysphagia, Voice Impairment and Pain in Head and Neck Cancer Survivors. <i>Biology</i> , 2021, 10, 144.	2.8	6
8	Temporal stability of quality of life assessments in cancer patients. <i>Scientific Reports</i> , 2021, 11, 5191.	3.3	1
9	Assessment of sleep problems with the Insomnia Severity Index (ISI) and the sleep item of the Patient Health Questionnaire (PHQ-9) in cancer patients. <i>Supportive Care in Cancer</i> , 2021, 29, 7377-7384.	2.2	18
10	Norm Values and Psychometric Properties of the 24-Item Demoralization Scale (DS-I) in a Representative Sample of the German General Population. <i>Frontiers in Psychology</i> , 2021, 12, 681977.	2.1	10
11	Analyzing the link between anxiety and eating behavior as a potential pathway to eating-related health outcomes. <i>Scientific Reports</i> , 2021, 11, 14717.	3.3	11
12	Do patients suffering from chronic diseases retrospectively overestimate how healthy they were before they fell ill?. <i>International Journal of Clinical and Health Psychology</i> , 2021, 21, 100230.	5.1	2
13	Prevalence and Severity of Pain in Cancer Patients in Germany. <i>Frontiers in Pain Research</i> , 2021, 2, 703165.	2.0	11
14	Dysphagia, voice problems, and pain in head and neck cancer patients. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 3985-3994.	1.6	20
15	Acute and long-term impairments regarding emotional symptoms and quality of life in patients suffering from transient ischemic attack and stroke. <i>Neurological Research</i> , 2021, 43, 396-405.	1.3	1
16	Psychometric Evaluation of the German Version of the Demoralization Scale-II and the Association Between Demoralization, Sociodemographic, Disease- and Treatment-Related Factors in Patients With Cancer. <i>Frontiers in Psychology</i> , 2021, 12, 789793.	2.1	10
17	Application of the Multidimensional Fatigue Inventory to Ethiopian Cancer Patients. <i>Frontiers in Psychology</i> , 2021, 12, 687994.	2.1	0
18	Relationships Between Self-Rated Health at Three Time Points: Past, Present, Future. <i>Frontiers in Psychology</i> , 2021, 12, 763158.	2.1	2

#	ARTICLE	IF	CITATIONS
19	The association between mental demands at the workplace and cognitive functioning: the role of the big five personality traits. <i>Aging and Mental Health</i> , 2020, 24, 1064-1070.	2.8	3
20	The role of self-compassion in the relationship between attachment, depression, and quality of life. <i>Journal of Affective Disorders</i> , 2020, 260, 45-52.	4.1	32
21	Psychosocial well-being and quality of life in women with Turner syndrome. <i>Psychoneuroendocrinology</i> , 2020, 113, 104548.	2.7	15
22	Psychometric Properties of the Multidimensional Fatigue Inventory (MFI-20), Derived From Seven Samples. <i>Journal of Pain and Symptom Management</i> , 2020, 59, 717-723.	1.2	13
23	Depressive Symptomatology in Early Retirees Associated With Reason for Retirement—Results From the Population-Based LIFE-Adult-Study. <i>Frontiers in Psychiatry</i> , 2020, 11, 565442.	2.6	9
24	Risk and associated factors of depression and anxiety in men with prostate cancer: Results from a German multicenter study. <i>Psycho-Oncology</i> , 2020, 29, 1604-1612.	2.3	7
25	Validation of a Three-Item Short Form of the Modified Weight Bias Internalization Scale (WBIS-3) in the German Population. <i>Obesity Facts</i> , 2020, 13, 560-571.	3.4	5
26	Determinants of Willingness to Pay for Health Insurance in Germany—Results of the Population-Based Health Study of the Leipzig Research Centre for Civilization Diseases (LIFE-Adult-Study). <i>Frontiers in Public Health</i> , 2020, 8, 456.	2.7	7
27	Associations between self-rated health and the assessments of anchoring vignettes in cardiovascular patients. <i>International Journal of Clinical and Health Psychology</i> , 2020, 20, 100-107.	5.1	5
28	Sleep problems in cancer patients: a comparison between the Jenkins Sleep Scale and the single-item sleep scale of the EORTC QLQ-C30. <i>Sleep Medicine</i> , 2020, 71, 59-65.	1.6	13
29	Quality of life among Ethiopian cancer patients. <i>Supportive Care in Cancer</i> , 2020, 28, 5469-5478.	2.2	14
30	Quality of life of patients more than 1 year after surgery for thyroid cancer. <i>Hormones</i> , 2020, 19, 233-243.	1.9	12
31	Are social conflicts at work associated with depressive symptomatology? Results from the population-based LIFE-Adult-Study. <i>Journal of Occupational Medicine and Toxicology</i> , 2020, 15, 1.	2.2	27
32	Fatigue in cancer patients: comparison with the general population and prognostic factors. <i>Supportive Care in Cancer</i> , 2020, 28, 4517-4526.	2.2	25
33	The Hospital Anxiety and Depression Scale (HADS) applied to Ethiopian cancer patients. <i>PLoS ONE</i> , 2020, 15, e0243357.	2.5	25
34	The Hospital Anxiety and Depression Scale (HADS) applied to Ethiopian cancer patients. , 2020, 15, e0243357.		0
35	The Hospital Anxiety and Depression Scale (HADS) applied to Ethiopian cancer patients. , 2020, 15, e0243357.		0
36	The Hospital Anxiety and Depression Scale (HADS) applied to Ethiopian cancer patients. , 2020, 15, e0243357.		0

#	ARTICLE	IF	CITATIONS
37	The Hospital Anxiety and Depression Scale (HADS) applied to Ethiopian cancer patients. , 2020, 15, e0243357.		0
38	The Hospital Anxiety and Depression Scale (HADS) applied to Ethiopian cancer patients. , 2020, 15, e0243357.		0
39	The Hospital Anxiety and Depression Scale (HADS) applied to Ethiopian cancer patients. , 2020, 15, e0243357.		0
40	Age and gender differences in anxiety and depression in cancer patients compared with the general population. <i>European Journal of Cancer Care</i> , 2019, 28, e13129.	1.5	71
41	Associations Between Anxiety, Body Mass Index, and Sex Hormones in Women. <i>Frontiers in Psychiatry</i> , 2019, 10, 479.	2.6	15
42	Symptom-Checklist-K-9: Norm values and factorial structure in a representative German sample. <i>PLoS ONE</i> , 2019, 14, e0213490.	2.5	33
43	Cancer-Related Fatigue and Associated Factors in Young Adult Cancer Patients. <i>Journal of Adolescent and Young Adult Oncology</i> , 2019, 8, 297-303.	1.3	19
44	Screening Properties of the Diagnostic Criteria for Cancer-Related Fatigue. <i>Oncology Research and Treatment</i> , 2019, 42, 440-447.	1.2	9
45	Frequency and network analysis of depressive symptoms in patients with cancer compared to the general population. <i>Journal of Affective Disorders</i> , 2019, 256, 295-301.	4.1	38
46	Response shift effects in patients' assessments of their quality of life after cardiac rehabilitation. <i>Quality of Life Research</i> , 2019, 28, 2609-2620.	3.1	8
47	Health status, health-related quality of life, and socioeconomic outcome in childhood brain tumor survivors: a German cohort study. <i>Neuro-Oncology</i> , 2019, 21, 1069-1081.	1.2	16
48	Response shift effects in the assessment of urologic cancer patients' quality of life. <i>European Journal of Cancer Care</i> , 2019, 28, e13027.	1.5	8
49	Measuring fatigue in cancer patients: a common metric for six fatigue instruments. <i>Quality of Life Research</i> , 2019, 28, 1615-1626.	3.1	13
50	Norm values and psychometric properties of the short version of the Trier Inventory for Chronic Stress (TICS) in a representative German sample. <i>PLoS ONE</i> , 2019, 14, e0222277.	2.5	25
51	Agreement and Repeatability of Noncycloplegic and Cycloplegic Wavefront-based Autorefractometry in Children. <i>Optometry and Vision Science</i> , 2019, 96, 879-889.	1.2	18
52	Mental health among immigrants in Germany – the impact of self-attribution and attribution by others as an immigrant. <i>BMC Public Health</i> , 2019, 19, 1697.	2.9	12
53	Fatigue in survivors of malignant melanoma and its determinants: a register-based cohort study. <i>Supportive Care in Cancer</i> , 2019, 27, 2809-2818.	2.2	16
54	Olfactory dysfunction: properties of the Sniffin' Sticks Screening 12 test and associations with quality of life. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019, 276, 389-395.	1.6	18

#	ARTICLE	IF	CITATIONS
55	The influence of self-efficacy and resilient coping on cancer patientsâ€™ quality of life. <i>European Journal of Cancer Care</i> , 2019, 28, e12952.	1.5	30
56	Normative values for the distress thermometer (DT) and the emotion thermometers (ET), derived from a German general population sample. <i>Quality of Life Research</i> , 2019, 28, 277-282.	3.1	25
57	Response shift effects of quality of life assessments in breast cancer survivors. <i>European Journal of Cancer Care</i> , 2019, 28, e12979.	1.5	14
58	Measuring Illness Behavior in One Minute. <i>European Journal of Health Psychology</i> , 2019, 26, 39-49.	0.6	0
59	The association between unemployment and depressionâ€”Results from the population-based LIFE-adult-study. <i>Journal of Affective Disorders</i> , 2018, 235, 399-406.	4.1	59
60	Quality of life in cancer patientsâ€™ a comparison of inpatient, outpatient, and rehabilitation settings. <i>Supportive Care in Cancer</i> , 2018, 26, 3533-3541.	2.2	38
61	Psychometric properties of the Satisfaction with Life Scale (SWLS), derived from a large German community sample. <i>Quality of Life Research</i> , 2018, 27, 1661-1670.	3.1	48
62	Quality of life in breast cancer patients: Associations with optimism and social support. <i>International Journal of Clinical and Health Psychology</i> , 2018, 18, 27-34.	5.1	79
63	Daytime Sleepiness in Patients Diagnosed with Sarcoidosis Compared with the General Population. <i>Canadian Respiratory Journal</i> , 2018, 2018, 1-6.	1.6	6
64	General Population Norms for the Functional Assessment of Chronic Illness Therapy (FACIT)-Fatigue Scale. <i>Value in Health</i> , 2018, 21, 1313-1321.	0.3	81
65	Fatigue in the general population: German normative values of the EORTC QLQ-FA12. <i>Quality of Life Research</i> , 2018, 27, 2681-2689.	3.1	23
66	Social support in the general population: standardization of the Oslo social support scale (OSSS-3). <i>BMC Psychology</i> , 2018, 6, 31.	2.1	298
67	Memory-related subjective cognitive symptoms in the adult population: prevalence and associated factors â€” results of the LIFE-Adult-Study. <i>BMC Psychology</i> , 2018, 6, 23.	2.1	22
68	Self-reported fatigue following intensive care of chronically critically ill patients: a prospective cohort study. <i>Journal of Intensive Care</i> , 2018, 6, 27.	2.9	24
69	Fatigue in chronically critically ill patients following intensive care - reliability and validity of the multidimensional fatigue inventory (MFI-20). <i>Health and Quality of Life Outcomes</i> , 2018, 16, 37.	2.4	28
70	Quality of life in survivors of hematological malignancies stratified by cancer type, time since diagnosis and stem cell transplantation. <i>European Journal of Haematology</i> , 2018, 101, 340-348.	2.2	21
71	Age-, sex-, and education-specific norms for an extended CERAD Neuropsychological Assessment Batteryâ€”Results from the population-based LIFE-Adult-Study.. <i>Neuropsychology</i> , 2018, 32, 461-475.	1.3	28
72	Sleep quality in the general population: psychometric properties of the Pittsburgh Sleep Quality Index, derived from a German community sample of 9284 people. <i>Sleep Medicine</i> , 2017, 30, 57-63.	1.6	274

#	ARTICLE	IF	CITATIONS
73	The relationship between global and specific components of quality of life, assessed with the EORTC QLQ-C30 in a sample of 2019 cancer patients. <i>European Journal of Cancer Care</i> , 2017, 26, e12416.	1.5	38
74	Psychometric evaluation of the Generalized Anxiety Disorder Screener GAD-7, based on a large German general population sample. <i>Journal of Affective Disorders</i> , 2017, 210, 338-344.	4.1	248
75	Cross-cultural measurement invariance of the General Health Questionnaire-12 in a German and a Colombian population sample. <i>International Journal of Methods in Psychiatric Research</i> , 2017, 26, .	2.1	23
76	Brief assessment of subjective health complaints: Development, validation and population norms of a brief form of the Giessen Subjective Complaints List (GGB-8). <i>Journal of Psychosomatic Research</i> , 2017, 95, 33-43.	2.6	26
77	Optimism and pessimism in the general population: Psychometric properties of the Life Orientation Test (LOT-R). <i>International Journal of Clinical and Health Psychology</i> , 2017, 17, 161-170.	5.1	93
78	Fatigue and Excessive Daytime Sleepiness in Sarcoidosis: Prevalence, Predictors, and Relationships between the Two Symptoms. <i>Respiration</i> , 2017, 94, 186-197.	2.6	32
79	Frequency of somatic symptoms in the general population: Normative values for the Patient Health Questionnaire-15 (PHQ-15). <i>Journal of Psychosomatic Research</i> , 2017, 96, 27-31.	2.6	87
80	Psychometric Properties of the Fatigue Questionnaire EORTC QLQ-FA12 in a Sample of Female Cancer Patients. <i>Journal of Pain and Symptom Management</i> , 2017, 54, 922-928.	1.2	20
81	Optimism, pessimism and self-efficacy in female cancer patients. <i>Japanese Journal of Clinical Oncology</i> , 2017, 47, 849-855.	1.3	28
82	Standardization of the Beck Hopelessness Scale in the general population. <i>Journal of Mental Health</i> , 2017, 26, 516-522.	1.9	37
83	Using Anchoring Vignettes in the Evaluation of Breast Cancer Survivors' Quality of Life. <i>Breast Care</i> , 2017, 12, 33-37.	1.4	8
84	Resilient coping in the general population: standardization of the brief resilient coping scale (BRCS). <i>Health and Quality of Life Outcomes</i> , 2017, 15, 251.	2.4	58
85	Gain +1 or Avoid -1: Validation of the German Regulatory Focus Questionnaire (RFQ). <i>BMC Psychology</i> , 2017, 5, 40.	2.1	6
86	Effort-Reward Imbalance and Mental Health Problems in 1074 German Teachers, Compared with Those in the General Population. <i>Stress and Health</i> , 2016, 32, 224-230.	2.6	40
87	The relationship between perceived own health state and health assessments of anchoring vignettes. <i>International Journal of Clinical and Health Psychology</i> , 2016, 16, 128-136.	5.1	10
88	Normative values of the Epworth Sleepiness Scale (ESS), derived from a large German sample. <i>Sleep and Breathing</i> , 2016, 20, 1337-1345.	1.7	36
89	Assessment of depression severity with the PHQ-9 in cancer patients and in the general population. <i>BMC Psychiatry</i> , 2016, 16, 22.	2.6	153
90	Is the General Self-Efficacy Scale a Reliable Measure to be used in Cross-Cultural Studies? Results from Brazil, Germany and Colombia. <i>Spanish Journal of Psychology</i> , 2016, 19, E29.	2.1	8

#	ARTICLE	IF	CITATIONS
91	Subjective sleep quality in sarcoidosis. <i>Sleep Medicine</i> , 2015, 16, 570-576.	1.6	26
92	Adjustment disorder as proposed for ICD-11: Dimensionality and symptom differentiation. <i>Psychiatry Research</i> , 2015, 229, 940-948.	3.3	81
93	Fear of progression in patients 6 months after cancer rehabilitation – a validation study of the fear of progression questionnaire FoP-Q-12. <i>Supportive Care in Cancer</i> , 2015, 23, 1579-1587.	2.2	54
94	The LIFE-Adult-Study: objectives and design of a population-based cohort study with 10,000 deeply phenotyped adults in Germany. <i>BMC Public Health</i> , 2015, 15, 691.	2.9	287
95	Fatigue in breast cancer patients: psychometric evaluation of the fatigue questionnaire EORTC QLQ-FA13. <i>Breast Cancer</i> , 2015, 22, 608-614.	2.9	11
96	European reference values for the quality of life questionnaire EORTC QLQ-C30: Results of a German investigation and a summarizing analysis of six European general population normative studies. <i>Acta Oncologica</i> , 2014, 53, 958-965.	1.8	173
97	Standardization of the Colombian version of the PHQ-4 in the general population. <i>BMC Psychiatry</i> , 2014, 14, 205.	2.6	40
98	Anxiety and depression in the general population in Colombia: reference values of the Hospital Anxiety and Depression Scale (HADS). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 41-49.	3.1	46
99	The quality of life questionnaire EQ-5D-5L: psychometric properties and normative values for the general German population. <i>Quality of Life Research</i> , 2014, 23, 443-447.	3.1	178
100	Anxiety, depression, and quality of life in German ambulatory breast cancer patients. <i>Breast Cancer</i> , 2014, 21, 208-213.	2.9	26
101	Untying chronic pain: prevalence and societal burden of chronic pain stages in the general population - a cross-sectional survey. <i>BMC Public Health</i> , 2014, 14, 352.	2.9	88
102	The German Version of the Hopkins Symptoms Checklist-25 (HSCL-25) – Factorial structure, psychometric properties, and population-based norms. <i>Comprehensive Psychiatry</i> , 2014, 55, 396-403.	3.1	47
103	Standardization of a screening instrument (PHQ-15) for somatization syndromes in the general population. <i>BMC Psychiatry</i> , 2013, 13, 91.	2.6	199
104	Standardization of the depression screener Patient Health Questionnaire (PHQ-9) in the general population. <i>General Hospital Psychiatry</i> , 2013, 35, 551-555.	2.4	490
105	Evaluation of the Latin American version of the Life Orientation Test-Revised. <i>International Journal of Clinical and Health Psychology</i> , 2013, 13, 243-252.	5.1	41
106	Fatigue in the General Population of Colombia - Normative Values for the Multidimensional Fatigue Inventory MFI-20. <i>Onkologie</i> , 2013, 36, 403-407.	0.8	18
107	The course of fatigue in patients with gynecologic and breast cancer. <i>Journal of Gynecologic Oncology</i> , 2013, 24, 280.	2.2	12
108	Improvement of health-related quality of life in adult women with 21-hydroxylase deficiency over a seven-year period. <i>Endocrine Journal</i> , 2012, 59, 931-939.	1.6	5

#	ARTICLE	IF	CITATIONS
109	Quality of Life in Patients with Thyroid Cancer Compared with the General Population. <i>Thyroid</i> , 2012, 22, 117-124.	4.5	93
110	Psychometric properties and population-based norms of the Life Orientation Test Revised (LOT-R). <i>British Journal of Health Psychology</i> , 2012, 17, 432-445.	3.5	247
111	Normative values for the Hospital Anxiety and Depression Scale (HADS) in the general German population. <i>Journal of Psychosomatic Research</i> , 2011, 71, 74-78.	2.6	299
112	Motivations for body piercings and tattoos – The role of sexual abuse and the frequency of body modifications. <i>Psychiatry Research</i> , 2011, 190, 359-363.	3.3	32
113	Fatigue in patients with sarcoidosis, compared with the general population. <i>General Hospital Psychiatry</i> , 2011, 33, 462-468.	2.4	64
114	Experiences with dissection courses in human anatomy: A comparison between Germany and Ethiopia. <i>Annals of Anatomy</i> , 2011, 193, 163-167.	1.9	14
115	Identifying tumor patients' depression. <i>Supportive Care in Cancer</i> , 2011, 19, 1697-1703.	2.2	35
116	Pessimism Predicts Anxiety, Depression and Quality of Life in Female Cancer Patients. <i>Japanese Journal of Clinical Oncology</i> , 2011, 41, 87-94.	1.3	38
117	Anxiety and Depression in Cardiac Patients: Age Differences and Comparisons with the General Population. <i>Psychopathology</i> , 2011, 44, 289-295.	1.5	17
118	The impact of optimism on anxiety, depression and quality of life in urogenital cancer patients. <i>Psycho-Oncology</i> , 2010, 19, 879-886.	2.3	76
119	Anxiety, depression and impaired health-related quality of life are therapeutic challenges in patients with multiple sclerosis. <i>Mental Illness</i> , 2010, 2, 20-24.	0.8	12
120	Health-Related Quality of Life of Prostate Cancer Patients Compared to the General German Population: Age-Specific Results. <i>Urologia Internationalis</i> , 2009, 83, 166-170.	1.3	24
121	Anxiety and depression in patients with prostate cancer and other urogenital cancer: A longitudinal study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2009, 27, 367-372.	1.6	36
122	Tattoos, body piercings, and self-injury: Is there a connection? Investigations on a core group of participants practicing body modification. <i>Psychotherapy Research</i> , 2008, 18, 326-333.	1.8	39
123	The Course of Anxiety and Depression in Patients with Breast Cancer and Gynaecological Cancer. <i>Breast Care</i> , 2008, 3, 417-422.	1.4	54
124	The acquiescence effect in responding to a questionnaire. <i>Gms Psycho-social-medicine</i> , 2007, 4, Doc07.	1.2	21
125	Prevalence of tattooing and body piercing in Germany and perception of health, mental disorders, and sensation seeking among tattooed and body-pierced individuals. <i>Journal of Psychosomatic Research</i> , 2006, 60, 531-534.	2.6	109
126	Investigating the Circumplex Structure of the Portrait Values Questionnaire (PVQ). <i>Journal of Individual Differences</i> , 2005, 26, 185-193.	1.0	40

#	ARTICLE	IF	CITATIONS
127	Age and sex dependencies of anxiety and depression in cardiologic patients compared with the general population. <i>Gms Psycho-social-medicine</i> , 2004, 1, Doc09.	1.2	5
128	Temporal stability of psychophysiological response patterns: concepts and statistical tools. <i>International Journal of Psychophysiology</i> , 2002, 44, 57-65.	1.0	8
129	Reproducibility of cardiovascular responses to mental and static tasks. <i>Stress and Health</i> , 2001, 17, 245-252.	2.6	2
130	Covariation and Temporal Stability of Peripheral and Brachial Blood Pressure Responses to Mental and Static Stress. <i>Journal of Psychophysiology</i> , 2001, 15, 198-207.	0.7	4
131	Quality of Life Domains in Breast Cancer Survivors: The Relationship Between Importance and Satisfaction Ratings. <i>Frontiers in Psychology</i> , 0, 13, .	2.1	0
132	Anxiety and Food Addiction in Men and Women: Results From the Longitudinal LIFE-Adult-Study. <i>Frontiers in Psychiatry</i> , 0, 13, .	2.6	3