

Carlos Platas-Iglesias

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5740971/publications.pdf>

Version: 2024-02-01

281
papers

8,101
citations

41323

49
h-index

98753

67
g-index

289
all docs

289
docs citations

289
times ranked

5934
citing authors

#	ARTICLE	IF	CITATIONS
1	Determination of paramagnetic lanthanide(III) concentrations from bulk magnetic susceptibility shifts in NMR spectra. <i>Magnetic Resonance in Chemistry</i> , 2001, 39, 723-726.	1.1	183
2	Synthesis of silver nanoparticles for the dual delivery of doxorubicin and alendronate to cancer cells. <i>Journal of Materials Chemistry B</i> , 2015, 3, 7237-7245.	2.9	131
3	Macrocyclic Receptor Exhibiting Unprecedented Selectivity for Light Lanthanides. <i>Journal of the American Chemical Society</i> , 2009, 131, 3331-3341.	6.6	128
4	Zeolite GdNaY Nanoparticles with Very High Relaxivity for Application as Contrast Agents in Magnetic Resonance Imaging. <i>Chemistry - A European Journal</i> , 2002, 8, 5121-5131.	1.7	119
5	Multifunctional redox-tuned viologen-based covalent organic polymers. <i>Journal of Materials Chemistry A</i> , 2016, 4, 15361-15369.	5.2	114
6	Lanthanide Chelates Containing Pyridine Units with Potential Application as Contrast Agents in Magnetic Resonance Imaging. <i>Chemistry - A European Journal</i> , 2004, 10, 3579-3590.	1.7	107
7	Understanding the Quenching Effects of Aromatic C ¹³ H- and C ¹³ D-Oscillators in Near-IR Lanthanoid Luminescence. <i>Journal of the American Chemical Society</i> , 2012, 134, 16413-16423.	6.6	101
8	Structural and Photophysical Properties of Heterobimetallic 4f-Zn Iminophenolate Cryptates. <i>Inorganic Chemistry</i> , 2002, 41, 5336-5349.	1.9	99
9	Simultaneous Self-Assembly of a [2]Catenane, a Trefoil Knot, and a Solomon Link from a Simple Pair of Ligands. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 9956-9960.	7.2	99
10	Upconverted Photosensitization of Tb Visible Emission by NIR Yb Excitation in Discrete Supramolecular Heteropolynuclear Complexes. <i>Journal of the American Chemical Society</i> , 2017, 139, 1456-1459.	6.6	96
11	Pyridine- and Phosphonate-Containing Ligands for Stable Ln Complexation. Extremely Fast Water Exchange on the Gd(III)Chelates. <i>Inorganic Chemistry</i> , 2006, 45, 8719-8728.	1.9	87
12	Supramolecular Luminescent Lanthanide Dimers for Fluoride Sequestering and Sensing. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 7259-7263.	7.2	85
13	Lanthanide Complexes Based on a 1,7-Diaza-12-crown-4 Platform Containing Picolinate Pendants: A New Structural Entry for the Design of Magnetic Resonance Imaging Contrast Agents. <i>Inorganic Chemistry</i> , 2008, 47, 7840-7851.	1.9	83
14	Room temperature molecular up conversion in solution. <i>Nature Communications</i> , 2016, 7, 11978.	5.8	83
15	¹ H NMR in Solution and Solid State Structural Study of Lanthanide(III) Cryptates. <i>Inorganic Chemistry</i> , 1999, 38, 3190-3199.	1.9	82
16	Monopicolinate Cyclen and Cyclam Derivatives for Stable Copper(II) Complexation. <i>Inorganic Chemistry</i> , 2012, 51, 6916-6927.	1.9	82
17	Mn(II) compounds as an alternative to Gd-based MRI probes. <i>Future Medicinal Chemistry</i> , 2019, 11, 1461-1483.	1.1	81
18	Hyperfine Coupling Constants on Inner-Sphere Water Molecules of Gd(III)-Based MRI Contrast Agents. <i>ChemPhysChem</i> , 2012, 13, 3640-3650.	1.0	80

#	ARTICLE	IF	CITATIONS
19	Molecular Upconversion in Water in Heteropolynuclear Supramolecular Tb/Yb Assemblies. <i>Journal of the American Chemical Society</i> , 2019, 141, 1568-1576.	6.6	80
20	Applications for Transition-Metal Chemistry in Contrast-Enhanced Magnetic Resonance Imaging. <i>Inorganic Chemistry</i> , 2020, 59, 6648-6678.	1.9	80
21	¹ H and ¹⁷ O NMR Relaxometric and Computational Study on Macrocyclic Mn(II) Complexes. <i>Inorganic Chemistry</i> , 2013, 52, 3268-3279.	1.9	77
22	Lanthanide dota-like Complexes Containing a Picolinate Pendant: Structural Entry for the Design of Ln ^{III} -Based Luminescent Probes. <i>Inorganic Chemistry</i> , 2011, 50, 4125-4141.	1.9	76
23	Aqueous Complexes for Efficient Size-based Separation of Americium from Curium. <i>Inorganic Chemistry</i> , 2014, 53, 6003-6012.	1.9	73
24	Lanthanide(III) Complexes with a Tetrapyridine Pendant-Armed Macrocyclic Ligand: ¹ H NMR Structural Determination in Solution, X-ray Diffraction, and Density-Functional Theory Calculations. <i>Inorganic Chemistry</i> , 2006, 45, 4484-4496.	1.9	70
25	Lead(II) Thiocyanate Complexes with Bibracchial Lariat Ethers: An X-ray and DFT Study. <i>Inorganic Chemistry</i> , 2005, 44, 2224-2233.	1.9	68
26	Understanding Stability Trends along the Lanthanide Series. <i>Chemistry - A European Journal</i> , 2014, 20, 3974-3981.	1.7	68
27	Positively Charged Lanthanide Complexes with Cyclen-Based Ligands: Synthesis, Solid-State and Solution Structure, and Fluoride Interaction. <i>Inorganic Chemistry</i> , 2011, 50, 12508-12521.	1.9	64
28	The chemical consequences of the gradual decrease of the ionic radius along the Ln-series. <i>Coordination Chemistry Reviews</i> , 2020, 406, 213146.	9.5	64
29	Lanthanide(III) Complexes with Ligands Derived from a Cyclen Framework Containing Pyridinecarboxylate Pendants. The Effect of Steric Hindrance on the Hydration Number. <i>Inorganic Chemistry</i> , 2012, 51, 2509-2521.	1.9	63
30	Zn(ii), Cd(ii) and Pb(ii) complexation with pyridinecarboxylate containing ligands. <i>Dalton Transactions</i> , 2008, , 5754.	1.6	62
31	Macrocyclic Receptor Showing Extremely High Sr(II)/Ca(II) and Pb(II)/Ca(II) Selectivities with Potential Application in Chelation Treatment of Metal Intoxication. <i>Inorganic Chemistry</i> , 2011, 50, 3772-3784.	1.9	60
32	Electronic Structure Study of Seven-Coordinate First-Row Transition Metal Complexes Derived from 1,10-Diaza-15-crown-5: A Successful Marriage of Theory with Experiment. <i>Inorganic Chemistry</i> , 2005, 44, 9704-9713.	1.9	57
33	Diimidazolium Halobismuthates [Dim] ₂ [Bi ₂ X ₁₀] (X =) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T Photoluminescent Materials. <i>Inorganic Chemistry</i> , 2018, 57, 7655-7664.	1.9	56
34	Synthesis of New Self-Assembled Pd ^{II} and Pt ^{II} Rectangular Metallomacrocycles: A Comparative Study of their Inclusion Complexes. <i>Chemistry - A European Journal</i> , 2007, 13, 8572-8582.	1.7	55
35	Solution Structure and Dynamics, Stability, and NIR Emission Properties of Lanthanide Complexes with a Carboxylated Bispyrazolylpyridyl Ligand. <i>Inorganic Chemistry</i> , 2009, 48, 1507-1518.	1.9	55
36	Stable Mn ²⁺ , Cu ²⁺ and Ln ³⁺ complexes with cyclen-based ligands functionalized with picolinate pendant arms. <i>Dalton Transactions</i> , 2015, 44, 5017-5031.	1.6	55

#	ARTICLE	IF	CITATIONS
37	Structural characterisation, EPR and magnetic properties of f and d lanthanide(III) phenolic cryptates. Dalton Transactions RSC, 2002, , 4658.	2.3	54
38	Stability, Water Exchange, and Anion Binding Studies on Lanthanide(III) Complexes with a Macrocyclic Ligand Based on 1,7-Diaza-12-crown-4: Extremely Fast Water Exchange on the Gd ³⁺ Complex. Inorganic Chemistry, 2009, 48, 8878-8889.	1.9	54
39	Density functional dependence of molecular geometries in lanthanide(III) complexes relevant to bioanalytical and biomedical applications. Computational and Theoretical Chemistry, 2012, 999, 93-104.	1.1	54
40	Picolinate-Containing Macrocyclic Mn ²⁺ Complexes as Potential MRI Contrast Agents. Inorganic Chemistry, 2014, 53, 5136-5149.	1.9	54
41	Toward the Prediction of Water Exchange Rates in Magnetic Resonance Imaging Contrast Agents: A Density Functional Theory Study. Journal of Physical Chemistry A, 2015, 119, 6436-6445.	1.1	54
42	Lanthanide(III) Complexes with a Reinforced Cyclam Ligand Show Unprecedented Kinetic Inertness. Journal of the American Chemical Society, 2014, 136, 17954-17957.	6.6	53
43	Lone-Pair Activity in Lead(II) Complexes with Unsymmetrical Lariat Ethers. Inorganic Chemistry, 2006, 45, 5407-5416.	1.9	52
44	An NMR and DFT Investigation on the Conformational Properties of Lanthanide(III) 1,4,7,10-Tetraazacyclododecane-1,4,7,10-tetraacetate Analogues Containing Methylene phosphonate Pendant Arms. Inorganic Chemistry, 2010, 49, 4370-4382.	1.9	52
45	Monopicolinate-dipicolyl Derivative of Triazacyclononane for Stable Complexation of Cu ²⁺ and ⁶⁴ Cu ²⁺ . Inorganic Chemistry, 2013, 52, 5246-5259.	1.9	52
46	Applications of Density Functional Theory (DFT) to Investigate the Structural, Spectroscopic and Magnetic Properties of Lanthanide(III) Complexes. Current Inorganic Chemistry, 2011, 1, 91-116.	0.2	51
47	The Solution Structure and Dynamics of MRI Probes Based on Lanthanide(III) DOTA as Investigated by DFT and NMR Spectroscopy. European Journal of Inorganic Chemistry, 2012, 2012, 2023-2033.	1.0	51
48	Monopicolinate Cross-Bridged Cyclam Combining Very Fast Complexation with Very High Stability and Inertness of Its Copper(II) Complex. Inorganic Chemistry, 2014, 53, 5269-5279.	1.9	51
49	[Câ€“Hâ€“anion] interactions mediate the templation and anion binding properties of topologically non-trivial metalâ€“organic structures in aqueous solutions. Chemical Science, 2016, 7, 2524-2531.	3.7	50
50	Sensing Uranyl(VI) Ions by Coordination and Energy Transfer to a Luminescent Europium(III) Complex. Angewandte Chemie - International Edition, 2018, 57, 9921-9924.	7.2	50
51	Characterisation of magnetic resonance imaging (MRI) contrast agents using NMR relaxometry. Molecular Physics, 2019, 117, 898-909.	0.8	50
52	¹⁷ O and ¹ H relaxometric and DFT study of hyperfine coupling constants in [Mn(H ₂ O) ₆] ²⁺ . RSC Advances, 2014, 4, 7094.	1.7	49
53	Tuning the Coordination Sphere around Highly Luminescent Lanthanide Complexes. Inorganic Chemistry, 2008, 47, 3748-3762.	1.9	48
54	Hyperfine Coupling Constants on Inner-Sphere Water Molecules of a Triazacyclononane-based Mn(II) Complex and Related Systems Relevant as MRI Contrast Agents. Inorganic Chemistry, 2013, 52, 11173-11184.	1.9	47

#	ARTICLE	IF	CITATIONS
55	Mono- and bimetallic lanthanide(III) phenolic cryptates obtained by template reaction: solid state structure, photophysical properties and relaxivity. Dalton Transactions RSC, 2000, , 611-618.	2.3	46
56	The structure of the lanthanide aquo ions in solution as studied by 17O NMR spectroscopy and DFT calculations. Dalton Transactions, 2008, , 602-607.	1.6	46
57	Self-Assembly of 1:2 Inclusion Complexes between a Metallocycle Host and Dihydroxyaromatic Guests: A Redox Controlled Complexation Process. Organic Letters, 2008, 10, 409-412.	2.4	46
58	Regioselective Catenation of Dinuclear Palladium and Platinum Metallocycles Promoted by π - π Interactions. Inorganic Chemistry, 2009, 48, 4098-4107.	1.9	46
59	Magnetic Anisotropies in Rhombic Lanthanide(III) Complexes Do Not Conform to Bleaney's Theory. Inorganic Chemistry, 2016, 55, 3490-3497.	1.9	46
60	Lead(II) Complexes with Macrocyclic Receptors Derived from 4,13-Diaza-18-crown-6. Inorganic Chemistry, 2002, 41, 4337-4347.	1.9	45
61	Towards Fluoride Sensing with Positively Charged Lanthanide Complexes. European Journal of Inorganic Chemistry, 2010, 2010, 2735-2745.	1.0	45
62	Investigating the Complexation of the Pb^{2+}/Bi^{3+} Pair with Dipicolinate Cyclen Ligands. Inorganic Chemistry, 2015, 54, 7045-7057.	1.9	45
63	Pyridine and phosphonate containing ligands for stable lanthanide complexation. An experimental and theoretical study to assess the solution structure. Dalton Transactions, 2006, , 5404-5415.	1.6	44
64	Dual-Frequency Calcium-Responsive MRI Agents. Chemistry - A European Journal, 2014, 20, 7351-7362.	1.7	44
65	Seven-Coordination versus Six-Coordination in Divalent First-Row Transition-Metal Complexes Derived from 1,10-Diaza-15-crown-5. Inorganic Chemistry, 2007, 46, 8271-8282.	1.9	43
66	Structural and Photophysical Properties of Lanthanide(III) Complexes with a Novel Octadentate Iminophenolate Bibracchial Lariat Ether. Inorganic Chemistry, 2005, 44, 4254-4262.	1.9	41
67	Solution Structure of Ln(III) Complexes with Macrocyclic Ligands Through Theoretical Evaluation of 1H NMR Contact Shifts. Inorganic Chemistry, 2012, 51, 13419-13429.	1.9	41
68	Developing the family of picolinate ligands for Mn^{2+} complexation. Dalton Transactions, 2017, 46, 1546-1558.	1.6	41
69	Water exchange in lanthanide complexes for MRI applications. Lessons learned over the last 25 years. Dalton Transactions, 2019, 48, 11161-11180.	1.6	41
70	Intramolecular redox-induced dimerization in a viologen dendrimer. Journal of Materials Chemistry C, 2013, 1, 2302.	2.7	40
71	$H_{4octapa}$: Highly Stable Complexation of Lanthanide(III) Ions and Copper(II). Inorganic Chemistry, 2015, 54, 2345-2356.	1.9	40
72	Mono-, Bi-, and Trinuclear Bis-Hydrated Mn^{2+} Complexes as Potential MRI Contrast Agents. Inorganic Chemistry, 2015, 54, 9576-9587.	1.9	40

#	ARTICLE	IF	CITATIONS
73	The highest water exchange rate ever measured for a Gd(III) chelate. <i>Chemical Communications</i> , 2005, , 4729.	2.2	39
74	Definition of an Intramolecular Eu ^{III} Energy Transfer within a Discrete [Eu ₂ L] Complex in Solution. <i>Chemistry - A European Journal</i> , 2012, 18, 8163-8173.	1.7	39
75	Stabilizing Divalent Europium in Aqueous Solution Using Size-Discrimination and Electrostatic Effects. <i>Inorganic Chemistry</i> , 2015, 54, 4940-4952.	1.9	39
76	Expanding the Cavity Size: Preparation of 2:1 Inclusion Complexes Based on Dinuclear Square Metallochromes. <i>Journal of Organic Chemistry</i> , 2009, 74, 6577-6583.	1.7	38
77	Lower Ligand Denticity Leading to Improved Thermodynamic and Kinetic Stability of the Gd ³⁺ Complex: The Strange Case of OBETA. <i>Chemistry - A European Journal</i> , 2012, 18, 7680-7685.	1.7	37
78	A Schiff-Base Bibracchial Lariat Ether Forming a Cryptand-like Cavity for Lanthanide Ions. <i>Inorganic Chemistry</i> , 2003, 42, 6946-6954.	1.9	36
79	¹⁷ O NMR and Density Functional Theory Study of the Dynamics of the Carboxylate Groups in DOTA Complexes of Lanthanides in Aqueous Solution. <i>Inorganic Chemistry</i> , 2012, 51, 170-178.	1.9	35
80	Toward theranostic nanoparticles: CB[7]-functionalized iron oxide for drug delivery and MRI. <i>Journal of Materials Chemistry B</i> , 2013, 1, 5076.	2.9	35
81	Reasons behind the Relative Abundances of Heptacoordinate Complexes along the Late First-Row Transition Metal Series. <i>Inorganic Chemistry</i> , 2014, 53, 12859-12869.	1.9	35
82	Cooperative Luminescence and Cooperative Sensitisation Upconversion of Lanthanide Complexes in Solution. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	35
83	New self-assembled dinuclear Pd(II) and Pt(II) metallomacrocycles of a 4,4'-bipyridin-1-ium ligand with an inner cavity. <i>Tetrahedron Letters</i> , 2006, 47, 3119-3122.	0.7	34
84	Eight-Coordinate Zn(II), Cd(II), and Pb(II) Complexes Based on a 1,7-Diaza-12-crown-4 Platform Endowed with a Remarkable Selectivity over Ca(II). <i>Inorganic Chemistry</i> , 2009, 48, 11821-11831.	1.9	34
85	Nonmacrocyclic Luminescent Lanthanide Complexes Stable in Biological Media. <i>Inorganic Chemistry</i> , 2011, 50, 1689-1697.	1.9	34
86	Taking the next step toward inert Mn ²⁺ complexes of open-chain ligands: the case of the rigid PhDTA ligand. <i>New Journal of Chemistry</i> , 2018, 42, 8001-8011.	1.4	34
87	Defining the conditions for the development of the emerging class of Fe ^{III} -based MRI contrast agents. <i>Chemical Science</i> , 2021, 12, 11138-11145.	3.7	34
88	Complexation of Mn(II) by Rigid Pycen Diacetates: Equilibrium, Kinetic, Relaxometric, Density Functional Theory, and Superoxide Dismutase Activity Studies. <i>Inorganic Chemistry</i> , 2021, 60, 1133-1148.	1.9	34
89	Templating Schiff-Base Lateral Macrobicycles: An Experimental and Theoretical Structural Study of the Intermediates. <i>Inorganic Chemistry</i> , 2003, 42, 4299-4307.	1.9	33
90	Molecular Recognition of Sialic Acid by Lanthanide(III) Complexes through Cooperative Two-Site Binding. <i>Inorganic Chemistry</i> , 2010, 49, 4212-4223.	1.9	33

#	ARTICLE	IF	CITATIONS
91	Lanthanide Complexes Based on a Diazapyridinophane Platform Containing Picolinate Pendants. <i>Inorganic Chemistry</i> , 2012, 51, 10893-10903.	1.9	33
92	Expanding the Family of PycLen-Based Ligands Bearing Pendant Picolinate Arms for Lanthanide Complexation. <i>Inorganic Chemistry</i> , 2018, 57, 6932-6945.	1.9	33
93	Lanthanide triple-stranded helical complexes with a substituted 2,6-pyridinedicarboxylate. Electronic supplementary information (ESI) available: analytical, IR and luminescence data, contact and dipolar shifts, calculated Cartesian co-ordinate for the Eu(III) complex, plots of chemical shifts for protons H8, H9 versus the chemical shift of proton H2. See http://www.rsc.org/suppdata/doi/10.1039/C2DT10444F . <i>Dalton Transactions RSC</i> , 2001, , 3084-3091.	2.3	32
94	Stability, structure and dynamics of cationic lanthanide(III) complexes of N,N'-bis(propylamide)ethylenediamine-N,N'-diacetic acid. <i>Dalton Transactions</i> , 2003, , 727-737.	1.6	32
95	Lower Denticity Leading to Higher Stability: Structural and Solution Studies of Ln(III)-OBETA Complexes. <i>Inorganic Chemistry</i> , 2014, 53, 12499-12511.	1.9	31
96	Full Control of the Regiospecific C-N-Functionalization of C-Functionalized Cyclam Bisaminal Derivatives and Application to the Synthesis of their TETA, TE2A, and CB-TE2A Analogues. <i>Journal of Organic Chemistry</i> , 2014, 79, 1885-1899.	1.7	31
97	Approaching the Kinetic Inertness of Macrocyclic Gadolinium(III)-Based MRI Contrast Agents with Highly Rigid Open-Chain Derivatives. <i>Chemistry - A European Journal</i> , 2016, 22, 896-901.	1.7	31
98	Improving the stability and inertness of Cu(II) and Cu(I) complexes with methylthiazolyl ligands by tuning the macrocyclic structure. <i>Dalton Transactions</i> , 2016, 45, 7406-7420.	1.6	31
99	The template synthesis and X-ray crystal structure of the first dinuclear lanthanide(III) iminophenolate cryptate. <i>Chemical Communications</i> , 1999, , 125-126.	2.2	30
100	Structure and Dynamics of Lanthanide(III) Complexes with an N-Alkylated do3a Ligand (H3do3a =) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 <i>Journal of Inorganic Chemistry</i> , 2010, 2010, 3586-3595.	1.0	30
101	Metal-Organic Self-Assembled Trefoil Knots for C-Br Bond Activation. <i>ACS Catalysis</i> , 2019, 9, 1907-1914.	5.5	30
102	The effect of ring size variation on the structure and stability of lanthanide(III) complexes with crown ethers containing picolinate pendants. <i>Dalton Transactions</i> , 2011, 40, 384-392.	1.6	29
103	Lanthanide Complexes with Heteroditopic Ligands as Fluorescent Zinc Sensors. <i>European Journal of Inorganic Chemistry</i> , 2014, 2014, 1072-1081.	1.0	29
104	Cooperative Anion Recognition in Copper(II) and Zinc(II) Complexes with a Ditopic Tripodal Ligand Containing a Urea Group. <i>Inorganic Chemistry</i> , 2014, 53, 2554-2568.	1.9	29
105	A Bis(pyridine N-oxide) Analogue of DOTA: Relaxometric Properties of the Gd(III) Complex and Efficient Sensitization of Visible and NIR-Emitting Lanthanide(III) Cations Including Pr(III) and Ho(III). <i>Chemistry - A European Journal</i> , 2014, 20, 14834-14845.	1.7	29
106	Gd ³⁺ -Based Magnetic Resonance Imaging Contrast Agent Responsive to Zn ²⁺ . <i>Inorganic Chemistry</i> , 2015, 54, 10342-10350.	1.9	29
107	Towards Selective Recognition of Sialic Acid Through Simultaneous Binding to Its cis-Diol and Carboxylate Functions. <i>European Journal of Organic Chemistry</i> , 2010, 2010, 3237-3248.	1.2	28
108	Highly relaxing gadolinium based MRI contrast agents responsive to Mg ²⁺ sensing. <i>Chemical Communications</i> , 2012, 48, 4085.	2.2	28

#	ARTICLE	IF	CITATIONS
109	Breaking the Barrier to Slow Water Exchange Rates for Optimal Magnetic Resonance Detection of paraCEST Agents. <i>Inorganic Chemistry</i> , 2016, 55, 3007-3014.	1.9	28
110	Selective growth inhibition of cancer cells with doxorubicin-loaded CB[7]-modified iron-oxide nanoparticles. <i>RSC Advances</i> , 2017, 7, 23827-23834.	1.7	28
111	Effect of a halogenide substituent on the stability and photophysical properties of lanthanide triple-stranded helicates with ditopic ligands derived from bis(benzimidazolyl)pyridine. <i>Dalton Transactions RSC</i> , 2000, , 2031-2043.	2.3	27
112	Optimising the relaxivities of Mn ²⁺ complexes by targeting human serum albumin (HSA). <i>Dalton Transactions</i> , 2017, 46, 8494-8504.	1.6	27
113	A hexaaza macrocyclic ligand containing acetohydrazide pendants for Ln(III) complexation in aqueous solution. Solid-state and solution structures and DFT calculations. <i>Dalton Transactions</i> , 2008, , 3841.	1.6	26
114	Radical Cation Dimerization Overwhelms Inclusion in [n]Pseudorotaxanes. <i>Chemistry - A European Journal</i> , 2014, 20, 7334-7344.	1.7	26
115	H ₂ Me-do ₂ pa: an attractive chelator with fast, stable and inert ^{nat} Bi ³⁺ and ²¹³ Bi ³⁺ complexation for potential \pm -radioimmunotherapy applications. <i>Chemical Communications</i> , 2014, 50, 12371-12374.	2.2	26
116	Complexation of Ln ³⁺ Ions with Cyclam Dipicolinates: A Small Bridge that Makes Huge Differences in Structure, Equilibrium, and Kinetic Properties. <i>Inorganic Chemistry</i> , 2016, 55, 2227-2239.	1.9	26
117	Enantiomeric Recognition of <i>d</i> - and <i>l</i> -Lactate by CEST with the Aid of a Paramagnetic Shift Reagent. <i>Journal of the American Chemical Society</i> , 2017, 139, 17431-17437.	6.6	26
118	A combined NMR and DFT study of conformational dynamics in lanthanide complexes of macrocyclic DOTA-like ligands. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 26662-26671.	1.3	26
119	The role of ligand to metal charge-transfer states on the luminescence of Europium complexes with 18-membered macrocyclic ligands. <i>Dalton Transactions</i> , 2019, 48, 4035-4045.	1.6	26
120	Stereoselective self-assembly of atropisomeric Pd(II) metallocycles induced by an aromatic guest. <i>Chemical Communications</i> , 2008, , 2879.	2.2	25
121	High Relaxivity Mn ²⁺ -Based MRI Contrast Agents. <i>Chemistry - A European Journal</i> , 2014, 20, 17300-17305.	1.7	25
122	Importance of Outer-Sphere and Aggregation Phenomena in the Relaxation Properties of Phosphonated Gadolinium Complexes with Potential Applications as MRI Contrast Agents. <i>Chemistry - A European Journal</i> , 2015, 21, 6535-6546.	1.7	25
123	Stable and Inert Yttrium(III) Complexes with PycLen-Based Ligands Bearing Pendant Picolinate Arms: Toward New Pharmaceuticals for ¹²⁵ I-Radiotherapy. <i>Inorganic Chemistry</i> , 2018, 57, 2051-2063.	1.9	25
124	Lanthanide Complexes with ¹ H paraCEST and ¹⁹ F Response for Magnetic Resonance Imaging Applications. <i>Inorganic Chemistry</i> , 2019, 58, 7571-7583.	1.9	25
125	Understanding the Optical and Magnetic Properties of Ytterbium(III) Complexes. <i>Inorganic Chemistry</i> , 2019, 58, 3732-3743.	1.9	25
126	Definition of the Labile Capping Bond Effect in Lanthanide Complexes. <i>Chemistry - A European Journal</i> , 2017, 23, 1110-1117.	1.7	24

#	ARTICLE	IF	CITATIONS
127	Lateral Macrobicyclic Architectures: Toward New Lead(II) Sequestering Agents. <i>Inorganic Chemistry</i> , 2005, 44, 5428-5436.	1.9	23
128	Structural Study of Ga(III), In(III), and Fe(III) Complexes of Triaza-Macrocyclic Based Ligands with N3S3 Donor Set. <i>Inorganic Chemistry</i> , 2009, 48, 3257-3267.	1.9	23
129	Ln ₂ M complexes (M = Ru, Re) derived from a bismacrocyclic ligand containing a 4,4'-dimethyl-2,2'-bipyridyl bridging unit. <i>Dalton Transactions</i> , 2013, 42, 3667.	1.6	23
130	1,4,7-Triazacyclononane-Based Bifunctional Picolinate Ligands for Efficient Copper Complexation. <i>European Journal of Inorganic Chemistry</i> , 2017, 2017, 2435-2443.	1.0	23
131	The role of the capping bond effect on pyclyen ³⁺ Y ³⁺ chelates: full control of the regioselective N-functionalization makes the difference. <i>Chemical Communications</i> , 2017, 53, 9534-9537.	2.2	23
132	Metal Ion Complementarity: Effect of Ring-Size Variation on the Conformation and Stability of Lead(II) and Cadmium(II) Complexes with Pendant-Armed Crowns. <i>European Journal of Inorganic Chemistry</i> , 2007, 2007, 2198-2207.	1.0	22
133	Dynamic stereoisomerization in inherently chiral bimetallic [2]catenanes. <i>Chemical Communications</i> , 2015, 51, 5840-5843.	2.2	22
134	Paramagnetic lanthanide chelates for multicontrast MRI. <i>Chemical Communications</i> , 2016, 52, 9224-9227.	2.2	22
135	A Coordination Chemistry Approach to Fine-Tune the Physicochemical Parameters of Lanthanide Complexes Relevant to Medical Applications. <i>Chemistry - A European Journal</i> , 2018, 24, 3127-3131.	1.7	22
136	Reinforced Ni(II)-cyclam derivatives as dual ¹ H/ ¹⁹ F MRI probes. <i>Chemical Communications</i> , 2019, 55, 4115-4118.	2.2	22
137	Protonated Macrobicyclic Hosts Containing Pyridine Head Units for Anion Recognition. <i>Chemistry - A European Journal</i> , 2008, 14, 5829-5838.	1.7	21
138	Selective Chelation of Cd(II) and Pb(II) versus Ca(II) and Zn(II) by Using Octadentate Ligands Containing Pyridinecarboxylate and Pyridyl Pendants. <i>Inorganic Chemistry</i> , 2009, 48, 10976-10987.	1.9	21
139	Luminescence properties of heterodinuclear Pt-Eu complexes from unusual nonadentate ligands. <i>Dalton Transactions</i> , 2009, , 5688.	1.6	21
140	Macrocyclic Gd ³⁺ Complexes with Pendant Crown Ethers Designed for Binding Zwitterionic Neurotransmitters. <i>Chemistry - A European Journal</i> , 2015, 21, 11226-11237.	1.7	21
141	Exceptionally Inert Lanthanide(III) PARACEST MRI Contrast Agents Based on an 18-Membered Macrocyclic Platform. <i>Chemistry - A European Journal</i> , 2015, 21, 18662-18670.	1.7	21
142	Remarkable differences and similarities between the isomeric Mn(II)- cis - and trans-1,2-diaminocyclohexane- N , N , N -tetraacetate complexes. <i>Inorganica Chimica Acta</i> , 2018, 472, 254-263. ^{1,2}		21
143	Methylthiazolyl Tacn Ligands for Copper Complexation and Their Bifunctional Chelating Agent Derivatives for Bioconjugation and Copper-64 Radiolabeling: An Example with Bombesin. <i>Inorganic Chemistry</i> , 2019, 58, 2669-2685.	1.9	21
144	Gadolinium(III)-Based Dual ¹ H/ ¹⁹ F Magnetic Resonance Imaging Probes. <i>Chemistry - A European Journal</i> , 2019, 25, 4782-4792.	1.7	21

#	ARTICLE	IF	CITATIONS
145	Morphological Diversity in Nanoporous Covalent Organic Materials Derived from Viologen and Pyrene. <i>ChemNanoMat</i> , 2018, 4, 61-65.	1.5	20
146	Self-Assembled Aggregated Dinuclear Lanthanide(III) Complexes as Potential Bimodal Probes for Magnetic Resonance and Optical Imaging. <i>Chemistry - A European Journal</i> , 2013, 19, 11696-11706.	1.7	19
147	Catechol versus bisphosphonate ligand exchange at the surface of iron oxide nanoparticles: towards multi-functionalization. <i>Journal of Nanoparticle Research</i> , 2014, 16, 1.	0.8	19
148	Lanthanide(III) Complexation with an Amide Derived Pyridinophane. <i>Inorganic Chemistry</i> , 2015, 54, 1671-1683.	1.9	19
149	Pyclen Tri- <i>n</i> -butylphosphonate Ester as Potential Chelator for Targeted Radiotherapy: From Yttrium(III) Complexation to ^{90}Y Radiolabeling. <i>Inorganic Chemistry</i> , 2016, 55, 8003-8012.	1.9	19
150	Transient versus Static Electron Spin Relaxation in Mn^{2+} Complexes Relevant as MRI Contrast Agents. <i>Journal of Physical Chemistry A</i> , 2016, 120, 6467-6476.	1.1	19
151	On the consequences of the stereochemical activity of the $\text{Bi}(\text{III})$ $6s^2$ lone pair in cyclen-based complexes. The $[\text{Bi}(\text{DO3A})]$ case. <i>Dalton Transactions</i> , 2018, 47, 13830-13842.	1.6	19
152	AMPED: a new platform for picolinate based luminescent lanthanide chelates. <i>Dalton Transactions</i> , 2015, 44, 7654-7661.	1.6	18
153	Unexpected Changes in the Population of Coordination Isomers for the Lanthanide Ion Complexes of DOTMA-Tetraglycinate. <i>Inorganic Chemistry</i> , 2016, 55, 9297-9305.	1.9	18
154	Coordination Properties of GdDO3A-Based Model Compounds of Bioresponsive MRI Contrast Agents. <i>Inorganic Chemistry</i> , 2018, 57, 5973-5986.	1.9	18
155	Accelerating water exchange in Gd^{III} -DO3A-derivatives by favouring the dissociative mechanism through hydrogen bonding. <i>Chemical Communications</i> , 2019, 55, 513-516.	2.2	18
156	Controlling water exchange rates in potential Mn^{2+} -based MRI agents derived from NO_2A^{2-} . <i>Dalton Transactions</i> , 2019, 48, 3962-3972.	1.6	18
157	Effect of Protonation and Interaction with Anions on a Lead(II) Complex with a Lateral Macrobicyclic Containing a Phenol Schiff-Base Spacer. <i>European Journal of Inorganic Chemistry</i> , 2007, 2007, 1635-1643.	1.0	17
158	Spectrally Undiscerned Isomers Might Lead to Erroneous Determination of Water Exchange Rates of paraCEST Eu(III) Agents. <i>Inorganic Chemistry</i> , 2017, 56, 7737-7745.	1.9	17
159	Chapter 2. Gadolinium-based Contrast Agents. <i>New Developments in NMR</i> , 2017, , 121-242.	0.1	17
160	Macrocyclic Receptor Showing Improved $\text{Pb}^{\text{II}}/\text{Zn}^{\text{II}}$ and $\text{Pb}^{\text{II}}/\text{Ca}^{\text{II}}$ Selectivities. <i>European Journal of Inorganic Chemistry</i> , 2010, 2010, 2495-2503.	1.0	16
161	Dynamic formation of self-organized corner-connected square metallocycles by stoichiometric control. <i>Chemical Communications</i> , 2010, 46, 6672.	2.2	16
162	Post-synthetic modifications of cadmium-based knots and links. <i>Chemical Communications</i> , 2016, 52, 7398-7401.	2.2	16

#	ARTICLE	IF	CITATIONS
163	The Relationship between NMR Chemical Shifts of Thermally Polarized and Hyperpolarized ^{89}Y Complexes and Their Solution Structures. <i>Chemistry - A European Journal</i> , 2016, 22, 16657-16667.	1.7	16
164	Ditopic receptors containing urea groups for solvent extraction of $\text{Cu}(\text{II})$ salts. <i>Dalton Transactions</i> , 2017, 46, 3192-3206.	1.6	16
165	Recognition of AMP, ADP and ATP through Cooperative Binding by $\text{Cu}(\text{II})$ and $\text{Zn}(\text{II})$ Complexes Containing Urea and/or Phenylboronic Acid Moieties. <i>Molecules</i> , 2018, 23, 479.	1.7	16
166	Combined NMR, DFT and X-ray studies highlight structural and hydration changes of $[\text{Ln}(\text{AAZTA})]^{3+}$ complexes across the series. <i>Inorganic Chemistry Frontiers</i> , 2020, 7, 795-803.	3.0	16
167	Electronic Structure of Ytterbium(III) Solvates: a Combined Spectroscopic and Theoretical Study. <i>Inorganic Chemistry</i> , 2021, 60, 7453-7464.	1.9	16
168	Upconversion in a $[\text{RuYb}_3]$ Supramolecular Assembly. <i>Journal of the American Chemical Society</i> , 2022, 144, 13356-13365.	6.6	16
169	Step by Step Assembly of Polynuclear Lanthanide Complexes with a Phosphonated Bipyridine Ligand. <i>Inorganic Chemistry</i> , 2016, 55, 12962-12974.	1.9	15
170	Magnetic Anisotropy in Functionalized Bipyridyl Cryptates. <i>Inorganic Chemistry</i> , 2016, 55, 5549-5557.	1.9	15
171	Self-assembly of Pd_2L_2 Metallacycles Owning Diversely Functionalized Racemic Ligands. <i>Inorganic Chemistry</i> , 2016, 55, 2290-2298.	1.9	15
172	Cyclams with Ambidentate Methylthiazolyl Pendants for Stable, Inert, and Selective $\text{Cu}(\text{II})$ Coordination. <i>Inorganic Chemistry</i> , 2016, 55, 619-632.	1.9	15
173	Unexpected Trends in the Stability and Dissociation Kinetics of Lanthanide(III) Complexes with Cyclen-Based Ligands across the Lanthanide Series. <i>Inorganic Chemistry</i> , 2020, 59, 8184-8195.	1.9	15
174	Solid State and Solution Structure of Lanthanide(III) Complexes with a Flexible Py_6N Macrocyclic Ligand. <i>European Journal of Inorganic Chemistry</i> , 2009, 2009, 1086-1095.	1.0	14
175	Highly stable acyclic bifunctional chelator for ^{64}Cu PET imaging. <i>Radiochimica Acta</i> , 2011, 99, 663-678.	0.5	14
176	Substitution-Assisted Stereochemical Control of Bispidone-Based Ligands. <i>Journal of Organic Chemistry</i> , 2012, 77, 11167-11176.	1.7	14
177	Highly Stable Complexes of Divalent Metal Ions (Mg^{2+} , Ca^{2+}), Tj ETQq1 1 0.784314 rgBT/Overlock 10 Tf 50 Containing a Picolinate Pendant. <i>European Journal of Inorganic Chemistry</i> , 2014, 2014, 6165-6173.	1.0	14
178	Sulphur-rich functionalized calix[4]arenes for selective complexation of Hg^{2+} , Cu^{2+} , Zn^{2+} and Cd^{2+} . <i>Dalton Transactions</i> , 2016, 45, 15211-15224.	1.6	14
179	Toward inert paramagnetic $\text{Ni}(\text{II})$ -based chemical exchange saturation transfer MRI agents. <i>Dalton Transactions</i> , 2017, 46, 15095-15106.	1.6	14
180	Expanding the Scope of Pycen-Picolinate Lanthanide Chelates to Potential Theranostic Applications. <i>Inorganic Chemistry</i> , 2020, 59, 11736-11748.	1.9	14

#	ARTICLE	IF	CITATIONS
181	Inert macrocyclic Eu ³⁺ complex with affirmative paraCEST features. <i>Inorganic Chemistry Frontiers</i> , 2020, 7, 2274-2286.	3.0	14
182	Paramagnetic chemical exchange saturation transfer agents and their perspectives for application in magnetic resonance imaging. <i>International Reviews in Physical Chemistry</i> , 2021, 40, 51-79.	0.9	14
183	Comparison of different methods for structural analysis of lanthanide-induced NMR shifts: a case of lanthanide(III) cryptates. <i>Journal of Alloys and Compounds</i> , 2001, 323-324, 824-827.	2.8	13
184	Designing binuclear transition metal complexes: a new example of the versatility of N,N'-bis(2-aminobenzyl)-4,13-diaza-18-crown-6. <i>Dalton Transactions</i> , 2005, , 2031.	1.6	13
185	Anion Coordination Effect on the Nuclearity of CoII, NiII, CuII, and ZnII Complexes with a Benzimidazole Pendant-Armed Crown. <i>European Journal of Inorganic Chemistry</i> , 2009, 2009, 400-411.	1.0	13
186	Dimer formation of GdDO3A-arylsulfonamide complexes causes loss of pH-dependency of relaxivity. <i>Dalton Transactions</i> , 2017, 46, 16828-16836.	1.6	13
187	Steric Effects on the Binding of Phosphate and Polyphosphate Anions by Zinc(II) and Copper(II) Dinuclear Complexes of <i>m</i> -Xylyl-bis-cyclen. <i>Inorganic Chemistry</i> , 2018, 57, 6466-6478.	1.9	13
188	Synthesis and structural characterisation of lead(II) isothiocyanate complexes with receptors derived from 1,10-diaza-15-crown-5. <i>Polyhedron</i> , 2003, 22, 2709-2717.	1.0	12
189	The first enantiopure lanthanoid cryptate. <i>Dalton Transactions</i> , 2014, 43, 4238-4241.	1.6	12
190	[Tl ^{III} (dota)] ⁺ : An Extraordinarily Robust Macrocyclic Complex. <i>Inorganic Chemistry</i> , 2015, 54, 5426-5437.	1.9	12
191	Stimuli-responsive metal-directed self-assembly of a ring-in-ring complex. <i>Dalton Transactions</i> , 2016, 45, 11611-11615.	1.6	12
192	Sensing Uranyl(VI) Ions by Coordination and Energy Transfer to a Luminescent Europium(III) Complex. <i>Angewandte Chemie</i> , 2018, 130, 10069-10072.	1.6	12
193	Modulating the DNA cleavage ability of copper(II) Schiff bases through ternary complex formation. <i>New Journal of Chemistry</i> , 2018, 42, 15170-15183.	1.4	12
194	Long Wavelength Excitation of Europium Luminescence in Extended, Carboline-Based Cryptates. <i>Inorganic Chemistry</i> , 2018, 57, 7390-7401.	1.9	12
195	Pyclen-Based Ligands Bearing Pendant Picolinate Arms for Gadolinium Complexation. <i>Inorganic Chemistry</i> , 2021, 60, 2390-2405.	1.9	12
196	Receptor versus Counterion: Capability of N,N'-Bis(2-aminobenzyl)-diazacrowns for Giving Endo- and/or Exocyclic Coordination of ZnII. <i>European Journal of Inorganic Chemistry</i> , 2007, 2007, 1874-1883.	1.0	11
197	Spontaneous Self-Assembly of a 1,8-Naphthyridine into Diverse Crystalline 1D Nanostructures: Implications on the Stimuli-Responsive Luminescent Behaviour. <i>Crystal Growth and Design</i> , 2014, 14, 3849-3856.	1.4	11
198	A [two-step/one week] synthesis of C-functionalized homocyclens and cyclams. Application to the preparation of conjugable BCAs without chelating properties alteration. <i>RSC Advances</i> , 2015, 5, 85898-85910.	1.7	11

#	ARTICLE	IF	CITATIONS
199	A pentadentate member of the picolinate family for Mn(II) complexation and an amphiphilic derivative. Dalton Transactions, 2019, 48, 696-710.	1.6	11
200	PIDAZTA: Structurally Constrained Chelators for the Efficient Formation of Stable Gallium(III) Complexes at Physiological pH. Chemistry - A European Journal, 2019, 25, 10698-10709.	1.7	11
201	Water soluble Eu(III) complexes of macrocyclic triamide ligands: Structure, stability, luminescence and redox properties. Inorganica Chimica Acta, 2019, 486, 252-260.	1.2	11
202	Understanding the Effect of the Electron Spin Relaxation on the Relaxivities of Mn(II) Complexes with Triazacyclononane Derivatives. Inorganic Chemistry, 2021, 60, 15055-15068.	1.9	11
203	Rigidified Derivative of the Non-macrocyclic Ligand H ₄ OCTAPA for Stable Lanthanide(III) Complexation. Inorganic Chemistry, 2022, 61, 5157-5171.	1.9	11
204	Barium(II) thiocyanate templating Schiff-base lateral macrobicycles derived from 1,10-diaza-15-crown-5. Polyhedron, 2005, 24, 289-294.	1.0	10
205	Lead(II) Complexes of Lateral Macrobicyclic Receptors That Incorporate a Crown Moiety and a Pyridine Head Unit. European Journal of Inorganic Chemistry, 2010, 2010, 5027-5034.	1.0	10
206	A merged experimental and theoretical conformational study on alkaline-earth complexes with lariat ethers derived from 4,13-diaza-18-crown-6. Inorganica Chimica Acta, 2011, 370, 270-278.	1.2	10
207	Pyridinophane Platform for Stable Lanthanide(III) Complexation. Inorganic Chemistry, 2013, 52, 6062-6072.	1.9	10
208	Gadolinium Complexes of Highly Rigid, Open-Chain Ligands Containing a Cyclobutane Ring in the Backbone: Decreasing Ligand Denticity Might Enhance Kinetic Inertness. Inorganic Chemistry, 2019, 58, 13170-13183.	1.9	10
209	Mn ²⁺ Complexes Containing Sulfonamide Groups with pH-Responsive Relaxivity. Inorganic Chemistry, 2020, 59, 14306-14317.	1.9	10
210	Complexation of <i>C</i> -Functionalized Cyclams with Copper(II) and Zinc(II): Similarities and Changes When Compared to Parent Cyclam Analogues. Inorganic Chemistry, 2021, 60, 10857-10872.	1.9	10
211	Oxygen-mediated oxidation of ferrous nitrosylated nitrobindins. Journal of Inorganic Biochemistry, 2021, 224, 111579.	1.5	10
212	Complexes of lanthanide(III) ions with 18-membered Schiff-base macrocycles. Polyhedron, 1998, 17, 1759-1765.	1.0	9
213	Interplay between Halogen/Hydrogen Bonding and Electrostatic Interactions in 1,1'-Bis(4-iodobenzyl)-4,4'-bipyridine-1,1'-diium Salts. Crystal Growth and Design, 2009, 9, 5009-5013.	1.4	9
214	Complexation of [Gd(DTTA-Me)(H ₂ O) ₂] ⁺ by Fluoride and Its Consequences to Water Exchange. Inorganic Chemistry, 2016, 55, 6231-6239.	1.9	9
215	Tuning the copper(II) coordination properties of cyclam by subtle chemical modifications. Dalton Transactions, 2017, 46, 11479-11490.	1.6	9
216	Recognition of phosphopeptides by a dinuclear copper(II) macrocyclic complex in a water-methanol 50:50 v/v solution. Dalton Transactions, 2017, 46, 9549-9564.	1.6	9

#	ARTICLE	IF	CITATIONS
217	Phosphate and polyphosphate anion recognition by a dinuclear copper(<i>II</i>) complex of an unsymmetrical squaramide. Dalton Transactions, 2019, 48, 10104-10115.	1.6	9
218	Axial Ligation in Ytterbium(III) DOTAM Complexes Rationalized with Multireference and Ligand-Field ab Initio Calculations. Journal of Physical Chemistry A, 2020, 124, 1362-1371.	1.1	9
219	Prediction of Gd(III) complex thermodynamic stability. Coordination Chemistry Reviews, 2022, 467, 214606.	9.5	9
220	Probing Electrostatic Potential by NMR with the Use of a Paramagnetic Lanthanide(III) Chelate. Inorganic Chemistry, 2012, 51, 4429-4431.	1.9	8
221	Tetraphosphonated thiophene ligand: mixing the soft and the hard. Dalton Transactions, 2014, 43, 9070-9080.	1.6	8
222	Secrets of Solid State and Aqueous Solution Structures of [Ni(tmdta)] ²⁺ . Inorganic Chemistry, 2014, 53, 6684-6697.	1.9	8
223	Spectroscopic Properties of a Family of Mono- to Trinuclear Lanthanide Complexes. European Journal of Inorganic Chemistry, 2017, 2017, 2122-2129.	1.0	8
224	Effects of the substituents of pyrazole/thiazine ligands on the magnetic properties of chloro-bridged Cu(<i>II</i>) complexes. New Journal of Chemistry, 2017, 41, 8818-8827.	1.4	8
225	Highly Stable and Inert Complexation of Indium(III) by Reinforced Cyclam Dipicolinate and a Bifunctional Derivative for Bead Encoding in Mass Cytometry. Chemistry - A European Journal, 2019, 25, 15387-15400.	1.7	8
226	pH-Dependent Hydration Change in a Gd-Based MRI Contrast Agent with a Phosphonated Ligand. Chemistry - A European Journal, 2020, 26, 5407-5418.	1.7	8
227	Binuclear Co(II), Ni(II), Cu(II) and Zn(II) complexes with Schiff-bases derived from crown ether platforms: Rare examples of ether oxygen atoms bridging metal centers. Polyhedron, 2010, 29, 2269-2277.	1.0	7
228	Binuclear Pt(II)-TI Bonded Complex with Square Pyramidal Coordination around Pt: A Combined Multinuclear NMR, EXAFS, UV-Vis, and DFT/TDDFT Study in Dimethylsulfoxide Solution. Inorganic Chemistry, 2011, 50, 6163-6173.	1.9	7
229	Synthesis and characterisation of bismacrocyclic DO3A-amide derivatives – an approach towards metal-responsive PARACEST agents. Dalton Transactions, 2016, 45, 6555-6565.	1.6	7
230	endo- versus exo-Cyclic coordination in copper complexes with methylthiazolylcarboxylate tacn derivatives. Dalton Transactions, 2019, 48, 8740-8755.	1.6	7
231	Europium(III) Macrocyclic Chelates Appended with Tyrosine-based Chromophores and Di(2-picolyl)amine-based Receptors: Turn-On Luminescent Chemosensors Selective to Zinc(II) Ions. ChemPlusChem, 2020, 85, 806-814.	1.3	7
232	Expanding the Ligand Classes Used for Mn(II) Complexation: Oxa-aza Macrocycles Make the Difference. Molecules, 2021, 26, 1524.	1.7	7
233	Stable and inert macrocyclic cobalt(<i>II</i>) and nickel(<i>II</i>) complexes with paraCEST response. Dalton Transactions, 2022, 51, 1580-1593.	1.6	7
234	Lead(II) Complexes with Macrocyclic Receptors Derived from 4,13-Diaza-18-crown-6. Inorganic Chemistry, 2002, 41, 7170-7170.	1.9	6

#	ARTICLE	IF	CITATIONS
235	Synthesis and crystal structure of manganese(II) complexes with high-denticity ligands derived from azacrowns. <i>Polyhedron</i> , 2007, 26, 4141-4146.	1.0	6
236	Conformational study of lanthanide(III) complexes of N-(2-salicylaldiminatobenzyl)-1-aza-18-crown-6 by using X-ray and ab initio methods. <i>Polyhedron</i> , 2008, 27, 1415-1422.	1.0	6
237	Ditopic binuclear copper(II) complexes for DNA cleavage. <i>Journal of Inorganic Biochemistry</i> , 2020, 205, 110995.	1.5	6
238	Ferric nitrosylated myoglobin catalyzes peroxynitrite scavenging. <i>Journal of Biological Inorganic Chemistry</i> , 2020, 25, 361-370.	1.1	6
239	Hydrothermal synthesis of six new lanthanides coordination polymers based on 1-H-benzimidazole-5-carboxylic acid: Structure, Hirshfeld analysis, thermal and spectroscopic properties. <i>Inorganica Chimica Acta</i> , 2020, 510, 119740.	1.2	6
240	Versatile Macrocyclic Platform for the Complexation of [^{nat} Y ⁹⁰ Y]Yttrium and Lanthanide Ions. <i>Inorganic Chemistry</i> , 2022, 61, 6209-6222.	1.9	6
241	Water exchange rates and mechanisms in tetrahedral [Be(H ₂ O) ₄] ²⁺ and [Li(H ₂ O) ₄] ⁺ complexes using DFT methods and cluster-continuum models. <i>International Journal of Quantum Chemistry</i> , 2016, 116, 1388-1396.	1.0	5
242	Electronic versus steric control in palladium complexes of carboranyl phosphine-iminophosphorane ligands. <i>Dalton Transactions</i> , 2019, 48, 486-503.	1.6	5
243	Lanthanide(III) Complexes Based on an 18-Membered Macrocyclic Containing Acetamide Pendants. Structural Characterization and paraCEST Properties. <i>Inorganic Chemistry</i> , 2021, 60, 1902-1914.	1.9	5
244	Scrutinising the role of intramolecular hydrogen bonding in water exchange dynamics of Gd(III) complexes. <i>Dalton Transactions</i> , 2021, 50, 5506-5518.	1.6	5
245	Thiosemicarbazone modified zeolitic imidazolate framework (TSC-ZIF) for mercury(II) removal from water. <i>RSC Advances</i> , 2021, 11, 16192-16199.	1.7	5
246	Rigid versions of PDTA ⁴⁻ incorporating a 1,3-diaminocyclobutyl spacer for Mn ²⁺ complexation: stability, water exchange dynamics and relaxivity. <i>Dalton Transactions</i> , 2021, 50, 16290-16303.	1.6	5
247	Exploiting the Fluxionality of Lanthanide Complexes in the Design of Paramagnetic Fluorine Probes. <i>Inorganic Chemistry</i> , 2022, 61, 4130-4142.	1.9	5
248	Copper(II) and zinc(II) complexation with N-ethylene hydroxycyclams and consequences on the macrocyclic backbone configuration. <i>Dalton Transactions</i> , 0, , .	1.6	5
249	Zeolitic imidazolate framework (AMCD-ZIF) functionalised membrane for the removal of dyes from water. <i>Journal of Environmental Chemical Engineering</i> , 2022, 10, 108019.	3.3	5
250	One-Pot Synthesis of Lanthanide and Yttrium Cryptates Containing Pyridine Units. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 1997, 52, 1273-1277.	0.3	4
251	A Schiff base lateral macrobicycle derived from 4,13-diaza-18-crown-6 in its protonated form. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2005, 61, o92-o94.	0.4	4
252	Solid state and solution structures of alkaline-earth complexes with lariat ethers containing aniline and benzimidazole pendants. <i>Polyhedron</i> , 2012, 31, 402-412.	1.0	4

#	ARTICLE	IF	CITATIONS
253	â€œCinderellaâ€ elements: Strategies to increase the stability of group 1 complexes by tailoring crown macrocycles. <i>Inorganica Chimica Acta</i> , 2014, 417, 155-162.	1.2	4
254	A density functional theory study on the interaction of dipicolinic acid with hydrated Fe ²⁺ cation. <i>Computational and Theoretical Chemistry</i> , 2016, 1090, 134-146.	1.1	4
255	Investigations into the effects of linker length elongation on the behaviour of calcium-responsive MRI probes. <i>Dalton Transactions</i> , 2019, 48, 13546-13554.	1.6	4
256	Synthesis and Characterization of Positively Charged <i>tris</i> -imidazolium Calix[6]arene Hosts for Anion Recognition. <i>ChemistrySelect</i> , 2019, 4, 321-328.	0.7	4
257	Macrocyclic Pycen-Based Gd ³⁺ Complex with High Relaxivity and pH Response. <i>Inorganic Chemistry</i> , 2020, 59, 7306-7317.	1.9	4
258	Circularly polarized luminescence of enantiopure carboline-based europium cryptates under visible light excitation. <i>Journal of Rare Earths</i> , 2020, 38, 564-570.	2.5	4
259	Stability, relaxometric and computational studies on Mn ²⁺ complexes with ligands containing a cyclobutane scaffold. <i>Dalton Transactions</i> , 2021, 50, 1076-1085.	1.6	4
260	Bifunctional Paramagnetic and Luminescent Clays Obtained by Incorporation of Gd ³⁺ and Eu ³⁺ Ions in the Saponite Framework. <i>Inorganic Chemistry</i> , 2021, 60, 10749-10756.	1.9	4
261	Cooperative Luminescence and Cooperative Sensitisation Upconversion of Lanthanide Complexes in Solution. <i>Angewandte Chemie</i> , 2022, 134, .	1.6	4
262	The critical role of ligand topology: strikingly different properties of Gd(<i>scp</i>) complexes with regioisomeric AAZTA derivatives. <i>Inorganic Chemistry Frontiers</i> , 2022, 9, 2271-2283.	3.0	4
263	Surprising Complexity of the [Gd(AAZTA)(H ₂ O) ₂] ⁺ Chelate Revealed by NMR in the Frequency and Time Domains. <i>Inorganic Chemistry</i> , 2022, 61, 496-506.	1.9	4
264	A barium perchlorate complex with a lateral macrobicycle derived from 1,10-diaza-15-crown-5 containing a phenol Schiff base spacer. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2003, 59, m93-m94.	0.4	3
265	Modeling the OEC with Two New Biomimetic Models: Preparations, Structural Characterization, and Water Photolysis Studies of a Baâ€Mn Box Type Complex and a Mn ₄ N ₆ Planar-Diamond Cluster. <i>Catalysts</i> , 2018, 8, 382.	1.6	3
266	In-depth Study of a Novel Class of Ditopic Gadolinium(III)-based MRI Probes Sensitive to Zwitterionic Neurotransmitters. <i>Frontiers in Chemistry</i> , 2019, 7, 490.	1.8	3
267	Viologenâ€cucurbituril host/guest chemistry â€ redox control of dimerization <i>versus</i> inclusion. <i>RSC Advances</i> , 2021, 11, 29543-29554.	1.7	3
268	Chapter 5. Transition Metal-based <i>T1</i> Contrast Agents. <i>New Developments in NMR</i> , 2017, , 448-478.	0.1	3
269	Preparation and study of pyridothienopyrazines and their Ruthenium(II) complexes: a new family of bidentate ligands. <i>Tetrahedron</i> , 2011, 67, 2035-2043.	1.0	2
270	Complexation of Sm ³⁺ and pamidronate: A DFT study. <i>Journal of Rare Earths</i> , 2015, 33, 310-319.	2.5	2

#	ARTICLE	IF	CITATIONS
271	4 Metal Ion Complexes in Paramagnetic Chemical Exchange Saturation Transfer (ParaCEST). , 2021, , 101-136.		2
272	Relevance of Palladium to Radiopharmaceutical Development Considering Enhanced Coordination Properties of TE1PA. Chemistry - A European Journal, 2022, , .	1.7	2
273	[7,13-Bis(2-aminobenzyl)-1,4,10-trioxo-7,13-diazacyclopentadecane]diisothiocyanatobarium(II). Acta Crystallographica Section C: Crystal Structure Communications, 2003, 59, m16-m17.	0.4	1
274	A barium perchlorate complex with a lateral macrobicycle derived from 4,13-diaza-18-crown-6 containing a pyridine Schiff base spacer. Acta Crystallographica Section C: Crystal Structure Communications, 2003, 59, m450-m451.	0.4	1
275	{4,10-Bis[2-(2-oxidobenzylideneamino- ^{15}N ,O)benzyl]-1,7-dioxa-4,10-diazacyclododecane- ^{14}O 1,N4,O3,N10}ytterbium(III) perchlorate acetonitrile solvate. Acta Crystallographica Section C: Crystal Structure Communications, 2006, 62, m360-m362.	0.4	1
276	Synthesis of Orthogonal N -Protected C -Functional Side-Bridged Cyclams to Give Access to Unsymmetrical Constrained BCAs. European Journal of Organic Chemistry, 2019, 2019, 5955-5962.	1.2	1
277	Importance of ligand design in lanthanide azamacrocyclic complexes relevant to biomedical applications. Fundamental Theories of Physics, 2022, , 129-220.	0.1	1
278	Zeolite GdNaY Nanoparticles with Very High Relaxivity for Application as Contrast Agents in Magnetic Resonance Imaging.. ChemInform, 2003, 34, no.	0.1	0
279	Europium(III) Macrocyclic Chelates Appended with Tyrosine-based Chromophores and Di-(2-picoly)amine-based Receptors: Turn-On Luminescent Chemosensors Selective to Zinc(II) Ions. ChemPlusChem, 2020, 85, 796-796.	1.3	0
280	Front Cover: Relevance of Palladium to Radiopharmaceutical Development Considering Enhanced Coordination Properties of TE1PA (Chem. Eur. J. 41/2022). Chemistry - A European Journal, 2022, 28, .	1.7	0
281	Relevance of Palladium to Radiopharmaceutical Development Considering Enhanced Coordination Properties of TE1PA. Chemistry - A European Journal, 0, , .	1.7	0