

# Luke Lambourne

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5746647/publications.pdf>

Version: 2024-02-01

390  
papers

32,867  
citations

4960

84  
h-index

5829

161  
g-index

401  
all docs

401  
docs citations

401  
times ranked

13376  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | A reference map of the human binary protein interactome. <i>Nature</i> , 2020, 580, 402-408.   | 27.8 | 724       |
| 2  | Maximizing binary interactome mapping with a minimal number of assays. <i>Nature Communications</i> , 2019, 10, 3907.  | 12.8 | 57        |
| 3  | APID database: redefining protein-protein interaction experimental evidences and binary interactomes. <i>Database: the Journal of Biological Databases and Curation</i> , 2019, 2019, .  | 3.0  | 113       |
| 4  | Protein Interactomics by Two-Hybrid Methods. <i>Methods in Molecular Biology</i> , 2018, 1794, 1-14.   | 0.9  | 6         |
| 5  | Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s} = 8$ TeV proton-proton collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 241.   | 3.9  | 61        |
| 6  | Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. <i>European Physical Journal C</i> , 2017, 77, 490.  | 3.9  | 325       |
| 7  | Upon Accounting for the Impact of Isoenzyme Loss, Gene Deletion Costs Anticorrelate with Their Evolutionary Rates. <i>PLoS ONE</i> , 2017, 12, e0170164.   | 2.5  | 9         |
| 8  | Domain-based prediction of the human isoform interactome provides insights into the functional impact of alternative splicing. <i>PLoS Computational Biology</i> , 2017, 13, e1005717.   | 3.2  | 30        |
| 9  | Performance of $b$ -jet identification in the ATLAS experiment. <i>Journal of Instrumentation</i> , 2016, 11, P04008-P04008.   | 1.2  | 278       |
| 10 | Measurement of total and differential $W + W^{\pm}$ production cross sections in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector and limits on anomalous triple-gauge-boson couplings. <i>Journal of High Energy Physics</i> , 2016, 2016, .  | 4.7  | 47        |
| 11 | Dijet production in pp collisions with large rapidity gaps at the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 754, 214-234.  | 4.1  | 29        |
| 12 | Search for a high-mass Higgs boson decaying to a $W$ boson pair in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.   | 4.7  | 71        |
| 13 | Constraints on non-Standard Model Higgs boson interactions in an effective Lagrangian using differential cross sections measured in the $H \rightarrow \tau^+ \tau^-$ decay channel at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 753, 69-85. | 4.1  | 31        |
| 14 | Measurement of $D_{s1}^{\pm}, D_{s1}^0$ and $D_{s1}^*$ meson production cross sections in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.  | 2.5  | 32        |
| 15 | Search for flavour-changing neutral current top-quark decays to $qZ$ in $pp$ collision data collected with the ATLAS detector at $\sqrt{s} = 8$ TeV. <i>European Physical Journal C</i> , 2016, 76, 12.  | 3.9  | 39        |
| 16 | Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s} = 8$ TeV. <i>European Physical Journal C</i> , 2016, 76, 87.  | 3.9  | 39        |
| 17 | Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 81.   | 3.9  | 10        |
| 18 | Search for charged Higgs bosons in the $H \rightarrow tb$ decay channel in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.  | 4.7  | 43        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Search for single production of vector-like quarks decaying into $Wb$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 442.                                       | 3.9 | 43        |
| 20 | ATLAS Collaboration. Nuclear Physics A, 2016, 956, 922-944.   | 1.5 | 1         |
| 21 | Measurement of the differential cross-section of highly boosted top quarks as a function of their transverse momentum in $pp$ collisions using the ATLAS detector. Physical Review D, 2016, 93, .                       | 4.7 | 34        |
| 22 | Search for the electroweak production of supersymmetric particles in $pp$ collisions with the ATLAS detector. Physical Review D, 2016, 93, .  | 4.7 | 53        |
| 23 | Search for the production of a Higgs boson in association with a top quark in $pp$ collisions with the ATLAS detector. Physical Review D, 2016, 93, .   | 4.7 | 29        |
| 24 | Centrality, rapidity, and transverse momentum dependence of isolated prompt photon production in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV measured with the ATLAS detector. Physical Review C, 2016, 93, .    | 2.9 | 36        |
| 25 | Search for the production of a Higgs boson in association with a top quark decaying into a $W$ boson in the helicity basis at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physical Review D, 2016, 93, .                | 4.7 | 11        |
| 26 | Search for magnetic monopoles and stable particles with high electric charges in $pp$ collisions with the ATLAS detector. Physical Review D, 2016, 93, .  | 4.7 | 43        |
| 27 | Search for dark matter produced in association with a Higgs boson decaying to two bottom quarks in $pp$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physical Review D, 2016, 93, .                        | 4.7 | 16        |
| 28 | Search for the standard model Higgs boson produced in association with a vector boson and decaying into a tau pair in $pp$ collisions with the ATLAS detector. Physical Review D, 2016, 93, .                           | 4.7 | 5         |
| 29 | Search for the production of a Higgs boson in association with a top quark in $pp$ collisions with the ATLAS detector. Physical Review Letters, 2016, 116, 172301.  | 7.8 | 228       |
| 30 | Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.   | 3.9 | 50        |
| 31 | Performance of pile-up mitigation techniques for jets in $pp$ collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 581.   | 3.9 | 298       |
| 32 | Measurement of the transverse momentum and $\phi_{\eta}$ distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 291. | 3.9 | 154       |
| 33 | A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $pp$ collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.                   | 4.7 | 14        |
| 34 | Identification of high transverse momentum top quarks in $pp$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.  | 4.7 | 17        |
| 35 | A search for an excited muon decaying to a muon and two jets in $pp$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.  | 2.9 | 2         |
| 36 | The ATLAS Data Acquisition and High Level Trigger system. Journal of Instrumentation, 2016, 11, P06008-P06008.  | 1.2 | 41        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 538.   | 3.9 | 115       |
| 38 | Measurement of the differential cross-sections of prompt and non-prompt production of $J/\psi$ and $\psi(2S)$ in pp collisions at $\sqrt{s} = 7$ and $8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 283.  | 3.9 | 63        |
| 39 | Measurement of the CP-violating phase $\arg(\Gamma_{12})$ and the $B_s^0$ meson decay width difference with $B_s^0 \rightarrow \tau^+ \tau^-$ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.  | 4.7 | 13        |
| 40 | A search for prompt lepton-jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.   | 4.7 | 31        |
| 41 | Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 199.  | 3.9 | 60        |
| 42 | Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.   | 4.7 | 14        |
| 43 | Search for the production of single vector-like and excited quarks in the $Wt$ final state in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.  | 4.7 | 19        |
| 44 | Measurements of four-lepton production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 753, 552-572.   | 4.1 | 10        |
| 45 | Hard-scattering kinematics of proton-lead collisions at $\sqrt{s_{NN}} = 5.02$ TeV with ATLAS. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 756, 276-286.   | 4.1 | 10        |
| 46 | Evidence for single top-quark production in the s-channel in proton-lead collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector using the Matrix Element Method. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 755, 285-305. | 4.1 | 10        |
| 47 | Search for resonant $W$ boson production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 755, 285-305.   | 4.1 | 10        |
| 48 | Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 154.   | 3.9 | 62        |
| 49 | Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 210.   | 3.9 | 95        |
| 50 | Probing lepton flavour violation via neutrinoless $\mu \rightarrow e \gamma$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.   | 3.9 | 19        |
| 51 | A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.   | 3.9 | 9         |
| 52 | Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.  | 4.7 | 49        |
| 53 | Search for anomalous couplings in the $Wtb$ vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.                                     | 4.7 | 13        |
| 54 | Searches for scalar leptoquarks in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 5.  | 3.9 | 109       |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s} = 7$ and $8\text{ TeV}$ in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.                      | 3.9 | 274       |
| 56 | Measurements of fiducial cross-sections for $t\bar{t}\hat{A}$ production with one or two additional b-jets in pp collisions at $\sqrt{s} = 8\text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2016, 76, 11.          | 3.9 | 54        |
| 57 | Study of the $B_c^+ \rightarrow J/\psi D_s^+ B_c + \hat{A}^+ J/\psi D_s^+ \hat{A}$ and $B_c^+ \rightarrow J/\psi D_s^+ B_c + \hat{A}^+ J/\psi D_s^+ \hat{A}$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4. | 3.9 | 40        |
| 58 | Search for an additional, heavy Higgs boson in the $H \rightarrow ZZ H \hat{A}^+ Z Z$ decay channel at $\sqrt{s} = 8\text{ TeV}$ in $pp$ collision data with the ATLAS detector. European Physical Journal C, 2016, 76, 45.            | 3.9 | 197       |
| 59 | Search for single top-quark production via flavour-changing neutral currents at $8\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 55.   | 3.9 | 43        |
| 60 | Measurement of the correlation between flow harmonics of different order in lead-lead collisions at $\sqrt{s} = 2.76\text{ TeV}$ with the ATLAS detector. Physical Review C, 2015, 92, .   | 4.7 | 110       |
| 61 | Search for massive supersymmetric particles decaying to many jets using the ATLAS detector in pp collisions at $\sqrt{s} = 8\text{ TeV}$ . Physical Review D, 2015, 91, .  | 4.7 | 34        |
| 62 | Observation and measurement of Higgs boson decays to $W^+W^-$ and $W^+W^- + \hat{A}$ at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. Physical Review D, 2015, 92, .  | 4.7 | 110       |
| 63 | Measurement of the total and differential Higgs boson production cross sections combining $pp$ collision data at $\sqrt{s} = 7$ and $8\text{ TeV}$ with the ATLAS detector. Physical Review D, 2015, 92, .                             | 4.7 | 91        |
| 64 | Measurements of the top quark branching ratios into channels with leptons and quarks with the ATLAS detector. Physical Review D, 2015, 92, .   | 4.7 | 7         |
| 65 | Measurement of differential cross sections and forward-backward ratios in $pp$ collisions at $\sqrt{s} = 7$ and $8\text{ TeV}$ with the ATLAS detector. Physical Review D, 2015, 92, .   | 7.8 | 48        |
| 66 | Measurement of the top quark branching ratios into channels with leptons and quarks with the ATLAS detector. Physical Review D, 2015, 92, .  | 2.9 | 27        |
| 67 | Observation of top-quark pair production in association with a photon and measurement of the cross section in $pp$ collisions at $\sqrt{s} = 7$ and $8\text{ TeV}$ with the ATLAS detector. Physical Review D, 2015, 92, .             | 2.9 | 44        |
| 68 | Measurement of the top pair production cross section in $8\text{ TeV}$ proton-proton collisions using kinematic information in the $t\bar{t} + \hat{A}$ final state with ATLAS. Physical Review D, 2015, 92, .                         | 4.7 | 36        |
| 69 | Search for type-III seesaw heavy leptons in $pp$ collisions at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. Physical Review D, 2015, 92, .   | 4.7 | 51        |
| 70 | Search for long-lived, weakly interacting particles that decay to displaced hadronic jets in proton-proton collisions at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. Physical Review D, 2015, 92, .                             | 4.7 | 26        |
| 71 | Search for type-III seesaw heavy leptons in $pp$ collisions at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. Physical Review D, 2015, 92, .   | 4.7 | 61        |
| 72 | Search for massive supersymmetric particles decaying to many jets using the ATLAS detector. Physical Review D, 2015, 92, .   | 4.7 | 24        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Search for high-mass diphoton resonances in pp collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Physical Review D, 2015, 92.  | 4.7 | 99        |
| 74 | Search for Higgs bosons decaying to $W^+W^-$ in the $W^+W^-$ state in $pp$ collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Physical Review D, 2015, 92, .  | 4.7 | 101       |
| 75 | Search for photonic signatures of gauge-mediated supersymmetry in $pp$ collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Physical Review D, 2015, 92, .  | 4.7 | 19        |
| 76 | Search for new light gauge bosons in Higgs boson decays to four-lepton final states in $pp$ collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector at the LHC. Physical Review D, 2015, 92, .                                    | 4.7 | 26        |
| 77 | Search for pair production of a new heavy quark that decays into a $W^+W^-$ boson and a light quark in $pp$ collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Physical Review Letters, 2015, 114, 221602.                  | 4.7 | 27        |
| 78 | Search for a Charged Higgs Boson Produced in the Vector-Boson Fusion Mode with Decay into $W^+W^-$ in $pp$ collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Physical Review Letters, 2015, 114, 221602.                   | 7.8 | 27        |
| 79 | Search for New Phenomena in Dijet Angular Distributions in Proton-Proton Collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Physical Review Letters, 2015, 114, 221602.   | 7.8 | 27        |
| 80 | Search for $W^+W^-$ Production in $pp$ Collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Physical Review Letters, 2015, 114, 221602.   | 7.8 | 27        |
| 81 | Search for $W^+W^-$ Production in $pp$ Collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Physical Review Letters, 2015, 114, 221602.   | 7.8 | 20        |
| 82 | Search for $W^+W^-$ Production in $pp$ Collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Physical Review Letters, 2015, 114, 221602.   | 7.8 | 30        |
| 83 | Determination of the Ratio of $W^+W^-$ Production in $pp$ Collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Physical Review Letters, 2015, 115, 262001.  | 7.8 | 49        |
| 84 | Modelling $Z \rightarrow \tau^+\tau^-$ processes in ATLAS with $\tau$ -embedded $Z \rightarrow \tau^+\tau^-$ data. Journal of Instrumentation, 2015, 10, P09018-P09018.   | 1.2 | 17        |
| 85 | Measurement of the production of neighbouring jets in lead-lead collisions at $\sqrt{s}=2.76\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 751, 376-395. | 4.7 | 4         |
| 86 | Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $\sqrt{s}=8\text{ TeV}$ . Journal of High Energy Physics, 2015, 2015, 1.   | 4.7 | 4         |
| 87 | A search for high-mass resonances decaying to $W^+W^-$ in $pp$ collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.  | 4.7 | 23        |
| 88 | Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.   | 4.7 | 55        |
| 89 | Search for lepton-flavour-violating $H \rightarrow \tau^+\tau^-$ decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.  | 4.7 | 52        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Measurement of four-jet differential cross sections in $s = 8 \sqrt{s} = 8 \text{ TeV}$ proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.  | 4.7 | 11        |
| 92  | Measurement of transverse energy $\vec{E}_T$ energy correlations in multi-jet events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector and determination of the strong coupling constant $\alpha_s$ . Journal of High Energy Physics, 2015, 2015, 1-10. | 4.1 | 23        |
| 93  | Measurement of exclusive $t\bar{t}$ production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. Nuclear, Elementary Particle and High Energy Physics, 2015, 749, 242-261.   | 4.1 | 18        |
| 94  | A search for $t\bar{t} A$ resonances using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.  | 4.1 | 43        |
| 95  | Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.   | 4.7 | 66        |
| 96  | Measurement of charged-particle spectra in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector at the LHC. Journal of High Energy Physics, 2015, 2015, 1.  | 4.7 | 28        |
| 97  | Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.  | 4.7 | 67        |
| 98  | Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.   | 4.7 | 33        |
| 99  | Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-39.   | 4.7 | 108       |
| 100 | Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $\sqrt{s} = 7 \text{ TeV}$ in the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.                               | 4.7 | 78        |
| 101 | Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . Journal of High Energy Physics, 2015, 2015, 1.   | 4.7 | 40        |
| 102 | Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.  | 4.7 | 84        |
| 103 | Search for new phenomena in events with three or more charged leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.  | 4.7 | 71        |
| 104 | Summary of the searches for squarks and gluinos using $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.   | 4.7 | 20        |
| 105 | Determination of the top-quark pole mass using $t\bar{t} + 1\text{-jet}$ events collected with the ATLAS experiment in 7 TeV pp collisions. Journal of High Energy Physics, 2015, 2015, 1.  | 4.7 | 60        |
| 106 | Measurement of the $t\bar{t} W$ and $t\bar{t} Z$ production cross sections in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.   | 4.7 | 25        |
| 107 | Search for flavour-changing neutral current top quark decays $t \rightarrow q\gamma$ in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.  | 4.7 | 22        |
| 108 |   | 4.7 | 19        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | <p>Continuity and rapidity dependence of inclusive jet production in <math>\sqrt{s} = 8</math> TeV <math>pp</math> collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 748, 392-413.</p> <p>Search for heavy lepton resonances decaying to a Z boson and a lepton in <math>pp</math> collisions at <math>\sqrt{s} = 8</math> TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.</p> | 4.1 | 93        |
| 110 | <p>Combined Measurement of the Higgs Boson Mass in <math>pp</math> Collisions at <math>\sqrt{s} = 7</math> and <math>8</math> TeV with the ATLAS and CMS Experiments. Physical Review Letters, 2015, 114, 191803.</p> <p>Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at <math>\sqrt{s} = 8</math> TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.</p>   | 4.7 | 36        |
| 111 | <p>Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.</p>   | 7.8 | 1,062     |
| 112 | <p>Measurement of the charge asymmetry in dileptonic decays of top quark pairs in <math>pp</math> collisions at <math>\sqrt{s} = 7</math> TeV using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.</p>   | 4.7 | 42        |
| 113 | <p>Search for <math>W' \rightarrow tb \rightarrow qqbb</math> decays in <math>pp</math> collisions at <math>\sqrt{s} = 8</math> TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 165.</p>   | 4.7 | 116       |
| 114 | <p>Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at <math>\sqrt{s} = 7</math> TeV. European Physical Journal C, 2015, 75, 158.</p>   | 4.7 | 17        |
| 115 | <p>Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in <math>\sqrt{s} = 8</math> TeV <math>pp</math> collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 208.</p>   | 3.9 | 35        |
| 116 | <p>Study of <math>(W/Z)H</math> production and Higgs boson couplings using <math>H \rightarrow WW</math> decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.</p>  | 3.9 | 17        |
| 117 | <p>Measurement of the branching ratio <math>B(B \rightarrow \tau \nu)</math> with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 748, 392-413.</p>  | 4.7 | 22        |
| 118 | <p>Measurement of the branching ratio <math>B(B \rightarrow \tau \nu)</math> with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 748, 392-413.</p>  |     |           |
| 119 | <p>Measurement of the branching ratio <math>B(B \rightarrow \tau \nu)</math> with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 748, 392-413.</p>  |     |           |

| #   | ARTICLE  | IF | CITATIONS |
|-----|--|----|-----------|
| 127 | Search for a CP-odd Higgs boson decaying to Zh in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector<br><a href="https://www.351.org/1998/Math/MathML">https://www.351.org/1998/Math/MathML</a> High-Energy Search for Higgs and $Z$ Boson Decays |    |           |
| 128 | $J/\psi \rightarrow \tau^+ \tau^-$ at $\sqrt{s} = 3$ GeV   |    |           |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ . Journal of High Energy Physics, 2015, 2015, 1.   | 4.7 | 33        |
| 146 | Search for the $b \bar{b} \hat{A}$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.   | 4.7 | 89        |
| 147 | Measurement of the inclusive jet cross-section in proton-proton collisions at $s = 7 \sqrt{s} = 7 \text{ TeV}$ using 4.5 fb <sup>-1</sup> of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.  | 4.7 | 35        |
| 148 | Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $s = 8 \sqrt{s} = 8 \text{ TeV}$ pp collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.                                | 4.7 | 60        |
| 149 | Search for charged Higgs bosons decaying via $H \hat{A} \rightarrow \hat{I}, \hat{A} \rightarrow \hat{I}/2$ in fully hadronic final states using pp collision data at $s \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 69        |
| 150 | Search for production of $WW/WZ$ resonances decaying to a lepton, neutrino and jets in $pp$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 209.  | 3.9 | 79        |
| 151 | Performance of the ATLAS muon trigger in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2015, 75, 120.   | 3.9 | 62        |
| 152 | Search for invisible decays of the Higgs boson produced in association with a hadronically decaying vector boson in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 337.                                       | 3.9 | 39        |
| 153 | Search for Higgs boson pair production in the $\bar{b}b \hat{A} b \hat{A}$ final state from pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 412.   | 3.9 | 90        |
| 154 | Determination of spin and parity of the Higgs boson in the $WW \rightarrow e \mu u \bar{u} \hat{A} \rightarrow e \hat{I}/4 \hat{I}/2$ decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.   | 3.9 | 21        |
| 155 | Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 299.   | 3.9 | 238       |
| 156 | Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $ell \bar{ell} / ell u / u u + b \bar{b} \hat{A}, \hat{A}, \hat{I}/2, \hat{I}/2 + b \bar{b} \hat{A}$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.      | 3.9 | 60        |
| 157 | Measurement of three-jet production cross-sections in $pp$ collisions at $\sqrt{s} = 7 \text{ TeV}$ centre-of-mass energy using the ATLAS detector. European Physical Journal C, 2015, 75, 228.  | 3.9 | 23        |
| 158 | Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. European Physical Journal C, 2015, 75, 335.  | 3.9 | 95        |
| 159 | Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2015, 75, 303.  | 3.9 | 70        |
| 160 | Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.   | 3.9 | 174       |
| 161 | Observation and measurements of the production of prompt and non-prompt $J/\psi$ mesons in association with a Z boson in $pp$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 229.                                | 3.9 | 64        |
| 162 | Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $\bar{b}b \hat{A}$ in $pp$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 349.                               | 3.9 | 123       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Search for the associated production of the Higgs boson with a top quark pair in multilepton final states with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 749, 519-541.                                | 4.1 | 52        |
| 164 | Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318.                  | 3.9 | 56        |
| 165 | Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2015, 75, 362.  | 3.9 | 36        |
| 166 | Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 0.9$ and $7 \text{ TeV}$ measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.  | 3.9 | 42        |
| 167 | Measurement of the top quark mass in the $t \rightarrow \text{lepton} + \text{jets}$ and $t \rightarrow \text{dilepton}$ channels using $\sqrt{s} = 7 \text{ TeV}$ ATLAS data. European Physical Journal C, 2015, 75, 330.  | 3.9 | 52        |
| 168 | ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.   | 3.9 | 138       |
| 169 | Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.   | 4.7 | 82        |
| 170 | Measurement of the total cross section from elastic scattering in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Nuclear Physics B, 2014, 889, 486-548.   | 2.5 | 155       |
| 171 | Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 3130.   | 3.9 | 213       |
| 172 | A neural network clustering algorithm for the ATLAS silicon pixel detector. Journal of Instrumentation, 2014, 9, P09009-P09009.   | 1.2 | 45        |
| 173 | Measurement of Higgs boson production in the diphoton decay channel in pp collisions at center-of-mass energies of $7$ and $8 \text{ TeV}$ with the ATLAS detector. Physical Review D, 2014, 90.  | 4.7 | 214       |
| 174 | Comprehensive measurements of top-antitop quark production cross sections in the $t \rightarrow \text{lepton} + \text{jets}$ channel at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Physical Review D, 2014, 90.  | 4.7 | 68        |
| 175 | Measurements of spin correlation in top-antitop quark events from proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Physical Review D, 2014, 90.  | 4.7 | 31        |
| 176 | Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.  | 3.9 | 40        |
| 177 | A measurement of the ratio of the production cross sections for $W$ and $Z$ bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.   | 3.9 | 23        |
| 178 | Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $\sqrt{s} = 8 \text{ TeV}$ with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.  | 4.7 | 45        |
| 179 | Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in $20 \text{ fb}^{-1}$ of $\sqrt{s} = 8 \text{ TeV}$ proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 12        |
| 180 | Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $\sqrt{s} = 8 \text{ TeV}$ proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.  | 4.7 | 128       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | Search for nonpointing and delayed photons in the diphoton and missing transverse momentum final state in $8\text{ TeV}$ collisions at the LHC using the ATLAS detector. <i>Physical Review D</i> , 2014, 90, .  | 4.7 | 41        |
| 182 | Measurement of the $t\bar{t}$ production cross-section using $e^+e^-$ events with $b$ -tagged jets in $pp$ collisions at $\sqrt{s}=7\text{ TeV}$ and $8\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3109.  | 3.9 | 143       |
| 183 | Search for $WZ$ resonances in the fully leptonic channel using $pp$ collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014, 738, 471.   | 4.1 | 11        |
| 184 | Search for the Standard Model Higgs boson decay to $4\ell$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014, 738, 471.  | 4.1 | 58        |
| 185 | Fiducial and differential cross sections of Higgs boson production measured in the four-lepton decay channel in $pp$ collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014, 738, 471.                            | 4.1 | 121       |
| 186 | Search for new resonances in $WV$ and $ZV$ final states in $pp$ collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014, 738, 471.   | 2.9 | 24        |
| 187 | Search for Quantum Black Hole Production in High Invariant-Mass $pp$ collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014, 738, 471.  | 7.8 | 35        |
| 188 | Measurement of inclusive jet charged-particle fragmentation functions in $Pb+Pb$ collisions at $\sqrt{s_{NN}}=2.76\text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014, 739, 320-342.  | 4.7 | 237       |
| 189 | Measurement of the cross-section of high transverse momentum vector bosons reconstructed as single jets and studies of jet substructure in $pp$ collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014, 738, 471. | 7.8 | 51        |
| 190 | Search for Jet Final States Using $pp$ collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014, 738, 471.  | 7.8 | 123       |
| 191 | Measurements of Four-Lepton Production at $\sqrt{s}=8\text{ TeV}$ with the ATLAS Detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014, 738, 471.   | 4.7 | 71        |
| 192 | Resonance in $Z$ Collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS Detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014, 738, 471.  | 7.8 | 123       |
| 193 | Measurements of normalized differential cross sections for $W$ production in $pp$ collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014, 738, 471.   | 4.7 | 71        |
| 194 | Search for dark matter in events with a $Z$ boson and missing transverse momentum in $pp$ collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014, 738, 471.   | 4.7 | 90        |
| 195 | Search for dark matter in events with a $Z$ boson and missing transverse momentum in $pp$ collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014, 738, 471.   | 7.8 | 168       |
| 196 | Search for Invisible Decays of a Higgs Boson Produced in Association with a $Z$ Boson in ATLAS. <i>Physical Review Letters</i> , 2014, 112, .  | 7.8 | 130       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Measurement of the inclusive isolated prompt photons cross section in $pp$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physical Review D, 2014, 89, .  | 4.7 | 58        |
| 200 | Search for a multi-Higgs-boson cascade in $pp$ collisions with the ATLAS detector. Physical Review D, 2014, 89, .  | 4.7 | 15        |
| 201 | Search for the lepton flavor violating decay $B \rightarrow \mu e \gamma$ with the ATLAS detector. Physical Review D, 2014, 89, .  | 4.7 | 26        |
| 202 | Measurement of the Higgs boson mass from the $H \rightarrow \tau^+ \tau^-$ decay with the ATLAS detector. Physical Review D, 2014, 89, .   | 4.7 | 52        |
| 203 | Study of heavy-flavor quarks produced in association with top-quark pairs at $\sqrt{s} = 7$ TeV using the ATLAS detector. Physical Review D, 2014, 89, .   | 4.7 | 12        |
| 204 | Measurement of the Higgs boson mass from the $H \rightarrow \tau^+ \tau^-$ decay with the ATLAS detector. Physical Review D, 2014, 89, .   | 4.7 | 176       |
| 205 | ATLAS Collaboration. Nuclear Physics A, 2014, 932, 572-594.  | 1.5 | 1         |
| 206 | Search for Dark Matter in Events with a Hadronically Decaying $Z$ Boson and Missing Transverse Momentum in $pp$ Collisions at $\sqrt{s} = 8$ TeV with the ATLAS Detector. Physical Review Letters, 2014, 112, 041802.                  | 7.8 | 129       |
| 207 | Measurement of long-range pseudorapidity correlations and azimuthal harmonics in $pp$ collisions with the ATLAS detector. Physical Review C, 2014, 90, .   | 2.9 | 111       |
| 208 | Observation of an Excited $B_c$ State with the ATLAS Detector. Physical Review Letters, 2014, 113, 212004.   | 2.9 | 12        |
| 209 | Measurement of event-plane correlations in $pp$ collisions with the ATLAS detector. Physical Review C, 2014, 90, .   | 2.9 | 134       |
| 210 | Search for pair-produced third-generation squarks decaying via charm quarks or in compressed supersymmetric scenarios in $pp$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 126       |
| 211 | Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $pp$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 48        |
| 212 | Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $pp$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 66        |
| 213 | Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at $\sqrt{s} = 7$ TeV in 2010. European Physical Journal C, 2014, 74, 3034.   | 3.9 | 58        |
| 214 | Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1.   | 3.9 | 172       |
| 215 | Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3134.                          | 3.9 | 48        |
| 216 | Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3157.  | 3.9 | 68        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 217 | Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in $pp$ collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3195.  | 3.9 | 46        |
| 218 | Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.   | 4.7 | 41        |
| 219 | Measurement of the $Z/\tilde{\chi}^0$ boson transverse momentum distribution in $pp$ collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.  | 4.7 | 131       |
| 220 | Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $\sqrt{s}=8$ TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.                         | 4.7 | 38        |
| 221 | Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.   | 4.7 | 45        |
| 222 | Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.  | 4.7 | 47        |
| 223 | Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in $pp$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.  | 4.7 | 35        |
| 224 | Search for Higgs boson decays to a photon and a Z boson in $pp$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 732, 8-27.   | 4.7 | 41        |
| 225 | Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.   | 4.7 | 42        |
| 226 | Measurement of the mass difference between top and anti-top quarks in $pp$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.  | 4.1 | 8         |
| 227 | Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in $pp$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 40        |
| 228 | The differential production cross section of the $\phi(1020)$ meson in $pp$ collisions at $\sqrt{s}=7$ TeV measured with the ATLAS detector. European Physical Journal C, 2014, 74, 2895.  | 3.9 | 13        |
| 229 | Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 2941.   | 3.9 | 204       |
| 230 | Measurement of the underlying event in jet events from 7 TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 1.   | 3.9 | 23        |
| 231 | Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 2982.  | 3.9 | 22        |
| 232 | Light-quark and gluon jet discrimination in $pp$ collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3023.  | 3.9 | 77        |
| 233 | Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.                    | 4.7 | 22        |
| 234 | Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s}=8$ TeV $pp$ collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.   | 4.7 | 88        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 235 | Measurement of the production cross section of prompt $J/\psi$ mesons in association with a $W$ $\hat{\pm}$ boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.                    | 4.7 | 35        |
| 236 | Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.  | 4.7 | 36        |
| 237 | Measurement of the production of a $W$ boson in association with a charm quark in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.   | 4.7 | 59        |
| 238 | Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 145       |
| 239 | Search for top quark decays $t \rightarrow qH$ with $H \rightarrow \gamma\gamma$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, .  | 4.7 | 35        |
| 240 | Search for supersymmetry at $\sqrt{s} = 8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.   | 4.7 | 45        |
| 241 | Measurement of the low-mass Drell-Yan differential cross section at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.   | 4.7 | 25        |
| 242 | Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.  | 4.7 | 59        |
| 243 | Measurement of $\tau$ $c1$ and $\tau$ $c2$ production with $\sqrt{s} = 7$ TeV pp collisions at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.  | 4.7 | 32        |
| 244 | Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.   | 4.7 | 10        |
| 245 | Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.   | 4.7 | 45        |
| 246 | Search for direct top squark pair production in events with a $Z$ boson, $b$ -jets and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.                        | 3.9 | 55        |
| 247 | Search for new phenomena in photon + jet events collected in proton+proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High Energy Physics, 2014, 728, 562-578.          |     |           |
| 248 | Operation and performance of the ATLAS semiconductor tracker. Journal of Instrumentation, 2014, 9, P08009-P08009.   | 1.2 | 25        |
| 249 | Standalone vertex finding in the ATLAS muon spectrometer. Journal of Instrumentation, 2014, 9, P02001-P02001.   | 1.2 | 15        |
| 250 | Monitoring and data quality assessment of the ATLAS liquid argon calorimeter. Journal of Instrumentation, 2014, 9, P07024-P07024.   | 1.2 | 16        |
| 251 | Measurement of the production cross section of jets in association with a $Z$ boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.  | 4.7 | 73        |
| 252 | Measurement of the cross-section for $W$ boson production in association with $b$ -jets in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.  | 4.7 | 53        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 253 | Search for third generation scalar leptoquarks in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.   | 4.7 | 32        |
| 254 | Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.   | 4.7 | 137       |
| 255 | Measurement of ZZ production in pp collisions at $\sqrt{s}=7$ TeV and limits on anomalous ZZZ and ZZ <sup>3</sup> couplings with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.   | 4.7 | 61        |
| 256 | Search for charged Higgs bosons through the violation of lepton universality in $\overline{t}t$ events using pp collision data at $\sqrt{s}=7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.  | 4.7 | 19        |
| 257 | Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.   | 4.7 | 52        |
| 258 | Measurement of k T splitting scales in $W\hat{t}^{\pm}\hat{a}, \hat{t}\hat{t}^{\pm}$ events at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2013, 73, 2432.   | 3.9 | 19        |
| 259 | Search for a light charged Higgs boson in the decay channel $H^{+} \rightarrow c\bar{s}$ in $t\bar{t}$ events using pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Measurement of angular correlations in $D^0 \rightarrow \ell^+ \ell^-$ Yan lepton pairs to probe $Z \rightarrow \ell^+ \ell^-$ | 3.9 | 119       |
| 260 | Search for a light charged Higgs boson in the decay channel $H^{+} \rightarrow c\bar{s}$ in $t\bar{t}$ events using pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Measurement of angular correlations in $D^0 \rightarrow \ell^+ \ell^-$ Yan lepton pairs to probe $Z \rightarrow \ell^+ \ell^-$ | 4.1 | 21        |
| 261 | Search for displaced muonic lepton jets from light Higgs boson decay in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 726, 120-144.   | 4.1 | 67        |
| 262 | Searches for heavy long-lived sleptons and R-hadrons with the ATLAS detector in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 720, 277-308.  | 4.1 | 67        |
| 263 | Evidence for the spin-0 nature of the Higgs boson using ATLAS data. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 726, 120-144.   | 4.1 | 307       |
| 266 | Measurements of Higgs boson production and couplings in diboson final states with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 726, 88-119.   | 4.1 | 295       |
| 267 | Search for resonances in the lepton plus jets final state with ATLAS using $\hat{t}\bar{t}$ resonances in the lepton plus jets final state with ATLAS using   | 4.7 | 39        |
| 268 | Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.   | 4.7 | 102       |
| 269 | Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s}=8$ TeV proton-proton collisions using the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.  | 4.7 | 71        |
| 270 | Measurement of the differential cross-section of B + meson production in pp collisions at $\sqrt{s}=7$ TeV at ATLAS. Journal of High Energy Physics, 2013, 2013, 1.   | 4.7 | 31        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 271 | Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.   | 4.7 | 52        |
| 272 | Improved luminosity determination in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2518.   | 3.9 | 362       |
| 273 | Measurement of the inclusive jet cross-section in pp collisions at $\sqrt{s}=2.76$ TeV and comparison to the inclusive jet cross-section at $\sqrt{s} = 7$ TeV using the ATLAS detector. European Physical Journal C, 2013, 73, 2509.  | 3.9 | 105       |
| 274 | Multi-channel search for squarks and gluinos in $\sqrt{s}=7$ TeV pp collisions with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2362.  | 3.9 | 34        |
| 275 | Measurement of jet shapes in top-quark pair events at $\sqrt{s} = 7$ TeV using the ATLAS detector. European Physical Journal C, 2013, 73, 2676.  | 3.9 | 33        |
| 276 | Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector at the LHC. Journal of High Energy Physics, 2013, 2013, 1.   | 4.7 | 175       |
| 277 | Measurement of the top quark charge in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.   | 4.7 | 17        |
| 278 | Search for charginos nearly mass degenerate with the lightest neutralino based on a disappearing-track signature in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.  | 4.7 | 110       |
| 279 | ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.   | 4.7 | 81        |
| 280 | Measurement of isolated-photon pair production in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.  | 4.7 | 64        |
| 281 | Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.  | 4.7 | 59        |
| 282 | Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.   | 4.7 | 15        |
| 283 | Measurement of the jet radius and transverse momentum dependence of inclusive jet suppression in lead-lead collisions at $\sqrt{s}=2.76$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 719, 220-241.                    | 4.1 | 11        |
| 284 | Search for light top squark pair production in final states with leptons and b-jets with the ATLAS detector in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Nuclear Physics B, 2013, 875, 483-535.   | 4.1 | 195       |
| 285 | Search for supersymmetry in events with photons, bottom quarks, and missing transverse momentum in proton-proton collisions at a centre-of-mass energy of 7 TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 719, 261-279. | 4.1 | 6         |
| 286 | Dynamics of isolated-photon plus jet production in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Nuclear Physics B, 2013, 875, 483-535.   | 2.5 | 33        |
| 287 | Search for supersymmetry in events with photons, bottom quarks, and missing transverse momentum in proton-proton collisions at a centre-of-mass energy of 7 TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 719, 261-279. | 4.1 | 169       |
| 288 | Search for supersymmetry in events with photons, bottom quarks, and missing transverse momentum in proton-proton collisions at a centre-of-mass energy of 7 TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 719, 261-279. | 4.1 | 6         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 289 | Search for pair production of heavy top-like quarks decaying to a high- $p_T$ lepton and a $b$ quark in the lepton plus jets final state at $\sqrt{s} = 7$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 719, 299-317.        | 4.1 | 40        |
| 290 | Search for prompt lepton-jets in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 719, 299-317.  | 4.1 | 38        |
| 291 | Search for a heavy narrow resonance decaying to $B_s^0 \ell^+ \ell^-$ or $B_s^0 \ell^+ \ell^- \gamma$ with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 719, 299-317.                          | 4.1 | 44        |
| 292 | Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2013, 73, 1.  | 4.1 | 14        |
| 293 | Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s} = 7$ TeV proton-proton collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 719, 280-298. | 4.1 | 44        |
| 294 | Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2013, 73, 1.   | 3.9 | 61        |
| 295 | Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2013, 73, 1.  | 3.9 | 45        |
| 296 | Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s} = 7$ TeV proton-proton collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 718, 841-859. | 4.1 | 24        |
| 297 | Search for new phenomena in the $W \rightarrow \ell \ell \nu$ decays in pp collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 718, 860-877.   | 4.1 | 24        |
| 298 | Search for direct slepton and gaugino production in final states with two leptons and missing transverse momentum with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 718, 879-901.              | 4.1 | 37        |
| 299 | Measurement of the flavour composition of dijet events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2013, 73, 1.   | 3.9 | 15        |
| 300 | Jet energy resolution in proton-proton collisions at $\sqrt{s} = 7$ TeV recorded in 2010 with the ATLAS detector. European Physical Journal C, 2013, 73, 2306.   | 3.9 | 209       |
| 301 | Measurement of the $\tau$ production cross section in the tau + jets channel using the ATLAS detector. European Physical Journal C, 2013, 73, 2328.  | 3.9 | 45        |
| 302 | Measurement of Top Quark Polarization in Top-Antitop Events from Proton-Proton Collisions at $\sqrt{s} = 7$ TeV with the ATLAS Detector. Physical Review Letters, 2013, 111, 232002.   | 7.8 | 57        |
| 303 | Search for excited electrons and muons in $\sqrt{s} = 8$ TeV proton-proton collisions with the ATLAS detector. New Journal of Physics, 2013, 15, 093011.   | 2.9 | 23        |
| 304 | Measurement of hard double-parton interactions in $W \rightarrow \ell \ell \nu$ + 2-jet events at $\sqrt{s} = 7$ TeV with the ATLAS detector. New Journal of Physics, 2013, 15, 033038.  | 2.9 | 147       |
| 305 | Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. New Journal of Physics, 2013, 15, 043009.  | 2.9 | 15        |
| 306 | Search for extra dimensions in diphoton events from proton-proton collisions at $\sqrt{s} = 7, 8$ TeV in the ATLAS detector at the LHC. New Journal of Physics, 2013, 15, 043007.  | 2.9 | 41        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 307 | Search for resonant diboson production in the WW/WZ $\gamma$ and $\gamma\gamma$ decay channels with the ATLAS detector at $\sqrt{s}=7$ TeV. Physical Review D, 2013, 87, .                 | 4.7 | 18        |
| 308 | Observation of Associated Near-Side and Away-Side Long-Range Correlations in $pp$ collisions at $\sqrt{s}=7$ TeV with the ATLAS Detector. Physical Review Letters, 2013, 110, 182302.      | 4.7 | 112       |
| 309 | Measurement of $\gamma$ production in $pp$ collisions at ATLAS. Physical Review D, 2013, 87, .   | 4.7 | 78        |
| 310 | Search for Dark Matter Candidates and Large Extra Dimensions in Events with a Photon and Missing Transverse Momentum in $pp$ collisions at ATLAS. Physical Review D, 2013, 87, .           | 4.7 | 16        |
| 311 | Search for Dark Matter Candidates and Large Extra Dimensions in Events with a Photon and Missing Transverse Momentum in $pp$ Collision Data at ATLAS. Physical Review D, 2013, 87, .       | 7.8 | 105       |
| 312 | Search for long-lived stopped $c$ and $b$ hadrons decaying out of time with the ATLAS detector. Physical Review D, 2013, 87, .   | 4.7 | 57        |
| 313 | Search for contact interactions and large extra dimensions in dilepton events from $pp$ collisions using the ATLAS detector. Physical Review D, 2013, 87, .                                | 4.7 | 35        |
| 314 | Measurement of charged-particle event shape variables in inclusive $s=7$ TeV proton-proton interactions with the ATLAS detector. Physical Review D, 2013, 88, .                            | 4.7 | 12        |
| 315 | Measurement of ZBoson Production in Pb-Pb Collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS Detector. Physical Review Letters, 2013, 110, 022301.                                      | 7.8 | 63        |
| 317 | Measurement of the $W^+W^-$ production in $pp$ collisions at ATLAS. Physical Review D, 2013, 87, .   | 4.7 | 76        |
| 318 | Measurement of the $b\bar{b}$ production in $pp$ collisions at ATLAS. Physical Review D, 2013, 87, .   | 4.7 | 60        |
| 319 | Search for microscopic black holes in a like-sign dilepton final state using large track multiplicity with the ATLAS detector. Physical Review D, 2013, 88, .                              | 4.7 | 14        |
| 320 | Search for new phenomena in events with three charged leptons at $\sqrt{s}=7$ TeV with the ATLAS detector. Physical Review D, 2013, 87, .  | 4.7 | 14        |
| 321 | Measurement of the Azimuthal Angle Dependence of Inclusive Jet Yields in Pb+Pb Collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS Detector. Physical Review Letters, 2013, 111, 152301. | 7.8 | 59        |
| 322 | Boosted $h$ production in $pp$ collisions at ATLAS. Physical Review D, 2013, 88, .   | 4.7 | 18        |
| 323 | Characterisation and mitigation of beam-induced backgrounds observed in the ATLAS detector during the 2011 proton-proton run. Journal of Instrumentation, 2013, 8, P07004-P07004.          | 1.2 | 59        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 325 | Triggers for displaced decays of long-lived neutral particles in the ATLAS detector. Journal of Instrumentation, 2013, 8, P07015-P07015.  | 1.2 | 48        |
| 326 | Search for Gluinos in Events with Two Same-Sign Leptons, Jets, and Missing Transverse Momentum with the ATLAS Detector in pp Collisions at $\sqrt{s}=7\text{ TeV}$ . Physical Review Letters, 2012, 108, 241802.                | 7.8 | 37        |
| 327 | Search for resonant top quark plus jet production in tt+jet events with the ATLAS detector in pp collisions at $\sqrt{s}=7\text{ TeV}$ . Physical Review D, 2012, 86, .   | 4.7 | 16        |
| 328 | Search for a Supersymmetric Partner to the Top Quark in Final States with Jets and Missing Transverse Momentum at $\sqrt{s}=7\text{ TeV}$ in pp Collisions with the ATLAS Detector. Physical Review Letters, 2012, 109, 211802. | 7.8 | 63        |
| 329 | ATLAS measurements of the properties of jets for boosted particle searches. Physical Review D, 2012, 86, .  | 4.7 | 21        |
| 330 | Observation of Spin Correlation in tt Events from pp Collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2012, 109, 081801.   | 7.8 | 80        |
| 331 | Resonances in Proton-Proton Collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2012, 109, 081801.  | 7.8 | 33        |
| 332 | Underlying event characteristics and their dependence on jet size of charged-particle jet events in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. Physical Review D, 2012, 86, .                            | 4.7 | 12        |
| 333 | Search for Pair Production of a New Quark that Decays into a Z Boson and a Bottom Quark with the ATLAS Detector. Physical Review Letters, 2012, 108, 071801.  | 7.8 | 26        |
| 334 | Measurement of the azimuthal anisotropy for charged particle production in lead-lead collisions with the ATLAS detector. Physical Review C, 2012, 86, .   | 2.9 | 365       |
| 335 | Further search for supersymmetry at $\sqrt{s}=7\text{ TeV}$ in pp collisions with the ATLAS detector. Physical Review D, 2012, 86, .  | 4.7 | 12        |
| 336 | Search for Supersymmetry in Events with Three Leptons and Missing Transverse Momentum in pp Collisions with the ATLAS Detector. Physical Review Letters, 2012, 108, 261804.   | 7.8 | 33        |
| 337 | Search for resonant WZ production in the $WZ\rightarrow\ell\ell$ channel in $\sqrt{s}=7\text{ TeV}$ pp collisions with the ATLAS detector. Physical Review D, 2012, 85, .   | 4.7 | 12        |
| 338 | Jet mass and substructure of inclusive jets in $\sqrt{s}=7\text{ TeV}$ pp collisions with the ATLAS experiment. Journal of High Energy Physics, 2012, 2012, 1.  | 4.7 | 88        |
| 339 | Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in $4.7\text{ fb}^{-1}$ of $\sqrt{s}=7\text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2012, 2012, 1.    | 4.7 | 53        |
| 340 | A search for $t$ resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.                  | 4.7 | 40        |
| 341 | Search for the Standard Model Higgs boson in the $H\rightarrow\gamma\gamma$ decay mode in $\sqrt{s}=7\text{ TeV}$ pp collisions with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.                                      | 4.7 | 43        |
| 342 | A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at $\sqrt{s}=7\text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.                           | 4.7 | 34        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 343 | Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s}=7$ TeV with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.  | 4.7  | 15        |
| 344 | Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.   | 4.7  | 54        |
| 345 | Search for high-mass resonances decaying to dilepton final states in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.   | 4.7  | 54        |
| 346 | Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.   | 4.7  | 17        |
| 347 | Time-dependent angular analysis of the decay $B_s^0 \rightarrow \ell^+ \ell^- \gamma$ and extraction of $\Gamma^{\text{eff}}$ 's and the CP-violating weak phase $\bar{\Gamma}_s$ by ATLAS. Journal of High Energy Physics, 2012, 2012, .  | 4.7  | 23        |
| 348 | Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s}=7$ TeV pp collisions at the LHC. Journal of High Energy Physics, 2012, 2012, 1.  | 4.7  | 48        |
| 349 | Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s}=7$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.  | 4.7  | 13        |
| 350 | Search for supersymmetry in pp collisions at $\sqrt{s}=7$ TeV in final states with missing transverse momentum and b-jets with the ATLAS detector. Physical Review D, 2012, 85, .  | 4.7  | 30        |
| 351 | Search for the Standard Model Higgs boson in the Dimuon Decay Channel with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.  | 7.8  | 171       |
| 352 | A Particle Consistent with the Higgs Boson Observed with the ATLAS Detector at the Large Hadron Collider. Science, 2012, 338, 1576-1582.   | 12.6 | 74        |
| 353 | Measurement of the b-hadron production cross section using decays to $\mu^+ \mu^-$ final states in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Nuclear Physics B, 2012, 864, 341-381.   | 2.5  | 31        |
| 354 | Search for the decay $B \rightarrow \mu^+ \mu^- \gamma$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 713, 387-407.   | 4.1  | 59        |
| 355 | Search for events with large missing transverse momentum, jets, and at least two tau leptons in 7 TeV proton-proton collision data with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 714, 180-196.  | 4.1  | 12        |
| 356 | Search for supersymmetry with jets, missing transverse momentum and at least one hadronically decaying $\tilde{l}$ , lepton in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 714, 197-214. | 4.1  | 6         |
| 357 | Search for the Standard Model Higgs boson in the $\mu^+ \mu^-$ channel with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.   | 4.1  | 17        |
| 358 | Search for the Standard Model Higgs boson in the $\mu^+ \mu^-$ channel with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.   | 4.1  | 17        |
| 359 | Evidence for the associated production of a W boson and a top quark in ATLAS. Nuclear, Elementary Particle and High-Energy Physics, 2012, 716, 142-159.  | 4.1  | 15        |
| 360 | Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 716, 1-29.  | 4.1  | 6,386     |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 361 | Measurement of $t\bar{t}$ production with a veto on additional central jet activity in pp collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. European Physical Journal C, 2012, 72, 2043.                       | 3.9 | 109       |
| 362 | A search for $t\bar{t}$ resonances with the ATLAS detector in $2.05 \text{ fb}^{-1}$ of proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ . European Physical Journal C, 2012, 72, 2083.                         | 3.9 | 25        |
| 363 | Search for second generation scalar leptoquarks in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.   | 3.9 | 37        |
| 364 | Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. European Physical Journal C, 2012, 72, 1.  | 3.9 | 16        |
| 365 | Measurement of $W \hat{\pm} Z$ production in proton-proton collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.  | 3.9 | 59        |
| 366 | Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. European Physical Journal C, 2012, 72, 1.             | 3.9 | 25        |
| 367 | Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{s}=7 \text{ TeV}$ . European Physical Journal C, 2012, 72, 1.   | 3.9 | 22        |
| 368 | Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2012, 72, 1. | 3.9 | 13        |
| 369 | Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s}=7 \text{ TeV}$ proton-proton collisions. European Physical Journal C, 2012, 72, 1.            | 3.9 | 31        |
| 370 | ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . European Physical Journal C, 2012, 72, 1.   | 3.9 | 36        |

371

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 379 | Search for diphoton events with large missing transverse momentum in 7 TeV proton-proton collision data with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 718, 411-430.               | 4.1 | 20        |
| 380 | Search for Direct Top Squark Pair Production in Final States with One Isolated Lepton, Jets, and Missing Transverse Momentum in $\sqrt{s}=7$ TeV pp Collisions Using 4.7 fb <sup>-1</sup> of ATLAS Data. Physical Review Letters, 2012, 109, 211803. | 7.8 | 75        |
| 381 | Search for the Standard Model Higgs boson in $\sqrt{s}=7$ TeV pp collisions at the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 718, 411-430.   | 4.7 | 109       |
| 382 | Search for Magnetic Monopoles in $\sqrt{s}=7$ TeV pp Collisions with the ATLAS Detector. Physical Review Letters, 2012, 109, 261803.   | 7.8 | 57        |
| 383 | Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at $\sqrt{s} = 7$ ; {TeV} with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.  | 4.7 | 36        |
| 384 | Search for charged Higgs bosons decaying via $H \rightarrow t\bar{t}$ in $\sqrt{s} = 7$ TeV events using pp collision data at the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.   | 4.7 | 126       |
| 385 | Measurement of the W boson polarization in top quark decays with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.  | 4.7 | 57        |
| 386 | Combined search for the Standard Model Higgs boson using up to 4.9 fb <sup>-1</sup> of pp collision data at the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 718, 411-430.     | 4.7 | 109       |
| 387 | Search for heavy vector-like quarks coupling to light quarks in proton-proton collisions at the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 712, 22-39.                                  | 4.1 | 40        |
| 388 | Search for heavy vector-like quarks coupling to light quarks in proton-proton collisions at the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 712, 22-39.                                  | 4.1 | 40        |
| 389 | Measurement of the $\tau$ polarization in $W \rightarrow \tau\bar{\tau}$ decays with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2012, 72, 2062.   | 3.9 | 21        |