

William C Knowler

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5747988/publications.pdf>

Version: 2024-02-01

333
papers

60,507
citations

3334

91
h-index

932

240
g-index

337
all docs

337
docs citations

337
times ranked

43561
citing authors

#	ARTICLE	IF	CITATIONS
1	A missense variant Arg611Cys in <i>LIPE</i> which encodes hormone sensitive lipase decreases lipolysis and increases risk of type 2 diabetes in American Indians. <i>Diabetes/Metabolism Research and Reviews</i> , 2022, 38, e3504.	4.0	3
2	Relationship Between Insulin Secretion and Insulin Sensitivity and Its Role in Development of Type 2 Diabetes: Beyond the Disposition Index. <i>Diabetes</i> , 2022, 71, 128-141.	0.6	3
3	Comparison of ETDRS 7-Field to 4-Widefield Digital Imaging in the Evaluation of Diabetic Retinopathy Severity. <i>Translational Vision Science and Technology</i> , 2022, 11, 13.	2.2	5
4	Safety and tolerability of high-dose daily vitamin D3 supplementation in the vitamin D and type 2 diabetes (D2d) study—a randomized trial in persons with prediabetes. <i>European Journal of Clinical Nutrition</i> , 2022, 76, 1117-1124.	2.9	8
5	Increased Adiposity and Low Height-for-age in Early Childhood are Associated with Later Metabolic Risk in American Indian Children and Adolescents. <i>Journal of Nutrition</i> , 2022, , .	2.9	3
6	Effects of Long-term Metformin and Lifestyle Interventions on Cardiovascular Events in the Diabetes Prevention Program and Its Outcome Study. <i>Circulation</i> , 2022, 145, 1632-1641.	1.6	60
7	The Effect of Interventions to Prevent Type 2 Diabetes on the Development of Diabetic Retinopathy: The DPP/DPPOS Experience. <i>Diabetes Care</i> , 2022, 45, 1640-1646.	8.6	6
8	Attenuated early pregnancy weight gain by prenatal lifestyle interventions does not prevent gestational diabetes in the LIFE-Moms consortium. <i>Diabetes Research and Clinical Practice</i> , 2021, 171, 108549.	2.8	5
9	The Impact of Physical Activity on the Prevention of Type 2 Diabetes: Evidence and Lessons Learned From the Diabetes Prevention Program, a Long-Standing Clinical Trial Incorporating Subjective and Objective Activity Measures. <i>Diabetes Care</i> , 2021, 44, 43-49.	8.6	41
10	Within-Trial Cost-Effectiveness of a Structured Lifestyle Intervention in Adults With Overweight/Obesity and Type 2 Diabetes: Results From the Action for Health in Diabetes (Look AHEAD) Study. <i>Diabetes Care</i> , 2021, 44, 67-74.	8.6	10
11	Interaction of diabetes genetic risk and successful lifestyle modification in the Diabetes Prevention Programme. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 1030-1040.	4.4	12
12	Exome Sequencing of 21 Bardet-Biedl Syndrome (BBS) Genes to Identify Obesity Variants in 6,851 American Indians. <i>Obesity</i> , 2021, 29, 748-754.	3.0	7
13	Accuracy of 1-Hour Plasma Glucose During the Oral Glucose Tolerance Test in Diagnosis of Type 2 Diabetes in Adults: A Meta-analysis. <i>Diabetes Care</i> , 2021, 44, 1062-1069.	8.6	25
14	Vitamin D Supplementation for Prevention of Cancer: The D2d Cancer Outcomes (D2dCA) Ancillary Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, 2767-2778.	3.6	20
15	Per- and polyfluoroalkyl substance plasma concentrations and metabolomic markers of type 2 diabetes in the Diabetes Prevention Program trial. <i>International Journal of Hygiene and Environmental Health</i> , 2021, 232, 113680.	4.3	7
16	Next generation sequencing for HLA loci in full heritage Pima Indians of Arizona, Part II: HLA-A, -B, and -C with selected non-classical loci at 4-field resolution from whole genome sequences. <i>Human Immunology</i> , 2021, 82, 385-403.	2.4	0
17	The Moderating Effects of Genetic Variations on Changes in Physical Activity Level and Cardiorespiratory Fitness in Response to a Life-Style Intervention: A Randomized Controlled Trial. <i>Psychosomatic Medicine</i> , 2021, 83, 440-448.	2.0	1
18	Pima Indian Contributions to Our Understanding of Diabetic Kidney Disease. <i>Diabetes</i> , 2021, 70, 1603-1616.	0.6	15

#	ARTICLE	IF	CITATIONS
19	Changes in mood and health-related quality of life in Look AHEAD 6 years after termination of the lifestyle intervention. <i>Obesity</i> , 2021, 29, 1294-1308.	3.0	5
20	Effect of Vitamin D Supplementation on Kidney Function in Adults with Prediabetes. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021, 16, 1201-1209.	4.5	9
21	Effect of Metformin and Lifestyle Interventions on Mortality in the Diabetes Prevention Program and Diabetes Prevention Program Outcomes Study. <i>Diabetes Care</i> , 2021, 44, 2775-2782.	8.6	51
22	Epidemiology of Type 2 Diabetes in Indigenous Communities in the United States. <i>Current Diabetes Reports</i> , 2021, 21, 47.	4.2	3
23	Interaction Between Type 2 Diabetes Prevention Strategies and Genetic Determinants of Coronary Artery Disease on Cardiometabolic Risk Factors. <i>Diabetes</i> , 2020, 69, 112-120.	0.6	13
24	One-year postpartum anthropometric outcomes in mothers and children in the LIFE-Moms lifestyle intervention clinical trials. <i>International Journal of Obesity</i> , 2020, 44, 57-68.	3.4	25
25	Symptom prevalence differences of depression as measured by BDI and PHQ scales in the Look AHEAD study. <i>Obesity Science and Practice</i> , 2020, 6, 28-38.	1.9	2
26	Intratrial Exposure to Vitamin D and New-Onset Diabetes Among Adults With Prediabetes: A Secondary Analysis From the Vitamin D and Type 2 Diabetes (D2d) Study. <i>Diabetes Care</i> , 2020, 43, 2916-2922.	8.6	113
27	Impact of an 8-Year Intensive Lifestyle Intervention on an Index of Multimorbidity. <i>Journal of the American Geriatrics Society</i> , 2020, 68, 2249-2256.	2.6	19
28	Exome Sequencing Identifies A Nonsense Variant in <i>DAO</i> Associated With Reduced Energy Expenditure in American Indians. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e3989-e4000.	3.6	6
29	Assessment of the potential role of natural selection in type 2 diabetes and related traits across human continental ancestry groups: comparison of phenotypic with genotypic divergence. <i>Diabetologia</i> , 2020, 63, 2616-2627.	6.3	2
30	Intensive Weight Loss Intervention and Cancer Risk in Adults with Type 2 Diabetes: Analysis of the Look AHEAD Randomized Clinical Trial. <i>Obesity</i> , 2020, 28, 1678-1686.	3.0	47
31	Yields and costs of recruitment methods with participant phenotypic characteristics for a diabetes prevention research study in an underrepresented pediatric population. <i>Trials</i> , 2020, 21, 716.	1.6	5
32	Weight tracking in childhood and adolescence and type 2 diabetes risk. <i>Diabetologia</i> , 2020, 63, 1753-1763.	6.3	8
33	COVID-19 in People With Diabetes: Urgently Needed Lessons From Early Reports. <i>Diabetes Care</i> , 2020, 43, 1378-1381.	8.6	71
34	Characterization of Exome Variants and Their Metabolic Impact in 6,716 American Indians from the Southwest US. <i>American Journal of Human Genetics</i> , 2020, 107, 251-264.	6.2	12
35	Low Serum Insulinlike Growth Factor-1 Levels Correlate with High BMI in American Indian Adults. <i>Obesity</i> , 2020, 28, 676-682.	3.0	0
36	Provider Preference for Growth Charts in Tracking Children with Obesity. <i>Journal of Pediatrics</i> , 2020, 219, 259-262.	1.8	0

#	ARTICLE	IF	CITATIONS
37	Reproducibility of a prediabetes classification in a contemporary population. <i>Metabolism Open</i> , 2020, 6, 100031.	2.9	6
38	Genetic ancestry markers and difference in A1c between African-American and White in the Diabetes Prevention Program. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 328-336.	3.6	12
39	Regression From Prediabetes to Normal Glucose Regulation and Prevalence of Microvascular Disease in the Diabetes Prevention Program Outcomes Study (DPPOS). <i>Diabetes Care</i> , 2019, 42, 1809-1815.	8.6	61
40	Association of CREBRF variants with obesity and diabetes in Pacific Islanders from Guam and Saipan. <i>Diabetologia</i> , 2019, 62, 1647-1652.	6.3	26
41	Weight Loss Experiences of African American, Hispanic, and Non-Hispanic White Men and Women with Type 2 Diabetes: The Look AHEAD Trial. <i>Obesity</i> , 2019, 27, 1275-1284.	3.0	20
42	Does diabetes prevention translate into reduced long-term vascular complications of diabetes?. <i>Diabetologia</i> , 2019, 62, 1319-1328.	6.3	48
43	Next generation sequencing and the classical HLA loci in full heritage Pima Indians of Arizona: Defining the core HLA variation for North American Paleo-Indians. <i>Human Immunology</i> , 2019, 80, 955-965.	2.4	13
44	Metabolite Profiles of Incident Diabetes and Heterogeneity of Treatment Effect in the Diabetes Prevention Program. <i>Diabetes</i> , 2019, 68, 2337-2349.	0.6	22
45	Racial/ethnic differences in the burden of type 2 diabetes over the life course: a focus on the USA and India. <i>Diabetologia</i> , 2019, 62, 1751-1760.	6.3	57
46	A Polygenic Lipodystrophy Genetic Risk Score Characterizes Risk Independent of BMI in the Diabetes Prevention Program. <i>Journal of the Endocrine Society</i> , 2019, 3, 1663-1677.	0.2	13
47	Correlation Between Baseline GFR and Subsequent Change in GFR in Norwegian Adults Without Diabetes and in Pima Indians. <i>American Journal of Kidney Diseases</i> , 2019, 73, 777-785.	1.9	34
48	Vitamin D Supplementation and Prevention of Type 2 Diabetes. <i>New England Journal of Medicine</i> , 2019, 381, 520-530.	27.0	423
49	Birthweight and early-onset type 2 diabetes in American Indians: differential effects in adolescents and young adults and additive effects of genotype, BMI and maternal diabetes. <i>Diabetologia</i> , 2019, 62, 1628-1637.	6.3	10
50	Assessing the Role of 98 Established Loci for BMI in American Indians. <i>Obesity</i> , 2019, 27, 845-854.	3.0	16
51	Long-term Association of Depression Symptoms and Antidepressant Medication Use With Incident Cardiovascular Events in the Look AHEAD (Action for Health in Diabetes) Clinical Trial of Weight Loss in Type 2 Diabetes. <i>Diabetes Care</i> , 2019, 42, 910-918.	8.6	24
52	Use of graded Semmes Weinstein monofilament testing for ascertaining peripheral neuropathy in people with and without diabetes. <i>Diabetes Research and Clinical Practice</i> , 2019, 151, 1-10.	2.8	13
53	Long-Term Weight Loss With Metformin or Lifestyle Intervention in the Diabetes Prevention Program Outcomes Study. <i>Annals of Internal Medicine</i> , 2019, 170, 682.	3.9	92
54	Change in albuminuria and subsequent risk of end-stage kidney disease: an individual participant-level consortium meta-analysis of observational studies. <i>Lancet Diabetes and Endocrinology</i> , 2019, 7, 115-127.	11.4	199

#	ARTICLE	IF	CITATIONS
55	Relationship of Estimated GFR and Albuminuria to Concurrent Laboratory Abnormalities: An Individual Participant Data Meta-analysis in a Global Consortium. <i>American Journal of Kidney Diseases</i> , 2019, 73, 206-217.	1.9	49
56	Identification and functional analysis of a novel <scp>G310D</scp> variant in the insulin-like growth factor 1 receptor (<i>IGF1R</i>) gene associated with type 2 diabetes in <scp>A</scp>merican <scp>I</scp>ndians. <i>Diabetes/Metabolism Research and Reviews</i> , 2018, 34, e2994.	4.0	6
57	One-Hour Plasma Glucose Compared With Two-Hour Plasma Glucose in Relation to Diabetic Retinopathy in American Indians. <i>Diabetes Care</i> , 2018, 41, 1212-1217.	8.6	20
58	Long-Term Effects of an Intensive Lifestyle Intervention on Electrocardiographic Criteria for Left Ventricular Hypertrophy: The Look AHEAD Trial. <i>American Journal of Hypertension</i> , 2018, 31, 541-548.	2.0	7
59	Effect of severe obesity in childhood and adolescence on risk of type 2 diabetes in youth and early adulthood in an American Indian population. <i>Pediatric Diabetes</i> , 2018, 19, 622-629.	2.9	29
60	Cytosine methylation predicts renal function decline in American Indians. <i>Kidney International</i> , 2018, 93, 1417-1431.	5.2	46
61	White blood cell fractions correlate with lesions of diabetic kidney disease and predict loss of kidney function in Type 2 diabetes. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 1001-1009.	0.7	21
62	Serum lipids and mortality in an American Indian population: A longitudinal study. <i>Journal of Diabetes and Its Complications</i> , 2018, 32, 18-26.	2.3	6
63	Depressive Symptoms, Antidepressant Medication Use, and Inflammatory Markers in the Diabetes Prevention Program. <i>Psychosomatic Medicine</i> , 2018, 80, 167-173.	2.0	8
64	Lifestyle Interventions Limit Gestational Weight Gain in Women with Overweight or Obesity: LIFE's Moms Prospective Meta-Analysis. <i>Obesity</i> , 2018, 26, 1396-1404.	3.0	110
65	Analysis of type 2 diabetes and obesity genetic variants in Mexican Pima Indians: Marked allelic differentiation among Amerindians at <i>HLA</i>. <i>Annals of Human Genetics</i> , 2018, 82, 287-299.	0.8	10
66	Urine metabolites are associated with glomerular lesions in type 2 diabetes. <i>Metabolomics</i> , 2018, 14, 84.	3.0	23
67	Effect of different methods of accounting for antihypertensive treatment when assessing the relationship between diabetes or obesity and systolic blood pressure. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 693-699.	2.3	11
68	Differential methylation of genes in individuals exposed to maternal diabetes in utero. <i>Diabetologia</i> , 2017, 60, 645-655.	6.3	68
69	Variation in Maturity-Onset Diabetes of the Young Genes Influence Response to Interventions for Diabetes Prevention. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 2678-2689.	3.6	16
70	Associations between persistent organic pollutants, type 2 diabetes, diabetic nephropathy and mortality. <i>Occupational and Environmental Medicine</i> , 2017, 74, 521-527.	2.8	38
71	<i>H. pylori</i> seroprevalence and risk of diabetes: An ancillary case-control study nested in the diabetes prevention program. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 1515-1520.	2.3	12
72	Preventing diabetes in obese Latino youth with prediabetes: a study protocol for a randomized controlled trial. <i>BMC Public Health</i> , 2017, 17, 261.	2.9	18

#	ARTICLE	IF	CITATIONS
73	Association of Serum Amyloid A with Kidney Outcomes and All-Cause Mortality in American Indians with Type 2 Diabetes. <i>American Journal of Nephrology</i> , 2017, 46, 276-284.	3.1	11
74	Impact of Lifestyle and Metformin Interventions on the Risk of Progression to Diabetes and Regression to Normal Glucose Regulation in Overweight or Obese People With Impaired Glucose Regulation. <i>Diabetes Care</i> , 2017, 40, 1668-1677.	8.6	62
75	A High-Carbohydrate, High-Fiber, Low-Fat Diet Results in Weight Loss among Adults at High Risk of Type 2 Diabetes. <i>Journal of Nutrition</i> , 2017, 147, jn252395.	2.9	44
76	A Loss-of-Function Splice Acceptor Variant in <i>IGF2</i> Is Protective for Type 2 Diabetes. <i>Diabetes</i> , 2017, 66, 2903-2914.	0.6	52
77	Autoantibodies against PFDN2 are associated with an increased risk of type 2 diabetes: A case-control study. <i>Diabetes/Metabolism Research and Reviews</i> , 2017, 33, e2922.	4.0	16
78	The Effect of Intentional Weight Loss on Fracture Risk in Persons With Diabetes: Results From the Look AHEAD Randomized Clinical Trial. <i>Journal of Bone and Mineral Research</i> , 2017, 32, 2278-2287.	2.8	57
79	Metformin for diabetes prevention: insights gained from the Diabetes Prevention Program/Diabetes Prevention Program Outcomes Study. <i>Diabetologia</i> , 2017, 60, 1601-1611.	6.3	129
80	Replication of the Association of BDNF and MC4R Variants With Dietary Intake in the Diabetes Prevention Program. <i>Psychosomatic Medicine</i> , 2017, 79, 224-233.	2.0	7
81	Growth Tracking in Severely Obese or Underweight Children. <i>Pediatrics</i> , 2017, 140, .	2.1	15
82	One-hour and two-hour postload plasma glucose concentrations are comparable predictors of type 2 diabetes mellitus in Southwestern Native Americans. <i>Diabetologia</i> , 2017, 60, 1704-1711.	6.3	36
83	HbA1c and the Prediction of Type 2 Diabetes in Children and Adults. <i>Diabetes Care</i> , 2017, 40, 16-21.	8.6	75
84	The Association of Arsenic Exposure and Metabolism With Type 1 and Type 2 Diabetes in Youth: The SEARCH Case-Control Study. <i>Diabetes Care</i> , 2017, 40, 46-53.	8.6	61
85	Assessing variation across 8 established East Asian loci for type 2 diabetes mellitus in American Indians: Suggestive evidence for new sex-specific diabetes signals in <i>GLIS3</i> and <i>ZFAND3</i> . <i>Diabetes/Metabolism Research and Reviews</i> , 2017, 33, e2869.	4.0	14
86	Identity-by-Descent Mapping Identifies Major Locus for Serum Triglycerides in Amerindians Largely Explained by an <i>APOC3</i> Founder Mutation. <i>Circulation: Cardiovascular Genetics</i> , 2017, 10, .	5.1	21
87	A Genome-Wide Association Study Using a Custom Genotyping Array Identifies Variants in <i>GPR158</i> Associated With Reduced Energy Expenditure in American Indians. <i>Diabetes</i> , 2017, 66, 2284-2295.	0.6	32
88	Comprehensive Analysis of Established Dyslipidemia-Associated Loci in the Diabetes Prevention Program. <i>Circulation: Cardiovascular Genetics</i> , 2016, 9, 495-503.	5.1	5
89	Metabolic Risk Factors and Type 2 Diabetes Incidence in American Indian Children. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 1437-1444.	3.6	22
90	Advanced Glycation End Products Predict Loss of Renal Function and Correlate With Lesions of Diabetic Kidney Disease in American Indians With Type 2 Diabetes. <i>Diabetes</i> , 2016, 65, 3744-3753.	0.6	63

#	ARTICLE	IF	CITATIONS
91	Long-term Effect of Losartan on Kidney Disease in American Indians With Type 2 Diabetes: A Follow-up Analysis of a Randomized Clinical Trial. <i>Diabetes Care</i> , 2016, 39, 2004-2010.	8.6	15
92	Association of Weight Loss Maintenance and Weight Regain on 4-Year Changes in CVD Risk Factors: the Action for Health in Diabetes (Look AHEAD) Clinical Trial. <i>Diabetes Care</i> , 2016, 39, 1345-1355.	8.6	91
93	Selecting SNPs informative for African, American Indian and European Ancestry: application to the Family Investigation of Nephropathy and Diabetes (FIND). <i>BMC Genomics</i> , 2016, 17, 325.	2.8	1
94	Impact of intensive lifestyle intervention on preference-based quality of life in type 2 diabetes: Results from the Look AHEAD trial. <i>Obesity</i> , 2016, 24, 856-864.	3.0	15
95	Lifestyle Intervention for Weight Loss and Cardiometabolic Changes in the Setting of Glucokinase Regulatory Protein Inhibition. <i>Circulation: Cardiovascular Genetics</i> , 2016, 9, 71-78.	5.1	6
96	Lifestyle and Metformin Ameliorate Insulin Sensitivity Independently of the Genetic Burden of Established Insulin Resistance Variants in Diabetes Prevention Program Participants. <i>Diabetes</i> , 2016, 65, 520-526.	0.6	34
97	Structural Predictors of Loss of Renal Function in American Indians with Type 2 Diabetes. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016, 11, 254-261.	4.5	79
98	Cardiovascular autonomic neuropathy associates with nephropathy lesions in American Indians with type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 873-879.	2.3	20
99	Long-term Metformin Use and Vitamin B12 Deficiency in the Diabetes Prevention Program Outcomes Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 1754-1761.	3.6	336
100	Assessment of established HDL-C loci for association with HDL-C levels and type 2 diabetes in Pima Indians. <i>Diabetologia</i> , 2016, 59, 481-491.	6.3	16
101	Tumor necrosis factor receptors 1 and 2 are associated with early glomerular lesions in type 2 diabetes. <i>Kidney International</i> , 2016, 89, 226-234.	5.2	57
102	Analysis of SLC16A11 Variants in 12,811 American Indians: Genotype-Obesity Interaction for Type 2 Diabetes and an Association With RNASEK Expression. <i>Diabetes</i> , 2016, 65, 510-519.	0.6	23
103	Self-Reported Gastrointestinal Symptoms in Type 2 Diabetes Improve With an Intensive Lifestyle Intervention: Results From the Action for Health in Diabetes (Look AHEAD) Clinical Trial. <i>Clinical Diabetes</i> , 2015, 33, 181-188.	2.2	6
104	Assessing FOXO1A as a potential susceptibility locus for type 2 diabetes and obesity in American Indians. <i>Obesity</i> , 2015, 23, 1960-1965.	3.0	11
105	The effect of differing patterns of childhood body mass index gain on adult physiology in American Indians. <i>Obesity</i> , 2015, 23, 1872-1880.	3.0	8
106	Depressive Symptoms, Antidepressant Medication Use, and New Onset of Diabetes in Participants of the Diabetes Prevention Program and the Diabetes Prevention Program Outcomes Study. <i>Psychosomatic Medicine</i> , 2015, 77, 303-310.	2.0	7
107	Genome-Wide Association and Trans-ethnic Meta-Analysis for Advanced Diabetic Kidney Disease: Family Investigation of Nephropathy and Diabetes (FIND). <i>PLoS Genetics</i> , 2015, 11, e1005352.	3.5	118
108	Use of a High-Density Protein Microarray to Identify Autoantibodies in Subjects with Type 2 Diabetes Mellitus and an HLA Background Associated with Reduced Insulin Secretion. <i>PLoS ONE</i> , 2015, 10, e0143551.	2.5	16

#	ARTICLE	IF	CITATIONS
109	Systolic Blood Pressure Control Among Individuals With Type 2 Diabetes: A Comparative Effectiveness Analysis of Three Interventions. <i>American Journal of Hypertension</i> , 2015, 28, 995-1009.	2.0	18
110	A cis-eQTL in PFKFB2 is associated with diabetic nephropathy, adiposity and insulin secretion in American Indians. <i>Human Molecular Genetics</i> , 2015, 24, 2985-2996.	2.9	13
111	Urinary monocyte chemoattractant protein-1 and hepcidin and early diabetic nephropathy lesions in type 1 diabetes mellitus. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 599-606.	0.7	31
112	Environmentally Driven Increases in Type 2 Diabetes and Obesity in Pima Indians and Non-Pimas in Mexico Over a 15-Year Period: The Maycoba Project. <i>Diabetes Care</i> , 2015, 38, 2075-2082.	8.6	33
113	<i>ABCC8</i> R1420H Loss-of-Function Variant in a Southwest American Indian Community: Association With Increased Birth Weight and Doubled Risk of Type 2 Diabetes. <i>Diabetes</i> , 2015, 64, 4322-4332.	0.6	50
114	Genetic Predisposition to Weight Loss and Regain With Lifestyle Intervention: Analyses From the Diabetes Prevention Program and the Look AHEAD Randomized Controlled Trials. <i>Diabetes</i> , 2015, 64, 4312-4321.	0.6	72
115	Factors Affecting the Decline in Incidence of Diabetes in the Diabetes Prevention Program Outcomes Study (DPPOS). <i>Diabetes</i> , 2015, 64, 989-998.	0.6	43
116	Elevation of circulating TNF receptors 1 and 2 increases the risk of end-stage renal disease in American Indians with type 2 diabetes. <i>Kidney International</i> , 2015, 87, 812-819.	5.2	103
117	Treatment-Induced Changes in Plasma Adiponectin Do Not Reduce Urinary Albumin Excretion in the Diabetes Prevention Program Cohort. <i>PLoS ONE</i> , 2015, 10, e0136853.	2.5	1
118	Assessing Accuracy of Genotype Imputation in American Indians. <i>PLoS ONE</i> , 2014, 9, e102544.	2.5	9
119	Variants associated with type 2 diabetes identified by the transethnic meta-analysis study: assessment in American Indians and evidence for a new signal in LPP. <i>Diabetologia</i> , 2014, 57, 2334-2338.	6.3	9
120	Response to Comment on Knowler et al. Preventing Diabetes in American Indian Communities. <i>Diabetes Care</i> 2013;36:1820-1822. <i>Diabetes Care</i> , 2014, 37, e37-e37.	8.6	0
121	Study Design of the Maycoba Project: Obesity and Diabetes in Mexican Pimas. <i>American Journal of Health Behavior</i> , 2014, 38, 370-378.	1.4	6
122	Common genetic variation in and near the melanocortin 4 receptor gene (MC4R) is associated with body mass index in American Indian adults and children. <i>Human Genetics</i> , 2014, 133, 1431-1441.	3.8	24
123	Common variation at PPARGC1A/B and change in body composition and metabolic traits following preventive interventions: the Diabetes Prevention Program. <i>Diabetologia</i> , 2014, 57, 485-490.	6.3	29
124	A Genome-Wide Association Study in American Indians Implicates <i>DNER</i> as a Susceptibility Locus for Type 2 Diabetes. <i>Diabetes</i> , 2014, 63, 369-376.	0.6	63
125	Impact of Intensive Lifestyle Intervention on Depression and Health-Related Quality of Life in Type 2 Diabetes: The Look AHEAD Trial. <i>Diabetes Care</i> , 2014, 37, 1544-1553.	8.6	178
126	Impact of an Intensive Lifestyle Intervention on Use and Cost of Medical Services Among Overweight and Obese Adults With Type 2 Diabetes: The Action for Health in Diabetes. <i>Diabetes Care</i> , 2014, 37, 2548-2556.	8.6	144

#	ARTICLE	IF	CITATIONS
127	Rationale and Design of the Vitamin D and Type 2 Diabetes (D2d) Study: A Diabetes Prevention Trial. Diabetes Care, 2014, 37, 3227-3234.	8.6	77
128	The Influence of Rare Genetic Variation in <i>SLC30A8</i> on Diabetes Incidence and β -Cell Function. Journal of Clinical Endocrinology and Metabolism, 2014, 99, E926-E930.	3.6	20
129	Common genetic variation in the glucokinase gene (GCK) is associated with type 2 diabetes and rates of carbohydrate oxidation and energy expenditure. Diabetologia, 2014, 57, 1382-1390.	6.3	28
130	Genetic Risk of Progression to Type 2 Diabetes and Response to Intensive Lifestyle or Metformin in Prediabetic Women With and Without a History of Gestational Diabetes Mellitus. Diabetes Care, 2014, 37, 909-911.	8.6	22
131	Potential epigenetic dysregulation of genes associated with MODY and type 2 diabetes in humans exposed to a diabetic intrauterine environment: An analysis of genome-wide DNA methylation. Metabolism: Clinical and Experimental, 2014, 63, 654-660.	3.4	59
132	Identification of genetic variation that determines human trehalase activity and its association with type 2 diabetes. Human Genetics, 2013, 132, 697-707.	3.8	19
133	Effect of Losartan on Prevention and Progression of Early Diabetic Nephropathy in American Indians With Type 2 Diabetes. Diabetes, 2013, 62, 3224-3231.	0.6	88
134	Strong Parent-of-Origin Effects in the Association of <i>KCNQ1</i> Variants With Type 2 Diabetes in American Indians. Diabetes, 2013, 62, 2984-2991.	0.6	60
135	Can New-Onset Diabetes After Kidney Transplant Be Prevented?. Diabetes Care, 2013, 36, 1406-1412.	8.6	66
136	Comparison of Serum Cystatin C, Serum Creatinine, Measured GFR, and Estimated GFR to Assess the Risk of Kidney Failure in American Indians With Diabetic Nephropathy. American Journal of Kidney Diseases, 2013, 62, 33-41.	1.9	36
137	Cardiovascular Effects of Intensive Lifestyle Intervention in Type 2 Diabetes. New England Journal of Medicine, 2013, 369, 145-154.	27.0	2,294
138	Four-Year Change in Cardiorespiratory Fitness and Influence on Glycemic Control in Adults With Type 2 Diabetes in a Randomized Trial. Diabetes Care, 2013, 36, 1297-1303.	8.6	59
139	Response to Comment on: Chakkerla et al. Can New-Onset Diabetes After Kidney Transplant Be Prevented? Diabetes Care 2013;36:1406-1412. Diabetes Care, 2013, 36, e183-e183.	8.6	3
140	MAP2K3 is associated with body mass index in American Indians and Caucasians and may mediate hypothalamic inflammation. Human Molecular Genetics, 2013, 22, 4438-4449.	2.9	28
141	Validation of a Pretransplant Risk Score for New-Onset Diabetes After Kidney Transplantation. Diabetes Care, 2013, 36, 2881-2886.	8.6	27
142	Preventing Diabetes in American Indian Communities. Diabetes Care, 2013, 36, 1820-1822.	8.6	10
143	Arsenic Exposure and Incidence of Type 2 Diabetes in Southwestern American Indians. American Journal of Epidemiology, 2013, 177, 962-969.	3.4	59
144	The relationship between insulin sensitivity and maximal oxygen uptake is confounded by method of adjustment for body composition. Diabetes and Vascular Disease Research, 2013, 10, 530-535.	2.0	4

#	ARTICLE	IF	CITATIONS
145	Four-Year Analysis of Cardiovascular Disease Risk Factors, Depression Symptoms, and Antidepressant Medicine Use in the Look AHEAD (Action for Health in Diabetes) Clinical Trial of Weight Loss in Diabetes. <i>Diabetes Care</i> , 2013, 36, 1088-1094.	8.6	40
146	Do Genetic Modifiers of High-Density Lipoprotein Cholesterol and Triglyceride Levels Also Modify Their Response to a Lifestyle Intervention in the Setting of Obesity and Type-2 Diabetes Mellitus?. <i>Circulation: Cardiovascular Genetics</i> , 2013, 6, 391-399.	5.1	30
147	Human Cardiovascular Disease IBC Chip-Wide Association with Weight Loss and Weight Regain in the Look AHEAD Trial. <i>Human Heredity</i> , 2013, 75, 160-174.	0.8	22
148	Depression as a Predictor of Weight Regain Among Successful Weight Losers in the Diabetes Prevention Program. <i>Diabetes Care</i> , 2013, 36, 216-221.	8.6	28
149	A Genome-Wide Search for Linkage of Estimated Glomerular Filtration Rate (eGFR) in the Family Investigation of Nephropathy and Diabetes (FIND). <i>PLoS ONE</i> , 2013, 8, e81888.	2.5	24
150	Genetic Predictors of Weight Loss and Weight Regain After Intensive Lifestyle Modification, Metformin Treatment, or Standard Care in the Diabetes Prevention Program. <i>Diabetes Care</i> , 2012, 35, 363-366.	8.6	101
151	Early Renal Function Decline in Type 2 Diabetes. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012, 7, 78-84.	4.5	71
152	The C Allele of <i>ATM</i> rs11212617 Does Not Associate With Metformin Response in the Diabetes Prevention Program. <i>Diabetes Care</i> , 2012, 35, 1864-1867.	8.6	65
153	Greater Impact of Melanocortin-4 Receptor Deficiency on Rates of Growth and Risk of Type 2 Diabetes During Childhood Compared With Adulthood in Pima Indians. <i>Diabetes</i> , 2012, 61, 250-257.	0.6	55
154	Large-Scale Gene-Centric Meta-Analysis across 39 Studies Identifies Type 2 Diabetes Loci. <i>American Journal of Human Genetics</i> , 2012, 90, 410-425.	6.2	239
155	Lower estimated glomerular filtration rate and higher albuminuria are associated with all-cause and cardiovascular mortality. A collaborative meta-analysis of high-risk population cohorts. <i>Kidney International</i> , 2011, 79, 1341-1352.	5.2	759
156	Association of variants in the carnosine peptidase 1 gene (CNDP1) with diabetic nephropathy in American Indians. <i>Molecular Genetics and Metabolism</i> , 2011, 103, 185-190.	1.1	17
157	SIRT1 is associated with a decrease in acute insulin secretion and a sex specific increase in risk for type 2 diabetes in Pima Indians. <i>Molecular Genetics and Metabolism</i> , 2011, 104, 661-665.	1.1	60
158	Between-Monitor Differences in Step Counts Are Related to Body Size: Implications for Objective Physical Activity Measurement. <i>PLoS ONE</i> , 2011, 6, e18942.	2.5	15
159	Effectiveness of Lifestyle Interventions for Individuals With Severe Obesity and Type 2 Diabetes. <i>Diabetes Care</i> , 2011, 34, 2152-2157.	8.6	168
160	Updated Genetic Score Based on 34 Confirmed Type 2 Diabetes Loci Is Associated With Diabetes Incidence and Regression to Normoglycemia in the Diabetes Prevention Program. <i>Diabetes</i> , 2011, 60, 1340-1348.	0.6	172
161	Benefits of Modest Weight Loss in Improving Cardiovascular Risk Factors in Overweight and Obese Individuals With Type 2 Diabetes. <i>Diabetes Care</i> , 2011, 34, 1481-1486.	8.6	1,342
162	Prevention of Type 2 Diabetes. <i>Archives of Internal Medicine</i> , 2011, 171, 1361.	3.8	5

#	ARTICLE	IF	CITATIONS
163	Pretransplant Risk Score for New-Onset Diabetes After Kidney Transplantation. <i>Diabetes Care</i> , 2011, 34, 2141-2145.	8.6	61
164	Genomewide Linkage Scan for Diabetic Renal Failure and Albuminuria: The FIND Study. <i>American Journal of Nephrology</i> , 2011, 33, 381-389.	3.1	52
165	Albuminuria and Estimated Glomerular Filtration Rate as Predictors of Diabetic End-Stage Renal Disease and Death. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 2444-2451.	4.5	118
166	TCF7L2 Polymorphism, Weight Loss and Proinsulin/Insulin Ratio in the Diabetes Prevention Program. <i>PLoS ONE</i> , 2011, 6, e21518.	2.5	27
167	Activity Patterns of Obese Adults with Type 2 Diabetes in the Look AHEAD Study. <i>Medicine and Science in Sports and Exercise</i> , 2010, 42, 1995-2005.	0.4	59
168	Secular Trends in Treatment and Control of Type 2 Diabetes in an American Indian Population: A 30-Year Longitudinal Study. <i>Diabetes Care</i> , 2010, 33, 2383-2389.	8.6	10
169	Functional Variants in <i>MBL2</i> Are Associated With Type 2 Diabetes and Pre-Diabetes Traits in Pima Indians and the Old Order Amish. <i>Diabetes</i> , 2010, 59, 2080-2085.	0.6	16
170	Variants in <i>ASK1</i> Are Associated With Skeletal Muscle <i>ASK1</i> Expression, In Vivo Insulin Resistance, and Type 2 Diabetes in Pima Indians. <i>Diabetes</i> , 2010, 59, 1276-1282.	0.6	24
171	Predictive Value of Albuminuria in American Indian Youth With or Without Type 2 Diabetes. <i>Pediatrics</i> , 2010, 125, e844-e851.	2.1	26
172	Optimizing a Proteomics Platform for Urine Biomarker Discovery. <i>Molecular and Cellular Proteomics</i> , 2010, 9, 2195-2204.	3.8	74
173	Antidepressant Medicine Use and Risk of Developing Diabetes During the Diabetes Prevention Program and Diabetes Prevention Program Outcomes Study. <i>Diabetes Care</i> , 2010, 33, 2549-2551.	8.6	67
174	Effect of Intrauterine Diabetes Exposure on the Incidence of End-Stage Renal Disease in Young Adults With Type 2 Diabetes. <i>Diabetes Care</i> , 2010, 33, 2396-2398.	8.6	19
175	A functional <i>ABCA1</i> gene variant is associated with low HDL-cholesterol levels and shows evidence of positive selection in Native Americans. <i>Human Molecular Genetics</i> , 2010, 19, 2877-2885.	2.9	133
176	Relationship between Inpatient Hyperglycemia and Insulin Treatment after Kidney Transplantation and Future New Onset Diabetes Mellitus. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010, 5, 1669-1675.	4.5	83
177	Evaluation of <i>A2BP1</i> as an Obesity Gene. <i>Diabetes</i> , 2010, 59, 2837-2845.	0.6	36
178	<i>ELMO1</i> variants and susceptibility to diabetic nephropathy in American Indians. <i>Molecular Genetics and Metabolism</i> , 2010, 101, 383-390.	1.1	44
179	The separate and joint effects of prolonged QT interval and heart rate on mortality. <i>Atherosclerosis</i> , 2010, 209, 539-544.	0.8	4
180	Common Variants in 40 Genes Assessed for Diabetes Incidence and Response to Metformin and Lifestyle Intervention in the Diabetes Prevention Program. <i>Diabetes</i> , 2010, 59, 2672-2681.	0.6	234

#	ARTICLE	IF	CITATIONS
181	Childhood Obesity, Other Cardiovascular Risk Factors, and Premature Death. <i>New England Journal of Medicine</i> , 2010, 362, 485-493.	27.0	1,096
182	Stabilization of Glucose in Blood Samples: Why It Matters. <i>Clinical Chemistry</i> , 2009, 55, 850-852.	3.2	102
183	Change in the Distribution of Albuminuria According to Estimated Glomerular Filtration Rate in Pima Indians With Type 2 Diabetes. <i>Diabetes Care</i> , 2009, 32, 1845-1850.	8.6	23
184	Regression From Pre-Diabetes to Normal Glucose Regulation in the Diabetes Prevention Program. <i>Diabetes Care</i> , 2009, 32, 1583-1588.	8.6	155
185	Constructing common cohorts from trials with overlapping eligibility criteria: implications for comparing effect sizes between trials. <i>Clinical Trials</i> , 2009, 6, 416-429.	1.6	5
186	The Association of ENPP1K121Q with Diabetes Incidence Is Abolished by Lifestyle Modification in the Diabetes Prevention Program. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 449-455.	3.6	48
187	Childhood Predictors of Adult Acute Insulin Response and Insulin Action. <i>Diabetes Care</i> , 2009, 32, 938-943.	8.6	15
188	Common Variation in SIM1 Is Reproducibly Associated With BMI in Pima Indians. <i>Diabetes</i> , 2009, 58, 1682-1689.	0.6	45
189	Genome-wide linkage scans for type 2 diabetes mellitus in four ethnically diverse populations—significant evidence for linkage on chromosome 4q in African Americans: the Family Investigation of Nephropathy and Diabetes Research Group. <i>Diabetes/Metabolism Research and Reviews</i> , 2009, 25, 740-747.	4.0	12
190	Association Analysis of Variation in/Near <i>FTO</i> , <i>CDKAL1</i> , <i>SLC30A8</i> , <i>HHEX</i> , <i>EXT2</i> , <i>IGF2BP2</i> , <i>LOC387761</i> , and <i>CDKN2B</i> With Type 2 Diabetes and Related Quantitative Traits in Pima Indians. <i>Diabetes</i> , 2009, 58, 478-488.	0.6	133
191	Describing Patterns of Weight Changes Using Principal Components Analysis: Results from the Action for Health in Diabetes (Look AHEAD) Research Group. <i>Annals of Epidemiology</i> , 2009, 19, 701-710.	1.9	40
192	10-year follow-up of diabetes incidence and weight loss in the Diabetes Prevention Program Outcomes Study. <i>Lancet</i> , 2009, 374, 1677-1686.	13.7	2,501
193	Diabetic nephropathy in American Indians, with a special emphasis on the Pima Indians. <i>Current Diabetes Reports</i> , 2008, 8, 486-493.	4.2	18
194	MYH9 is associated with nondiabetic end-stage renal disease in African Americans. <i>Nature Genetics</i> , 2008, 40, 1185-1192.	21.4	587
195	Predictive Power of Sequential Measures of Albuminuria for Progression to ESRD or Death in Pima Indians With Type 2 Diabetes. <i>American Journal of Kidney Diseases</i> , 2008, 51, 759-766.	1.9	41
196	The association of plasma fibrinogen concentration with diabetic microvascular complications in young adults with early-onset of type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2008, 82, 317-323.	2.8	36
197	Changing course of diabetic nephropathy in the Pima Indians. <i>Diabetes Research and Clinical Practice</i> , 2008, 82, S10-S14.	2.8	11
198	The prevention of type 2 diabetes. <i>Nature Clinical Practice Endocrinology and Metabolism</i> , 2008, 4, 382-393.	2.8	216

#	ARTICLE	IF	CITATIONS
199	The Gly482Ser genotype at the <i>PPARGC1A</i> gene and elevated blood pressure: a meta-analysis involving 13,949 individuals. <i>Journal of Applied Physiology</i> , 2008, 105, 1352-1358.	2.5	28
200	Genome-Wide Scan for Estimated Glomerular Filtration Rate in Multi-Ethnic Diabetic Populations: The Family Investigation of Nephropathy and Diabetes (FIND). <i>Diabetes</i> , 2008, 57, 235-243.	0.6	92
201	Extension of Type 2 Diabetes Genome-Wide Association Scan Results in the Diabetes Prevention Program. <i>Diabetes</i> , 2008, 57, 2503-2510.	0.6	93
202	Value of Urinary Albumin-to-Creatinine Ratio as a Predictor of Type 2 Diabetes in Pre-Diabetic Individuals. <i>Diabetes Care</i> , 2008, 31, 2344-2348.	8.6	32
203	Plasma Glucose Regulation and Mortality in Pima Indians. <i>Diabetes Care</i> , 2008, 31, 488-492.	8.6	16
204	Measurement characteristics of the ankle-brachial index: results from the Action for Health in Diabetes study. <i>Vascular Medicine</i> , 2008, 13, 225-233.	1.5	17
205	Elevated Depression Symptoms, Antidepressant Medicine Use, and Risk of Developing Diabetes During the Diabetes Prevention Program. <i>Diabetes Care</i> , 2008, 31, 420-426.	8.6	193
206	Lower Metabolic Rate in Individuals Heterozygous for Either a Frameshift or a Functional Missense MC4R Variant. <i>Diabetes</i> , 2008, 57, 3267-3272.	0.6	57
207	Depression, Diabetes, and Glycemic Control in an American Indian Community. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 800-809.	2.2	37
208	A Search for Variants Associated With Young-Onset Type 2 Diabetes in American Indians in a 100K Genotyping Array. <i>Diabetes</i> , 2007, 56, 3045-3052.	0.6	94
209	Progression to Type 2 Diabetes Characterized by Moderate Then Rapid Glucose Increases. <i>Diabetes</i> , 2007, 56, 2054-2061.	0.6	79
210	Reduction in Weight and Cardiovascular Disease Risk Factors in Individuals With Type 2 Diabetes. <i>Diabetes Care</i> , 2007, 30, 1374-1383.	8.6	1,369
211	TCF7L2 Is Not a Major Susceptibility Gene for Type 2 Diabetes in Pima Indians. <i>Diabetes</i> , 2007, 56, 3082-3088.	0.6	79
212	Effects of the Type 2 Diabetes-Associated <i>PPARG</i> P12A Polymorphism on Progression to Diabetes and Response to Troglitazone. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 1502-1509.	3.6	122
213	Factors Associated With Diabetes Onset During Metformin Versus Placebo Therapy in the Diabetes Prevention Program. <i>Diabetes</i> , 2007, 56, 1153-1159.	0.6	84
214	Effect of Periodontitis on Overt Nephropathy and End-Stage Renal Disease in Type 2 Diabetes. <i>Diabetes Care</i> , 2007, 30, 306-311.	8.6	253
215	Childhood Predictors of Young-Onset Type 2 Diabetes. <i>Diabetes</i> , 2007, 56, 2964-2972.	0.6	135
216	Genome-Wide Linkage Analyses to Identify Loci for Diabetic Retinopathy. <i>Diabetes</i> , 2007, 56, 1160-1166.	0.6	106

#	ARTICLE	IF	CITATIONS
217	Variants in the Cav2.3 ($\pm 1E$) Subunit of Voltage-Activated Ca^{2+} Channels Are Associated With Insulin Resistance and Type 2 Diabetes in Pima Indians. <i>Diabetes</i> , 2007, 56, 3089-3094.	0.6	31
218	Reliability of Urinary Albumin, Total Protein, and Creatinine Assays after Prolonged Storage. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2007, 2, 1156-1162.	4.5	20
219	Prediction of Diabetic Nephropathy Using Urine Proteomic Profiling 10 Years Prior to Development of Nephropathy. <i>Diabetes Care</i> , 2007, 30, 638-643.	8.6	118
220	Changing Patterns of Type 2 Diabetes Incidence Among Pima Indians. <i>Diabetes Care</i> , 2007, 30, 1758-1763.	8.6	114
221	Common Variation in the LMNA Gene (Encoding Lamin A/C) and Type 2 Diabetes: Association Analyses in 9,518 Subjects. <i>Diabetes</i> , 2007, 56, 879-883.	0.6	34
222	A Genomewide Single-Nucleotide Polymorphism Panel for Mexican American Admixture Mapping. <i>American Journal of Human Genetics</i> , 2007, 80, 1014-1023.	6.2	119
223	Genome-Wide Scans for Diabetic Nephropathy and Albuminuria in Multiethnic Populations. <i>Diabetes</i> , 2007, 56, 1577-1585.	0.6	140
224	Type 2 Diabetes-Associated Missense Polymorphisms KCNJ11 E23K and ABCC8 A1369S Influence Progression to Diabetes and Response to Interventions in the Diabetes Prevention Program. <i>Diabetes</i> , 2007, 56, 531-536.	0.6	115
225	Identification of <i>PVT1</i> as a Candidate Gene for End-Stage Renal Disease in Type 2 Diabetes Using a Pooling-Based Genome-Wide Single Nucleotide Polymorphism Association Study. <i>Diabetes</i> , 2007, 56, 975-983.	0.6	184
226	Homocysteine and vitamin B12 concentrations and mortality rates in type 2 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2007, 23, 193-201.	4.0	26
227	Acute insulin response is an independent predictor of type 2 diabetes mellitus in individuals with both normal fasting and 2-h plasma glucose concentrations. <i>Diabetes/Metabolism Research and Reviews</i> , 2007, 23, 304-310.	4.0	45
228	Albuminuria Within the "Normal" Range and Risk of Cardiovascular Disease and Death in American Indians: The Strong Heart Study. <i>American Journal of Kidney Diseases</i> , 2007, 49, 208-216.	1.9	50
229	<i>TCF7L2</i> Polymorphisms and Progression to Diabetes in the Diabetes Prevention Program. <i>New England Journal of Medicine</i> , 2006, 355, 241-250.	27.0	762
230	Electrocardiographic abnormalities predict deaths from cardiovascular disease and ischemic heart disease in Pima Indians with type 2 diabetes. <i>American Heart Journal</i> , 2006, 151, 1080-1086.	2.7	17
231	Trends in heart disease death rates in diabetic and nondiabetic Pima Indians. <i>Journal of Diabetes and Its Complications</i> , 2006, 20, 8-13.	2.3	13
232	Gestational Glucose Tolerance and Risk of Type 2 Diabetes in Young Pima Indian Offspring. <i>Diabetes</i> , 2006, 55, 460-465.	0.6	213
233	Variation Within the Gene Encoding the Upstream Stimulatory Factor 1 Does Not Influence Susceptibility to Type 2 Diabetes in Samples From Populations With Replicated Evidence of Linkage to Chromosome 1q. <i>Diabetes</i> , 2006, 55, 2541-2548.	0.6	37
234	Effect of Youth-Onset Type 2 Diabetes Mellitus on Incidence of End-Stage Renal Disease and Mortality in Young and Middle-Aged Pima Indians. <i>JAMA - Journal of the American Medical Association</i> , 2006, 296, 421.	7.4	257

#	ARTICLE	IF	CITATIONS
235	Predominant effect of kidney disease on mortality in Pima Indians with or without type 2 diabetes. <i>Kidney International</i> , 2005, 68, 1267-1274.	5.2	24
236	The Family Investigation of Nephropathy and Diabetes (FIND). <i>Journal of Diabetes and Its Complications</i> , 2005, 19, 1-9.	2.3	75
237	Meprin β^2 metalloprotease gene polymorphisms associated with diabetic nephropathy in the Pima Indians. <i>Human Genetics</i> , 2005, 118, 12-22.	3.8	35
238	Habitual physical activity in children: the role of genes and the environment. <i>American Journal of Clinical Nutrition</i> , 2005, 82, 901-908.	4.7	99
239	Variants in Hepatocyte Nuclear Factor 4 β Are Modestly Associated With Type 2 Diabetes in Pima Indians. <i>Diabetes</i> , 2005, 54, 3035-3039.	0.6	48
240	Periodontal Disease and Mortality in Type 2 Diabetes. <i>Diabetes Care</i> , 2005, 28, 27-32.	8.6	364
241	Role of Insulin Secretion and Sensitivity in the Evolution of Type 2 Diabetes in the Diabetes Prevention Program. <i>Diabetes</i> , 2005, 54, 2404-2414.	0.6	405
242	Early Growth in Offspring of Diabetic Mothers. <i>Diabetes Care</i> , 2005, 28, 585-589.	8.6	66
243	Adiponectin Concentrations Are Influenced by Renal Function and Diabetes Duration in Pima Indians with Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 4010-4017.	3.6	119
244	Depression, Diabetes, and Glycemic Control in Pima Indians. <i>Diabetes Care</i> , 2004, 27, 618-619.	8.6	21
245	An Explanation for the Increase in Heart Disease Mortality Rates in Diabetic Pima Indians: Effect of renal replacement therapy. <i>Diabetes Care</i> , 2004, 27, 1132-1136.	8.6	25
246	Hematocrit and the Incidence of Type 2 Diabetes in the Pima Indians. <i>Diabetes Care</i> , 2004, 27, 2245-2246.	8.6	28
247	Interaction Between an 11 β HSD1 Gene Variant and Birth Era Modifies the Risk of Hypertension in Pima Indians. <i>Hypertension</i> , 2004, 44, 681-688.	2.7	58
248	Mexican American ancestry-informative markers: examination of population structure and marker characteristics in European Americans, Mexican Americans, Amerindians and Asians. <i>Human Genetics</i> , 2004, 114, 263-271.	3.8	96
249	Endogenous glucose production, insulin sensitivity, and insulin secretion in normal glucose-tolerant Pima Indians with low birth weight. <i>Metabolism: Clinical and Experimental</i> , 2004, 53, 904-911.	3.4	20
250	Alcohol consumption predicts hypertension but not diabetes.. <i>Journal of Studies on Alcohol and Drugs</i> , 2004, 65, 184-190.	2.3	46
251	Quantitative trait linkage studies of diabetes-related traits. <i>Current Diabetes Reports</i> , 2003, 3, 176-183.	4.2	11
252	The interleukin-6 (\sim 174) G/C promoter polymorphism is associated with type-2 diabetes mellitus in Native Americans and Caucasians. <i>Human Genetics</i> , 2003, 112, 409-413.	3.8	157

#	ARTICLE	IF	CITATIONS
253	Look AHEAD (Action for Health in Diabetes): design and methods for a clinical trial of weight loss for the prevention of cardiovascular disease in type 2 diabetes. Contemporary Clinical Trials, 2003, 24, 610-628.	1.9	698
254	Inflammatory Markers, Adiponectin, and Risk of Type 2 Diabetes in the Pima Indian. Diabetes Care, 2003, 26, 1745-1751.	8.6	309
255	Follow-up Report on the Diagnosis of Diabetes Mellitus. Diabetes Care, 2003, 26, 3160-3167.	8.6	3,392
256	Physical Activity, Obesity, and the Incidence of Type 2 Diabetes in a High-Risk Population. American Journal of Epidemiology, 2003, 158, 669-675.	3.4	193
257	Do Measures of Body Fat Distribution Provide Information on the Risk of Type 2 Diabetes in Addition to Measures of General Obesity?. Diabetes Care, 2003, 26, 2556-2561.	8.6	150
258	Genome-Wide Linkage Analysis of Serum Adiponectin in the Pima Indian Population. Diabetes, 2003, 52, 2419-2425.	0.6	93
259	Longitudinal Studies of Incidence and Progression of Diabetic Retinopathy Assessed by Retinal Photography in Pima Indians. Diabetes Care, 2003, 26, 320-326.	8.6	57
260	Incidence of Retinopathy and Nephropathy in Youth-Onset Compared With Adult-Onset Type 2 Diabetes. Diabetes Care, 2003, 26, 76-81.	8.6	128
261	Genome-Wide and Fine-Mapping Linkage Studies of Type 2 Diabetes and Glucose Traits in the Old Order Amish. Diabetes, 2003, 52, 550-557.	0.6	140
262	The Insulin Gene Variable Number Tandem Repeat Class I/III Polymorphism Is in Linkage Disequilibrium With Birth Weight but Not Type 2 Diabetes in the Pima Population. Diabetes, 2003, 52, 187-193.	0.6	67
263	Coffee Consumption and the Incidence of Type 2 Diabetes. Diabetes Care, 2003, 26, 2211-2212.	8.6	64
264	Components of the "Metabolic Syndrome" and Incidence of Type 2 Diabetes. Diabetes, 2002, 51, 3120-3127.	0.6	523
265	Low Plasma Adiponectin Concentrations Do Not Predict Weight Gain in Humans. Diabetes, 2002, 51, 2964-2967.	0.6	66
266	Reduction in the Incidence of Type 2 Diabetes with Lifestyle Intervention or Metformin. New England Journal of Medicine, 2002, 346, 393-403.	27.0	16,031
267	Adiponectin and development of type 2 diabetes in the Pima Indian population. Lancet, The, 2002, 360, 57-58.	13.7	1,001
268	Ethnic-Difference Markers for Use in Mapping by Admixture Linkage Disequilibrium. American Journal of Human Genetics, 2002, 70, 737-750.	6.2	123
269	The Diabetes Prevention Program. Contemporary Clinical Trials, 2002, 23, 157-171.	1.9	152
270	An epidemiologic study of trends in prevalence of rheumatoid factor seropositivity in Pima Indians: Evidence of a decline due to both secular and birth-cohort influences. Arthritis and Rheumatism, 2002, 46, 1729-1734.	6.7	31

#	ARTICLE	IF	CITATIONS
271	Genome-wide linkage analysis assessing parent-of-origin effects in the inheritance of birth weight. Human Genetics, 2002, 110, 503-509.	3.8	65
272	Assessment of Parent-of-Origin Effects in Linkage Analysis of Quantitative Traits. American Journal of Human Genetics, 2001, 68, 951-962.	6.2	71
273	Tracking of body mass index from childhood to adolescence: a 6-y follow-up study in China. American Journal of Clinical Nutrition, 2001, 74, 149.	4.7	5
274	Genetics of diabetic nephropathy in the pima indians. Current Diabetes Reports, 2001, 1, 275-281.	4.2	39
275	Family and genetic studies of indices of insulin sensitivity and insulin secretion in Pima Indians. Diabetes/Metabolism Research and Reviews, 2001, 17, 296-303.	4.0	42
276	Body Mass Index as a Measure of Adiposity in Children and Adolescents: Relationship to Adiposity by Dual Energy X-Ray Absorptiometry and to Cardiovascular Risk Factors. Journal of Clinical Endocrinology and Metabolism, 2001, 86, 4061-4067.	3.6	157
277	Family and genetic studies of indices of insulin sensitivity and insulin secretion in Pima Indians. Diabetes/Metabolism Research and Reviews, 2001, 17, 296-303.	4.0	1
278	A calpain-10 gene polymorphism is associated with reduced muscle mRNA levels and insulin resistance. Journal of Clinical Investigation, 2000, 106, R69-R73.	8.2	254
279	Effect of diabetes in pregnancy on offspring: Follow-up research in the Pima Indians. The Journal of Maternal-fetal Medicine, 2000, 9, 83-88.	0.3	242
280	A Locus Influencing Total Serum Cholesterol on Chromosome 19p. Arteriosclerosis, Thrombosis, and Vascular Biology, 2000, 20, 2651-2656.	2.4	70
281	Individual Estimates of European Genetic Admixture Associated with Lower Body-Mass Index, Plasma Glucose, and Prevalence of Type 2 Diabetes in Pima Indians. American Journal of Human Genetics, 2000, 66, 527-538.	6.2	110
282	Genealogy construction in a historically isolated population: Application to genetic studies of rheumatoid arthritis in the Pima Indian. Genetics in Medicine, 1999, 1, 187-193.	2.4	6
283	Evidence for genetic linkage to alcohol dependence on chromosomes 4 and 11 from an autosome-wide scan in an american indian population. , 1998, 81, 216-221.		352
284	Analytic strategies to detect linkage to a common disorder with genetically determined age of onset: Diabetes mellitus in Pima Indians. , 1998, 15, 299-315.		18
285	An Autosomal Genomic Scan for Loci Linked to Type II Diabetes Mellitus and Body-Mass Index in Pima Indians. American Journal of Human Genetics, 1998, 63, 1130-1138.	6.2	461
286	Dietary Calcium and Blood Pressure in a Native American Population. Journal of the American College of Nutrition, 1998, 17, 59-64.	1.8	4
287	Nonâ€insulin Dependent Diabetes Mellitus and Alveolar Bone Loss Progression Over 2 Years. Journal of Periodontology, 1998, 69, 76-83.	3.4	263
288	Plasma lipoproteins and incidence of non-insulin-dependent diabetes mellitus in Pima Indians: protective effect of HDL cholesterol in women. Atherosclerosis, 1997, 128, 113-119.	0.8	40

#	ARTICLE	IF	CITATIONS
289	Breastfeeding and incidence of non-insulin-dependent diabetes mellitus in Pima Indians. <i>Lancet</i> , The, 1997, 350, 166-168.	13.7	295
290	Serum Cholesterol and Mortality Rates in a Native American Population With Low Cholesterol Concentrations. <i>Circulation</i> , 1997, 96, 1408-1415.	1.6	18
291	Severe Periodontitis and Risk for Poor Glycemic Control in Patients with Non-Insulin-Dependent Diabetes Mellitus. <i>Journal of Periodontology</i> , 1996, 67, 1085-1093.	3.4	509
292	Survey of the Diet of Pima Indians Using Quantitative Food Frequency Assessment and 24-Hour Recall. <i>Journal of the American Dietetic Association</i> , 1996, 96, 778-784.	1.1	75
293	DRD2 Haplotypes Containing the TaqI A1 Allele: Implications for Alcoholism Research. <i>Alcoholism: Clinical and Experimental Research</i> , 1996, 20, 697-705.	2.4	63
294	Regional differences in albuminuria among American Indians: An epidemic of renal disease. <i>Kidney International</i> , 1996, 49, 557-563.	5.2	53
295	Development and Progression of Renal Disease in Pima Indians with Non-Insulin-Dependent Diabetes Mellitus. <i>New England Journal of Medicine</i> , 1996, 335, 1636-1642.	27.0	422
296	Screening for mtDNA diabetes mutations in Pima Indians with NIDDM. <i>American Journal of Medical Genetics Part A</i> , 1995, 56, 198-202.	2.4	17
297	Linkage between stature and a region on chromosome 20 and analysis of a candidate gene, bone morphogenetic protein 2. <i>American Journal of Medical Genetics Part A</i> , 1995, 59, 495-500.	2.4	27
298	Progression of overt nephropathy in non-insulin-dependent diabetes. <i>Kidney International</i> , 1995, 47, 1781-1789.	5.2	62
299	Prediabetic blood pressure and familial predisposition to renal disease in Pima Indians with non-insulin-dependent diabetes mellitus. <i>Journal of Diabetes and Its Complications</i> , 1995, 9, 212-214.	2.3	2
300	Time of Onset of Non-Insulin-Dependent Diabetes Mellitus and Genetic Variation in the β 3-Adrenergic Receptor Gene. <i>New England Journal of Medicine</i> , 1995, 333, 343-347.	27.0	605
301	Meta-analysis reveals association between most common class ii haplotype in full-heritage native americans and rheumatoid arthritis. <i>Human Immunology</i> , 1995, 42, 90-94.	2.4	65
302	The U-shaped association between body mass index and mortality: Relationship with weight gain in a native American population. <i>Journal of Clinical Epidemiology</i> , 1995, 48, 903-916.	5.0	65
303	Familial and Metabolic Factors Related to Blood Pressure in Pima Indian Children. <i>American Journal of Epidemiology</i> , 1994, 140, 123-131.	3.4	34
304	Gravidity, obesity, and non-insulin-dependent diabetes among Pima Indian women. <i>American Journal of Medicine</i> , 1994, 97, 250-255.	1.5	28
305	Hyperinsulinemia is associated with menstrual irregularity and altered serum androgens in Pima Indian women. <i>Metabolism: Clinical and Experimental</i> , 1994, 43, 803-807.	3.4	45
306	Obesity in Pima Indians: Large increases among post-World War II birth cohorts. <i>American Journal of Physical Anthropology</i> , 1993, 92, 473-479.	2.1	57

#	ARTICLE	IF	CITATIONS
307	Insulin Resistance and Insulin Secretory Dysfunction as Precursors of Non-Insulin-Dependent Diabetes Mellitus: Prospective Studies of Pima Indians. New England Journal of Medicine, 1993, 329, 1988-1992.	27.0	1,312
308	Primary prevention of non-insulin-dependent diabetes mellitus. Diabetes/metabolism Reviews, 1992, 8, 339-353.	0.3	84
309	Natural history of diabetic nephropathy in non-insulin-dependent diabetes mellitus. The Journal of Diabetic Complications, 1991, 5, 76-78.	0.2	9
310	Racial Differences in the Relation between Blood Pressure and Insulin Resistance. New England Journal of Medicine, 1991, 324, 733-739.	27.0	417
311	RISK FACTORS FOR GALLSTONE DISEASE IN THE HISPANIC POPULATIONS OF THE UNITED STATES. American Journal of Epidemiology, 1990, 131, 836-844.	3.4	89
312	Diabetes mellitus in the pima indians: Incidence, risk factors and pathogenesis. Diabetes/metabolism Reviews, 1990, 6, 1-27.	0.3	512
313	Disproportionately Elevated Proinsulin in Pima Indians with Noninsulin-Dependent Diabetes Mellitus*. Journal of Clinical Endocrinology and Metabolism, 1990, 70, 1247-1253.	3.6	198
314	Incidence of proteinuria in type 2 diabetes mellitus in the Pima Indians. Kidney International, 1989, 35, 681-687.	5.2	130
315	HIGH INCIDENCE AND PREVALENCE OF RHEUMATOID ARTHRITIS IN PIMA INDIANS. American Journal of Epidemiology, 1989, 129, 1170-1178.	3.4	140
316	The incidence of rheumatoid arthritis is predicted by rheumatoid factor titer in a longitudinal population study. Arthritis and Rheumatism, 1988, 31, 1239-1244.	6.7	147
317	Reduced Rate of Energy Expenditure as a Risk Factor for Body-Weight Gain. New England Journal of Medicine, 1988, 318, 467-472.	27.0	1,125
318	Predisposition to Hypertension and Susceptibility to Renal Disease in Insulin-Dependent Diabetes Mellitus. New England Journal of Medicine, 1988, 318, 140-145.	27.0	665
319	The Natural History of Impaired Glucose Tolerance in the Pima Indians. New England Journal of Medicine, 1988, 319, 1500-1506.	27.0	441
320	Familial Dependence of the Resting Metabolic Rate. New England Journal of Medicine, 1986, 315, 96-100.	27.0	379
321	GM allotypes in Native Americans: Evidence for three distinct migrations across the Bering land bridge. American Journal of Physical Anthropology, 1985, 66, 1-19.	2.1	144
322	Dramatic founder effects in Amerindian mitochondrial DNAs. American Journal of Physical Anthropology, 1985, 68, 149-155.	2.1	181
323	Early detection and intervention in diabetes mellitus: Is it effective?. Journal of Chronic Diseases, 1984, 37, 653-666.	1.2	34
324	Diabetes mellitus in the Pima Indians: Genetic and evolutionary considerations. American Journal of Physical Anthropology, 1983, 62, 107-114.	2.1	128

#	ARTICLE	IF	CITATIONS
325	Polymorphism in the 5' Flanking Region of the Human Insulin Gene: A Genetic Marker for Non-Insulin-Dependent Diabetes. New England Journal of Medicine, 1983, 308, 65-71.	27.0	158
326	Excessive Obesity in Offspring of Pima Indian Women with Diabetes during Pregnancy. New England Journal of Medicine, 1983, 308, 242-245.	27.0	500
327	MORTALITY AS A FUNCTION OF OBESITY AND DIABETES MELLITUS. American Journal of Epidemiology, 1982, 115, 359-366.	3.4	71
328	DIABETES INCIDENCE IN PIMA INDIANS: CONTRIBUTIONS OF OBESITY AND PARENTAL DIABETES ¹ . American Journal of Epidemiology, 1981, 113, 144-156.	3.4	559
329	Increased Incidence of Retinopathy in Diabetics with Elevated Blood Pressure. New England Journal of Medicine, 1980, 302, 645-650.	27.0	386
330	Development of Lithogenic Bile during Puberty in Pima Indians. New England Journal of Medicine, 1979, 300, 873-876.	27.0	71
331	Sex differences in the size of bile acid pools. Metabolism: Clinical and Experimental, 1978, 27, 961-969.	3.4	72
332	DIABETES INCIDENCE AND PREVALENCE IN PIMA INDIANS: A 19-FOLD GREATER INCIDENCE THAN IN ROCHESTER, MINNESOTA. American Journal of Epidemiology, 1978, 108, 497-505.	3.4	607
333	Visual Lung-Sound Characterization by Time-Expanded Wave-Form Analysis. New England Journal of Medicine, 1977, 296, 968-971.	27.0	169