

Salvatore V Pizzo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/575435/publications.pdf>

Version: 2024-02-01

60
papers

2,261
citations

201674

27
h-index

233421

45
g-index

60
all docs

60
docs citations

60
times ranked

2381
citing authors

#	ARTICLE	IF	CITATIONS
1	GRP78: A Multifunctional Receptor on the Cell Surface. <i>Antioxidants and Redox Signaling</i> , 2009, 11, 2299-2306.	5.4	226
2	Prostate Cancer Cell Proliferation In vitro Is Modulated by Antibodies against Glucose-Regulated Protein 78 Isolated from Patient Serum. <i>Cancer Research</i> , 2006, 66, 11424-11431.	0.9	142
3	The Role of Grp 78 in β 2-Macroglobulin-induced Signal Transduction. <i>Journal of Biological Chemistry</i> , 2002, 277, 42082-42087.	3.4	128
4	Secretion of extracellular matrix-degrading proteinases is increased in epithelial ovarian carcinoma. <i>International Journal of Cancer</i> , 1994, 56, 552-559.	5.1	114
5	Immunochemical and biochemical characterization of a glioma-associated extracellular matrix glycoprotein. <i>Journal of Cellular Biochemistry</i> , 1985, 28, 183-195.	2.6	113
6	Evidence for preferential adhesion of ovarian epithelial carcinoma cells to type I collagen mediated by the α 2 β 1 integrin. , 1996, 67, 695-701.		100
7	REVIEW: Methionine Sulfoxide and the Oxidative Regulation of Plasma Proteinase Inhibitors. <i>Journal of Leukocyte Biology</i> , 1988, 43, 365-379.	3.3	93
8	Ligation of cell surface GRP78 with antibody directed against the COOH-terminal domain of GRP78 suppresses Ras/MAPK and PI 3-kinase/AKT signaling while promoting caspase activation in human prostate cancer cells. <i>Cancer Biology and Therapy</i> , 2010, 9, 142-152.	3.4	75
9	Ligation of Prostate Cancer Cell Surface GRP78 Activates a Proproliferative and Antiapoptotic Feedback Loop. <i>Journal of Biological Chemistry</i> , 2011, 286, 1248-1259.	3.4	67
10	Model of Tumor Dormancy/Recurrence after Short-Term Chemotherapy. <i>PLoS ONE</i> , 2014, 9, e98021.	2.5	63
11	A murine monoclonal antibody directed against the carboxyl-terminal domain of GRP78 suppresses melanoma growth in mice. <i>Melanoma Research</i> , 2012, 22, 225-235.	1.2	57
12	Plasminogen Structural Domains Exhibit Different Functions When Associated with Cell Surface GRP78 or the Voltage-dependent Anion Channel. <i>Journal of Biological Chemistry</i> , 2007, 282, 32811-32820.	3.4	52
13	Modulation of platelet shape and membrane receptor binding by Ca ²⁺ -calmodulin complex. <i>Nature</i> , 1981, 292, 82-84.	27.8	50
14	Interaction of plasminogen with dipeptidyl peptidase IV initiates a signal transduction mechanism which regulates expression of matrix metalloproteinase-9 by prostate cancer cells. <i>Biochemical Journal</i> , 2001, 355, 397-407.	3.7	50
15	Glucose-regulated protein (<sc>GRP78</sc>) is an important cell surface receptor for viral invasion, cancers, and neurological disorders. <i>IUBMB Life</i> , 2021, 73, 843-854.	3.4	47
16	Differential regulation of the fibroblast growth factor (FGF) family by β 2-macroglobulin: evidence for selective modulation of FGF-2-induced angiogenesis. <i>Blood</i> , 2001, 97, 3450-3457.	1.4	44
17	Chloroquine, quinine and quinidine inhibit calcium release from macrophage intracellular stores by blocking inositol 1,4,5-trisphosphate binding to its receptor. , 1997, 64, 225-232.		41
18	Syngeneic Murine Ovarian Cancer Model Reveals That Ascites Enriches for Ovarian Cancer Stem-Like Cells Expressing Membrane GRP78. <i>Molecular Cancer Therapeutics</i> , 2015, 14, 747-756.	4.1	38

#	ARTICLE	IF	CITATIONS
19	Mechanism of Hypochlorite-Mediated Inactivation of Proteinase Inhibition by Î±2-Macroglobulin. <i>Biochemistry</i> , 1999, 38, 13983-13990.	2.5	36
20	Ascites Increases Expression/Function of Multidrug Resistance Proteins in Ovarian Cancer Cells. <i>PLoS ONE</i> , 2015, 10, e0131579.	2.5	36
21	Upregulation of mTORC2 activation by the selective agonist of EPAC, 8â€¢CPTâ€¢Meâ€¢cAMP, in prostate cancer cells: Assembly of a multiprotein signaling complex. <i>Journal of Cellular Biochemistry</i> , 2012, 113, 1488-1500.	2.6	34
22	Receptor-Recognized Î±2-Macroglobulin Binds to Cell Surface-Associated GRP78 and Activates mTORC1 and mTORC2 Signaling in Prostate Cancer Cells. <i>PLoS ONE</i> , 2012, 7, e51735.	2.5	33
23	Maleylated-BSA induces hydrolysis of PIP2, fluxes of Ca ²⁺ , NF-Î±B binding, and transcription of the TNF-Î± gene in murine macrophages. <i>Journal of Leukocyte Biology</i> , 1996, 60, 784-792.	3.3	32
24	Activated Î±2-Macroglobulin Regulates Transcriptional Activation of c-MYC Target Genes through Cell Surface GRP78 Protein. <i>Journal of Biological Chemistry</i> , 2016, 291, 10904-10915.	3.4	32
25	Targeting cell surface GRP78 enhances pancreatic cancer radiosensitivity through YAP/TAZ protein signaling. <i>Journal of Biological Chemistry</i> , 2019, 294, 13939-13952.	3.4	32
26	Elevated urokinase-type plasminogen activator level and bleeding in amyloidosis: Case report and literature review. <i>American Journal of Hematology</i> , 1989, 31, 53-57.	4.1	29
27	Activated alpha2-Macroglobulin Promotes Mitogenesis in Rat Vascular Smooth Muscle Cells by a Mechanism that is Independent of Growth-Factor-Carrier Activity. <i>FEBS Journal</i> , 1995, 234, 714-722.	0.2	29
28	Hepatocyte uptake of ?1-proteinase inhibitor-trypsin complexes in vitro: Evidence for a shared uptake mechanism for proteinase complexes of ?1-proteinase inhibitor and antithrombin III. <i>Journal of Cellular Biochemistry</i> , 1984, 25, 231-243.	2.6	28
29	Inflammatory Cells Degrade Inter-Î± Inhibitor to Liberate Urinary Proteinase Inhibitors. <i>Journal of Leukocyte Biology</i> , 1989, 45, 1-9.	3.3	28
30	Cell surface GRP78 signaling: An emerging role as a transcriptional modulator in cancer. <i>Journal of Cellular Physiology</i> , 2021, 236, 2352-2363.	4.1	27
31	Nuclear basic fibroblast growth factor regulates triple-negative breast cancer chemo-resistance. <i>Breast Cancer Research</i> , 2015, 17, 91.	5.0	26
32	The Escherichia coli Subtilase Cytotoxin A Subunit Specifically Cleaves Cell-surface GRP78 Protein and Abolishes COOH-terminal-dependent Signaling. <i>Journal of Biological Chemistry</i> , 2012, 287, 32755-32769.	3.4	22
33	Expression of a functional Î±-macroglobulin receptor binding domain in Escherichia coli. <i>FEBS Letters</i> , 1992, 313, 198-202.	2.8	21
34	Cell surface GRP78 promotes tumor cell histone acetylation through metabolic reprogramming: a mechanism which modulates the Warburg effect. <i>Oncotarget</i> , 2017, 8, 107947-107963.	1.8	21
35	Catalytic autoantibodies against myelin basic protein (MBP) isolated from serum of autistic children impair in vitro models of synaptic plasticity in rat hippocampus. <i>Journal of Neuroimmunology</i> , 2015, 287, 1-8.	2.3	20
36	Evidence for Feedback Regulation Following Cholesterol Lowering Therapy in a Prostate Cancer Xenograft Model. <i>Prostate</i> , 2017, 77, 446-457.	2.3	20

#	ARTICLE	IF	CITATIONS
37	Serum cholesterol levels and tumor growth in a PTEN-null transgenic mouse model of prostate cancer. <i>Prostate Cancer and Prostatic Diseases</i> , 2018, 21, 196-203.	3.9	20
38	The cAMP-activated GTP exchange factor, Epac1 upregulates plasma membrane and nuclear Akt kinase activities in 8-CPT-2-O-Me-cAMP-stimulated macrophages: Gene silencing of the cAMP-activated GTP exchange Epac1 prevents 8-CPT-2-O-Me-cAMP activation of Akt activity in macrophages. <i>Cellular Signalling</i> , 2008, 20, 1459-1470.	3.6	19
39	Hepatocyte receptors for antithrombin III-proteinase complexes. <i>Journal of Cellular Biochemistry</i> , 1984, 24, 197-206.	2.6	18
40	Comparison of Plasminogen Binding and Activation on Extracellular Matrices Produced by Vascular Smooth Muscle and Endothelial Cells. <i>FEBS Journal</i> , 1994, 226, 937-943.	0.2	17
41	Binding of rat $\hat{1}\pm 1$ -inhibitor-3-methylamine to the $\hat{1}\pm 2$ -macroglobulin signaling receptor induces second messengers. , 1996, 61, 61-71.		17
42	Autoantibodies against the cell surface-associated chaperone GRP78 stimulate tumor growth via tissue factor. <i>Journal of Biological Chemistry</i> , 2017, 292, 21180-21192.	3.4	17
43	Chemotherapy enriches for an invasive triple-negative breast tumor cell subpopulation expressing a precursor form of N-cadherin on the cell surface. <i>Oncotarget</i> , 2016, 7, 84030-84042.	1.8	17
44	Papillary adenocarcinoma of the renal pelvis in a child: Case report and brief review of the literature. <i>Medical and Pediatric Oncology</i> , 1990, 18, 81-86.	1.0	15
45	Defective release of tissue plasminogen activator in patients with sickle cell anemia. <i>American Journal of Hematology</i> , 1988, 29, 52-53.	4.1	14
46	Adipose stem cell crosstalk with chemo-residual breast cancer cells: implications for tumor recurrence. <i>Breast Cancer Research and Treatment</i> , 2019, 174, 413-422.	2.5	14
47	Interaction between TCL1 and Epac1 in the activation of Akt kinases in plasma membranes and nuclei of 8-CPT-2-O-Me-cAMP-stimulated macrophages. <i>Cellular Signalling</i> , 2008, 20, 130-138.	3.6	13
48	Inducible expression of the $\hat{2}$ -macroglobulin signaling receptor in response to antigenic stimulation: A study of second messenger generation. <i>Journal of Cellular Biochemistry</i> , 2001, 82, 260-270.	2.6	12
49	Regulation of Tissue Plasminogen Activator in Sickle Cell Anemia. <i>American Journal of Hematology</i> , 1990, 35, 167-170.	4.1	10
50	The Endoplasmic Reticulum Chaperone GRP78 Also Functions as a Cell Surface Signaling Receptor. , 2018, , 9-40.		10
51	ATP-regulated activity of the plasmin-streptokinase complex: a novel mechanism involving phosphorylation of streptokinase. <i>Biochemical Journal</i> , 1996, 313, 171-177.	3.7	8
52	Exposure of cultured murine peritoneal macrophages to low concentrations of beryllium induces increases in intracellular calcium concentrations and stimulates DNA synthesis. <i>Journal of Leukocyte Biology</i> , 1999, 65, 786-791.	3.3	8
53	Ligation of the $\hat{1}\pm 2$ -macroglobulin signaling receptor on macrophages induces synthesis of platelet activating factor. , 1996, 61, 39-47.		7
54	The Clearance of Human Fibrinogen Fragments X and Y in Mice: A Process Mediated by the Fragment D Receptor. <i>Thrombosis and Haemostasis</i> , 1983, 49, 078-080.	3.4	6

#	ARTICLE	IF	CITATIONS
55	Activated Alpha 2-Macroglobulin Is a Novel Mediator of Mesangial Cell Profibrotic Signaling in Diabetic Kidney Disease. <i>Biomedicines</i> , 2021, 9, 1112.	3.2	5
56	Large Scale Purification of Factor X by Hydrophobic Chromatography. <i>Preparative Biochemistry and Biotechnology</i> , 1988, 18, 303-320.	0.5	4
57	Necrosis of the colon secondary to pancreatitis. <i>The American Journal of Digestive Diseases</i> , 1978, 23, S92-S96.	0.9	3
58	Annexin 2/Factor Xa-mediated Signal Transduction. <i>Circulation Research</i> , 2008, 102, 389-391.	4.5	1
59	Immunotherapy of Murine Leukemia. II. Effect of Passive Serum Therapy on Friend Murine Leukemia Virus-Induced Hematologic and Coagulation Parameters. <i>Journal of the National Cancer Institute</i> , 1980, , .	6.3	0
60	Myelin basic protein stimulates plasminogen activation via tissue plasminogen activator following binding to independent l-lysine-containing domains. <i>Biochemical and Biophysical Research Communications</i> , 2017, 490, 855-860.	2.1	0