

Stefania Funaro

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5756966/publications.pdf>

Version: 2024-02-01

24
papers

752
citations

759233

12
h-index

752698

20
g-index

27
all docs

27
docs citations

27
times ranked

1051
citing authors

#	ARTICLE	IF	CITATIONS
1	Cardiac electrophysiological alterations and clinical response in cardiac resynchronization therapy with a defibrillator treated patients affected by metabolic syndrome. <i>Medicine (United States)</i> , 2017, 96, e6558.	1.0	34
2	Determinants of microvascular damage recovery after acute myocardial infarction: results from the acute myocardial infarction contrast imaging (AMICI) multi-centre study. <i>European Journal of Echocardiography</i> , 2011, 12, 306-312.	2.3	20
3	Incidence, determinants, and prognostic value of reverse left ventricular remodelling after primary percutaneous coronary intervention: results of the Acute Myocardial Infarction Contrast Imaging (AMICI) multicenter study. <i>European Heart Journal</i> , 2009, 30, 566-575.	2.2	115
4	The Extent of Microvascular Damage During Myocardial Contrast Echocardiography Is Superior to Other Known Indexes of Post-Infarct Reperfusion in Predicting Left Ventricular Remodeling. <i>Journal of the American College of Cardiology</i> , 2008, 51, 552-559.	2.8	196
5	Does coronary angioplasty after timely thrombolysis improve microvascular perfusion and left ventricular function after acute myocardial infarction?. <i>American Heart Journal</i> , 2007, 154, 151-157.	2.7	12
6	626 Determinants of reverse left ventricular remodelling after acute myocardial infarction. <i>European Journal of Echocardiography</i> , 2006, 7, S95-S95.	2.3	0
7	Tissue viability by contrast echocardiography. <i>European Journal of Echocardiography</i> , 2006, 7, S22-S29.	2.3	1
8	512 Gender and myocardial salvage after reperfusion treatment in acute myocardial infarction. Results of Acute Myocardial Infarction Contrast Imaging (A.M.I.C.I) multicenter trial. <i>European Journal of Echocardiography</i> , 2006, 7, S82-S82.	2.3	0
9	413 Microvascular and myocardial correlates of persistent st- segment elevation after PCI: results from the acute myocardial infarction contrast imaging (A.M.I.C.I) multicenter study. <i>European Journal of Echocardiography</i> , 2005, 6, S41-S42.	2.3	1
10	Quantification methods in contrast echocardiography. <i>European Journal of Echocardiography</i> , 2005, 6, S14-S20.	2.3	21
11	1083 Hypercholesterolemia: a risk factor for coronary artery disease or also a possible prognostic indicator of left ventricular remodelling?. <i>European Journal of Echocardiography</i> , 2005, 6, S170-S171.	2.3	0
12	734 Impact of 4 different reperfusion strategies on microvascular damage after acute myocardial infarction: results from the acute myocardial infarction contrast imaging (A.M.I.C.I) multicenter study. <i>European Journal of Echocardiography</i> , 2005, 6, S110-S111.	2.3	0
13	Clinical application of quantitative analysis in real-time MCE. <i>European Journal of Echocardiography</i> , 2004, 5, S17-S23.	2.3	19
14	Assessment of Myocardial Viability in Patients With Postischemic Left Ventricular Dysfunction: Role of Myocardial Contrast Echocardiography. <i>Echocardiography</i> , 2003, 20, S19-S29.	0.9	3
15	Modifications of cardiac function in cirrhotic patients treated with transjugular intrahepatic portosystemic shunt (TIPS). <i>American Journal of Gastroenterology</i> , 2002, 97, 142-148.	0.4	98
16	Clinical utility of contrast echocardiography in the management of patients with acute myocardial infarction. <i>European Heart Journal Supplements</i> , 2002, 4, C27-C34.	0.1	6
17	Assessment of no-reflow phenomenon after acute myocardial infarction with harmonic angiography and intravenous pump infusion with Levovist: Comparison with intracoronary contrast injection. <i>Journal of the American Society of Echocardiography</i> , 2001, 14, 773-781.	2.8	25
18	Noninvasive assessment of myocardial perfusion: preliminary results in patients with acute myocardial infarction. <i>American Journal of Cardiology</i> , 2000, 86, 28-29.	1.6	5

#	ARTICLE	IF	CITATIONS
19	Detection of Residual Tissue Viability Within the Infarct Zone in Patients With Acute Myocardial Infarction: Ultrasonic Integrated Backscatter Analysis Versus Dobutamine Stress Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2000, 13, 358-367.	2.8	16
20	Modification of cardiac function in cirrhotic patients with and without ascites. <i>American Journal of Gastroenterology</i> , 2000, 95, 3200-3205.	0.4	133
21	Detection of Residual Tissue Viability Within the Infarct Zone in Patients With Acute Myocardial Infarction: Ultrasonic Integrated Backscatter Analysis Versus Dobutamine Stress Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2000, 13, 0358-0367.	2.8	0
22	260 Assessment of myocardial viability during dobutamine stress echocardiography in patients with post-ischemic left ventricular dysfunction using intravenous Levovist and Harmonic Power Doppler imaging. <i>European Journal of Echocardiography</i> , 1999, 1, S46-S46.	2.3	0
23	Effects of Angiotensinâ€Converting Enzyme Inhibition on Left Ventricular Geometric Patterns in Patients with Essential Hypertension. <i>Journal of Clinical Pharmacology</i> , 1996, 36, 1141-1148.	2.0	7
24	Noninvasive Assessment of Mitoxantrone Cardiotoxicity in Relapsing Remitting Multiple Sclerosis. <i>Journal of Clinical Pharmacology</i> , 1995, 35, 627-632.	2.0	37