

Manit Srisurapanont

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/575827/publications.pdf>

Version: 2024-02-01

110
papers

3,313
citations

236925

25
h-index

206112

48
g-index

125
all docs

125
docs citations

125
times ranked

4120
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | The nature, time course and severity of methamphetamine withdrawal. <i>Addiction</i> , 2005, 100, 1320-1329. | 3.3 | 377 |
| 2 | Opioid antagonists for alcohol dependence. , 2005, , CD001867. | | 238 |
| 3 | Naltrexone for the treatment of alcoholism: a meta-analysis of randomized controlled trials. <i>International Journal of Neuropsychopharmacology</i> , 2005, 8, 267-280. | 2.1 | 184 |
| 4 | Psychotic symptoms in methamphetamine psychotic in-patients. <i>International Journal of Neuropsychopharmacology</i> , 2003, 6, 347-352. | 2.1 | 164 |
| 5 | Quetiapine versus other atypical antipsychotics for schizophrenia. , 2010, , CD006625. | | 122 |
| 6 | Amphetamine Withdrawal: I. Reliability, Validity and Factor Structure of a Measure. <i>Australian and New Zealand Journal of Psychiatry</i> , 1999, 33, 89-93. | 2.3 | 104 |
| 7 | Opioid antagonists for alcohol dependence. <i>The Cochrane Library</i> , 0, , . | 2.8 | 101 |
| 8 | Discrepancy between objective and subjective cognition in adults with major depressive disorder. <i>Scientific Reports</i> , 2017, 7, 3901. | 3.3 | 80 |
| 9 | Comparisons of methamphetamine psychotic and schizophrenic symptoms: A differential item functioning analysis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 959-964. | 4.8 | 77 |
| 10 | Symptoms and sleep patterns during inpatient treatment of methamphetamine withdrawal: A comparison of mirtazapine and modafinil with treatment as usual. <i>Journal of Substance Abuse Treatment</i> , 2008, 35, 334-342. | 2.8 | 71 |
| 11 | Quetiapine versus haloperidol in the treatment of delirium: a double-blind, randomized, controlled trial. <i>Drug Design, Development and Therapy</i> , 2013, 7, 657. | 4.3 | 69 |
| 12 | Pedometer walking plus motivational interviewing program for Thai schizophrenic patients with obesity or overweight: A 12-week, randomized, controlled trial. <i>Psychiatry and Clinical Neurosciences</i> , 2011, 65, 374-380. | 1.8 | 67 |
| 13 | Quetiapine for acute bipolar depression: a systematic review and meta-analysis. <i>Drug Design, Development and Therapy</i> , 2014, 8, 827. | 4.3 | 67 |
| 14 | Quetiapine for schizophrenia. <i>The Cochrane Library</i> , 2004, , CD000967. | 2.8 | 64 |
| 15 | Addiction potential of phentermine prescribed during long-term treatment of obesity. <i>International Journal of Obesity</i> , 2014, 38, 292-298. | 3.4 | 51 |
| 16 | Quetiapine monotherapy in acute treatment of generalized anxiety disorder: a systematic review and meta-analysis of randomized controlled trials. <i>Drug Design, Development and Therapy</i> , 2016, 10, 259. | 4.3 | 50 |
| 17 | Efficacy and safety of aripiprazole augmentation of clozapine in schizophrenia: A systematic review and meta-analysis of randomized-controlled trials. <i>Journal of Psychiatric Research</i> , 2015, 62, 38-47. | 3.1 | 43 |
| 18 | Treatment of Acute Bipolar Depression: A Review of the Literature. <i>Canadian Journal of Psychiatry</i> , 1995, 40, 533-544. | 1.9 | 42 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Metabolic syndrome in Thai schizophrenic patients: a naturalistic one-year follow-up study. <i>BMC Psychiatry</i> , 2007, 7, 14. | 2.6 | 42 |
| 20 | Bupropion for adults with attentionâ€deficit hyperactivity disorder: Metaâ€analysis of randomized, placeboâ€controlled trials. <i>Psychiatry and Clinical Neurosciences</i> , 2011, 65, 611-617. | 1.8 | 42 |
| 21 | Risperidone for children and adolescents with autism spectrum disorder: a systematic review. <i>Neuropsychiatric Disease and Treatment</i> , 2018, Volume 14, 1811-1820. | 2.2 | 38 |
| 22 | The treatment of alcohol dependence. <i>Current Opinion in Psychiatry</i> , 2007, 20, 222-227. | 6.3 | 37 |
| 23 | Topiramate treatment for alcoholic outpatients recently receiving residential treatment programs: A 12-week, randomized, placebo-controlled trial. <i>Drug and Alcohol Dependence</i> , 2013, 133, 440-446. | 3.2 | 37 |
| 24 | Treatment for amphetamine dependence and abuse. , 2001, , CD003022. | | 34 |
| 25 | Quetiapine monotherapy in acute phase for major depressive disorder: a meta-analysis of randomized, placebo-controlled trials. <i>BMC Psychiatry</i> , 2012, 12, 160. | 2.6 | 33 |
| 26 | The association of suicide risk with negative life events and social support according to gender in Asian patients with major depressive disorder. <i>Psychiatry Research</i> , 2015, 228, 277-282. | 3.3 | 33 |
| 27 | Subjective memory and concentration deficits in medication-free, non-elderly Asians with major depressive disorder: Prevalence and their correlates. <i>Journal of Affective Disorders</i> , 2015, 171, 105-110. | 4.1 | 33 |
| 28 | Amphetamine Withdrawal: II. A Placebo-Controlled, Randomised, Double-Blind Study of Amineptine Treatment. <i>Australian and New Zealand Journal of Psychiatry</i> , 1999, 33, 94-98. | 2.3 | 29 |
| 29 | Psychometric evaluation of the Amphetamine Cessation Symptom Assessment. <i>Journal of Substance Abuse Treatment</i> , 2008, 34, 443-449. | 2.8 | 29 |
| 30 | Delirium after a traumatic brain injury: predictors and symptom patterns. <i>Neuropsychiatric Disease and Treatment</i> , 2017, Volume 13, 459-465. | 2.2 | 26 |
| 31 | Perception of Stigma and Its Associated Factors Among Patients With Major Depressive Disorder: A Multicenter Survey From an Asian Population. <i>Frontiers in Psychiatry</i> , 2019, 10, 321. | 2.6 | 26 |
| 32 | COMPARATIVE STUDIES OF THE BIOLOGICAL DISTINCTION BETWEEN UNIPOLAR AND BIPOLAR DEPRESSIONS. <i>Life Sciences</i> , 1997, 61, 1445-1455. | 4.3 | 25 |
| 33 | Development and implementation of guidelines for the management of depression: a systematic review. <i>Bulletin of the World Health Organization</i> , 2020, 98, 683-697H. | 3.3 | 25 |
| 34 | Melancholic features and hostility are associated with suicidality risk in Asian patients with major depressive disorder. <i>Journal of Affective Disorders</i> , 2013, 148, 368-374. | 4.1 | 24 |
| 35 | Clinical and sociodemographic correlates of suicidality in patients with major depressive disorder from six Asian countries. <i>BMC Psychiatry</i> , 2014, 14, 37. | 2.6 | 24 |
| 36 | Brief Intervention for Students with Methamphetamine Use Disorders: A Randomized Controlled Trial. <i>American Journal on Addictions</i> , 2007, 16, 111-116. | 1.4 | 23 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Quetiapine versus typical antipsychotic medications for schizophrenia. The Cochrane Library, 2013, , CD007815. | 2.8 | 23 |
| 38 | Benzodiazepine prescribing behaviour and attitudes: a survey among general practitioners practicing in northern Thailand. BMC Family Practice, 2005, 6, 27. | 2.9 | 22 |
| 39 | Clinical features of depression in Asia: Results of a large prospective, cross-sectional study. Asia-Pacific Psychiatry, 2013, 5, 259-267. | 2.2 | 22 |
| 40 | Internal consistency and concurrent validity of the Montreal Cognitive Assessment in individuals with major depressive disorder. Psychiatry Research, 2017, 253, 333-337. | 3.3 | 22 |
| 41 | Exploratory meta-analysis on lisdexamfetamine versus placebo in adult ADHD. Drug Design, Development and Therapy, 2014, 8, 1685. | 4.3 | 21 |
| 42 | Aripiprazole in acute treatment of children and adolescents with autism spectrum disorder: a systematic review and meta-analysis. Neuropsychiatric Disease and Treatment, 2018, Volume 14, 3063-3072. | 2.2 | 21 |
| 43 | Treatment for amphetamine psychosis. The Cochrane Library, 2001, , CD003026. | 2.8 | 20 |
| 44 | Seasonal variations in mood and behaviour: epidemiological findings in the north tropics. Journal of Affective Disorders, 1999, 54, 97-99. | 4.1 | 19 |
| 45 | Cognitive complaints and predictors of perceived cognitive dysfunction in adults with major depressive disorder: Findings from the Cognitive Dysfunction in Asians with Depression (CogDAD) study. Journal of Affective Disorders, 2018, 232, 237-242. | 4.1 | 19 |
| 46 | Efficacy and acceptability of varenicline for alcoholism: A systematic review and meta-analysis of randomized-controlled trials. Drug and Alcohol Dependence, 2019, 205, 107631. | 3.2 | 19 |
| 47 | The Effect of Mindfulness-Based Intervention on Brain-Derived Neurotrophic Factor (BDNF): A Systematic Review and Meta-Analysis of Controlled Trials. Frontiers in Psychology, 2020, 11, 2209. | 2.1 | 19 |
| 48 | Effect of Stimulus Intensity on Prolactin and Cortisol Release Induced by Unilateral Electroconvulsive Therapy. Neuropsychopharmacology, 1996, 15, 263-270. | 5.4 | 18 |
| 49 | Risks of major depressive disorder and anxiety disorders among Thais with alcohol use disorders and illicit drug use: Findings from the 2008 Thai National Mental Health survey. Addictive Behaviors, 2012, 37, 1395-1399. | 3.0 | 18 |
| 50 | Psychosocial functioning in schizophrenia: are some symptoms or demographic characteristics predictors across the functioning domains?. Neuropsychiatric Disease and Treatment, 2015, 11, 2471. | 2.2 | 18 |
| 51 | Omega-3 polyunsaturated fatty acid (n-3 PUFA) supplementation for prevention and treatment of perinatal depression: a systematic review and meta-analysis of randomized-controlled trials. Nordic Journal of Psychiatry, 2021, 75, 239-246. | 1.3 | 18 |
| 52 | Efficacy, tolerability, and acceptability of bupropion for major depressive disorder: a meta-analysis of randomized–controlled trials comparison with venlafaxine. Drug Design, Development and Therapy, 2013, 7, 1053. | 4.3 | 17 |
| 53 | Relaxation for perimenopausal and postmenopausal symptoms. The Cochrane Library, 2014, , CD008582. | 2.8 | 16 |
| 54 | Comparative efficacy, acceptability, and tolerability of lisdexamfetamine in child and adolescent ADHD: a meta-analysis of randomized, controlled trials. Drug Design, Development and Therapy, 2015, 9, 1927. | 4.3 | 16 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Does the Addition of Pindolol Accelerate the Response to Electroconvulsive Therapy in Patients with Major Depression? A Double-Blind, Placebo-Controlled Pilot Study. <i>Journal of Clinical Psychopharmacology</i> , 2000, 20, 373-378. | 1.4 | 16 |
| 56 | Amitriptyline vs. lorazepam in the treatment of opiate-withdrawal insomnia: a randomized double-blind study. <i>Acta Psychiatrica Scandinavica</i> , 1998, 97, 233-235. | 4.5 | 15 |
| 57 | Is Early-onset in Major Depression a Predictor of Specific Clinical Features with More Impaired Social Function?. <i>Chinese Medical Journal</i> , 2015, 128, 811-815. | 2.3 | 15 |
| 58 | Cognitive Dysfunction in Asian Patients with Depression (CogDAD): A Cross-Sectional Study. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2017, 13, 185-199. | 1.2 | 15 |
| 59 | Blue-wavelength light therapy for post-traumatic brain injury sleepiness, sleep disturbance, depression, and fatigue: A systematic review and network meta-analysis. <i>PLoS ONE</i> , 2021, 16, e0246172. | 2.5 | 15 |
| 60 | Patterns of alcohol dependence in Thai drinkers: A differential item functioning analysis of gender and age bias. <i>Addictive Behaviors</i> , 2012, 37, 173-178. | 3.0 | 14 |
| 61 | Differences in psychiatric symptoms among Asian patients with depression: A multi-country cross-sectional study. <i>Psychiatry and Clinical Neurosciences</i> , 2014, 68, 245-254. | 1.8 | 14 |
| 62 | Stressful life events preceding the onset of depression in Asian patients with major depressive disorder. <i>International Journal of Social Psychiatry</i> , 2015, 61, 735-742. | 3.1 | 14 |
| 63 | Polydrug use among kratom users: Findings from the 2011 Thailand National Household Survey. <i>Journal of Substance Use</i> , 2018, 23, 384-389. | 0.7 | 14 |
| 64 | Treatment for inhalant dependence and abuse. <i>The Cochrane Library</i> , 2010, , CD007537. | 2.8 | 13 |
| 65 | Risks of psychosis in methamphetamine users: cross-sectional study in Thailand. <i>BMJ Open</i> , 2019, 9, e032711. | 1.9 | 13 |
| 66 | A meta-analysis comparing short-term weight and cardiometabolic changes between olanzapine/samidorphan and olanzapine. <i>Scientific Reports</i> , 2021, 11, 7583. | 3.3 | 13 |
| 67 | Evaluation of three simple methods for predicting therapeutic lithium doses. <i>Psychiatry Research</i> , 2000, 94, 83-88. | 3.3 | 12 |
| 68 | Clinical and sociodemographic correlates of severe insomnia in psychotropic drug-free, Asian outpatients with major depressive disorder. <i>Journal of Affective Disorders</i> , 2015, 186, 26-31. | 4.1 | 12 |
| 69 | Treatment for amphetamine withdrawal. , 2001, , CD003021. | | 11 |
| 70 | Methamphetamine Psychosis in Australia, Philippines, and Thailand. <i>Addictive Disorders and Their Treatment</i> , 2010, 9, 143-149. | 0.5 | 10 |
| 71 | Correlates of current suicide risk among Thai patients with bipolar I disorder: findings from the Thai Bipolar Disorder Registry. <i>Neuropsychiatric Disease and Treatment</i> , 2013, 9, 1751. | 2.2 | 10 |
| 72 | Depression in Kidney Transplant Recipients. <i>Journal of Nervous and Mental Disease</i> , 2017, 205, 788-792. | 1.0 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Clinical and socio-demographic correlates of anxious distress in Asian outpatients with major depressive disorder. <i>Nordic Journal of Psychiatry</i> , 2017, 71, 503-508. | 1.3 | 9 |
| 74 | Cross national comparison of medical students' attitudes and beliefs about medical cannabis and its application for pain management. <i>Complementary Therapies in Medicine</i> , 2021, 59, 102720. | 2.7 | 9 |
| 75 | Thai Medical and Nursing Students: COVID-19 Fear Associated with Mental Health and Substance Use. <i>Journal of Loss and Trauma</i> , 2022, 27, 474-477. | 1.5 | 9 |
| 76 | An open-label study of quetiapine for delirium. <i>Journal of the Medical Association of Thailand = Chotmaihet Thangphaet</i> , 2007, 90, 2158-63. | 0.1 | 9 |
| 77 | Impact on Thai Psychiatrists of Passive Dissemination of a Clinical Practice Guideline on Prescribing Attitudes in Treatment-Resistant Schizophrenia. <i>Neuropsychobiology</i> , 2002, 45, 186-190. | 1.9 | 8 |
| 78 | Cognitive changes in topiramate-treated patients with alcoholism: A 12-week prospective study in patients recently detoxified. <i>Psychiatry and Clinical Neurosciences</i> , 2012, 66, 235-241. | 1.8 | 8 |
| 79 | Time to relapse and remission of bipolar disorder: findings from a 1-year prospective study in Thailand. <i>Neuropsychiatric Disease and Treatment</i> , 2013, 9, 1249. | 2.2 | 8 |
| 80 | Reliability and validity of the Thai version of the Calgary Depression Scale for Schizophrenia. <i>Neuropsychiatric Disease and Treatment</i> , 2013, 9, 113. | 2.2 | 8 |
| 81 | Suicide risk among Thai illicit drug users with and without mental/alcohol use disorders. <i>Neuropsychiatric Disease and Treatment</i> , 2014, 10, 453. | 2.2 | 8 |
| 82 | Comparative efficacy, acceptability, and tolerability of dexamethylphenidate versus placebo in child and adolescent ADHD: a meta-analysis of randomized controlled trials. <i>Neuropsychiatric Disease and Treatment</i> , 2015, 11, 2943. | 2.2 | 8 |
| 83 | Cognitive impairment in methamphetamine users with recent psychosis: A cross-sectional study in Thailand. <i>Drug and Alcohol Dependence</i> , 2020, 210, 107961. | 3.2 | 8 |
| 84 | Efficacy and dropout rates of antipsychotic medications for methamphetamine psychosis: A systematic review and network meta-analysis. <i>Drug and Alcohol Dependence</i> , 2021, 219, 108467. | 3.2 | 8 |
| 85 | Routledge Handbook of Psychiatry in Asia. , 0, , . | | 8 |
| 86 | Bidirectional prediction between weight status and executive function in children and adolescents: A systematic review and meta-analysis of longitudinal studies. <i>Obesity Reviews</i> , 2022, 23, e13458. | 6.5 | 8 |
| 87 | HIV-Seropositive Results, Health-Related Quality of Life, and Social Support: A 24-Week Prospective Study in Thailand. <i>AIDS Patient Care and STDs</i> , 2001, 15, 211-215. | 2.5 | 7 |
| 88 | Effectiveness of a modified version of the applied relaxation technique in treatment of perimenopausal and postmenopausal symptoms. <i>International Journal of Women's Health</i> , 2013, 5, 765. | 2.6 | 7 |
| 89 | Risk factors for an anxiety disorder comorbidity among Thai patients with bipolar disorder: results from the Thai Bipolar Disorder Registry. <i>Neuropsychiatric Disease and Treatment</i> , 2014, 10, 803. | 2.2 | 7 |
| 90 | Subjective depressive symptoms associated with pain in patients with major depressive disorder: Findings from the study on the aspect of Asian depression. <i>Perspectives in Psychiatric Care</i> , 2020, 56, 188-193. | 1.9 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Prevalence and predictors of pain in patients with major depressive disorder. Asian Journal of Psychiatry, 2013, 6, 288-291. | 2.0 | 6 |
| 92 | Quetiapine monotherapy versus placebo in the treatment of children and adolescents with bipolar depression: a systematic review and meta-analysis. Neuropsychiatric Disease and Treatment, 2017, Volume 13, 1023-1032. | 2.2 | 6 |
| 93 | A network meta-analysis of the dose-response effects of lurasidone on acute schizophrenia. Scientific Reports, 2021, 11, 5571. | 3.3 | 5 |
| 94 | Cross-cultural validation and inter-rater reliability of the Personal and Social Performance scale, Thai version. Journal of the Medical Association of Thailand = Chotmaihet Thangphaet, 2008, 91, 1603-8. | 0.1 | 5 |
| 95 | Modified relaxation technique for treating hypertension in Thai postmenopausal women. Journal of Multidisciplinary Healthcare, 2013, 6, 373. | 2.7 | 4 |
| 96 | Correlates of Disability in Asian Patients With Major Depressive Disorder. Perspectives in Psychiatric Care, 2016, 52, 265-272. | 1.9 | 4 |
| 97 | Escitalopram vs duloxetine in acute treatment of major depressive disorder: meta-analysis and systematic review. Neuropsychiatric Disease and Treatment, 2018, Volume 14, 1953-1961. | 2.2 | 4 |
| 98 | Correlates of health-related quality of life in Thai patients with alcohol dependence. Journal of Ethnicity in Substance Abuse, 2016, 15, 210-220. | 0.9 | 3 |
| 99 | Melatonin Receptor Agonists for the Prevention of Delirium: An Updated Systematic Review and Meta-Analysis of Randomized Controlled Trials. Current Neuropharmacology, 2022, 20, 1956-1968. | 2.9 | 3 |
| 100 | Role of serotonin3 receptors in prolactin release induced by electroconvulsive therapy: A study with ondansetron. Psychiatry Research, 1996, 60, 33-39. | 3.3 | 1 |
| 101 | P.5.e.002 A double-blind, randomised, controlled trial of quetiapine versus haloperidol for the treatment of delirium: a preliminary report. European Neuropsychopharmacology, 2011, 21, S557. | 0.7 | 1 |
| 102 | Treatment for amphetamine dependence and abuse. The Cochrane Library, 2014, , CD003022. | 2.8 | 1 |
| 103 | Escitalopram versus duloxetine in acute treatment of major depressive disorder: a meta-analysis and systematic review. European Neuropsychopharmacology, 2017, 27, S859-S860. | 0.7 | 1 |
| 104 | Risperidone versus placebo in the treatment of children and adolescents with autism spectrum disorders: a meta-analysis and systematic review. European Neuropsychopharmacology, 2017, 27, S1107-S1108. | 0.7 | 1 |
| 105 | P.1.g.011 A systematic review of randomised controlled trials of lisdexamfetamine versus placebo in the treatment of adults with ADHD. European Neuropsychopharmacology, 2014, 24, S208. | 0.7 | 0 |
| 106 | P.7.d.001 A systematic review of lisdexamfetamine versus placebo in the treatment of child and adolescent ADHD. European Neuropsychopharmacology, 2015, 25, S641-S642. | 0.7 | 0 |
| 107 | PS236. A multi-centre, multi-country, cross-sectional study to assess and describe cognitive dysfunction in Asian patients with Major Depressive Disorder (MDD). International Journal of Neuropsychopharmacology, 2016, 19, 86-86. | 2.1 | 0 |
| 108 | Clinical and sociodemographic correlates of anxiety symptoms in psychotropic drug-free, Asian outpatients with major depressive disorder. European Neuropsychopharmacology, 2016, 26, S412-S413. | 0.7 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Gender Differences in Depressive Symptoms in Thai Individuals with Depressed Mood and/or Anhedonia: A Differential Item Functioning Approach. <i>International Journal of Mental Health and Addiction</i> , 2017, 15, 493-502. | 7.4 | 0 |
| 110 | Course and predictors of disability in Thai patients with schizophrenia: A 2-year, multi-center, prospective, observational study. <i>Asian Journal of Psychiatry</i> , 2022, 70, 103044. | 2.0 | 0 |