

Manit Srisurapanont

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/575827/publications.pdf>

Version: 2024-02-01

110
papers

3,313
citations

236925

25
h-index

206112

48
g-index

125
all docs

125
docs citations

125
times ranked

4120
citing authors

#	ARTICLE	IF	CITATIONS
1	Thai Medical and Nursing Students: COVID-19 Fear Associated with Mental Health and Substance Use. <i>Journal of Loss and Trauma</i> , 2022, 27, 474-477.	1.5	9
2	Course and predictors of disability in Thai patients with schizophrenia: A 2-year, multi-center, prospective, observational study. <i>Asian Journal of Psychiatry</i> , 2022, 70, 103044.	2.0	0
3	Bidirectional prediction between weight status and executive function in children and adolescents: A systematic review and meta-analysis of longitudinal studies. <i>Obesity Reviews</i> , 2022, 23, e13458.	6.5	8
4	Melatonin Receptor Agonists for the Prevention of Delirium: An Updated Systematic Review and Meta-Analysis of Randomized Controlled Trials. <i>Current Neuropharmacology</i> , 2022, 20, 1956-1968.	2.9	3
5	Omega-3 polyunsaturated fatty acid (n-3 PUFA) supplementation for prevention and treatment of perinatal depression: a systematic review and meta-analysis of randomized-controlled trials. <i>Nordic Journal of Psychiatry</i> , 2021, 75, 239-246.	1.3	18
6	Efficacy and dropout rates of antipsychotic medications for methamphetamine psychosis: A systematic review and network meta-analysis. <i>Drug and Alcohol Dependence</i> , 2021, 219, 108467.	3.2	8
7	Blue-wavelength light therapy for post-traumatic brain injury sleepiness, sleep disturbance, depression, and fatigue: A systematic review and network meta-analysis. <i>PLoS ONE</i> , 2021, 16, e0246172.	2.5	15
8	A network meta-analysis of the dose-response effects of lurasidone on acute schizophrenia. <i>Scientific Reports</i> , 2021, 11, 5571.	3.3	5
9	A meta-analysis comparing short-term weight and cardiometabolic changes between olanzapine/samidorphan and olanzapine. <i>Scientific Reports</i> , 2021, 11, 7583.	3.3	13
10	Cross national comparison of medical students' attitudes and beliefs about medical cannabis and its application for pain management. <i>Complementary Therapies in Medicine</i> , 2021, 59, 102720.	2.7	9
11	Subjective depressive symptoms associated with pain in patients with major depressive disorder: Findings from the study on the aspect of Asian depression. <i>Perspectives in Psychiatric Care</i> , 2020, 56, 188-193.	1.9	7
12	The Effect of Mindfulness-Based Intervention on Brain-Derived Neurotrophic Factor (BDNF): A Systematic Review and Meta-Analysis of Controlled Trials. <i>Frontiers in Psychology</i> , 2020, 11, 2209.	2.1	19
13	Cognitive impairment in methamphetamine users with recent psychosis: A cross-sectional study in Thailand. <i>Drug and Alcohol Dependence</i> , 2020, 210, 107961.	3.2	8
14	Development and implementation of guidelines for the management of depression: a systematic review. <i>Bulletin of the World Health Organization</i> , 2020, 98, 683-697H.	3.3	25
15	Risks of psychosis in methamphetamine users: cross-sectional study in Thailand. <i>BMJ Open</i> , 2019, 9, e032711.	1.9	13
16	Efficacy and acceptability of varenicline for alcoholism: A systematic review and meta-analysis of randomized-controlled trials. <i>Drug and Alcohol Dependence</i> , 2019, 205, 107631.	3.2	19
17	Perception of Stigma and Its Associated Factors Among Patients With Major Depressive Disorder: A Multicenter Survey From an Asian Population. <i>Frontiers in Psychiatry</i> , 2019, 10, 321.	2.6	26
18	Polydrug use among kratom users: Findings from the 2011 Thailand National Household Survey. <i>Journal of Substance Use</i> , 2018, 23, 384-389.	0.7	14

#	ARTICLE	IF	CITATIONS
19	Cognitive complaints and predictors of perceived cognitive dysfunction in adults with major depressive disorder: Findings from the Cognitive Dysfunction in Asians with Depression (CogDAD) study. <i>Journal of Affective Disorders</i> , 2018, 232, 237-242.	4.1	19
20	Aripiprazole in acute treatment of children and adolescents with autism spectrum disorder: a systematic review and meta-analysis. <i>Neuropsychiatric Disease and Treatment</i> , 2018, Volume 14, 3063-3072.	2.2	21
21	Risperidone for children and adolescents with autism spectrum disorder: a systematic review. <i>Neuropsychiatric Disease and Treatment</i> , 2018, Volume 14, 1811-1820.	2.2	38
22	Escitalopram vs duloxetine in acute treatment of major depressive disorder: meta-analysis and systematic review. <i>Neuropsychiatric Disease and Treatment</i> , 2018, Volume 14, 1953-1961.	2.2	4
23	Internal consistency and concurrent validity of the Montreal Cognitive Assessment in individuals with major depressive disorder. <i>Psychiatry Research</i> , 2017, 253, 333-337.	3.3	22
24	Discrepancy between objective and subjective cognition in adults with major depressive disorder. <i>Scientific Reports</i> , 2017, 7, 3901.	3.3	80
25	Depression in Kidney Transplant Recipients. <i>Journal of Nervous and Mental Disease</i> , 2017, 205, 788-792.	1.0	9
26	Escitalopram versus duloxetine in acute treatment of major depressive disorder: a meta-analysis and systematic review. <i>European Neuropsychopharmacology</i> , 2017, 27, S859-S860.	0.7	1
27	Clinical and socio-demographic correlates of anxious distress in Asian outpatients with major depressive disorder. <i>Nordic Journal of Psychiatry</i> , 2017, 71, 503-508.	1.3	9
28	Gender Differences in Depressive Symptoms in Thai Individuals with Depressed Mood and/or Anhedonia: A Differential Item Functioning Approach. <i>International Journal of Mental Health and Addiction</i> , 2017, 15, 493-502.	7.4	0
29	Risperidone versus placebo in the treatment of children and adolescents with autism spectrum disorders: a meta-analysis and systematic review. <i>European Neuropsychopharmacology</i> , 2017, 27, S1107-S1108.	0.7	1
30	Delirium after a traumatic brain injury: predictors and symptom patterns. <i>Neuropsychiatric Disease and Treatment</i> , 2017, Volume 13, 459-465.	2.2	26
31	Quetiapine monotherapy versus placebo in the treatment of children and adolescents with bipolar depression: a systematic review and meta-analysis. <i>Neuropsychiatric Disease and Treatment</i> , 2017, Volume 13, 1023-1032.	2.2	6
32	Cognitive Dysfunction in Asian Patients with Depression (CogDAD): A Cross-Sectional Study. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2017, 13, 185-199.	1.2	15
33	Quetiapine monotherapy in acute treatment of generalized anxiety disorder: a systematic review and meta-analysis of randomized controlled trials. <i>Drug Design, Development and Therapy</i> , 2016, 10, 259.	4.3	50
34	PS236. A multi-centre, multi-country, cross-sectional study to assess and describe cognitive dysfunction in Asian patients with Major Depressive Disorder (MDD). <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, 86-86.	2.1	0
35	Correlates of Disability in Asian Patients With Major Depressive Disorder. <i>Perspectives in Psychiatric Care</i> , 2016, 52, 265-272.	1.9	4
36	Clinical and sociodemographic correlates of anxiety symptoms in psychotropic drug-free, Asian outpatients with major depressive disorder. <i>European Neuropsychopharmacology</i> , 2016, 26, S412-S413.	0.7	0

#	ARTICLE	IF	CITATIONS
37	Correlates of health-related quality of life in Thai patients with alcohol dependence. <i>Journal of Ethnicity in Substance Abuse</i> , 2016, 15, 210-220.	0.9	3
38	Comparative efficacy, acceptability, and tolerability of lisdexamfetamine in child and adolescent ADHD: a meta-analysis of randomized, controlled trials. <i>Drug Design, Development and Therapy</i> , 2015, 9, 1927.	4.3	16
39	Comparative efficacy, acceptability, and tolerability of dexamethylphenidate versus placebo in child and adolescent ADHD: a meta-analysis of randomized controlled trials. <i>Neuropsychiatric Disease and Treatment</i> , 2015, 11, 2943.	2.2	8
40	Psychosocial functioning in schizophrenia: are some symptoms or demographic characteristics predictors across the functioning domains?. <i>Neuropsychiatric Disease and Treatment</i> , 2015, 11, 2471.	2.2	18
41	Is Early-onset in Major Depression a Predictor of Specific Clinical Features with More Impaired Social Function?. <i>Chinese Medical Journal</i> , 2015, 128, 811-815.	2.3	15
42	Stressful life events preceding the onset of depression in Asian patients with major depressive disorder. <i>International Journal of Social Psychiatry</i> , 2015, 61, 735-742.	3.1	14
43	Clinical and sociodemographic correlates of severe insomnia in psychotropic drug-free, Asian outpatients with major depressive disorder. <i>Journal of Affective Disorders</i> , 2015, 186, 26-31.	4.1	12
44	The association of suicide risk with negative life events and social support according to gender in Asian patients with major depressive disorder. <i>Psychiatry Research</i> , 2015, 228, 277-282.	3.3	33
45	Efficacy and safety of aripiprazole augmentation of clozapine in schizophrenia: A systematic review and meta-analysis of randomized-controlled trials. <i>Journal of Psychiatric Research</i> , 2015, 62, 38-47.	3.1	43
46	P.7.d.001 A systematic review of lisdexamfetamine versus placebo in the treatment of child and adolescent ADHD. <i>European Neuropsychopharmacology</i> , 2015, 25, S641-S642.	0.7	0
47	Subjective memory and concentration deficits in medication-free, non-elderly Asians with major depressive disorder: Prevalence and their correlates. <i>Journal of Affective Disorders</i> , 2015, 171, 105-110.	4.1	33
48	Quetiapine for acute bipolar depression: a systematic review and meta-analysis. <i>Drug Design, Development and Therapy</i> , 2014, 8, 827.	4.3	67
49	Exploratory meta-analysis on lisdexamfetamine versus placebo in adult ADHD. <i>Drug Design, Development and Therapy</i> , 2014, 8, 1685.	4.3	21
50	Suicide risk among Thai illicit drug users with and without mental/alcohol use disorders. <i>Neuropsychiatric Disease and Treatment</i> , 2014, 10, 453.	2.2	8
51	Risk factors for an anxiety disorder comorbidity among Thai patients with bipolar disorder: results from the Thai Bipolar Disorder Registry. <i>Neuropsychiatric Disease and Treatment</i> , 2014, 10, 803.	2.2	7
52	Relaxation for perimenopausal and postmenopausal symptoms. <i>The Cochrane Library</i> , 2014, , CD008582.	2.8	16
53	Addiction potential of phentermine prescribed during long-term treatment of obesity. <i>International Journal of Obesity</i> , 2014, 38, 292-298.	3.4	51
54	Differences in psychiatric symptoms among Asian patients with depression: A multi-country cross-sectional study. <i>Psychiatry and Clinical Neurosciences</i> , 2014, 68, 245-254.	1.8	14

#	ARTICLE	IF	CITATIONS
55	Clinical and sociodemographic correlates of suicidality in patients with major depressive disorder from six Asian countries. <i>BMC Psychiatry</i> , 2014, 14, 37.	2.6	24
56	P.1.g.011 A systematic review of randomised controlled trials of lisdexamfetamine versus placebo in the treatment of adults with ADHD. <i>European Neuropsychopharmacology</i> , 2014, 24, S208.	0.7	0
57	Treatment for amphetamine dependence and abuse. <i>The Cochrane Library</i> , 2014, , CD003022.	2.8	1
58	Quetiapine versus typical antipsychotic medications for schizophrenia. <i>The Cochrane Library</i> , 2013, , CD007815.	2.8	23
59	Prevalence and predictors of pain in patients with major depressive disorder. <i>Asian Journal of Psychiatry</i> , 2013, 6, 288-291.	2.0	6
60	Melancholic features and hostility are associated with suicidality risk in Asian patients with major depressive disorder. <i>Journal of Affective Disorders</i> , 2013, 148, 368-374.	4.1	24
61	Topiramate treatment for alcoholic outpatients recently receiving residential treatment programs: A 12-week, randomized, placebo-controlled trial. <i>Drug and Alcohol Dependence</i> , 2013, 133, 440-446.	3.2	37
62	Clinical features of depression in Asia: Results of a large prospective, cross-sectional study. <i>Asia-Pacific Psychiatry</i> , 2013, 5, 259-267.	2.2	22
63	Efficacy, tolerability, and acceptability of bupropion for major depressive disorder: a meta-analysis of randomized–controlled trials comparison with venlafaxine. <i>Drug Design, Development and Therapy</i> , 2013, 7, 1053.	4.3	17
64	Correlates of current suicide risk among Thai patients with bipolar I disorder: findings from the Thai Bipolar Disorder Registry. <i>Neuropsychiatric Disease and Treatment</i> , 2013, 9, 1751.	2.2	10
65	Quetiapine versus haloperidol in the treatment of delirium: a double-blind, randomized, controlled trial. <i>Drug Design, Development and Therapy</i> , 2013, 7, 657.	4.3	69
66	Modified relaxation technique for treating hypertension in Thai postmenopausal women. <i>Journal of Multidisciplinary Healthcare</i> , 2013, 6, 373.	2.7	4
67	Time to relapse and remission of bipolar disorder: findings from a 1-year prospective study in Thailand. <i>Neuropsychiatric Disease and Treatment</i> , 2013, 9, 1249.	2.2	8
68	Effectiveness of a modified version of the applied relaxation technique in treatment of perimenopausal and postmenopausal symptoms. <i>International Journal of Women's Health</i> , 2013, 5, 765.	2.6	7
69	Reliability and validity of the Thai version of the Calgary Depression Scale for Schizophrenia. <i>Neuropsychiatric Disease and Treatment</i> , 2013, 9, 113.	2.2	8
70	Risks of major depressive disorder and anxiety disorders among Thais with alcohol use disorders and illicit drug use: Findings from the 2008 Thai National Mental Health survey. <i>Addictive Behaviors</i> , 2012, 37, 1395-1399.	3.0	18
71	Patterns of alcohol dependence in Thai drinkers: A differential item functioning analysis of gender and age bias. <i>Addictive Behaviors</i> , 2012, 37, 173-178.	3.0	14
72	Quetiapine monotherapy in acute phase for major depressive disorder: a meta-analysis of randomized, placebo-controlled trials. <i>BMC Psychiatry</i> , 2012, 12, 160.	2.6	33

#	ARTICLE	IF	CITATIONS
73	Cognitive changes in topiramate-treated patients with alcoholism: A 12-week prospective study in patients recently detoxified. <i>Psychiatry and Clinical Neurosciences</i> , 2012, 66, 235-241.	1.8	8
74	Comparisons of methamphetamine psychotic and schizophrenic symptoms: A differential item functioning analysis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 959-964.	4.8	77
75	P.5.e.002 A double-blind, randomised, controlled trial of quetiapine versus haloperidol for the treatment of delirium: a preliminary report. <i>European Neuropsychopharmacology</i> , 2011, 21, S557.	0.7	1
76	Pedometer walking plus motivational interviewing program for Thai schizophrenic patients with obesity or overweight: A 12-week, randomized, controlled trial. <i>Psychiatry and Clinical Neurosciences</i> , 2011, 65, 374-380.	1.8	67
77	Bupropion for adults with attention-deficit hyperactivity disorder: Meta-analysis of randomized, placebo-controlled trials. <i>Psychiatry and Clinical Neurosciences</i> , 2011, 65, 611-617.	1.8	42
78	Quetiapine versus other atypical antipsychotics for schizophrenia. , 2010, , CD006625.		122
79	Treatment for inhalant dependence and abuse. <i>The Cochrane Library</i> , 2010, , CD007537.	2.8	13
80	Methamphetamine Psychosis in Australia, Philippines, and Thailand. <i>Addictive Disorders and Their Treatment</i> , 2010, 9, 143-149.	0.5	10
81	Psychometric evaluation of the Amphetamine Cessation Symptom Assessment. <i>Journal of Substance Abuse Treatment</i> , 2008, 34, 443-449.	2.8	29
82	Symptoms and sleep patterns during inpatient treatment of methamphetamine withdrawal: A comparison of mirtazapine and modafinil with treatment as usual. <i>Journal of Substance Abuse Treatment</i> , 2008, 35, 334-342.	2.8	71
83	Cross-cultural validation and inter-rater reliability of the Personal and Social Performance scale, Thai version. <i>Journal of the Medical Association of Thailand = Chotmaihet Thangphaet</i> , 2008, 91, 1603-8.	0.1	5
84	The treatment of alcohol dependence. <i>Current Opinion in Psychiatry</i> , 2007, 20, 222-227.	6.3	37
85	Metabolic syndrome in Thai schizophrenic patients: a naturalistic one-year follow-up study. <i>BMC Psychiatry</i> , 2007, 7, 14.	2.6	42
86	Brief Intervention for Students with Methamphetamine Use Disorders: A Randomized Controlled Trial. <i>American Journal on Addictions</i> , 2007, 16, 111-116.	1.4	23
87	An open-label study of quetiapine for delirium. <i>Journal of the Medical Association of Thailand = Chotmaihet Thangphaet</i> , 2007, 90, 2158-63.	0.1	9
88	The nature, time course and severity of methamphetamine withdrawal. <i>Addiction</i> , 2005, 100, 1320-1329.	3.3	377
89	Benzodiazepine prescribing behaviour and attitudes: a survey among general practitioners practicing in northern Thailand. <i>BMC Family Practice</i> , 2005, 6, 27.	2.9	22
90	Naltrexone for the treatment of alcoholism: a meta-analysis of randomized controlled trials. <i>International Journal of Neuropsychopharmacology</i> , 2005, 8, 267-280.	2.1	184

#	ARTICLE	IF	CITATIONS
91	Opioid antagonists for alcohol dependence. , 2005, , CD001867.		238
92	Quetiapine for schizophrenia. The Cochrane Library, 2004, , CD000967.	2.8	64
93	Psychotic symptoms in methamphetamine psychotic in-patients. International Journal of Neuropsychopharmacology, 2003, 6, 347-352.	2.1	164
94	Impact on Thai Psychiatrists of Passive Dissemination of a Clinical Practice Guideline on Prescribing Attitudes in Treatment-Resistant Schizophrenia. Neuropsychobiology, 2002, 45, 186-190.	1.9	8
95	Treatment for amphetamine psychosis. The Cochrane Library, 2001, , CD003026.	2.8	20
96	Treatment for amphetamine dependence and abuse. , 2001, , CD003022.		34
97	Treatment for amphetamine withdrawal. , 2001, , CD003021.		11
98	HIV-Seropositive Results, Health-Related Quality of Life, and Social Support: A 24-Week Prospective Study in Thailand. AIDS Patient Care and STDs, 2001, 15, 211-215.	2.5	7
99	Evaluation of three simple methods for predicting therapeutic lithium doses. Psychiatry Research, 2000, 94, 83-88.	3.3	12
100	Does the Addition of Pindolol Accelerate the Response to Electroconvulsive Therapy in Patients with Major Depression? A Double-Blind, Placebo-Controlled Pilot Study. Journal of Clinical Psychopharmacology, 2000, 20, 373-378.	1.4	16
101	Amphetamine Withdrawal: I. Reliability, Validity and Factor Structure of a Measure. Australian and New Zealand Journal of Psychiatry, 1999, 33, 89-93.	2.3	104
102	Amphetamine Withdrawal: II. A Placebo-Controlled, Randomised, Double-Blind Study of Amineptine Treatment. Australian and New Zealand Journal of Psychiatry, 1999, 33, 94-98.	2.3	29
103	Seasonal variations in mood and behaviour: epidemiological findings in the north tropics. Journal of Affective Disorders, 1999, 54, 97-99.	4.1	19
104	Amitriptyline vs. lorazepam in the treatment of opiate-withdrawal insomnia: a randomized double-blind study. Acta Psychiatrica Scandinavica, 1998, 97, 233-235.	4.5	15
105	COMPARATIVE STUDIES OF THE BIOLOGICAL DISTINCTION BETWEEN UNIPOLAR AND BIPOLAR DEPRESSIONS. Life Sciences, 1997, 61, 1445-1455.	4.3	25
106	Role of serotonin3 receptors in prolactin release induced by electroconvulsive therapy: A study with ondansetron. Psychiatry Research, 1996, 60, 33-39.	3.3	1
107	Effect of Stimulus Intensity on Prolactin and Cortisol Release Induced by Unilateral Electroconvulsive Therapy. Neuropsychopharmacology, 1996, 15, 263-270.	5.4	18
108	Treatment of Acute Bipolar Depression: A Review of the Literature. Canadian Journal of Psychiatry, 1995, 40, 533-544.	1.9	42

#	ARTICLE	IF	CITATIONS
109	Opioid antagonists for alcohol dependence. The Cochrane Library, 0, , .	2.8	101
110	Routledge Handbook of Psychiatry in Asia. , 0, , .		8