

# Harun M Said

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5761244/publications.pdf>

Version: 2024-02-01

42  
papers

1,690  
citations

279798

23  
h-index

315739

38  
g-index

42  
all docs

42  
docs citations

42  
times ranked

2463  
citing authors

#	ARTICLE	IF	CITATIONS
1	A Comparison of Cerebrospinal Fluid Beta-Amyloid and Tau in Idiopathic Normal Pressure Hydrocephalus and Neurodegenerative Dementias. <i>Clinical Interventions in Aging</i> , 2022, Volume 17, 467-477.	2.9	8
2	Evaluation of potential tumor markers that may predict neoadjuvant treatment efficiency in rectal cancer. <i>Biyokimya Dergisi</i> , 2021, 46, 445-454.	0.5	0
3	TGF- $\beta$ 1 promotes cell migration in hepatocellular carcinoma by suppressing REELIN expression. <i>Gene</i> , 2020, 724, 143923.	2.2	2
4	Blood-based microRNAs as diagnostic biomarkers to discriminate localized prostate cancer from benign prostatic hyperplasia and allow cancer risk stratification. <i>Oncology Letters</i> , 2018, 16, 1357-1365.	1.8	20
5	PP-020 CHALLENGES RELATED TO THE EDUCATIONAL MODELS APPLIED IN MOLECULAR MEDICINE EDUCATION IN DIFFERENT UNIVERSITIES. <i>Turkish Journal of Biochemistry</i> , 2018, 43, 24-24.	0.5	0
6	Time- and oxygen-dependent expression and regulation of NDRG1 in human brain cancer cells. <i>Oncology Reports</i> , 2017, 37, 3625-3634.	2.6	22
7	Regulative Effect of Nampt on Tumor Progression and Cell Viability in Human Colorectal Cancer. <i>Journal of Cancer</i> , 2015, 6, 849-858.	2.5	17
8	Hypoxia induced CA9 inhibitory targeting by two different sulfonamide derivatives including Acetazolamide in human Glioblastoma. <i>Bioorganic and Medicinal Chemistry</i> , 2013, 21, 3949-3957.	3.0	51
9	Determination human brain tumor marker gene carbonic anhydrase 9 (CA9) gene expression in different type of brain tumor cells. , 2013, , .		0
10	Hypoxia and cytokines regulate carbonic anhydrase 9 expression in hepatocellular carcinoma cells in vitro. <i>World Journal of Clinical Oncology</i> , 2012, 3, 82.	2.3	17
11	Inhibition of N-Myc down regulated gene 1 in vitro cultured human glioblastoma cells. <i>World Journal of Clinical Oncology</i> , 2012, 3, 104.	2.3	2
12	Small interfering RNA targeting HIF-1 $\alpha$ reduces hypoxia-dependent transcription and radiosensitizes hypoxic HT 1080 human fibrosarcoma cells in vitro. <i>Strahlentherapie Und Onkologie</i> , 2011, 187, 252-259.	2.0	28
13	Gene expression inhibition of N-Myc downregulated gene 1 (NDRG1) monitoring and facilitation via transfectional transfer of NDRG1-siRNA constructs into in vitro-cultured human glioblastoma cells. , 2011, , .		0
14	Elevated tumor and serum levels of the hypoxia-associated protein osteopontin are associated with prognosis for soft tissue sarcoma patients. <i>BMC Cancer</i> , 2010, 10, 132.	2.6	30
15	Modulation of Carbonic Anhydrase 9 (CA9) in Human Brain Cancer. <i>Current Pharmaceutical Design</i> , 2010, 16, 3288-3299.	1.9	49
16	Proteins Involved in Cell Migration from Glioblastoma Neurospheres Analyzed by Overexpression and siRNA-Mediated Knock-Down. <i>Methods in Molecular Biology</i> , 2010, 650, 129-143.	0.9	2
17	Egr-1 is not upregulated in response to hypoxic and oxygenation conditions in human glioblastoma in vitro. <i>Molecular Medicine Reports</i> , 2009, 2, 757-63.	2.4	6
18	Absence of GAPDH regulation in tumor-cells of different origin under hypoxic conditions in vitro. <i>BMC Research Notes</i> , 2009, 2, 8.	1.4	32

#	ARTICLE	IF	CITATIONS
19	Detection of Novel Genomic Polymorphism in Acute Lymphoblastic Leukemia by Random Amplified Polymorphic DNA Analysis. <i>International Journal of Cancer Research</i> , 2009, 6, 19-26.	0.2	6
20	Oxygen-dependent regulation of NDRG1 in human glioblastoma cells in vitro and in vivo. <i>Oncology Reports</i> , 2009, 21, 237-46.	2.6	28
21	RAF expression in human astrocytic tumors. <i>International Journal of Molecular Medicine</i> , 2009, 23, 17-31.	4.0	24
22	Detection and Specific Targeting of Hypoxic Regions within Solid Tumors: Current Preclinical and Clinical Strategies. <i>Current Medicinal Chemistry</i> , 2008, 15, 322-338.	2.4	81
23	Expression analysis of the autosomal recessive primary microcephaly genes MCPH1 (microcephalin) and MCPH5 (ASPM, abnormal spindle-like, microcephaly associated) in human malignant gliomas. <i>Oncology Reports</i> , 2008, 20, 301-8.	2.6	32
24	Rapid detection of the hypoxia-regulated CA-IX and NDRG1 gene expression in different glioblastoma cells in vitro. <i>Oncology Reports</i> , 2008, 20, 413-9.	2.6	12
25	Expression patterns of the hypoxia-related genes osteopontin, CA9, erythropoietin, VEGF and HIF-1 $\pm$ in human glioma in vitro and in vivo. <i>Radiotherapy and Oncology</i> , 2007, 83, 398-405.	0.6	90
26	GAPDH is not regulated in human glioblastoma under hypoxic conditions. <i>BMC Molecular Biology</i> , 2007, 8, 55.	3.0	43
27	Effects of HIF-1 inhibition by chetomin on hypoxia-related transcription and radiosensitivity in HT 1080 human fibrosarcoma cells. <i>BMC Cancer</i> , 2007, 7, 213.	2.6	76
28	High-frequency oscillatory ventilation reduces lung inflammation: a large-animal 24-h model of respiratory distress. <i>Intensive Care Medicine</i> , 2007, 33, 1423-1433.	8.2	48
29	Modulation of Glucose Metabolism Inhibits Hypoxic Accumulation of Hypoxia-Inducible Factor-1 $\pm$ (HIF-1 $\pm$ ). <i>Strahlentherapie Und Onkologie</i> , 2007, 183, 366-373.	2.0	31
30	Pegylated interferon-alpha plus taurine in treatment of rat liver fibrosis. <i>World Journal of Gastroenterology</i> , 2007, 13, 3237.	3.3	30
31	Response to a letter to the editor by Le et al. regarding: Osteopontin as toxic marker. <i>Radiotherapy and Oncology</i> , 2006, 78, 230-231.	0.6	1
32	Immunohistochemical detection of osteopontin in advanced head-and-neck cancer: Prognostic role and correlation with oxygen electrode measurements, hypoxia-inducible-factor-1 $\pm$ -related markers, and hemoglobin levels. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006, 66, 1481-1487.	0.8	55
33	Distinct patterns of hypoxic expression of carbonic anhydrase IX (CA IX) in human malignant glioma cell lines. <i>Journal of Neuro-Oncology</i> , 2006, 81, 27-38.	2.9	33
34	Plasma osteopontin levels in patients with head and neck cancer and cervix cancer are critically dependent on the choice of ELISA system. <i>BMC Cancer</i> , 2006, 6, 207.	2.6	56
35	Id1 is a critical mediator in TGF- $\beta$ -induced transdifferentiation of rat hepatic stellate cells. <i>Hepatology</i> , 2006, 43, 1032-1041.	7.3	132
36	Y-box Protein-1 Is the Crucial Mediator of Antifibrotic Interferon- $\beta$ Effects. <i>Journal of Biological Chemistry</i> , 2006, 281, 1784-1795.	3.4	88

#	ARTICLE	IF	CITATIONS
37	Abrogation of Transforming Growth Factor- $\beta^2$ Signaling by SMAD7 Inhibits Collagen Gel Contraction of Human Dermal Fibroblasts. <i>Journal of Biological Chemistry</i> , 2005, 280, 21570-21576.	3.4	84
38	Response of the plasma hypoxia marker osteopontin to in vitro hypoxia in human tumor cells. <i>Radiotherapy and Oncology</i> , 2005, 76, 200-205.	0.6	39
39	Smad7 prevents activation of hepatic stellate cells and liver fibrosis in rats. <i>Gastroenterology</i> , 2003, 125, 178-191.	1.3	348
40	Expression of the aromatase cytochrome P450 encoding gene in cattle and sheep. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2001, 79, 279-288.	2.5	34
41	Chromatin structure of the bovine Cyp19 promoter 1.1. <i>FEBS Journal</i> , 2001, 268, 1222-1227.	0.2	24
42	Rapid detection of the hypoxia-regulated CA-IX and NDRG1 gene expression in different glioblastoma cells in vitro. <i>Oncology Reports</i> , 1994, 20, 413.	2.6	9