

Rozenn N Lemaitre

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5764106/publications.pdf>

Version: 2024-02-01

111
papers

7,885
citations

61857

43
h-index

56606

83
g-index

111
all docs

111
docs citations

111
times ranked

12620
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Multi-ethnic genome-wide association study for atrial fibrillation. <i>Nature Genetics</i> , 2018, 50, 1225-1233. | 9.4 | 552 |
| 2 | nâ~3 Polyunsaturated fatty acids, fatal ischemic heart disease, and nonfatal myocardial infarction in older adults: the Cardiovascular Health Study. <i>American Journal of Clinical Nutrition</i> , 2003, 77, 319-325. | 2.2 | 350 |
| 3 | The trans-ancestral genomic architecture of glycemic traits. <i>Nature Genetics</i> , 2021, 53, 840-860. | 9.4 | 341 |
| 4 | Ï‰-3 Polyunsaturated Fatty Acid Biomarkers and Coronary Heart Disease. <i>JAMA Internal Medicine</i> , 2016, 176, 1155. | 2.6 | 326 |
| 5 | Genetic Loci Associated with Plasma Phospholipid n-3 Fatty Acids: A Meta-Analysis of Genome-Wide Association Studies from the CHARGE Consortium. <i>PLoS Genetics</i> , 2011, 7, e1002193. | 1.5 | 324 |
| 6 | Family History as a Risk Factor for Primary Cardiac Arrest. <i>Circulation</i> , 1998, 97, 155-160. | 1.6 | 306 |
| 7 | Plasma Phospholipid Long-Chain Ï‰-3 Fatty Acids and Total and Cause-Specific Mortality in Older Adults. <i>Annals of Internal Medicine</i> , 2013, 158, 515. | 2.0 | 239 |
| 8 | Genome-wide meta-analysis identifies six novel loci associated with habitual coffee consumption. <i>Molecular Psychiatry</i> , 2015, 20, 647-656. | 4.1 | 235 |
| 9 | Omega-6 fatty acid biomarkers and incident type 2 diabetes: pooled analysis of individual-level data for 39â€~740 adults from 20 prospective cohort studies. <i>Lancet Diabetes and Endocrinology</i> , 2017, 5, 965-974. | 5.5 | 213 |
| 10 | <i>KLB</i> is associated with alcohol drinking, and its gene product ð²-Klotho is necessary for FGF21 regulation of alcohol preference. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 14372-14377. | 3.3 | 208 |
| 11 | Cell Membrane Trans -Fatty Acids and the Risk of Primary Cardiac Arrest. <i>Circulation</i> , 2002, 105, 697-701. | 1.6 | 199 |
| 12 | Biomarkers of Dietary Omega-6 Fatty Acids and Incident Cardiovascular Disease and Mortality. <i>Circulation</i> , 2019, 139, 2422-2436. | 1.6 | 199 |
| 13 | Diuretic Therapy, the ð±-Adducin Gene Variant, and the Risk of Myocardial Infarction or Stroke in Persons With Treated Hypertension. <i>JAMA - Journal of the American Medical Association</i> , 2002, 287, 1680. | 3.8 | 189 |
| 14 | Genome-Wide Association Study of Plasma N6 Polyunsaturated Fatty Acids Within the Cohorts for Heart and Aging Research in Genomic Epidemiology Consortium. <i>Circulation: Cardiovascular Genetics</i> , 2014, 7, 321-331. | 5.1 | 164 |
| 15 | Plasma Phospholipid Trans Fatty Acids, Fatal Ischemic Heart Disease, and Sudden Cardiac Death in Older Adults. <i>Circulation</i> , 2006, 114, 209-215. | 1.6 | 163 |
| 16 | Fish Consumption and Stroke Risk in Elderly Individuals. <i>Archives of Internal Medicine</i> , 2005, 165, 200. | 4.3 | 159 |
| 17 | Circulating Omega-6 Polyunsaturated Fatty Acids and Total and Cause-Specific Mortality. <i>Circulation</i> , 2014, 130, 1245-1253. | 1.6 | 158 |
| 18 | Fatty acid biomarkers of dairy fat consumption and incidence of type 2 diabetes: A pooled analysis of prospective cohort studies. <i>PLoS Medicine</i> , 2018, 15, e1002670. | 3.9 | 143 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Prospective association of fatty acids in the de novo lipogenesis pathway with risk of type 2 diabetes: the Cardiovascular Health Study. <i>American Journal of Clinical Nutrition</i> , 2015, 101, 153-163. | 2.2 | 139 |
| 20 | Contribution of Major Lifestyle Risk Factors for Incident Heart Failure in Older Adults. <i>JACC: Heart Failure</i> , 2015, 3, 520-528. | 1.9 | 134 |
| 21 | Blood n-3 fatty acid levels and total and cause-specific mortality from 17 prospective studies. <i>Nature Communications</i> , 2021, 12, 2329. | 5.8 | 132 |
| 22 | Circulating Sphingolipids, Insulin, HOMA-IR, and HOMA-B: The Strong Heart Family Study. <i>Diabetes</i> , 2018, 67, 1663-1672. | 0.3 | 120 |
| 23 | Plasma phospholipid very-long-chain saturated fatty acids and incident diabetes in older adults: the Cardiovascular Health Study. <i>American Journal of Clinical Nutrition</i> , 2015, 101, 1047-1054. | 2.2 | 97 |
| 24 | Plasma Ceramides and Sphingomyelins in Relation to Heart Failure Risk. <i>Circulation: Heart Failure</i> , 2019, 12, e005708. | 1.6 | 90 |
| 25 | Multiancestry Genome-Wide Association Study of Lipid Levels Incorporating Gene-Alcohol Interactions. <i>American Journal of Epidemiology</i> , 2019, 188, 1033-1054. | 1.6 | 85 |
| 26 | Gene \times dietary pattern interactions in obesity: analysis of up to 68 317 adults of European ancestry. <i>Human Molecular Genetics</i> , 2015, 24, 4728-4738. | 1.4 | 84 |
| 27 | Therapy With Hydroxymethylglutaryl Coenzyme A Reductase Inhibitors (Statins) and Associated Risk of Incident Cardiovascular Events in Older Adults. <i>Archives of Internal Medicine</i> , 2002, 162, 1395. | 4.3 | 79 |
| 28 | Interactions Between the Dietary Polyunsaturated Fatty Acid Ratio and Genetic Factors Determine Susceptibility to Pediatric Crohn's Disease. <i>Gastroenterology</i> , 2014, 146, 929-931.e3. | 0.6 | 79 |
| 29 | DNA Methylation Signatures of Depressive Symptoms in Middle-aged and Elderly Persons. <i>JAMA Psychiatry</i> , 2018, 75, 949. | 6.0 | 78 |
| 30 | New alcohol-related genes suggest shared genetic mechanisms with neuropsychiatric disorders. <i>Nature Human Behaviour</i> , 2019, 3, 950-961. | 6.2 | 75 |
| 31 | Plasma Phospholipid Saturated Fatty Acids and Incident Atrial Fibrillation: The Cardiovascular Health Study. <i>Journal of the American Heart Association</i> , 2014, 3, e000889. | 1.6 | 71 |
| 32 | Sudden death and myocardial infarction in first degree relatives as predictors of primary cardiac arrest. <i>Atherosclerosis</i> , 2002, 162, 211-216. | 0.4 | 70 |
| 33 | Variation in eicosanoid genes, non-fatal myocardial infarction and ischemic stroke. <i>Atherosclerosis</i> , 2009, 204, e58-e63. | 0.4 | 65 |
| 34 | Multi-ancestry study of blood lipid levels identifies four loci interacting with physical activity. <i>Nature Communications</i> , 2019, 10, 376. | 5.8 | 64 |
| 35 | An integrative cross-omics analysis of DNA methylation sites of glucose and insulin homeostasis. <i>Nature Communications</i> , 2019, 10, 2581. | 5.8 | 62 |
| 36 | A comprehensive evaluation of the genetic architecture of sudden cardiac arrest. <i>European Heart Journal</i> , 2018, 39, 3961-3969. | 1.0 | 59 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Omega-3 Fatty Acids and Incident Ischemic Stroke and Its Atherothrombotic and Cardioembolic Subtypes in 3 US Cohorts. <i>Stroke</i> , 2017, 48, 2678-2685. | 1.0 | 56 |
| 38 | A genome-wide association study of n-3 and n-6 plasma fatty acids in a Singaporean Chinese population. <i>Genes and Nutrition</i> , 2015, 10, 53. | 1.2 | 53 |
| 39 | Hormone Replacement Therapy and Associated Risk of Stroke in Postmenopausal Women. <i>Archives of Internal Medicine</i> , 2002, 162, 1954. | 4.3 | 51 |
| 40 | Common variation in cytochrome P450 epoxygenase genes and the risk of incident nonfatal myocardial infarction and ischemic stroke. <i>Pharmacogenetics and Genomics</i> , 2008, 18, 535-543. | 0.7 | 51 |
| 41 | n-3 Fatty Acid Biomarkers and Incident Type 2 Diabetes: An Individual Participant-Level Pooling Project of 20 Prospective Cohort Studies. <i>Diabetes Care</i> , 2021, 44, 1133-1142. | 4.3 | 50 |
| 42 | Genetic loci associated with circulating phospholipid trans fatty acids: a meta-analysis of genome-wide association studies from the CHARGE Consortium. <i>American Journal of Clinical Nutrition</i> , 2015, 101, 398-406. | 2.2 | 49 |
| 43 | Circulating sphingolipids, fasting glucose, and impaired fasting glucose: The Strong Heart Family Study. <i>EBioMedicine</i> , 2019, 41, 44-49. | 2.7 | 48 |
| 44 | Serial circulating omega 3 polyunsaturated fatty acids and healthy ageing among older adults in the Cardiovascular Health Study: prospective cohort study. <i>BMJ: British Medical Journal</i> , 2018, 363, k4067. | 2.4 | 47 |
| 45 | Association of dietary folate and vitamin B-12 intake with genome-wide DNA methylation in blood: a large-scale epigenome-wide association analysis in 5841 individuals. <i>American Journal of Clinical Nutrition</i> , 2019, 110, 437-450. | 2.2 | 46 |
| 46 | Endogenous red blood cell membrane fatty acids and sudden cardiac arrest. <i>Metabolism: Clinical and Experimental</i> , 2010, 59, 1029-1034. | 1.5 | 44 |
| 47 | Regulation of CYP2J2 and EET Levels in Cardiac Disease and Diabetes. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1916. | 1.8 | 44 |
| 48 | Genome-wide meta-analysis of macronutrient intake of 91,114 European ancestry participants from the cohorts for heart and aging research in genomic epidemiology consortium. <i>Molecular Psychiatry</i> , 2019, 24, 1920-1932. | 4.1 | 44 |
| 49 | Plasma Phospholipid <i>Trans</i> Fatty Acids Levels, Cardiovascular Diseases, and Total Mortality: The Cardiovascular Health Study. <i>Journal of the American Heart Association</i> , 2014, 3, . | 1.6 | 43 |
| 50 | Admission respiratory status predicts mortality in COVID-19. <i>Influenza and Other Respiratory Viruses</i> , 2021, 15, 569-572. | 1.5 | 42 |
| 51 | Association of Birth Weight With Type 2 Diabetes and Glycemic Traits. <i>JAMA Network Open</i> , 2019, 2, e1910915. | 2.8 | 41 |
| 52 | Longitudinal Plasma Measures of Trimethylamine N-oxide and Risk of Atherosclerotic Cardiovascular Disease Events in Community-Based Older Adults. <i>Journal of the American Heart Association</i> , 2021, 10, e020646. | 1.6 | 39 |
| 53 | Genetic loci associated with circulating levels of very long-chain saturated fatty acids. <i>Journal of Lipid Research</i> , 2015, 56, 176-184. | 2.0 | 38 |
| 54 | Circulating and Dietary <i>Trans</i> Fatty Acids and Incident Type 2 Diabetes in Older Adults: The Cardiovascular Health Study. <i>Diabetes Care</i> , 2015, 38, 1099-1107. | 4.3 | 38 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Serial measures of circulating biomarkers of dairy fat and total and cause-specific mortality in older adults: the Cardiovascular Health Study. <i>American Journal of Clinical Nutrition</i> , 2018, 108, 476-484. | 2.2 | 38 |
| 56 | Plasma Ceramide Species Are Associated with Diabetes Risk in Participants of the Strong Heart Study. <i>Journal of Nutrition</i> , 2020, 150, 1214-1222. | 1.3 | 38 |
| 57 | Fatty acids in the de novo lipogenesis pathway and incidence of type 2 diabetes: A pooled analysis of prospective cohort studies. <i>PLoS Medicine</i> , 2020, 17, e1003102. | 3.9 | 38 |
| 58 | Inhaled beta-2 adrenergic receptor agonists and primary cardiac arrest. <i>American Journal of Medicine</i> , 2002, 113, 711-716. | 0.6 | 37 |
| 59 | Dietary fatty acids modulate associations between genetic variants and circulating fatty acids in plasma and erythrocyte membranes: Meta-analysis of nine studies in the CHARGE consortium. <i>Molecular Nutrition and Food Research</i> , 2015, 59, 1373-1383. | 1.5 | 37 |
| 60 | Familial aggregation of red blood cell membrane fatty acid composition: the Kibbutzim Family Study. <i>Metabolism: Clinical and Experimental</i> , 2008, 57, 662-668. | 1.5 | 36 |
| 61 | Å1- and Å2-Adrenergic Receptor Gene Variation, Å-Blocker Use and Risk of Myocardial Infarction and Stroke. <i>American Journal of Hypertension</i> , 2008, 21, 290-296. | 1.0 | 35 |
| 62 | Dairy Consumption and Body Mass Index Among Adults: Mendelian Randomization Analysis of 184802 Individuals from 25 Studies. <i>Clinical Chemistry</i> , 2018, 64, 183-191. | 1.5 | 34 |
| 63 | Genome-wide association study of breakfast skipping links clock regulation with food timing. <i>American Journal of Clinical Nutrition</i> , 2019, 110, 473-484. | 2.2 | 34 |
| 64 | Sugar-sweetened beverage intake associations with fasting glucose and insulin concentrations are not modified by selected genetic variants in a ChREBP-FGF21 pathway: a meta-analysis. <i>Diabetologia</i> , 2018, 61, 317-330. | 2.9 | 32 |
| 65 | Red blood cell membrane Å-linolenic acid and the risk of sudden cardiac arrest. <i>Metabolism: Clinical and Experimental</i> , 2009, 58, 534-540. | 1.5 | 31 |
| 66 | Plasma Ceramides and Sphingomyelins in Relation to Atrial Fibrillation Risk: The Cardiovascular Health Study. <i>Journal of the American Heart Association</i> , 2020, 9, e012853. | 1.6 | 31 |
| 67 | Trans-fatty acids and sudden cardiac death. <i>Atherosclerosis Supplements</i> , 2006, 7, 13-15. | 1.2 | 29 |
| 68 | Erythrocyte very long-chain saturated fatty Acids associated with lower risk of incident sudden cardiac arrest. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2014, 91, 149-153. | 1.0 | 29 |
| 69 | Association of Trimethylamine<i>N</i>-Oxide and Related Metabolites in Plasma and Incident Type 2 Diabetes. <i>JAMA Network Open</i> , 2021, 4, e2122844. | 2.8 | 29 |
| 70 | Quality of dietary fat and genetic risk of type 2 diabetes: individual participant data meta-analysis. <i>BMJ: British Medical Journal</i> , 2019, 366, l4292. | 2.4 | 28 |
| 71 | Enzymatic and free radical formation of cis- and trans- epoxyeicosatrienoic acids in vitro and in vivo. <i>Free Radical Biology and Medicine</i> , 2017, 112, 131-140. | 1.3 | 26 |
| 72 | Very long-chain saturated fatty acids and diabetes and cardiovascular disease. <i>Current Opinion in Lipidology</i> , 2022, 33, 76-82. | 1.2 | 26 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Esterified Estrogen and Conjugated Equine Estrogen and the Risk of Incident Myocardial Infarction and Stroke. <i>Archives of Internal Medicine</i> , 2006, 166, 399. | 4.3 | 24 |
| 74 | Interaction of methylation-related genetic variants with circulating fatty acids on plasma lipids: a meta-analysis of 7 studies and methylation analysis of 3 studies in the Cohorts for Heart and Aging Research in Genomic Epidemiology consortium. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 567-578. | 2.2 | 24 |
| 75 | Rare coding variants in 35 genes associate with circulating lipid levels—A multi-ancestry analysis of 170,000 exomes. <i>American Journal of Human Genetics</i> , 2022, 109, 81-96. | 2.6 | 24 |
| 76 | Circulating and dietary ω -3 linolenic acid and incidence of congestive heart failure in older adults: the Cardiovascular Health Study. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 269-274. | 2.2 | 22 |
| 77 | Circulating Ceramides and Sphingomyelins and Risk of Mortality: The Cardiovascular Health Study. <i>Clinical Chemistry</i> , 2021, 67, 1650-1659. | 1.5 | 21 |
| 78 | Plasma ceramides containing saturated fatty acids are associated with risk of type 2 diabetes. <i>Journal of Lipid Research</i> , 2021, 62, 100119. | 2.0 | 19 |
| 79 | Discovery and fine-mapping of loci associated with MUFAs through trans-ethnic meta-analysis in Chinese and European populations. <i>Journal of Lipid Research</i> , 2017, 58, 974-981. | 2.0 | 18 |
| 80 | Genome-wide association meta-analysis of fish and EPA+DHA consumption in 17 US and European cohorts. <i>PLoS ONE</i> , 2017, 12, e0186456. | 1.1 | 18 |
| 81 | CYP2J2 Expression in Adult Ventricular Myocytes Protects Against Reactive Oxygen Species Toxicity. <i>Drug Metabolism and Disposition</i> , 2018, 46, 380-386. | 1.7 | 18 |
| 82 | CYP2J2 Modulates Diverse Transcriptional Programs in Adult Human Cardiomyocytes. <i>Scientific Reports</i> , 2020, 10, 5329. | 1.6 | 17 |
| 83 | Chromosome Xq23 is associated with lower atherogenic lipid concentrations and favorable cardiometabolic indices. <i>Nature Communications</i> , 2021, 12, 2182. | 5.8 | 17 |
| 84 | Common variation in fatty acid metabolic genes and risk of incident sudden cardiac arrest. <i>Heart Rhythm</i> , 2014, 11, 471-477. | 0.3 | 16 |
| 85 | Common Variation in Fatty Acid Genes and Resuscitation From Sudden Cardiac Arrest. <i>Circulation: Cardiovascular Genetics</i> , 2012, 5, 422-429. | 5.1 | 14 |
| 86 | Genome-wide association meta-analysis of circulating odd-numbered chain saturated fatty acids: Results from the CHARGE Consortium. <i>PLoS ONE</i> , 2018, 13, e0196951. | 1.1 | 14 |
| 87 | Medical facilities in the neighborhood and incidence of sudden cardiac arrest. <i>Resuscitation</i> , 2018, 130, 118-123. | 1.3 | 12 |
| 88 | Potential Interplay between Dietary Saturated Fats and Genetic Variants of the NLRP3 Inflammasome to Modulate Insulin Resistance and Diabetes Risk: Insights from a Meta-analysis of 19,005 Individuals. <i>Molecular Nutrition and Food Research</i> , 2019, 63, e1900226. | 1.5 | 12 |
| 89 | Role of Rare and Low-Frequency Variants in Gene-Alcohol Interactions on Plasma Lipid Levels. <i>Circulation Genomic and Precision Medicine</i> , 2020, 13, e002772. | 1.6 | 11 |
| 90 | Impact of Amerind ancestry and FADS genetic variation on omega-3 deficiency and cardiometabolic traits in Hispanic populations. <i>Communications Biology</i> , 2021, 4, 918. | 2.0 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Meta-analysis of genome-wide association studies identifies three novel loci for saturated fatty acids in East Asians. <i>European Journal of Nutrition</i> , 2017, 56, 1477-1484. | 1.8 | 10 |
| 92 | Genome-Wide Interactions with Dairy Intake for Body Mass Index in Adults of European Descent. <i>Molecular Nutrition and Food Research</i> , 2018, 62, 1700347. | 1.5 | 9 |
| 93 | Mendelian randomization analysis does not support causal associations of birth weight with hypertension risk and blood pressure in adulthood. <i>European Journal of Epidemiology</i> , 2020, 35, 685-697. | 2.5 | 9 |
| 94 | A sensitive and improved throughput UPLC-MS/MS quantitation method of total cytochrome P450 mediated arachidonic acid metabolites that can separate regio-isomers and cis/trans-EETs from human plasma. <i>Chemistry and Physics of Lipids</i> , 2018, 216, 162-170. | 1.5 | 8 |
| 95 | Full-Fat Dairy Food Intake is Associated with a Lower Risk of Incident Diabetes Among American Indians with Low Total Dairy Food Intake. <i>Journal of Nutrition</i> , 2019, 149, 1238-1244. | 1.3 | 8 |
| 96 | Sugar-Sweetened Beverage Consumption May Modify Associations Between Genetic Variants in the CHREBP (Carbohydrate Responsive Element Binding Protein) Locus and HDL-C (High-Density Lipoprotein) Tj ETQq0,0,0 rgBT /Overlock 1 e003288. | 1.6 | 8 |
| 97 | <i>Trans</i> Fatty Acid Biomarkers and Incident Type 2 Diabetes: Pooled Analysis of 12 Prospective Cohort Studies in the Fatty Acids and Outcomes Research Consortium (FORCE). <i>Diabetes Care</i> , 2022, 45, 854-863. | 4.3 | 8 |
| 98 | Acculturation and Plasma Fatty Acid Concentrations in Hispanic and Chinese-American Adults: The Multi-Ethnic Study of Atherosclerosis. <i>PLoS ONE</i> , 2016, 11, e0149267. | 1.1 | 7 |
| 99 | Serum Individual Nonesterified Fatty Acids and Risk of Heart Failure in Older Adults. <i>Cardiology</i> , 2021, 146, 351-358. | 0.6 | 7 |
| 100 | Neighborhood food environment, dietary fatty acid biomarkers, and cardiac arrest risk. <i>Health and Place</i> , 2018, 53, 128-134. | 1.5 | 6 |
| 101 | Higher Epoxyeicosatrienoic Acids in Cardiomyocytes-Specific CYP2J2 Transgenic Mice Are Associated with Improved Myocardial Remodeling. <i>Biomedicines</i> , 2020, 8, 144. | 1.4 | 6 |
| 102 | The impact of fatty acids biosynthesis on the risk of cardiovascular diseases in Europeans and East Asians: a Mendelian randomization study. <i>Human Molecular Genetics</i> , 2022, 31, 4034-4054. | 1.4 | 5 |
| 103 | Response to Letters Regarding Article, "Circulating Omega-6 Polyunsaturated Fatty Acids and Total and Cause-Specific Mortality: The Cardiovascular Health Study" <i>Circulation</i> , 2015, 132, e25-6. | 1.6 | 4 |
| 104 | Plasma epoxyeicosatrienoic acids and dihydroxyeicosatrienoic acids, insulin, glucose and risk of diabetes: The strong heart study. <i>EBioMedicine</i> , 2021, 66, 103279. | 2.7 | 4 |
| 105 | Circulating <i>n-3</i> fatty acids and <i>trans</i> -fatty acids, <i>PLA2G2A</i> gene variation and sudden cardiac arrest. <i>Journal of Nutritional Science</i> , 2016, 5, e12. | 0.7 | 3 |
| 106 | Plasma Fatty Acid Binding Protein 4 and Risk of Sudden Cardiac Death in Older Adults. <i>Cardiology Research and Practice</i> , 2013, 2013, 1-7. | 0.5 | 2 |
| 107 | Long chain n-3 polyunsaturated fatty acids are not associated with circulating T-helper type 1 cells: Results from the Multi-Ethnic Study of Atherosclerosis (MESA). <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2017, 125, 37-42. | 1.0 | 2 |
| 108 | Common Genetic Variation in Relation to Brachial Vascular Dimensions and Flow-Mediated Vasodilation. <i>Circulation Genomic and Precision Medicine</i> , 2019, 12, e002409. | 1.6 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | The Association of Antihypertensive Medication With Serum Creatinine Changes in Older Adults. American Journal of Hypertension, 1997, 10, 1368-1377. | 1.0 | 1 |
| 110 | PUFA ̳-3 and ̳-6 biomarkers and sleep: a pooled analysis of cohort studies on behalf of the Fatty Acids and Outcomes Research Consortium (FORCE). American Journal of Clinical Nutrition, 2022, 115, 864-876. | 2.2 | 1 |
| 111 | Finalists, The Jeremiah and Rose Stamler Research Award for New Investigators Fatty fish consumption and ischemic heart disease mortality in older adults: The Cardiovascular Health Study. Circulation, 2001, 103, 1351-1351. | 1.6 | 0 |