## Mustafa Canli

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5764324/publications.pdf

Version: 2024-02-01

218677 155660 3,130 61 26 55 h-index citations g-index papers 61 61 61 3132 citing authors docs citations times ranked all docs

#	Article	IF	CITATIONS
1	Heavy metal levels in economically important fish species sold by fishermen in Karatas (Adana /) Tj ETQq1 1 0.784	3 <u>1,4</u> rgBT	「/Qyerlock 10
2	Salinity and/or nanoparticles (Al2O3, TiO2) affect metal accumulation and ATPase activity in freshwater fish (Oreochromis niloticus). Environmental Toxicology and Pharmacology, 2022, 94, 103931.	4.0	6
3	Antioxidant system biomarkers of freshwater mussel ( <i>Unio tigridis</i> ) respond to nanoparticle (Al <sub>2</sub> O <sub>3</sub> , CuO, TiO <sub>2</sub> ) exposures. Biomarkers, 2021, 26, 434-442.	1.9	7
4	Characterization of ATPases in the gill of freshwater mussel (Unio tigridis) and effects of ionic and nanoparticle forms of aluminium and copper. Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology, 2021, 247, 109059.	2.6	4
5	Accumulation and Distribution of Nanoparticles (Al2O3, CuO, and TiO2) in Tissues of Freshwater Mussel (Unio tigridis). Bulletin of Environmental Contamination and Toxicology, 2021, , .	2.7	3
6	The effects of titanium nanoparticles on enzymatic and non-enzymatic biomarkers in female Wistar rats. Drug and Chemical Toxicology, 2020, , $1$ -9.	2.3	5
7	Investigations of the nervous system biomarkers in the brain and muscle of freshwater fish () Tj ETQq1 1 0.78431 Zoology, 2020, 44, 90-103.	.4 rgBT /C 0.9	Overlock 10 Tf 5
8	Effects of aluminum, copper and titanium nanoparticles on the liver antioxidant enzymes of the Nile fish (Oreochromis niloticus). Energy Reports, 2020, 6, 62-67.	5.1	19
9	Title is missing!. Turkish Journal of Fisheries and Aquatic Sciences, 2019, 19, .	0.9	4
10	Responses of biomarkers belonging to different metabolic systems of rats following oral administration of aluminium nanoparticle. Environmental Toxicology and Pharmacology, 2019, 69, 72-79.	4.0	19
11	Response of the antioxidant enzymes of rats following oral administration of metal-oxide nanoparticles (Al2O3, CuO, TiO2). Environmental Science and Pollution Research, 2019, 26, 938-945.	5.3	27
12	Serum biomarker levels alter following nanoparticle (Al 2 O 3 , CuO, TiO 2 ) exposures in freshwater fish ( Oreochromis niloticus ). Environmental Toxicology and Pharmacology, 2018, 62, 181-187.	4.0	52
13	Response of the antioxidant enzymes of the erythrocyte and alterations in the serum biomarkers in rats following oral administration of nanoparticles. Environmental Toxicology and Pharmacology, 2017, 50, 145-150.	4.0	30
14	Investigations on the effects of etoxazole in the liver and kidney of Wistar rats. Environmental Science and Pollution Research, 2017, 24, 19635-19639.	<b>5.</b> 3	12
15	Effects of aluminum, copper, and titanium nanoparticles onsome blood parameters in Wistar rats. Turkish Journal of Zoology, 2017, 41, 259-266.	0.9	18
16	Title is missing!. Turkish Journal of Fisheries and Aquatic Sciences, 2016, 16, .	0.9	6
17	Responses of the Antioxidant and Osmoregulation Systems of Fish Erythrocyte Following Copper Exposures in Differing Calcium Levels. Bulletin of Environmental Contamination and Toxicology, 2016, 97, 601-608.	2.7	5
18	Characterization of antioxidant system parameters in four freshwater fish species. Ecotoxicology and Environmental Safety, 2016, 126, 30-37.	6.0	34

#	Article	IF	Citations
19	Title is missing!. Turkish Journal of Fisheries and Aquatic Sciences, 2015, 15, .	0.9	4
20	The effects of cyfluthrin on some biomarkers in the liver and kidney of Wistar rats. Environmental Science and Pollution Research, 2015, 22, 4747-4752.	5.3	17
21	Low water conductivity increases the effects of copper on the serum parameters in fish (Oreochromis niloticus). Environmental Toxicology and Pharmacology, 2015, 39, 606-613.	4.0	24
22	Alterations in the serum biomarkers belonging to different metabolic systems of fish (Oreochromis) Tj ETQq0 0	0 rgBT /Ov	verlock 10 Tf :
23	Effects of heavy metals (Cd, Cu, Cr, Pb, Zn) on fish glutathione metabolism. Environmental Science and Pollution Research, 2015, 22, 3229-3237.	<b>5.</b> 3	113
24	Effects of fish size on the response of antioxidant systems of Oreochromis niloticus following metal exposures. Fish Physiology and Biochemistry, 2014, 40, 1083-91.	2.3	32
25	Response of Antioxidant System of Tilapia (Oreochromis niloticus) Following Exposure to Chromium and Copper in Differing Hardness. Bulletin of Environmental Contamination and Toxicology, 2014, 92, 680-686.	2.7	12
26	Metals (Ag <sup>+</sup> , Cd <sup>2+</sup> , Cr <sup>6+</sup> ) affect ATPase activity in the gill, kidney, and muscle of freshwater fish <i>Oreochromis niloticus</i> following acute and chronic exposures. Environmental Toxicology, 2013, 28, 707-717.	4.0	25
27	Response of ATPases in the osmoregulatory tissues of freshwater fish Oreochromis niloticus exposed to copper in increased salinity. Fish Physiology and Biochemistry, 2013, 39, 391-401.	2.3	23
28	The Effects of Salinity and Salinity+Metal (Chromium and Lead) Exposure on ATPase Activity in the Gill and Intestine of Tilapia Oreochromis niloticus. Archives of Environmental Contamination and Toxicology, 2013, 64, 291-300.	4.1	27
29	Acute and chronic metal (Cd, Pb) exposures alter red blood cell ATPase activity in freshwater fish (Oreochromis niloticus). Toxicology Letters, 2013, 221, S98.	0.8	0
30	Investigations on the osmoregulation of freshwater fish (Oreochromis niloticus) following exposures to metals (Cd, Cu) in differing hardness. Ecotoxicology and Environmental Safety, 2013, 92, 79-86.	6.0	42
31	Effects of Cd, Zn and CdÂ+ÂZn Combination on ATPase Activitiy in the Gill and Muscle of Tilapia (Oreochromis niloticus). Bulletin of Environmental Contamination and Toxicology, 2013, 91, 420-425.	2.7	9
32	Title is missing!. Turkish Journal of Fisheries and Aquatic Sciences, 2013, 14, .	0.9	11
33	The effects of increased freshwater salinity in the biodisponibility of metals (Cr, Pb) and effects on antioxidant systems of Oreochromis niloticus. Ecotoxicology and Environmental Safety, 2012, 84, 249-253.	6.0	35
34	Title is missing!. Turkish Journal of Fisheries and Aquatic Sciences, 2012, 12, .	0.9	4
35	Essential metal (Cu, Zn) exposures alter the activity of ATPases in gill, kidney and muscle of tilapia Oreochromis niloticus. Ecotoxicology, 2011, 20, 1861-1869.	2.4	57
36	Response of antioxidant system of freshwater fish Oreochromis niloticus to acute and chronic metal (Cd, Cu, Cr, Zn, Fe) exposures. Ecotoxicology and Environmental Safety, 2010, 73, 1884-1889.	6.0	177

#	Article	IF	CITATIONS
37	Effects of Metal (Ag, Cd, Cr, Cu, Zn) Exposures on Some Enzymatic and Non-Enzymatic Indicators in the Liver of Oreochromis niloticus. Bulletin of Environmental Contamination and Toxicology, 2009, 82, 317-321.	2.7	29
38	Changes in serum biochemical parameters of freshwater fish <i>Oreochromis niloticus</i> following prolonged metal (Ag, Cd, Cr, Cu, Zn) exposures. Environmental Toxicology and Chemistry, 2008, 27, 360-366.	4.3	177
39	Responses of metallothionein and reduced glutathione in a freshwater fish Oreochromis niloticus following metal exposures. Environmental Toxicology and Pharmacology, 2008, 25, 33-38.	4.0	80
40	Natural Occurrence of Metallothioneinlike Proteins in Liver Tissues of Four Fish Species from the Northeast Mediterranean Sea. Water Environment Research, 2007, 79, 958-963.	2.7	6
41	The effects of temperature and metal exposures on the profiles of metallothionein-like proteins in Oreochromis niloticus. Environmental Toxicology and Pharmacology, 2007, 23, 33-38.	4.0	15
42	Enzymatic responses to metal exposures in a freshwater fish Oreochromis niloticus. Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology, 2007, 145, 282-287.	2.6	91
43	Response of catalase activity to Ag+, Cd2+, Cr6+, Cu2+ and Zn2+ in five tissues of freshwater fish Oreochromis niloticus. Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology, 2006, 143, 218-224.	2.6	128
44	Effects of copper pre-exposure routes on the energy reserves and subsequent copper toxicity inDaphnia magna. Environmental Toxicology, 2006, 21, 521-527.	4.0	10
45	Effects of Metal (Cd, Cu, Zn) Interactions on the Profiles of Metallothionein-Like Proteins in the Nile Fish Oreochromis niloticus. Bulletin of Environmental Contamination and Toxicology, 2005, 75, 390-399.	2.7	19
46	The Transfer of Zinc in Two Linked Trophic Levels in Fresh Water and Its Effect on the Reproduction of Daphnia magna. Journal of Freshwater Ecology, 2005, 20, 269-276.	1,2	7
47	Dietary and water-borne Zn exposures affect energy reserves and subsequent Zn tolerance of Daphnia magna. Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology, 2005, 141, 110-116.	2.6	12
48	Reproductive toxicity of dietary zinc to Daphnia magna. Aquatic Toxicology, 2004, 70, 233-244.	4.0	136
49	Natural Occurrence of Metallothionein-Like Proteins in the Liver of Fish Oreochromis niloticus and Effects of Cadmium, Lead, Copper, Zinc, and Iron Exposures on Their Profiles. Bulletin of Environmental Contamination and Toxicology, 2003, 70, 619-627.	2.7	40
50	The relationships between heavy metal (Cd, Cr, Cu, Fe, Pb, Zn) levels and the size of six Mediterranean fish species. Environmental Pollution, 2003, 121, 129-136.	<b>7.</b> 5	840
51	Metal (Cd, Pb, Cu, Zn, Fe, Cr, Ni) Concentrations in Tissues of a Fish Sardina pilchardus and a Prawn Peaenus japonicus from Three Stations on the Mediterranean Sea. Bulletin of Environmental Contamination and Toxicology, 2001, 67, 75-82.	2.7	36
52	Effects of Cypermethrin on Antioxidant Enzyme Activities and Lipid Peroxidation in Liver and Kidney of the Freshwater Fish, Oreochromis niloticus and Cyprinus carpio (L.). Bulletin of Environmental Contamination and Toxicology, 2001, 67, 657-664.	2.7	35
53	Copper and Lead Accumulation in Tissues of a Freshwater Fish Tilapia zillii and Its Effects on the Branchial Na,K-ATPase Activity. Bulletin of Environmental Contamination and Toxicology, 1999, 62, 160-168.	2.7	81
54	Heavy Metal Concentrations in Fish Tissues from the Northeast Mediterranean Sea. Bulletin of Environmental Contamination and Toxicology, 1999, 63, 673-681.	2.7	223

#	ARTICLE	IF	CITATION
55	The induction of metallothionein in tissues of the Norway lobster Nephrops norvegicus following exposure to cadmium, copper and zinc: The relationships between metallothionein and the metals. Environmental Pollution, 1997, 96, 343-350.	7.5	58
56	Mercury and cadmium uptake from seawater and from food by the Norway lobster <i>Nephrops norvegicus</i> . Environmental Toxicology and Chemistry, 1995, 14, 819-828.	4.3	65
57	MERCURY AND CADMIUM UPTAKE FROM SEAWATER AND FROM FOOD BY THE NORWAY LOBSTER NEPHROPS NORVEGICUS. Environmental Toxicology and Chemistry, 1995, 14, 819.	4.3	6
58	Toxicity of heavy metals dissolved in sea water and influences of sex and size on metal accumulation and tissue distribution in the norway lobster Nephrops norvegicus. Marine Environmental Research, 1993, 36, 217-236.	2.5	87
59	The Effects of Chitosan on Aluminium Accumulation in the Gill, Liver and Muscle of Freshwater Fish (Oreochromis niloticus). Kahramanmaraş Sütçü İmam Üniversitesi Tarım Ve Doğa Dergisi, 0, , .	0.7	0
60	Nanoparticles (Al2O3, CuO, TiO2) Decrease ATPase Activity in the Osmoregulatory Organs of Freshwater Fish (Oreochromis niloticus); Histopathological Investigations of Tissues by Transmission Electron Microscope. SSRN Electronic Journal, 0, , .	0.4	3
61	Alterations in ion levels of freshwater fish Oreochromis niloticus following acute and chronic exposures to five heavy metals. Turkish Journal of Zoology, 0, , .	0.9	4