

Christophe Magnan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5767015/publications.pdf>

Version: 2024-02-01

168
papers

8,075
citations

47006

47
h-index

56724

83
g-index

191
all docs

191
docs citations

191
times ranked

11688
citing authors

#	ARTICLE	IF	CITATIONS
1	Editorial for special issue on "Endocrinology of adipokines". <i>Molecular and Cellular Endocrinology</i> , 2022, 539, 111498.	3.2	0
2	Olfaction in the context of obesity and diabetes: Insights from animal models to humans. <i>Neuropharmacology</i> , 2022, 206, 108923.	4.1	16
3	Disruption of Pituitary Gonadotrope Activity in Male Rats After Short- or Long-Term High-Fat Diets Is Not Associated With Pituitary Inflammation. <i>Frontiers in Endocrinology</i> , 2022, 13, 877999.	3.5	0
4	Portal Glucose Infusion, Afferent Nerve Fibers, and Glucose and Insulin Tolerance of Insulin-Resistant Rats. <i>Journal of Nutrition</i> , 2022, 152, 1862-1871.	2.9	1
5	Homocysteine Metabolism Pathway Is Involved in the Control of Glucose Homeostasis: A Cystathionine Beta Synthase Deficiency Study in Mouse. <i>Cells</i> , 2022, 11, 1737.	4.1	5
6	The cephalic phase of insulin release is modulated by IL-1 β . <i>Cell Metabolism</i> , 2022, 34, 991-1003.e6.	16.2	17
7	Regenerating islet-derived protein 3 β : A promising therapy for diabetes. Preliminary data in rodents and in humans. <i>Heliyon</i> , 2022, 8, e09944.	3.2	2
8	Obesity in Midlife Hampers Resting and Sensory-Evoked Cerebral Blood Flow in Mice. <i>Obesity</i> , 2021, 29, 150-158.	3.0	10
9	Sexually dimorphic roles for the type 2 diabetes-associated C2cd4b gene in murine glucose homeostasis. <i>Diabetologia</i> , 2021, 64, 850-864.	6.3	7
10	Old Paradoxes and New Opportunities for Appetite Control in Obesity. <i>Trends in Endocrinology and Metabolism</i> , 2021, 32, 264-294.	7.1	22
11	38-OR: Deletion of the Mitofusins 1 and 2 (Mfn1 and Mfn2) from the Pancreatic Beta Cell Disrupts Mitochondrial Structure and Impairs Glucose-, but Not Incretin-, Stimulated Insulin Secretion. <i>Diabetes</i> , 2021, 70, 38-OR.	0.6	0
12	Pleiotropic effects of prokineticin 2 in the control of energy metabolism. <i>Biochimie</i> , 2021, 186, 73-81.	2.6	3
13	GTTs and ITTs: aim for shorter fasting times. <i>Nature Metabolism</i> , 2021, 3, 1133-1133.	11.9	3
14	Ovarian insufficiency impairs glucose-stimulated insulin secretion through activation of hypothalamic de novo ceramide synthesis. <i>Metabolism: Clinical and Experimental</i> , 2021, 123, 154846.	3.4	3
15	Role of hypothalamic de novo ceramides synthesis in obesity and associated metabolic disorders. <i>Molecular Metabolism</i> , 2021, 53, 101298.	6.5	10
16	Plasma triacylglycerols are biomarkers of β -cell function in mice and humans. <i>Molecular Metabolism</i> , 2021, 54, 101355.	6.5	17
17	Farnesoid X Receptor Activation in Brain Alters Brown Adipose Tissue Function via the Sympathetic System. <i>Frontiers in Molecular Neuroscience</i> , 2021, 14, 808603.	2.9	9
18	Dairy consumption is associated with lower plasma dihydroceramides in women from the D.E.S.I.R. cohort. <i>Diabetes and Metabolism</i> , 2020, 46, 144-149.	2.9	3

#	ARTICLE	IF	CITATIONS
19	Stearoyl CoA desaturase is a gatekeeper that protects human beta cells against lipotoxicity and maintains their identity. <i>Diabetologia</i> , 2020, 63, 395-409.	6.3	37
20	The Constitutive Lack of $\alpha 7$ Nicotinic Receptor Leads to Metabolic Disorders in Mouse. <i>Biomolecules</i> , 2020, 10, 1057.	4.0	8
21	A surrogate of Roux-en-Y gastric bypass (the enterogastro anastomosis surgery) regulates multiple beta-cell pathways during resolution of diabetes in ob/ob mice. <i>EBioMedicine</i> , 2020, 58, 102895.	6.1	8
22	Structure, self-assembly, and properties of a truncated reflectin variant. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 32891-32901.	7.1	11
23	Identification of the Interactions Interference Between the PH and START Domain of CERT by Limonoid and HPA Inhibitors. <i>Frontiers in Molecular Biosciences</i> , 2020, 7, 603983.	3.5	2
24	Dominant gut <i>Prevotella copri</i> in gastrectomised non-obese diabetic Goto-Kakizaki rats improves glucose homeostasis through enhanced FXR signalling. <i>Diabetologia</i> , 2020, 63, 1223-1235.	6.3	37
25	Metabolic and psychiatric effects of acyl coenzyme A binding protein (ACBP)/diazepam binding inhibitor (DBI). <i>Cell Death and Disease</i> , 2020, 11, 502.	6.3	16
26	Lipid excess affects chaperone-mediated autophagy in hypothalamus. <i>Biochimie</i> , 2020, 176, 110-116.	2.6	10
27	The Natural Metabolite 4-Cresol Improves Glucose Homeostasis and Enhances β -Cell Function. <i>Cell Reports</i> , 2020, 30, 2306-2320.e5.	6.4	35
28	1955-P: Interleukin-1 β Orchestrates Non-Glucose Dependent Cephalic Phase Insulin Release in Health and Obesity. <i>Diabetes</i> , 2020, 69, 1955-P.	0.6	0
29	1064-P: The Human Recombinant REG3A Protein ALF-5755 Restores Glucose Homeostasis and Insulin Sensitivity in High-Fat Fed Mice and in Ob/Ob Mice. <i>Diabetes</i> , 2020, 69, .	0.6	1
30	Acyl-CoA-Binding Protein Is a Lipogenic Factor that Triggers Food Intake and Obesity. <i>Cell Metabolism</i> , 2019, 30, 754-767.e9.	16.2	67
31	Deciphering the Link Between Hyperhomocysteinemia and Ceramide Metabolism in Alzheimer-Type Neurodegeneration. <i>Frontiers in Neurology</i> , 2019, 10, 807.	2.4	22
32	Fostering improved human islet research: a European perspective. <i>Diabetologia</i> , 2019, 62, 1514-1516.	6.3	13
33	The glutamate receptor GluK2 contributes to the regulation of glucose homeostasis and its deterioration during aging. <i>Molecular Metabolism</i> , 2019, 30, 152-160.	6.5	10
34	Use of preclinical models to identify markers of type 2 diabetes susceptibility and novel regulators of insulin secretion – A step towards precision medicine. <i>Molecular Metabolism</i> , 2019, 27, S147-S154.	6.5	11
35	New roles for prokineticin 2 in feeding behavior, insulin resistance and type 2 diabetes: Studies in mice and humans. <i>Molecular Metabolism</i> , 2019, 29, 182-196.	6.5	15
36	Mitochondrial Dynamin-Related Protein 1 (DRP1) translocation in response to cerebral glucose is impaired in a rat model of early alteration in hypothalamic glucose sensing. <i>Molecular Metabolism</i> , 2019, 20, 166-177.	6.5	11

#	ARTICLE	IF	CITATIONS
37	Adipocyte Glucocorticoid Receptor Deficiency Promotes Adipose Tissue Expandability and Improves the Metabolic Profile Under Corticosterone Exposure. <i>Diabetes</i> , 2019, 68, 305-317.	0.6	35
38	Alterations in the Serotonin and Dopamine Pathways by Cystathionine Beta Synthase Overexpression in Murine Brain. <i>Molecular Neurobiology</i> , 2019, 56, 3958-3971.	4.0	6
39	Wide field speckle imaging for the investigation of cerebral blood flow in vivo in murine model of obesity. , 2019, , .		0
40	Multiple speckle exposure imaging for the study of blood flow changes induced by functional activation of barrel cortex and olfactory bulb in mice. <i>Neurophotonics</i> , 2019, 6, 1.	3.3	4
41	Overexpression of the DYRK1A Gene (Dual-Specificity Tyrosine Phosphorylation-Regulated Kinase 1A) Induces Alterations of the Serotonergic and Dopaminergic Processing in Murine Brain Tissues. <i>Molecular Neurobiology</i> , 2018, 55, 3822-3831.	4.0	17
42	Metabolic retroconversion of trimethylamine N-oxide and the gut microbiota. <i>Microbiome</i> , 2018, 6, 73.	11.1	127
43	ClusterCAD: a computational platform for type I modular polyketide synthase design. <i>Nucleic Acids Research</i> , 2018, 46, D509-D515.	14.5	55
44	Increased levels of inflammatory plasma markers and obesity risk in a mouse model of Down syndrome. <i>Free Radical Biology and Medicine</i> , 2018, 114, 122-130.	2.9	21
45	Inhibition of central de novo ceramide synthesis restores insulin signaling in hypothalamus and enhances β -cell function of obese Zucker rats. <i>Molecular Metabolism</i> , 2018, 8, 23-36.	6.5	51
46	Fasting Imparts a Switch to Alternative Daily Pathways in Liver and Muscle. <i>Cell Reports</i> , 2018, 25, 3299-3314.e6.	6.4	106
47	Estradiol Regulates Energy Balance by Ameliorating Hypothalamic Ceramide-Induced ER Stress. <i>Cell Reports</i> , 2018, 25, 413-423.e5.	6.4	68
48	Protective role of the ELOVL2/docosahexaenoic acid axis in glucolipotoxicity-induced apoptosis in rodent beta cells and human islets. <i>Diabetologia</i> , 2018, 61, 1780-1793.	6.3	32
49	Lixisenatide requires a functional gut-vagus nerve-brain axis to trigger insulin secretion in controls and type 2 diabetic mice. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 315, G671-G684.	3.4	10
50	Lipoprotein Lipase Expression in Hypothalamus Is Involved in the Central Regulation of Thermogenesis and the Response to Cold Exposure. <i>Frontiers in Endocrinology</i> , 2018, 9, 103.	3.5	6
51	Endospanin1 affects oppositely body weight regulation and glucose homeostasis by differentially regulating central leptin signaling. <i>Molecular Metabolism</i> , 2017, 6, 159-172.	6.5	11
52	Plasma Dihydroceramides Are Diabetes Susceptibility Biomarker Candidates in Mice and Humans. <i>Cell Reports</i> , 2017, 18, 2269-2279.	6.4	168
53	Lipoprotein lipase in hypothalamus is a key regulator of body weight gain and glucose homeostasis in mice. <i>Diabetologia</i> , 2017, 60, 1314-1324.	6.3	23
54	Mir-132/212 is required for maturation of binocular matching of orientation preference and depth perception. <i>Nature Communications</i> , 2017, 8, 15488.	12.8	31

#	ARTICLE	IF	CITATIONS
55	Hepatitis C virus induces a prediabetic state by directly impairing hepatic glucose metabolism in mice. <i>Journal of Biological Chemistry</i> , 2017, 292, 12860-12873.	3.4	20
56	Molecular phenotyping of multiple mouse strains under metabolic challenge uncovers a role for Elov12 in glucose-induced insulin secretion. <i>Molecular Metabolism</i> , 2017, 6, 340-351.	6.5	42
57	Pancreatic alpha cell-selective deletion of Tcf7l2 impairs glucagon secretion and counter-regulatory responses to hypoglycaemia in mice. <i>Diabetologia</i> , 2017, 60, 1043-1050.	6.3	18
58	Laparoscopic Adjustable Gastric Banding: Predictive Factors for Weight Loss and Band Removal After More than 10 Yearsâ€™ Follow-Up in a Single University Unit. <i>World Journal of Surgery</i> , 2017, 41, 2078-2086.	1.6	20
59	Rôle de la sphingosine kinase 1 dans lâ€™apoptose des cellules Î² pancréatiques induite par la glucolipotoxicité. <i>Diabetes and Metabolism</i> , 2017, 43, A5.	2.9	0
60	Brain lipoprotein lipase as a regulator of energy balance. <i>Biochimie</i> , 2017, 143, 51-55.	2.6	30
61	Disruption of Lipid Uptake in Astroglia Exacerbates Diet-Induced Obesity. <i>Diabetes</i> , 2017, 66, 2555-2563.	0.6	59
62	Long-Term Results After Laparoscopic Adjustable Gastric Banding for Morbid Obesity: 18-Year Follow-Up in a Single University Unit. <i>Obesity Surgery</i> , 2017, 27, 630-640.	2.1	47
63	Neuroplasticité cérébrale et régulation de la balance énergétique. <i>Cahiers De Nutrition Et De Diététique</i> , 2017, 52, 329-335.	0.3	0
64	Odor-Induced Neuronal Rhythms in the Olfactory Bulb Are Profoundly Modified in ob/ob Obese Mice. <i>Frontiers in Physiology</i> , 2017, 8, 2.	2.8	18
65	Over-expression of Slc30a8/ZnT8 selectively in the mouse Î± cell impairs glucagon release and responses to hypoglycemia. <i>Nutrition and Metabolism</i> , 2016, 13, 46.	3.0	20
66	Cell type-specific deletion in mice reveals roles for PAS kinase in insulin and glucagon production. <i>Diabetologia</i> , 2016, 59, 1938-1947.	6.3	10
67	Dietary triglycerides as signaling molecules that influence reward and motivation. <i>Current Opinion in Behavioral Sciences</i> , 2016, 9, 126-135.	3.9	12
68	Interaction of low dose of fish oil and glucocorticoids on insulin sensitivity and lipolysis in healthy humans: A randomized controlled study. <i>Molecular Nutrition and Food Research</i> , 2016, 60, 886-896.	3.3	8
69	Sorcini Links Pancreatic Î²-Cell Lipotoxicity to ER Ca ²⁺ Stores. <i>Diabetes</i> , 2016, 65, 1009-1021.	0.6	45
70	Sequence Assembly of <i>Yarrowia lipolytica</i> Strain W29/CLIB89 Shows Transposable Element Diversity. <i>PLoS ONE</i> , 2016, 11, e0162363.	2.5	68
71	LKB1 and AMPKÎ±1 are required in pancreatic alpha cells for the normal regulation of glucagon secretion and responses to hypoglycemia. <i>Molecular Metabolism</i> , 2015, 4, 277-286.	6.5	23
72	Targeting sphingolipid metabolism in the treatment of obesity/type 2 diabetes. <i>Expert Opinion on Therapeutic Targets</i> , 2015, 19, 1037-1050.	3.4	46

#	ARTICLE	IF	CITATIONS
73	The Zinc Transporter Slc30a8/ZnT8 Is Required in a Subpopulation of Pancreatic β -Cells for Hypoglycemia-induced Glucagon Secretion. <i>Journal of Biological Chemistry</i> , 2015, 290, 21432-21442.	3.4	40
74	Vasopressin and hydration play a major role in the development of glucose intolerance and hepatic steatosis in obese rats. <i>Diabetologia</i> , 2015, 58, 1081-1090.	6.3	70
75	Multilevel control of glucose homeostasis by adenylyl cyclase 8. <i>Diabetologia</i> , 2015, 58, 749-757.	6.3	29
76	Brain lipid sensing and the neural control of energy balance. <i>Molecular and Cellular Endocrinology</i> , 2015, 418, 3-8.	3.2	68
77	Palatability Can Drive Feeding Independent of AgRP Neurons. <i>Cell Metabolism</i> , 2015, 22, 646-657.	16.2	122
78	GDH-Dependent Glutamate Oxidation in the Brain Dictates Peripheral Energy Substrate Distribution. <i>Cell Reports</i> , 2015, 13, 365-375.	6.4	49
79	Mitochondrial Mutations in Subjects with Psychiatric Disorders. <i>PLoS ONE</i> , 2015, 10, e0127280.	2.5	39
80	Glucolipotoxicity Impairs Ceramide Flow from the Endoplasmic Reticulum to the Golgi Apparatus in INS-1 β -Cells. <i>PLoS ONE</i> , 2014, 9, e110875.	2.5	25
81	Roles of Sphingolipid Metabolism in Pancreatic β Cell Dysfunction Induced by Lipotoxicity. <i>Journal of Clinical Medicine</i> , 2014, 3, 646-662.	2.4	39
82	Hippocampal lipoprotein lipase regulates energy balance in rodents. <i>Molecular Metabolism</i> , 2014, 3, 167-176.	6.5	47
83	Lipid sensing in the brain and regulation of energy balance. <i>Diabetes and Metabolism</i> , 2014, 40, 29-33.	2.9	45
84	Physiological and pathophysiological implications of lipid sensing in the brain. <i>Diabetes, Obesity and Metabolism</i> , 2014, 16, 49-55.	4.4	21
85	Unsaturated Fatty Acids Disrupt Smad Signaling in Gonadotrope Cells Leading to Inhibition of FSH β Gene Expression. <i>Endocrinology</i> , 2014, 155, 592-604.	2.8	10
86	Dietary triglycerides act on mesolimbic structures to regulate the rewarding and motivational aspects of feeding. <i>Molecular Psychiatry</i> , 2014, 19, 1095-1105.	7.9	54
87	Hypoglycemia-Activated GLUT2 Neurons of the Nucleus Tractus Solitarius Stimulate Vagal Activity and Glucagon Secretion. <i>Cell Metabolism</i> , 2014, 19, 527-538.	16.2	114
88	Nervous glucose sensing regulates postnatal β cell proliferation and glucose homeostasis. <i>Journal of Clinical Investigation</i> , 2014, 124, 413-424.	8.2	62
89	FAT/CD36: A Major Regulator of Neuronal Fatty Acid Sensing and Energy Homeostasis in Rats and Mice. <i>Diabetes</i> , 2013, 62, 2709-2716.	0.6	72
90	Dietary supplementation with <i>Agaricus blazei</i> murill extract prevents diet-induced obesity and insulin resistance in rats. <i>Obesity</i> , 2013, 21, 553-561.	3.0	16

#	ARTICLE	IF	CITATIONS
91	1164 INDUCTION OF A PREDIABETIC STATE IN TRANSGENIC MICE EXPRESSING THE HCV PROTEINS. <i>Journal of Hepatology</i> , 2013, 58, S473-S474.	3.7	2
92	Targeting lipid sensing in the central nervous system: new therapy against the development of obesity and type 2 diabetes. <i>Expert Opinion on Therapeutic Targets</i> , 2013, 17, 545-555.	3.4	17
93	Fatty Acid Transporter CD36 Mediates Hypothalamic Effect of Fatty Acids on Food Intake in Rats. <i>PLoS ONE</i> , 2013, 8, e74021.	2.5	26
94	Incretin Effect of Glucagon-Like Peptide 1 Receptor Agonist Is Preserved in Presence of ABCC8/SUR1 Mutation in β -Cell. <i>Diabetes Care</i> , 2012, 35, e76-e76.	8.6	9
95	Beige differentiation of adipose depots in mice lacking prolactin receptor protects against high-fat diet-induced obesity. <i>FASEB Journal</i> , 2012, 26, 3728-3737.	0.5	65
96	Hypothalamic AgRP-neurons control peripheral substrate utilization and nutrient partitioning. <i>EMBO Journal</i> , 2012, 31, 4276-4288.	7.8	105
97	Glucose-Induced O ₂ Consumption Activates Hypoxia Inducible Factors 1 and 2 in Rat Insulin-Secreting Pancreatic Beta-Cells. <i>PLoS ONE</i> , 2012, 7, e29807.	2.5	80
98	Interleukin-7 Regulates Adipose Tissue Mass and Insulin Sensitivity in High-Fat Diet-Fed Mice through Lymphocyte-Dependent and Independent Mechanisms. <i>PLoS ONE</i> , 2012, 7, e40351.	2.5	29
99	Unsaturated Fatty Acids Stimulate LH Secretion via Novel PKC μ and - δ in Gonadotrope Cells and Inhibit GnRH-Induced LH Release. <i>Endocrinology</i> , 2011, 152, 3905-3916.	2.8	37
100	Metabolic Sensing and the Brain: Who, What, Where, and How?. <i>Endocrinology</i> , 2011, 152, 2552-2557.	2.8	122
101	Brain lipid sensing and nervous control of energy balance. <i>Diabetes and Metabolism</i> , 2011, 37, 83-88.	2.9	48
102	Physiological and Pharmacological Mechanisms through which the DPP-4 Inhibitor Sitagliptin Regulates Glycemia in Mice. <i>Endocrinology</i> , 2011, 152, 3018-3029.	2.8	134
103	GLUT2 Accumulation in Enterocyte Apical and Intracellular Membranes. <i>Diabetes</i> , 2011, 60, 2598-2607.	0.6	122
104	Role of Hypothalamic Melanocortin System in Adaptation of Food Intake to Food Protein Increase in Mice. <i>PLoS ONE</i> , 2011, 6, e19107.	2.5	24
105	Lipid-Induced Peroxidation in the Intestine Is Involved in Glucose Homeostasis Imbalance in Mice. <i>PLoS ONE</i> , 2011, 6, e21184.	2.5	9
106	Palmitic acid mediates hypothalamic insulin resistance by altering PKC- δ subcellular localization in rodents. <i>Journal of Clinical Investigation</i> , 2011, 121, 456-456.	8.2	1
107	The suppressor of cytokine signalling 2 (SOCS2) is a key repressor of insulin secretion. <i>Diabetologia</i> , 2010, 53, 1935-1946.	6.3	23
108	Ventromedial Hypothalamic Nitric Oxide Production Is Necessary for Hypoglycemia Detection and Counterregulation. <i>Diabetes</i> , 2010, 59, 519-528.	0.6	95

#	ARTICLE	IF	CITATIONS
109	Hypothalamic integration of portal glucose signals and control of food intake and insulin sensitivity. <i>Diabetes and Metabolism</i> , 2010, 36, 257-262.	2.9	50
110	Palmitic acid mediates hypothalamic insulin resistance by altering PKC- δ , subcellular localization in rodents. <i>Journal of Clinical Investigation</i> , 2010, 120, 394-394.	8.2	3
111	Adiponectin is required to mediate rimonabant-induced improvement of insulin sensitivity but not body weight loss in diet-induced obese mice. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2009, 296, R929-R935.	1.8	37
112	Exploring Functional β -Cell Heterogeneity In Vivo Using PSA-NCAM as a Specific Marker. <i>PLoS ONE</i> , 2009, 4, e5555.	2.5	39
113	Deregulation of Hepatic Insulin Sensitivity Induced by Central Lipid Infusion in Rats Is Mediated by Nitric Oxide. <i>PLoS ONE</i> , 2009, 4, e6649.	2.5	14
114	GRP78 expression inhibits insulin and ER stress-induced SREBP-1c activation and reduces hepatic steatosis in mice. <i>Journal of Clinical Investigation</i> , 2009, 119, 1201-1215.	8.2	605
115	Enhanced Hypothalamic Glucose Sensing in Obesity: Alteration of Redox Signaling. <i>Diabetes</i> , 2009, 58, 2189-2197.	0.6	58
116	Characteristics and mechanisms of hypothalamic neuronal fatty acid sensing. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2009, 297, R655-R664.	1.8	119
117	Effects of maternal genotype and diet on offspring glucose and fatty acid-sensing ventromedial hypothalamic nucleus neurons. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2009, 297, R1351-R1357.	1.8	34
118	Mitochondrial Reactive Oxygen Species Are Obligatory Signals for Glucose-Induced Insulin Secretion. <i>Diabetes</i> , 2009, 58, 673-681.	0.6	307
119	S26948, a new specific peroxisome proliferator activated receptor gamma modulator improved in vivo hepatic insulin sensitivity in 48h lipid infused rats. <i>European Journal of Pharmacology</i> , 2009, 608, 104-111.	3.5	9
120	Functional pancreatic beta-cell mass: Involvement in type 2 diabetes and therapeutic intervention. <i>Diabetes and Metabolism</i> , 2009, 35, 77-84.	2.9	88
121	Comparative effects of Citrullus colocynthis, sunflower and olive oil-enriched diet in streptozotocin-induced diabetes in rats. <i>Diabetes and Metabolism</i> , 2009, 35, 178-184.	2.9	56
122	What can bariatric surgery teach us about the pathophysiology of type 2 diabetes?. <i>Diabetes and Metabolism</i> , 2009, 35, 499-507.	2.9	34
123	Intestinal gluconeogenesis: key signal of central control of energy and glucose homeostasis. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2009, 12, 419-423.	2.5	46
124	Palmitic acid mediates hypothalamic insulin resistance by altering PKC- δ , subcellular localization in rodents. <i>Journal of Clinical Investigation</i> , 2009, 119, 2577-2589.	8.2	289
125	The central nervous system at the core of the regulation of energy homeostasis. <i>Frontiers in Bioscience - Scholar</i> , 2009, S1, 448-465.	2.1	51
126	Les signaux de la régulation du comportement alimentaire. <i>Obesité</i> , 2008, 3, 167-176.	0.1	0

#	ARTICLE	IF	CITATIONS
127	Oxidative Stress Contributes to Aging by Enhancing Pancreatic Angiogenesis and Insulin Signaling. <i>Cell Metabolism</i> , 2008, 7, 113-124.	16.2	64
128	Intestinal Gluconeogenesis Is a Key Factor for Early Metabolic Changes after Gastric Bypass but Not after Gastric Lap-Band in Mice. <i>Cell Metabolism</i> , 2008, 8, 201-211.	16.2	270
129	Insulin Internalizes GLUT2 in the Enterocytes of Healthy but Not Insulin-Resistant Mice. <i>Diabetes</i> , 2008, 57, 555-562.	0.6	99
130	Brain Glucagon-Like Peptide-1 Regulates Arterial Blood Flow, Heart Rate, and Insulin Sensitivity. <i>Diabetes</i> , 2008, 57, 2577-2587.	0.6	107
131	The Transcription Factor COUP-TFII Is Negatively Regulated by Insulin and Glucose via Foxo1- and ChREBP-Controlled Pathways. <i>Molecular and Cellular Biology</i> , 2008, 28, 6568-6579.	2.3	35
132	mTOR Inhibition by Rapamycin Prevents β -Cell Adaptation to Hyperglycemia and Exacerbates the Metabolic State in Type 2 Diabetes. <i>Diabetes</i> , 2008, 57, 945-957.	0.6	336
133	Free fatty acids and insulin resistance. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2007, 10, 142-148.	2.5	369
134	Fatty acid sensing and nervous control of energy homeostasis. <i>Diabetes and Metabolism</i> , 2007, 33, 177-182.	2.9	45
135	Les acides gras : molécules informatives du contrôle nerveux de l'homéostasie énergétique. <i>Cahiers De Nutrition Et De Dietetique</i> , 2007, 42, 139-145.	0.3	1
136	La néoglucogénèse intestinale: un nouvel acteur du contrôle de la prise alimentaire. <i>Cahiers De Nutrition Et De Dietetique</i> , 2006, 41, 211-215.	0.3	2
137	Importance of the gut-brain axis in the control of glucose homeostasis. <i>Current Opinion in Pharmacology</i> , 2006, 6, 592-597.	3.5	20
138	Effects of Oleic Acid on Distinct Populations of Neurons in the Hypothalamic Arcuate Nucleus Are Dependent on Extracellular Glucose Levels. <i>Journal of Neurophysiology</i> , 2006, 95, 1491-1498.	1.8	119
139	Lipotoxicité et insulino-résistance. <i>Nutrition Clinique Et Metabolisme</i> , 2006, 20, 108-113.	0.5	3
140	Mitochondrial Reactive Oxygen Species Are Required for Hypothalamic Glucose Sensing. <i>Diabetes</i> , 2006, 55, 2084-2090.	0.6	136
141	Dysregulation of energy homeostasis in mice overexpressing insulin-like growth factor-binding protein 6 in the brain. <i>Diabetologia</i> , 2005, 48, 1189-1197.	6.3	21
142	Early changes in insulin secretion and action induced by high-fat diet are related to a decreased sympathetic tone. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2005, 288, E148-E154.	3.5	48
143	F-DIO obesity-prone rat is insulin resistant before obesity onset. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2005, 289, R704-R711.	1.8	52
144	Psammomys Obesus, a Model for Environment-Gene Interactions in Type 2 Diabetes. <i>Diabetes</i> , 2005, 54, S137-S144.	0.6	57

#	ARTICLE	IF	CITATIONS
145	Portal sensing of intestinal gluconeogenesis is a mechanistic link in the diminution of food intake induced by diet protein. <i>Cell Metabolism</i> , 2005, 2, 321-329.	16.2	168
146	Intrauterine Hyperglycemia Increases Insulin Binding Sites but Not Glucose Transporter Expression in Discrete Brain Areas in Term Rat Fetuses. <i>Pediatric Research</i> , 2004, 56, 263-267.	2.3	10
147	Beta oxidation in the brain is required for the effects of non-esterified fatty acids on glucose-induced insulin secretion in rats. <i>Diabetologia</i> , 2004, 47, 2032-2038.	6.3	66
148	Leptin Receptor-Deficient Obese Zucker Rats Reduce Their Food Intake in Response to a Systemic Supply of Calories From Glucose. <i>Diabetes</i> , 2003, 52, 277-282.	0.6	44
149	Pancreatic β -cell α 2A adrenoceptor and phospholipid changes in hyperlipidemic rats adrenoceptor and phospholipid changes in hyperlipidemic rats. <i>Lipids</i> , 2002, 37, 501-506.	1.7	14
150	Intracerebroventricular infusion of a triglyceride emulsion leads to both altered insulin secretion and hepatic glucose production in rats. <i>Pflugers Archiv European Journal of Physiology</i> , 2002, 445, 375-380.	2.8	40
151	Altered Glut4 mRNA levels in specific brain areas of hyperglycemic-hyperinsulinemic rats. <i>Neuroscience Letters</i> , 2001, 308, 75-78.	2.1	23
152	Glucose-Induced Insulin Hypersecretion in Lipid-Infused Healthy Subjects Is Associated with a Decrease in Plasma Norepinephrine Concentration and Urinary Excretion. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 4901-4907.	3.6	31
153	Glucose Regulates Proinsulin and Prosomatostatin But Not Proglucagon Messenger Ribonucleic Acid Levels in Rat Pancreatic Islets. <i>Endocrinology</i> , 2000, 141, 174-180.	2.8	30
154	Glucose Regulates Proinsulin and Prosomatostatin But Not Proglucagon Messenger Ribonucleic Acid Levels in Rat Pancreatic Islets. <i>Endocrinology</i> , 2000, 141, 174-180.	2.8	5
155	Glucose-Induced Preproinsulin Gene Expression Is Inhibited by the Free Fatty Acid Palmitate. <i>Endocrinology</i> , 1999, 140, 4005-4014.	2.8	87
156	Lipid infusion lowers sympathetic nervous activity and leads to increased β -cell responsiveness to glucose. <i>Journal of Clinical Investigation</i> , 1999, 103, 413-419.	8.2	90
157	Glucose-Induced Preproinsulin Gene Expression Is Inhibited by the Free Fatty Acid Palmitate. <i>Endocrinology</i> , 1999, 140, 4005-4014.	2.8	31
158	Insulin, But Not Glucose Lowering Corrects the Hyperglucagonemia and Increased Proglucagon Messenger Ribonucleic Acid Levels Observed in Insulinopenic Diabetes**This work was supported by the Swiss National Fund (Grant 32â€“46816.96 to J.P. and Grant 32â€“34086.95 to P.M.), the Institute for Human Genetics and Biochemistry, the Nâ€“geli Wolferrmann Foundation, the Horten Foundation, and the Juvenile Diabetes Foundation International (Grant 197124).. <i>Endocrinology</i> , 1998, 139, 4540-4546.	2.8	25
159	Altered Activity of the Autonomous Nervous System as a Determinant of the Impaired β -Cell Secretory Response after Protein-Energy Restriction in the Rat*. <i>Endocrinology</i> , 1998, 139, 3382-3389.	2.8	39
160	Pancreatic beta-cell regeneration after 48-h glucose infusion in mildly diabetic rats is not correlated with functional improvement. <i>Diabetes</i> , 1998, 47, 1058-1065.	0.6	66
161	Insulin, But Not Glucose Lowering Corrects the Hyperglucagonemia and Increased Proglucagon Messenger Ribonucleic Acid Levels Observed in Insulinopenic Diabetes. <i>Endocrinology</i> , 1998, 139, 4540-4546.	2.8	9
162	Altered Activity of the Autonomous Nervous System as a Determinant of the β -Cell Secretory Response after Protein-Energy Restriction in the Rat. <i>Endocrinology</i> , 1998, 139, 3382-3389.	2.8	10

#	ARTICLE	IF	CITATIONS
163	Chronic free fatty acid infusion in rats results in insulin resistance but no alteration in insulin-responsive glucose transporter levels in skeletal muscle. <i>Lipids</i> , 1996, 31, 1141-1149.	1.7	26
164	Involvement of the autonomic nervous system in the in vivo memory to glucose of pancreatic beta cell in rats.. <i>Journal of Clinical Investigation</i> , 1994, 94, 1456-1462.	8.2	40
165	Differential Effect of Fatty Acids in Nervous Control of Energy Balance. , 0, , .		0
166	The Cephalic Phase of Insulin Release is Modulated by $IL-1\beta$. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
167	Dietary Supplementation With <i>Agaricus Blazei</i> Murill Extract Prevents Diet-Induced Obesity and Insulin Resistance in Rats. <i>Obesity</i> , 0, , .	3.0	1
168	Regenerating Islet-Derived Protein β : A Promising Therapy for Diabetes. Preliminary Data in Rodents and in Humans. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0