
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5769483/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Ureteral Stent Encrustation, Incrustation, and Coloring: Morbidity Related to Indwelling Times. Journal of Endourology, 2012, 26, 178-182. | 2.1 | 158 |
| 2 | ELK1 is up-regulated by androgen in bladder cancer cells and promotes tumor progression. Oncotarget, 2015, 6, 29860-29876. | 1.8 | 83 |
| 3 | The Most Reliable Preoperative Assessment of Renal Stone Burden as a Predictor of Stone-free Status After Flexible Ureteroscopy With Holmium Laser Lithotripsy: A Single-center Experience. Urology, 2012, 80, 524-528. | 1.0 | 78 |
| 4 | Predictive Value of Attenuation Coefficients Measured as Hounsfield Units on Noncontrast Computed Tomography During Flexible Ureteroscopy with Holmium Laser Lithotripsy: A Single-Center Experience. Journal of Endourology, 2012, 26, 1125-1130. | 2.1 | 63 |
| 5 | Development and internal validation of a nomogram for predicting stoneâ€free status after flexible ureteroscopy for renal stones. BJU International, 2015, 115, 446-451. | 2.5 | 60 |
| 6 | Androgen receptor activity modulates responses to cisplatin treatment in bladder cancer. Oncotarget, 2016, 7, 49169-49179. | 1.8 | 56 |
| 7 | Neutrophil-to-lymphocyte ratio predicts prostatic carcinoma in men undergoing needle biopsy. Oncotarget, 2015, 6, 32169-32176. | 1.8 | 53 |
| 8 | Cyclosporine A and tacrolimus inhibit bladder cancer growth through down-regulation of NFATc1. Oncotarget, 2015, 6, 1582-1593. | 1.8 | 52 |
| 9 | Preoperative stenting for ureteroscopic lithotripsy for a large renal stone. International Journal of Urology, 2012, 19, 881-885. | 1.0 | 49 |
| 10 | Ureteroscopy assisted retrograde nephrostomy: a new technique for percutaneous nephrolithotomy (PCNL). BJU International, 2012, 110, 588-590. | 2.5 | 47 |
| 11 | Loss of GATA3 in bladder cancer promotes cell migration and invasion. Cancer Biology and Therapy, 2014, 15, 428-435. | 3.4 | 46 |
| 12 | Neutrophil-to-lymphocyte ratio is a prognostic marker in bladder cancer patients after radical cystectomy. BMC Cancer, 2016, 16, 185. | 2.6 | 46 |
| 13 | A low psoas muscle volume correlates with a longer hospitalization after radical cystectomy. BMC Urology, 2017, 17, 87. | 1.4 | 40 |
| 14 | The role of NFATc1 in prostate cancer progression: Cyclosporine A and tacrolimus inhibit cell proliferation, migration, and invasion. Prostate, 2015, 75, 573-584. | 2.3 | 39 |
| 15 | Pretreatment neutrophil-to-lymphocyte ratio predicts the prognosis in patients with metastatic prostate cancer. BMC Cancer, 2016, 16, 111. | 2.6 | 35 |
| 16 | Prostaglandin receptors induce urothelial tumourigenesis as well as bladder cancer progression and cisplatin resistance presumably via modulating PTEN expression. British Journal of Cancer, 2018, 118, 213-223. | 6.4 | 35 |
| 17 | Compound A Inhibits Bladder Cancer Growth Predominantly via Glucocorticoid Receptor Transrepression. Molecular Endocrinology, 2015, 29, 1486-1497. | 3.7 | 34 |
| 18 | Enzalutamide inhibits androgen receptor–positive bladder cancer cell growth. Urologic Oncology: Seminars and Original Investigations, 2016, 34, 432.e15-432.e23. | 1.6 | 33 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Reduced Glucocorticoid Receptor Expression Predicts Bladder Tumor Recurrence and Progression. American Journal of Clinical Pathology, 2014, 142, 157-164. | 0.7 | 31 |
| 20 | Nonsteroidal Anti-Inflammatory Drugs and Prostatic Diseases. BioMed Research International, 2014, 2014, 1-6. | 1.9 | 29 |
| 21 | Prognostic value of a computer-aided diagnosis system involving bone scans among men treated with docetaxel for metastatic castration-resistant prostate cancer. BMC Cancer, 2016, 16, 109. | 2.6 | 29 |
| 22 | Abiraterone Followed by Enzalutamide Versus Enzalutamide Followed by Abiraterone in Chemotherapy-naive Patients With Metastatic Castration-resistant Prostate Cancer. Clinical Genitourinary Cancer, 2018, 16, 142-148. | 1.9 | 29 |
| 23 | Cyclosporine A and tacrolimus inhibit urothelial tumorigenesis. Molecular Carcinogenesis, 2016, 55, 161-169. | 2.7 | 27 |
| 24 | Neutrophil-to-Lymphocyte Ratio Predicts Prognosis in Castration-Resistant Prostate Cancer Patients Who Received Cabazitaxel Chemotherapy. BioMed Research International, 2017, 2017, 1-5. | 1.9 | 27 |
| 25 | Risk Factors for Metastatic Castration-Resistant Prostate Cancer (CRPC) Predict Long-Term Treatment with Docetaxel. PLoS ONE, 2012, 7, e48186. | 2.5 | 27 |
| 26 | Changing to a loop-type ureteral stent decreases patients' stent-related symptoms. Urological Research, 2012, 40, 763-767. | 1.5 | 26 |
| 27 | ZKSCAN3 promotes bladder cancer cell proliferation, migration, and invasion. Oncotarget, 2016, 7, 53599-53610. | 1.8 | 26 |
| 28 | Effect of density gradient centrifugation on reactive oxygen species in human semen. Systems Biology in Reproductive Medicine, 2017, 63, 192-198. | 2.1 | 26 |
| 29 | A Low Psoas Muscle Index before Treatment Can Predict a Poorer Prognosis in Advanced Bladder Cancer Patients Who Receive Gemcitabine and Nedaplatin Therapy. BioMed Research International, 2017, 2017, 1-4. | 1.9 | 25 |
| 30 | Pretreatment Neutrophil to Lymphocyte Ratio (NLR) Predicts Prognosis for Castration Resistant Prostate Cancer Patients Underwent Enzalutamide. BioMed Research International, 2019, 2019, 1-5. | 1.9 | 25 |
| 31 | Choosing an Appropriate Length of Loop Type Ureteral Stent Using Direct Ureteral Length Measurement. Urologia Internationalis, 2012, 88, 48-53. | 1.3 | 24 |
| 32 | Development and Internal Validation ofÂaÂClassification System for Predicting Success Rates After Endoscopic Combined Intrarenal Surgery in the Modified Valdivia Position for Large Renal Stones. Urology, 2015, 86, 697-702. | 1.0 | 24 |
| 33 | Prognostic value of the bone scan index using a computer-aided diagnosis system for bone scans in hormone-naive prostate cancer patients with bone metastases. BMC Cancer, 2016, 16, 128. | 2.6 | 24 |
| 34 | Ureteral Stent Retrieval Using the Crochet Hook Technique in Females. PLoS ONE, 2012, 7, e29292. | 2.5 | 23 |
| 35 | FOXO1 as a tumor suppressor inactivated via AR/ERÎ ² signals in urothelial cells. Endocrine-Related Cancer, 2020, 27, 231-244. | 3.1 | 23 |
| 36 | A new prediction model for operative time of flexible ureteroscopy with lithotripsy for the treatment of renal stones. PLoS ONE, 2018, 13, e0192597. | 2.5 | 22 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Clinical factors prolonging the operative time of flexible ureteroscopy for renal stones: a single-center analysis. Urolithiasis, 2015, 43, 467-475. | 2.0 | 20 |
| 38 | Increased neutrophil-to-lymphocyte ratio is associated with disease-specific mortality in patients with penile cancer. BMC Cancer, 2016, 16, 396. | 2.6 | 20 |
| 39 | Silodosin inhibits the growth of bladder cancer cells and enhances the cytotoxic activity of cisplatin via ELK1 inactivation. American Journal of Cancer Research, 2015, 5, 2959-68. | 1.4 | 20 |
| 40 | Silodosin inhibits prostate cancer cell growth via ELK1 inactivation and enhances the cytotoxic activity of gemcitabine. Prostate, 2016, 76, 744-756. | 2.3 | 19 |
| 41 | Comparison of Sequential Treatment With Androgen Receptor-Targeted Agent Followed byÂAnother Androgen Receptor-Targeted Agent Versus Androgen Receptor-Targeted Agent Followed by Docetaxel in Chemotherapy-Naive Patients With Metastatic Castration-Resistant Prostate Cancer. Clinical Genitourinary Cancer. 2017. 15. e1073-e1080. | 1.9 | 19 |
| 42 | Paraganglioma in the bladder: a case report. Journal of Medical Case Reports, 2017, 11, 306. | 0.8 | 19 |
| 43 | Androgen receptor mRNA expression is a predictor for recurrence-free survival in non-muscle invasive bladder cancer. BMC Cancer, 2019, 19, 331. | 2.6 | 19 |
| 44 | Analysis of NSAID-Activated Gene 1 Expression in Prostate Cancer. Urologia Internationalis, 2010, 84, 198-202. | 1.3 | 17 |
| 45 | Predicting the mineral composition of ureteral stone using non-contrast computed tomography. Urolithiasis, 2016, 44, 231-239. | 2.0 | 17 |
| 46 | Androgen Receptor Signaling Reduces the Efficacy of Bacillus Calmette-Guérin Therapy for Bladder Cancer via Modulating Rab27b-Induced Exocytosis. Molecular Cancer Therapeutics, 2020, 19, 1930-1942. | 4.1 | 17 |
| 47 | Onco-testicular sperm extraction (onco-TESE) for bilateral testicular tumors: two case reports. Journal of Medical Case Reports, 2017, 11, 139. | 0.8 | 16 |
| 48 | Expression of receptor activator of nuclear factor kappaÂB ligand in bladder cancer. International Journal of Urology, 2018, 25, 901-902. | 1.0 | 16 |
| 49 | Outcomes of treatment for localized prostate cancer in a single institution: comparison of radical prostatectomy and radiation therapy by propensity score matching analysis. World Journal of Urology, 2020, 38, 2477-2484. | 2.2 | 16 |
| 50 | A lower psoas muscle volume was associated with a higher rate of recurrence in male clear cell renal cell carcinoma. PLoS ONE, 2020, 15, e0226581. | 2.5 | 16 |
| 51 | Which is the best method to estimate the actual ureteral length in patients undergoing ureteral stent placement?. International Journal of Urology, 2012, 19, 634-638. | 1.0 | 15 |
| 52 | Lack of an Association between Neutrophil-to-Lymphocyte Ratio and PSA Failure of Prostate Cancer Patients Who Underwent Radical Prostatectomy. BioMed Research International, 2016, 2016, 1-6. | 1.9 | 15 |
| 53 | FDG PET/CT after first molecular targeted therapy predicts survival of patients with renal cell carcinoma. Cancer Chemotherapy and Pharmacology, 2018, 81, 739-744. | 2.3 | 15 |
| 54 | Gastrointestinal cancer and bilateral hydronephrosis resulted in a high risk of ureteral stent failure. BMC Urology, 2018, 18, 35. | 1.4 | 15 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Impact of smoking habit on overactive bladder symptoms and incontinence in women. International Journal of Urology, 2020, 27, 1078-1086. | 1.0 | 15 |
| 56 | Efficacy of Immediate Switching from Bicalutamide to Flutamide as Second-Line Combined Androgen Blockade. BioMed Research International, 2016, 2016, 1-7. | 1.9 | 14 |
| 57 | The neutrophil-to-lymphocyte ratio (NLR) predicts adrenocortical carcinoma and is correlated with the prognosis. BMC Urology, 2017, 17, 49. | 1.4 | 14 |
| 58 | BHD-associated kidney cancer exhibits unique molecular characteristics and a wide variety of variants in chromatin remodeling genes. Human Molecular Genetics, 2018, 27, 2712-2724. | 2.9 | 14 |
| 59 | Prognostic Value of the LATITUDE and CHAARTED Risk Criteria for Predicting the Survival of Men with Bone Metastatic Hormone-NaÃ ⁻ ve Prostate Cancer Treated with Combined Androgen Blockade Therapy: Real-World Data from a Japanese Multi-Institutional Study. BioMed Research International, 2020, 2020, 1-7 | 1.9 | 14 |
| 60 | Stone area and volume are correlated with operative time for cystolithotripsy for bladder calculi using a holmium: yttrium garnet laser. Scandinavian Journal of Urology and Nephrology, 2012, 46, 298-303. | 1.4 | 13 |
| 61 | Risk factors of systemic inflammation response syndrome after endoscopic combined intrarenal surgery in the modified Valdivia position. International Journal of Urology, 2016, 23, 687-692. | 1.0 | 13 |
| 62 | Predictors of poor response to secondary alternative antiandrogen therapy with flutamide in metastatic castration-resistant prostate cancer. Japanese Journal of Clinical Oncology, 2016, 46, 1042-1046. | 1.3 | 13 |
| 63 | Prognostic Value of Automated Bone Scan Index in Men With Metastatic Castration-resistant Prostate Cancer Treated With Enzalutamide or Abiraterone Acetate. Clinical Genitourinary Cancer, 2017, 15, 472-478. | 1.9 | 13 |
| 64 | Ureteral Stent Exchange under Fluoroscopic Guidance Using the Crochet Hook Technique in Women. Urologia Internationalis, 2012, 88, 322-325. | 1.3 | 12 |
| 65 | Effectiveness of Ureteroscopy-Assisted Retrograde Nephrostomy (UARN) for Percutaneous Nephrolithotomy (PCNL). PLoS ONE, 2012, 7, e52149. | 2.5 | 12 |
| 66 | NFATc1 Expression as a Prognosticator in Urothelial Carcinoma of the Upper Urinary Tract. Translational Oncology, 2017, 10, 318-323. | 3.7 | 12 |
| 67 | Baseline neutrophil‑to‑lymphocyte ratio predicts the prognosis of castration‑resistant prostate cancer treated with abiraterone acetate. Molecular and Clinical Oncology, 2018, 8, 587-591. | 1.0 | 12 |
| 68 | Prognostic value of an automated bone scan index for men with metastatic castration-resistant prostate cancer treated with cabazitaxel. BMC Cancer, 2018, 18, 501. | 2.6 | 12 |
| 69 | A high neutrophil-to-lymphocyte ratio is a poor prognostic factor for castration-resistant prostate cancer patients who undergo abiraterone acetate or enzalutamide treatment. BMC Cancer, 2020, 20, 919. | 2.6 | 12 |
| 70 | Pretreatment Neutrophil-to-Lymphocyte Ratio Can Predict the Prognosis in Bladder Cancer Patients Who Receive Gemcitabine and Nedaplatin Therapy. BioMed Research International, 2016, 2016, 1-5. | 1.9 | 11 |
| 71 | Measurement of serum isoform [–2]proPSA derivatives shows superior accuracy to magnetic resonance imaging in the diagnosis of prostate cancer in patients with a total prostate-specific antigen level of 2–10 ng/ml. Scandinavian Journal of Urology, 2017, 51, 251-257. | 1.0 | 11 |
| 72 | Skene ductÂadenocarcinoma in a patient with an elevated serum prostate-specific antigen level: a case report. Journal of Medical Case Reports, 2018, 12, 32. | 0.8 | 11 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | A Longer History of Hemodialysis Can Lead to Sarcopenia in Renal Transplantation Patients. Transplantation Proceedings, 2018, 50, 2447-2450. | 0.6 | 11 |
| 74 | Primary amelanotic malignant melanoma of the male urethra with inguinal lymph node metastasis successfully controlled by nivolumab: A case report. Urology Case Reports, 2018, 18, 54-56. | 0.3 | 11 |
| 75 | Renal Cell Carcinoma in a Horseshoe Kidney Treated with Laparoscopic Partial Nephrectomy. Case Reports in Oncological Medicine, 2018, 2018, 1-3. | 0.3 | 11 |
| 76 | Correlation between Automated Bone Scan Index Change after Cabazitaxel and Survival among Men with Castration-Resistant Prostate Cancer. Urologia Internationalis, 2019, 103, 279-284. | 1.3 | 11 |
| 77 | Does screening for prostate cancer improve cancerâ€specific mortality in Asian men? Realâ€world data in Yokosuka City 15 years after introducing PSAâ€based population screening. Prostate, 2020, 80, 824-830. | 2.3 | 11 |
| 78 | ELK1 promotes urothelial tumorigenesis in the presence of an activated androgen receptor. American Journal of Cancer Research, 2018, 8, 2325-2336. | 1.4 | 11 |
| 79 | Developing a preoperative predictive model for ureteral length for ureteral stent insertion. BMC Urology, 2016, 16, 70. | 1.4 | 10 |
| 80 | Foreign body in the bladder: A case report. International Journal of Surgery Case Reports, 2017, 32, 22-24. | 0.6 | 10 |
| 81 | A low psoas muscle volume predicts longer hospitalization and cancer recurrence in upper urinary tract urothelial carcinoma. Molecular and Clinical Oncology, 2017, 8, 320-322. | 1.0 | 10 |
| 82 | Distribution of androgen receptor expression in the urinary bladder. International Journal of Urology, 2019, 26, 305-306. | 1.0 | 10 |
| 83 | The impact of smoking on male lower urinary tract symptoms (LUTS). Scientific Reports, 2020, 10, 20212. | 3.3 | 10 |
| 84 | Early ureteral catheter removal after ureteroscopic lithotripsy using ureteral access sheath. Urolithiasis, 2013, 41, 31-35. | 2.0 | 9 |
| 85 | Expression of Phospho-ELK1 and Its Prognostic Significance in Urothelial Carcinoma of the Upper Urinary Tract. International Journal of Molecular Sciences, 2018, 19, 777. | 4.1 | 9 |
| 86 | Successful onco-testicular sperm extraction from a testicular cancer patient with a single testis and azoospermia. Clinical and Experimental Reproductive Medicine, 2018, 45, 44-47. | 1.5 | 9 |
| 87 | Highâ€grade invasive urothelial carcinoma with focal plasmacytoid differentiation successfully treated by transurethral resection followed by chemoradiotherapy. International Journal of Urology, 2011, 18, 851-853. | 1.0 | 8 |
| 88 | Encrusted Ureteral Stent Retrieval Using Flexible Ureteroscopy with a Ho: YAG Laser. Case Reports in Medicine, 2012, 2012, 1-4. | 0.7 | 8 |
| 89 | Longer Control of Nivolumab in Metastatic Renal Cell Carcinoma Patients with End-Stage Kidney Disease on Dialysis. Case Reports in Oncology, 2019, 12, 608-612. | 0.7 | 8 |
| 90 | Retroperitoneal Castleman's Disease. Case Reports in Oncology, 2020, 12, 885-889. | 0.7 | 8 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Ureteroscopy-assisted retrograde nephrostomy (UARN) for an incomplete double ureter. Urological Research, 2012, 40, 781-782. | 1.5 | 7 |
| 92 | Amplatz Sheath for Cystolithotripsy Using Ho: YAG Laser in Female Patients. Urology, 2012, 80, 1154-1155. | 1.0 | 7 |
| 93 | Ureteroscopic removal of forgotten ureteral stent. BMJ Case Reports, 2012, 2012, bcr0220125736-bcr0220125736. | 0.5 | 7 |
| 94 | Bone management in Japanese patients with prostate cancer: hormonal therapy leads to an increase in the FRAX score. BMC Urology, 2016, 16, 32. | 1.4 | 7 |
| 95 | The Neutrophil-to-Lymphocyte Ratio before Repeat Prostate Needle Biopsy for Predicting Prostate Cancer. Urologia Internationalis, 2016, 96, 123-124. | 1.3 | 7 |
| 96 | Large cell neuroendocrine carcinoma of the kidney with cardiac metastasis: a case report. Journal of Medical Case Reports, 2017, 11, 297. | 0.8 | 7 |
| 97 | The analysis of human papillomavirus DNA in penile cancer tissue by inÃ ⁻ ¿½2situ hybridization. Oncology Letters, 2018, 15, 8102-8106. | 1.8 | 7 |
| 98 | A novel prediction model for the completion of six cycles of radium-223 treatment and survival in patients with metastatic castration-resistant prostate cancer. World Journal of Urology, 2021, 39, 3323-3328. | 2.2 | 7 |
| 99 | Discolored Ureteral Stents: Findings in Urinalysis and Urine Culture. PLoS ONE, 2015, 10, e0122984. | 2.5 | 7 |
| 100 | Invasive urothelial carcinoma, lymphoma-like/plasmacytoid variant, successfully treated by radical cystectomy with adjuvant chemotherapy: a case report. Journal of Medical Case Reports, 2016, 10, 48. | 0.8 | 6 |
| 101 | RANK/RANKL expression in prostate cancer. International Journal of Surgery Case Reports, 2017, 30, 106-107. | 0.6 | 6 |
| 102 | Editorial Comment from Dr Kawahara to Prevention and treatment of symptoms associated with indwelling ureteral stents: A systematic review. International Journal of Urology, 2017, 24, 260-260. | 1.0 | 6 |
| 103 | Comparison of Outcomes between Two Methods to Extract Stone Fragments during Flexible Ureteroscopic Lithotripsy. BioMed Research International, 2018, 2018, 1-8. | 1.9 | 6 |
| 104 | Impact of depression on overactive bladder. International Journal of Urology, 2021, 28, 245-246. | 1.0 | 6 |
| 105 | Correlation between the operation time using two different power settings of a Ho: YAG laser: laser power doesn't influence lithotripsy time. BMC Research Notes, 2013, 6, 80. | 1.4 | 5 |
| 106 | Prediction of Time to Castration-Resistant Prostate Cancer Using Bone Scan Index in Men with Metastatic Hormone-Sensitive Prostate Cancer. Urologia Internationalis, 2017, 99, 400-405. | 1.3 | 5 |
| 107 | Low-molecular-weight protein tyrosine phosphatase expression as a prognostic factor for men with metastatic hormone-naÃ-ve prostate cancer. Urologic Oncology: Seminars and Original Investigations, 2017, 35, 607.e9-607.e14. | 1.6 | 5 |
| 108 | Port site recurrence after laparoscopic radical nephrectomy: a case report. Journal of Medical Case Reports, 2017, 11, 151. | 0.8 | 5 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Extramedullary plasmacytoma of the testis: A case report. Urology Case Reports, 2018, 16, 101-103. | 0.3 | 5 |
| 110 | A case of allograft ureteral stone successfully treated with antegrade ureteroscopic lithotripsy: use of a 3D-printed model to determine the ideal approach. Urolithiasis, 2019, 47, 467-471. | 2.0 | 5 |
| 111 | Functional paraganglioma of the bladder: Both radiographicâ€negative and laboratoryâ€negative case. IJU Case Reports, 2019, 2, 174-177. | 0.3 | 5 |
| 112 | Granulocyte Colony-Stimulating Factor-Producing Bladder Cancer. Case Reports in Oncology, 2019, 12, 603-607. | 0.7 | 5 |
| 113 | Re: GeriatricÂ8 screening of frailty in patients with prostate cancer. International Journal of Urology, 2020, 27, 1161-1162. | 1.0 | 5 |
| 114 | Prognostic value of automated bone scan index for predicting overall survival among bone metastatic castration resistant prostate cancer patients treated with radiumâ€223. BJUI Compass, 2021, 2, 24-30. | 1.3 | 5 |
| 115 | Ureteroscopy-Assisted Retrograde Nephrostomy. Videourology (New Rochelle, N Y), 2012, 26, . | 0.1 | 5 |
| 116 | A retrospective study on the possible systematic inflammatory response markers to predict the prognosis of patients with bladder cancer undergoing radial cystectomy. Molecular and Clinical Oncology, 2020, 13, 1-1. | 1.0 | 5 |
| 117 | Ureteroscopy-Assisted Retrograde Nephrostomy for Percutaneous Nephrolithotomy after Urinary Diversion. Case Reports in Nephrology and Urology, 2012, 2, 113-117. | 1.5 | 4 |
| 118 | The Achievement of Long-Term CRPC Control in a Patient with Enzalutamide-Induced Nausea and Fatigue after Overcoming the Adverse Events with a Temporary Drug Holiday. Case Reports in Oncology, 2019, 12, 568-572. | 0.7 | 4 |
| 119 | Preference for enzalutamide capsules versus tablet pills in patients with prostate cancer. International Journal of Urology, 2019, 26, 1161-1162. | 1.0 | 4 |
| 120 | The Pretherapeutic Neutrophil-to-Lymphocyte Ratio for Docetaxel-Based Chemotherapy Is Useful for Predicting the Prognosis of Japanese Patients with Castration-Resistant Prostate Cancer. BioMed Research International, 2019, 2019, 1-5. | 1.9 | 4 |
| 121 | Impact of Vasectomy on the Development and Progression of Prostate Cancer: Preclinical Evidence. Cancers, 2020, 12, 2295. | 3.7 | 4 |
| 122 | Use of metallic and polymeric ureteral stents in malignant ureteral obstruction. BJUI Compass, 2021, 2, 58-63. | 1.3 | 4 |
| 123 | Prognosis and safety of radiumâ€223 with concurrent abiraterone acetate or enzalutamide use for metastatic castrationâ€resistant prostate cancer: Realâ€world data of Japanese patients. BJUI Compass, 2021, 2, 31-38. | 1.3 | 4 |
| 124 | A lower psoas muscle index predicts a poorer prognosis in metastatic hormoneâ€naÃ⁻ve prostate cancer. BJUI Compass, 2021, 2, 39-45. | 1.3 | 4 |
| 125 | Ureteroscopy-assisted retrograde nephrostomy for lower calyx calculi in horseshoe kidney: two case reports. Journal of Medical Case Reports, 2012, 6, 194. | 0.8 | 3 |
| 126 | Epidermal Cyst in the Scrotum Successfully Treated while Preserving the Testis: A Case Report. Case Reports in Oncology, 2016, 9, 235-240. | 0.7 | 3 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Inflammatory Myofibroblastic Tumor in the Bladder: A Case Report. Case Reports in Oncology, 2017, 9, 554-558. | 0.7 | 3 |
| 128 | Ductal Adenocarcinoma of the Prostate: A Case Report. Case Reports in Oncology, 2017, 9, 802-805. | 0.7 | 3 |
| 129 | Enterogenous cyst of pediatric testis: a case report. Journal of Medical Case Reports, 2017, 11, 207. | 0.8 | 3 |
| 130 | Lenalidomide decreased the <scp>PSA</scp> level for castrationâ€resistant prostate cancer: a case report. Clinical Case Reports (discontinued), 2018, 6, 391-394. | 0.5 | 3 |
| 131 | Inserting a Metallic Ureteral Stent Using an Antegrade Approach Freed a Patient from Nephrostomy Created due to Hydronephrosis Caused by Bladder Cancer. Case Reports in Oncology, 2019, 12, 560-563. | 0.7 | 3 |
| 132 | Changing the Timing of Enzalutamide Intake from Morning to before Sleep at Night Overcame Enzalutamide-Induced Dysgeusia. Case Reports in Oncology, 2019, 12, 589-594. | 0.7 | 3 |
| 133 | Changing the enzalutamide form from a capsule to a tablet improves the adherence of medicine intake: A case of a significant decrease in the prostateâ€specific antigen level and improvement in radiographic findings. IJU Case Reports, 2019, 2, 143-145. | 0.3 | 3 |
| 134 | Clear cell adenocarcinoma of the prostatic urethra: A case report. IJU Case Reports, 2019, 2, 19-22. | 0.3 | 3 |
| 135 | Management of urethral stricture: Highâ€pressure balloon dilation versus optical internal urethrotomy. LUTS: Lower Urinary Tract Symptoms, 2019, 11, O34-O37. | 1.3 | 3 |
| 136 | Re: Quality of life in patients aged 65Âyears and older with overactive bladder treated with mirabegron across eight European countries: Secondary analysis of BELIEVE. International Journal of Urology, 2020, 27, 188-188. | 1.0 | 3 |
| 137 | Skin Metastasis of Renal Cell Carcinoma. Case Reports in Oncology, 2020, 13, 798-801. | 0.7 | 3 |
| 138 | Renal Squamous Cell Carcinoma with Staghorn Calculus. Case Reports in Oncology, 2020, 13, 403-407. | 0.7 | 3 |
| 139 | A novel prognostic model for Japanese patients with newly diagnosed boneâ€metastatic hormoneâ€naÃ⁻ve prostate cancer. BJUI Compass, 2021, 2, 105-114. | 1.3 | 3 |
| 140 | Value of bone scan index for predicting overall survival among patients treated with radium-223 for bone metastatic castration-resistant prostate cancer Journal of Clinical Oncology, 2018, 36, 216-216. | 1.6 | 3 |
| 141 | A case of infective endocarditis after transurethral prostatic resection. Urology Annals, 2010, 2, 83. | 0.6 | 2 |
| 142 | Ureteroscopy Assisted Retrograde Nephrostomy for Complete Staghorn Renal Calculi. Current Urology, 2012, 6, 102-105. | 0.6 | 2 |
| 143 | Retroperitoneal Schwannoma in the Renal Hilum: A Case Report. Case Reports in Oncology, 2015, 8, 394-398. | 0.7 | 2 |
| 144 | Xanthogranulomatous Pyelonephritis with Incomplete Double Ureter. Case Reports in Medicine, 2017, 2017, 1-3. | 0.7 | 2 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Ureter metastatic castration-resistant prostate cancer: a case report. Journal of Medical Case Reports, 2017, 11, 215. | 0.8 | 2 |
| 146 | The Use of a Metal Stent in the Treatment of Ureteral Stricture in a Patient Who Had Undergone Radical Cystectomy with the Creation of an Ileal Conduit. Case Reports in Oncology, 2018, 11, 159-163. | 0.7 | 2 |
| 147 | An infertile patient with Y chromosome b1/b3 deletion presenting with congenital bilateral absence of the vas deferens with normal spermatogenesis. Clinical and Experimental Reproductive Medicine, 2018, 45, 48-51. | 1.5 | 2 |
| 148 | High orchiectomy and ipsilateral testicular sperm extraction in a man with a testicular tumor and Klinefelter syndrome: A case report. IJU Case Reports, 2019, 2, 65-68. | 0.3 | 2 |
| 149 | A Case of Switching from GnRH Agonist to Antagonist for Castration Resistant Prostate Cancer Control. Case Reports in Oncology, 2020, 12, 688-692. | 0.7 | 2 |
| 150 | Successful removal of an encrusted metallic ureteral stent using a disposable ureteroscope and Ho:YAG laser lithotripsy. Urolithiasis, 2020, 48, 281-282. | 2.0 | 2 |
| 151 | Editorial Comment to Ureteric stents: Overview of current clinical applications and economic implications. International Journal of Urology, 2020, 27, 16-16. | 1.0 | 2 |
| 152 | The neutrophil-to-lymphocyte ratio at the prostate-specific antigen nadir predicts the time to castration-resistant prostate cancer. Asian Journal of Urology, 2021, 8, 332-334. | 1.2 | 2 |
| 153 | Complete ureteral stenosis after ureteroscopic lithotripsy successfully managed using a simultaneous retrograde and antegrade flexible ureteroscopic approach. Clinical Case Reports (discontinued), 2021, 9, 246-250. | 0.5 | 2 |
| 154 | Ureteroscopy-assisted retrograde nephrostomy for an obese patient. Indian Journal of Urology, 2012, 28, 439. | 0.6 | 2 |
| 155 | Ureteroscopy-Assisted Retrograde Nephrostomy (UARN) after Anatrophic Nephrolithotomy. Case Reports in Medicine, 2012, 2012, 1-4. | 0.7 | 1 |
| 156 | Authors' Response to Chew and Lange. Journal of Endourology, 2013, 27, 507-507. | 2.1 | 1 |
| 157 | Ureteroscopy-assisted retrograde nephrostomy for a large and obstructive renal pelvic stone: a case report. Journal of Medical Case Reports, 2015, 9, 44. | 0.8 | 1 |
| 158 | The Effects of Different Doses and Patterns of Docetaxel Chemotherapy in Japanese Patients with Castration-Resistant Prostate Cancer. Current Urology, 2017, 10, 166-168. | 0.6 | 1 |
| 159 | Effect of Amplatz Sheath on Cystolithotripsy for Women with Large Bladder Stone. BioMed Research International, 2017, 2017, 1-4. | 1.9 | 1 |
| 160 | Prostate Basal Cell Carcinoma: A Case Report. Case Reports in Oncology, 2018, 11, 138-142. | 0.7 | 1 |
| 161 | Sarcomatoid Variant of Bladder Carcinoma: A Case Report. Case Reports in Oncology, 2018, 11, 633-637. | 0.7 | 1 |
| 162 | Adrenal Hemangioma: A Case of Retroperitoneal Tumor. Case Reports in Medicine, 2018, 2018, 1-4. | 0.7 | 1 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Fluorescent Light-Guided Cystoscopy with 5-ALA Aids in Accurate Surgical Margin Detection for TURBO: A Case Report. Case Reports in Oncology, 2018, 11, 164-167. | 0.7 | 1 |
| 164 | Successful Resection of Cisplatin-Resistant Renal Pelvic Cancer after the Administration of Pembrolizumab as Second-Line Therapy. Case Reports in Oncology, 2019, 12, 548-553. | 0.7 | 1 |
| 165 | Successful treatment of ureteral stricture after total hysterectomy: An antegrade ureteroscopic approach facilitates the insertion of a guidewire for endoscopic dilation. IJU Case Reports, 2019, 2, 140-142. | 0.3 | 1 |
| 166 | Expression of PD-L1 and CTLA-4 in female urethral carcinoma. IJU Case Reports, 2019, 2, 23-26. | 0.3 | 1 |
| 167 | Successful treatment with sorafenib for sunitinibâ€refractory metastatic papillary renal cell carcinoma: Potential impact of Raf overexpression on predicting the efficacy of sorafenib. IJU Case Reports, 2019, 2, 43-46. | 0.3 | 1 |
| 168 | Prediction of Time to Castration-Resistant Prostate Cancer Using Low-Molecular-Weight Protein Tyrosine Phosphatase Expression for Men with Metastatic Hormone-NaÃ ⁻ ve Prostate Cancer. Urologia Internationalis, 2019, 102, 37-42. | 1.3 | 1 |
| 169 | IgG4-Producing MALT Lymphoma in the Renal Hilum. Case Reports in Oncology, 2020, 12, 880-884. | 0.7 | 1 |
| 170 | A Case of Retroperitoneal Ganglioneuroma Accidentally Discovered by Laparoscopic Right Adrenalectomy. Case Reports in Oncology, 2020, 13, 764-767. | 0.7 | 1 |
| 171 | Clinical outcome of surgical management for symptomatic metastatic spinal cord compression from prostate cancer. BMC Urology, 2020, 20, 143. | 1.4 | 1 |
| 172 | A low psoas muscle volume is associated with a poor prognosis in penile cancer. Oncotarget, 2020, 11, 3526-3530. | 1.8 | 1 |
| 173 | Authors' Response to Letter to the Editor. Journal of Endourology, 2012, 26, 926-926. | 2.1 | 0 |
| 174 | Ureteroscopy-assisted retrograde nephrostomy (UARN) without ureteral access sheath (UAS). International Journal of Surgery Case Reports, 2015, 10, 56-58. | 0.6 | 0 |
| 175 | Double ureteral access sheath (UAS) technique for complicated distal ureteral stone. Urolithiasis, 2015, 43, 99-100. | 2.0 | 0 |
| 176 | Ureteroscopy-Assisted Biopsy for a Retroperitoneal Tumor: A Case Report. Case Reports in Oncology, 2015, 8, 279-284. | 0.7 | 0 |
| 177 | Lack of an association between the aPKCλ/ι expression in prostate cancer and the patient outcomes. International Journal of Surgery Case Reports, 2017, 37, 180-182. | 0.6 | 0 |
| 178 | Female urethral diverticular carcinoma treated by multimodality therapies: A case report. Urology Case Reports, 2018, 17, 131-133. | 0.3 | 0 |
| 179 | Editorial Comment to Superiority of dutasteride 0.5Âmg and tamsulosin 0.2Âmg for the treatment of moderateâ€ŧoâ€severe benign prostatic hyperplasia in Asian men. International Journal of Urology, 2018, 25, 951-952. | 1.0 | 0 |
| 180 | The half-loop transurethral incision technique for bilateral ureterocele in adult. Urology Case Reports, 2018, 18, 6-8. | 0.3 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Long-Term Control of Metastatic Renal Cell Carcinoma Using Pazopanib. Case Reports in Oncology, 2019, 12, 543-547. | 0.7 | 0 |
| 182 | Spontaneous adrenal hemorrhage with dehydroepiandrosteroneâ€sulfate elevation in a patient with suspected adrenal cortical carcinoma. IJU Case Reports, 2019, 2, 102-104. | 0.3 | 0 |
| 183 | Editorial Comment to Considerations for the use of gonadotropinâ€releasing hormone agonists and antagonists in patients with prostate cancer. International Journal of Urology, 2020, 27, 837-838. | 1.0 | 0 |
| 184 | Pediatric bilateral ureteral stone successfully removed using singleâ€use flexible ureteroscopy with a holmium: YAG laser. Clinical Case Reports (discontinued), 2020, 8, 1073-1075. | 0.5 | 0 |
| 185 | Editorial Comment to Management and treatment options when facing malignant ureteral obstruction. International Journal of Urology, 2020, 27, 598-598. | 1.0 | 0 |
| 186 | Re: Current treatment strategies for advanced prostate cancer. International Journal of Urology, 2020, 27, 571-571. | 1.0 | 0 |
| 187 | Effectiveness and Feasibility of Up-Front Docetaxel Chemotherapy for Japanese Metastatic Hormone-NaÃ ⁻ ve Prostate Cancer. SN Comprehensive Clinical Medicine, 2021, 3, 1715-1716. | 0.6 | 0 |
| 188 | Evaluation of ability of low-molecular-weight protein tyrosine phosphatase expression to predict primary hormone therapy efficacy among men with metastatic hormone-naÃ`ve prostate cancer Journal of Clinical Oncology, 2018, 36, 316-316. | 1.6 | 0 |
| 189 | Evaluation of ability of OR51T1 expression to predict primary hormone therapy efficacy among men with hormone-naĀ ve metastatic prostate cancer Journal of Clinical Oncology, 2018, 36, 317-317. | 1.6 | 0 |
| 190 | Response to Letter to the Editor Regarding "Neutrophil-to-Lymphocyte Ratio in Renal Transplant Patients". Experimental and Clinical Transplantation, 2019, 17, 129-129. | 0.5 | 0 |
| 191 | Bilateral Encrusted Metallic Stent Successfully Removed by Ureteroscopic Lithotripsy Using a Ho:YAG Laser in a Patient with Malignant Myeloma. Case Reports in Oncology, 2021, 13, 1501-1505. | 0.7 | 0 |
| 192 | Title is missing!. , 2020, 15, e0226581. | | 0 |
| 193 | Title is missing!. , 2020, 15, e0226581. | | 0 |
| 194 | Title is missing!. , 2020, 15, e0226581. | | 0 |
| 195 | Title is missing!. , 2020, 15, e0226581. | | 0 |
| 196 | Microsurgical varicocelectomy for intratesticular varicocele with a history of orchiopexy for undescended testis. IJU Case Reports, 0, , . | 0.3 | 0 |