

Gertrudis I J M Kempen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5771307/publications.pdf>

Version: 2024-02-01

256
papers

17,459
citations

17776

65
h-index

20023

121
g-index

279
all docs

279
docs citations

279
times ranked

18165
citing authors

#	ARTICLE	IF	CITATIONS
1	A validation study of the Hospital Anxiety and Depression Scale (HADS) in different groups of Dutch subjects. <i>Psychological Medicine</i> , 1997, 27, 363-370.	2.7	1,723
2	Development and initial validation of the Falls Efficacy Scale-International (FES-I). <i>Age and Ageing</i> , 2005, 34, 614-619.	0.7	1,431
3	The Short FES-I: a shortened version of the falls efficacy scale-international to assess fear of falling. <i>Age and Ageing</i> , 2007, 37, 45-50.	0.7	555
4	Which chronic conditions are associated with better or poorer quality of life?. <i>Journal of Clinical Epidemiology</i> , 2000, 53, 895-907.	2.4	507
5	Prevalence and correlates of fear of falling, and associated avoidance of activity in the general population of community-living older people. <i>Age and Ageing</i> , 2007, 36, 304-309.	0.7	500
6	A systematic review of Internet-based supportive interventions for caregivers of patients with dementia. <i>International Journal of Geriatric Psychiatry</i> , 2014, 29, 331-344.	1.3	354
7	The assessment of disability with the Groningen Activity Restriction Scale. Conceptual framework and psychometric properties. <i>Social Science and Medicine</i> , 1996, 43, 1601-1610.	1.8	328
8	Interventions to Reduce Fear of Falling in Community-Living Older People: A Systematic Review. <i>Journal of the American Geriatrics Society</i> , 2007, 55, 603-615.	1.3	317
9	Temporal and Reciprocal Relationship Between IADL/ADL Disability and Depressive Symptoms in Late Life. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2002, 57, P338-P347.	2.4	285
10	Interventions to prevent disability in frail community-dwelling elderly: a systematic review. <i>BMC Health Services Research</i> , 2008, 8, 278.	0.9	246
11	Older People's Views of Falls-Prevention Interventions in Six European Countries. <i>Gerontologist</i> , The, 2006, 46, 650-660.	2.3	239
12	The Development of a Hierarchical Polychotomous ADL-IADL Scale for Noninstitutionalized Elders. <i>Gerontologist</i> , The, 1990, 30, 497-502.	2.3	237
13	Functioning, Well-being, and Health Perception in Late Middle-aged and Older People: Comparing the Effects of Depressive Symptoms and Chronic Medical Conditions. <i>Journal of the American Geriatrics Society</i> , 1998, 46, 39-48.	1.3	215
14	Do Self-Management Interventions Work in Patients With Heart Failure?. <i>Circulation</i> , 2016, 133, 1189-1198.	1.6	212
15	Cross-cultural validation of the Falls Efficacy Scale International (FES-I) in older people: Results from Germany, the Netherlands and the UK were satisfactory. <i>Disability and Rehabilitation</i> , 2007, 29, 155-162.	0.9	188
16	Adaptive responses among Dutch elderly: the impact of eight chronic medical conditions on health-related quality of life.. <i>American Journal of Public Health</i> , 1997, 87, 38-44.	1.5	187
17	Small, homelike care environments for older people with dementia: a literature review. <i>International Psychogeriatrics</i> , 2009, 21, 252.	0.6	184
18	Effects of a Multicomponent Cognitive Behavioral Group Intervention on Fear of Falling and Activity Avoidance in Community-dwelling Older Adults: Results of a Randomized Controlled Trial. <i>Journal of the American Geriatrics Society</i> , 2009, 57, 2020-2028.	1.3	179

#	ARTICLE	IF	CITATIONS
19	Relationship between changes in depressive symptoms and unhealthy lifestyles in late middle aged and older persons: results from the Longitudinal Aging Study Amsterdam. <i>Age and Ageing</i> , 2003, 32, 81-87.	0.7	164
20	The impact of low vision on activities of daily living, symptoms of depression, feelings of anxiety and social support in community-living older adults seeking vision rehabilitation services. <i>Quality of Life Research</i> , 2012, 21, 1405-1411.	1.5	164
21	Chronic medical conditions and mental health in older people: disability and psychosocial resources mediate specific mental health effects. <i>Psychological Medicine</i> , 1997, 27, 1065-1077.	2.7	159
22	Effects of exercise adherence on physical function among overweight older adults with knee osteoarthritis. <i>Arthritis and Rheumatism</i> , 2005, 53, 24-32.	6.7	158
23	Personality, chronic medical morbidity, and health-related quality of life among older persons.. <i>Health Psychology</i> , 1997, 16, 539-546.	1.3	148
24	Socioeconomic differences in incident depression in older adults: The role of psychosocial factors, physical health status, and behavioral factors. <i>Journal of Psychosomatic Research</i> , 2006, 61, 619-627.	1.2	144
25	Validation of the Falls Efficacy Scale and Falls Efficacy Scale International in Geriatric Patients with and without Cognitive Impairment: Results of Self-Report and Interview-Based Questionnaires. <i>Gerontology</i> , 2010, 56, 190-199.	1.4	138
26	The psychometric properties of three self-report screening instruments for identifying frail older people in the community. <i>BMC Public Health</i> , 2010, 10, 176.	1.2	134
27	Feelings of Anxiety and Symptoms of Depression in Community-Living Older Persons Who Avoid Activity for Fear of Falling. <i>American Journal of Geriatric Psychiatry</i> , 2008, 16, 186-193.	0.6	133
28	Socio-demographic, health-related and psychosocial correlates of fear of falling and avoidance of activity in community-living older persons who avoid activity due to fear of falling. <i>BMC Public Health</i> , 2009, 9, 170.	1.2	133
29	Effectiveness of interdisciplinary primary care approach to reduce disability in community dwelling frail older people: cluster randomised controlled trial. <i>BMJ</i> , The, 2013, 347, f5264-f5264.	3.0	132
30	Lack of Effectiveness of a Multidisciplinary Fallâ€Prevention Program in Elderly People at Risk: A Randomized, Controlled Trial. <i>Journal of the American Geriatrics Society</i> , 2008, 56, 1390-1397.	1.3	129
31	The Development of the Older Persons and Informal Caregivers Survey Minimum DataSet (TOPICS-MDS): A Large-Scale Data Sharing Initiative. <i>PLoS ONE</i> , 2013, 8, e81673.	1.1	128
32	Attitude and help-seeking for hearing impairment. <i>International Journal of Audiology</i> , 1996, 30, 313-324.	0.7	125
33	Validity and Sensitivity to Change of the Falls Efficacy Scales International to Assess Fear of Falling in Older Adults with and without Cognitive Impairment. <i>Gerontology</i> , 2011, 57, 462-472.	1.4	115
34	Association of Inflammatory Markers With Socioeconomic Status. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2006, 61, 284-290.	1.7	114
35	Psychometric properties and feasibility of instruments for the detection of delirium in older hospitalized patients: a systematic review. <i>International Journal of Geriatric Psychiatry</i> , 2016, 31, 974-989.	1.3	114
36	Effects of intensive home visiting programs for older people with poor health status: A systematic review. <i>BMC Health Services Research</i> , 2008, 8, 74.	0.9	109

#	ARTICLE	IF	CITATIONS
37	Dementia Care Redesigned: Effects of Small-Scale Living Facilities on Residents, Their Family Caregivers, and Staff. <i>Journal of the American Medical Directors Association</i> , 2010, 11, 662-670.	1.2	109
38	Fried phenotype of frailty: cross-sectional comparison of three frailty stages on various health domains. <i>BMC Geriatrics</i> , 2015, 15, 77.	1.1	108
39	Qualitative study on needs and wishes of early-stage dementia caregivers: the paradox between needing and accepting help. <i>International Psychogeriatrics</i> , 2015, 27, 927-936.	0.6	107
40	Definitions, key themes and aspects of "ageing in place": a scoping review. <i>Ageing and Society</i> , 2021, 41, 2026-2059.	1.2	105
41	Factors affecting Contrasting Results between Self-reported and Performance-based Levels of Physical Limitations. <i>Age and Ageing</i> , 1996, 25, 458-464.	0.7	102
42	The Relative Contribution of Domains of Quality of Life to Overall Quality of Life for Different Chronic Diseases. <i>Quality of Life Research</i> , 2004, 13, 883-896.	1.5	102
43	Changes in Health-Related Quality of Life in Older Patients with Acute Myocardial Infarction or Congestive Heart Failure: A Prospective Study. <i>Journal of the American Geriatrics Society</i> , 2001, 49, 1052-1058.	1.3	99
44	The psychometric properties of the SSL12-I, a short scale for measuring social support in the elderly. <i>Social Indicators Research</i> , 1995, 35, 303-312.	1.4	98
45	Associations Between Lifestyle and Depressed Mood: Longitudinal Results From the Maastricht Aging Study. <i>American Journal of Public Health</i> , 2007, 97, 887-894.	1.5	98
46	Socioeconomic Differences in Cognitive Decline and the Role of Biomedical Factors. <i>Annals of Epidemiology</i> , 2005, 15, 564-571.	0.9	97
47	Nurse-led self-management group programme for patients with congestive heart failure: randomized controlled trial. <i>Journal of Advanced Nursing</i> , 2010, 66, 1487-1499.	1.5	95
48	Hierarchical structure in ADL and IADL: Analytical assumptions and applications for clinicians and researchers. <i>Journal of Clinical Epidemiology</i> , 1995, 48, 1299-1305.	2.4	93
49	Cross-cultural comparison between academic and lay views of healthy ageing: a literature review. <i>Ageing and Society</i> , 2010, 30, 1373-1391.	1.2	90
50	Limitations in Activities of Daily Living in Community-Dwelling People Aged 75 and Over: A Systematic Literature Review of Risk and Protective Factors. <i>PLoS ONE</i> , 2016, 11, e0165127.	1.1	86
51	Lifestyle Factors and Incident Mobility Limitation in Obese and Non-obese Older Adults. <i>Obesity</i> , 2007, 15, 3122-3132.	1.5	84
52	Impact of fatigue on overall quality of life in lung and breast cancer patients selected for high-dose radiotherapy. <i>Annals of Oncology</i> , 2007, 18, 940-944.	0.6	83
53	Validity, reliability and feasibility of tools to identify frail older patients in inpatient hospital care: A systematic review. <i>Journal of Nutrition, Health and Aging</i> , 2016, 20, 218-230.	1.5	83
54	Factors influencing home discharge after inpatient rehabilitation of older patients: a systematic review. <i>BMC Geriatrics</i> , 2016, 16, 5.	1.1	82

#	ARTICLE	IF	CITATIONS
55	The relationship of functional limitations to disability and the moderating effects of psychological attributes in community-dwelling older persons. <i>Social Science and Medicine</i> , 1999, 48, 1161-1172.	1.8	81
56	Explanations of socioeconomic differences in changes in physical function in older adults: results from the Longitudinal Aging Study Amsterdam. <i>BMC Public Health</i> , 2006, 6, 244.	1.2	80
57	What Are Effective Program Characteristics of Self-Management Interventions in Patients With Heart Failure? An Individual Patient Data Meta-analysis. <i>Journal of Cardiac Failure</i> , 2016, 22, 861-871.	0.7	78
58	Differences between participants and non-participants in an RCT on physical activity and psychological interventions for older persons. <i>Aging Clinical and Experimental Research</i> , 2005, 17, 236-245.	1.4	73
59	A nurse-led interdisciplinary primary care approach to prevent disability among community-dwelling frail older people: A large-scale process evaluation. <i>International Journal of Nursing Studies</i> , 2013, 50, 1184-1196.	2.5	72
60	A Minimal Psychological Intervention in Chronically Ill Elderly Patients with Depression: A Randomized Trial. <i>Psychotherapy and Psychosomatics</i> , 2010, 79, 217-226.	4.0	71
61	Chronic disease in elderly couples. <i>Journal of Psychosomatic Research</i> , 2001, 51, 693-696.	1.2	70
62	Relationship of Domain-Specific Measures of Health to Perceived Overall Health among Older Subjects. <i>Journal of Clinical Epidemiology</i> , 1998, 51, 11-18.	2.4	69
63	Impact of depression on disablement in late middle aged and older persons: results from the Longitudinal Aging Study Amsterdam. <i>Social Science and Medicine</i> , 2005, 60, 25-36.	1.8	68
64	Psychological attributes and changes in disability among low-functioning older persons Does attrition affect the outcomes?. <i>Journal of Clinical Epidemiology</i> , 2002, 55, 224-229.	2.4	67
65	Physical fitness related to age and physical activity in older persons. <i>Medicine and Science in Sports and Exercise</i> , 1998, 30, 434-441.	0.2	65
66	Low control beliefs, classical coronary risk factors, and socio-economic differences in heart disease in older persons. <i>Social Science and Medicine</i> , 2005, 60, 737-745.	1.8	64
67	Is There a Biomedical Explanation for Socioeconomic Differences in Incident Mobility Limitation?. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2005, 60, 1022-1027.	1.7	62
68	Four screening instruments for frailty in older patients with and without cancer: a diagnostic study. <i>BMC Geriatrics</i> , 2014, 14, 26.	1.1	59
69	Detection and management of hyperactive and hypoactive delirium in older patients during hospitalization: a retrospective cohort study evaluating daily practice. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 1521-1529.	1.3	59
70	Gender-specific changes in quality of life following cardiovascular disease. <i>Journal of Clinical Epidemiology</i> , 2002, 55, 1105-1112.	2.4	58
71	Depression in older people after fall-related injuries: a prospective study. <i>Age and Ageing</i> , 2003, 32, 88-94.	0.7	58
72	Morbidity and quality of life and the moderating effects of level of education in the elderly. <i>Social Science and Medicine</i> , 1999, 49, 143-149.	1.8	57

#	ARTICLE	IF	CITATIONS
73	Effects of small-scale, home-like facilities in dementia care on residents' behavior, and use of physical restraints and psychotropic drugs: a quasi-experimental study. <i>International Psychogeriatrics</i> , 2014, 26, 657-668.	0.6	57
74	Effectiveness of a Blended Care Self-Management Program for Caregivers of People With Early-Stage Dementia (Partner in Balance): Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2018, 20, e10017.	2.1	57
75	Small-scale, homelike facilities in dementia care: A process evaluation into the experiences of family caregivers and nursing staff. <i>International Journal of Nursing Studies</i> , 2012, 49, 21-29.	2.5	56
76	Models of health-related quality of life in a population of community-dwelling Dutch elderly. <i>Quality of Life Research</i> , 2000, 9, 801-810.	1.5	55
77	Patients' self-report and family caregivers' perception of quality of life in patients with advanced cancer: how do they compare?. <i>European Journal of Cancer Care</i> , 2006, 15, 125-132.	0.7	55
78	Epidemiology of heart failure in a community-based study of subjects aged ≥ 57 years: Incidence and long-term survival. <i>European Journal of Heart Failure</i> , 2006, 8, 23-30.	2.9	55
79	Development and Initial Evaluation of the Web-Based Self-Management Program "Partner in Balance" for Family Caregivers of People With Early Stage Dementia: An Exploratory Mixed-Methods Study. <i>JMIR Research Protocols</i> , 2016, 5, e33.	0.5	55
80	Physical Fitness Related to Disability in Older Persons. <i>Gerontology</i> , 2000, 46, 333-341.	1.4	54
81	Effectiveness of a home-based cognitive behavioral program to manage concerns about falls in community-dwelling, frail older people: results of a randomized controlled trial. <i>BMC Geriatrics</i> , 2016, 16, 2.	1.1	51
82	Implementation of the Blended Care Self-Management Program for Caregivers of People With Early-Stage Dementia (Partner in Balance): Process Evaluation of a Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2017, 19, e423.	2.1	51
83	Professional home care for the elderly: An application of the Andersen-Newman model in The Netherlands. <i>Social Science and Medicine</i> , 1991, 33, 1081-1089.	1.8	50
84	Effects of a Home Visiting Program for Older People with Poor Health Status: A Randomized, Clinical Trial in the Netherlands. <i>Journal of the American Geriatrics Society</i> , 2008, 56, 397-404.	1.3	48
85	The impact of a self-management group programme on health behaviour and healthcare utilization among congestive heart failure patients. <i>European Journal of Heart Failure</i> , 2009, 11, 609-616.	2.9	48
86	Fall determinants in older long-term care residents with dementia: a systematic review. <i>International Psychogeriatrics</i> , 2013, 25, 549-563.	0.6	48
87	Reducing disability in community-dwelling frail older people: cost-effectiveness study alongside a cluster randomised controlled trial. <i>Age and Ageing</i> , 2015, 44, 390-396.	0.7	48
88	The impact of multiple impairments on disability in community-dwelling older people. <i>Age and Ageing</i> , 1998, 27, 595-604.	0.7	47
89	Depressive Symptoms in Elderly Patients After a Somatic Illness Event: Prevalence, Persistence, and Risk Factors. <i>Psychosomatics</i> , 2006, 47, 33-42.	2.5	45
90	Heart failure patients with a lower educational level and better cognitive status benefit most from a self-management group programme. <i>Patient Education and Counseling</i> , 2010, 81, 214-221.	1.0	45

#	ARTICLE	IF	CITATIONS
91	Socioeconomic inequalities in mobility decline in chronic disease groups (asthma/COPD, heart disease,) Tj ETQq1 1 0.784314 rgBT /O Epidemiology and Community Health, 2004, 58, 862-869.	2.0	44
92	<i>â€ˆDoing with â€ˆ â€™™</i> rather than <i>â€ˆdoing for â€ˆ â€™™</i> older adults: rationale and content of the <i>â€ˆStay Active at Homeâ€™™</i> programme. Clinical Rehabilitation, 2017, 31, 1419-1430.	1.0	44
93	Positive and negative outcomes of informal caregiving at home and in institutionalised long-term care: a cross-sectional study. BMC Geriatrics, 2017, 17, 232.	1.1	44
94	Factors influencing professional home care utilization among the elderly. Social Science and Medicine, 1991, 32, 77-81.	1.8	43
95	Determinants of high and low attendance to diet and exercise interventions among overweight and obese older adults. Contemporary Clinical Trials, 2006, 27, 227-237.	0.8	43
96	Caregiving to Older Adults: Determinants of Informal Caregiversâ€™™ Subjective Well-being and Formal and Informal Support as Alleviating Conditions. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2018, 73, gbw047.	2.4	43
97	Validation of the Care-Related Quality of Life Instrument in different study settings: findings from The Older Persons and Informal Caregivers Survey Minimum DataSet (TOPICS-MDS). Quality of Life Research, 2015, 24, 1281-1293.	1.5	41
98	Detecting frail, older adults and identifying their strengths: results of a mixed-methods study. BMC Public Health, 2018, 18, 191.	1.2	41
99	Are physically frail older persons more at risk of adverse outcomes if they also suffer from cognitive, social, and psychological frailty?. European Journal of Ageing, 2014, 11, 213-219.	1.2	40
100	Recovery of physical function after limb injuries in independent older people living at home. Age and Ageing, 2001, 30, 213-219.	0.7	39
101	Evaluating an intervention to reduce fear of falling and associated activity restriction in elderly persons: design of a randomised controlled trial [ISRCTN43792817]. BMC Public Health, 2005, 5, 26.	1.2	39
102	Multidimensional Geriatric Assessment: Back to the Future Effects on Health Care Use and Associated Cost of a Home Visiting Program for Older People With Poor Health Status: A Randomized Clinical Trial in the Netherlands. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2008, 63, 291-297.	1.7	38
103	Small-scale, homelike facilities versus regular psychogeriatric nursing home wards: a cross-sectional study into residents' characteristics. BMC Health Services Research, 2010, 10, 30.	0.9	38
104	Functional decline after congestive heart failure and acute myocardial infarction and the impact of psychological attributes. A prospective study. Quality of Life Research, 2000, 9, 439-450.	1.5	37
105	Determinants of overall quality of life in preterminal cancer patients. International Journal of Cancer, 2008, 123, 232-235.	2.3	37
106	The effects of small-scale, homelike facilities for older people with dementia on residents, family caregivers and staff: design of a longitudinal, quasi-experimental study. BMC Geriatrics, 2009, 9, 3.	1.1	37
107	Social Predictors of Recovery in Late Middle-Aged and Older Persons After Injury to the Extremities: A Prospective Study. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2001, 56, S229-S236.	2.4	36
108	Risk and Protective Factors of Different Functional Trajectories in Older Persons: Are These the Same?. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2006, 61, P95-P101.	2.4	36

#	ARTICLE	IF	CITATIONS
109	Feasibility of a cognitive behavioural group intervention to reduce fear of falling and associated avoidance of activity in community-living older people: a process evaluation. <i>BMC Health Services Research</i> , 2007, 7, 156.	0.9	36
110	The Maastricht social participation profile: development and clinimetric properties in older adults with a chronic physical illness. <i>Quality of Life Research</i> , 2009, 18, 1207-1218.	1.5	36
111	Racial Differences in Mortality in Older Adults: Factors Beyond Socioeconomic Status. <i>Annals of Behavioral Medicine</i> , 2012, 43, 29-38.	1.7	36
112	Identifying frailty risk profiles of home-dwelling older people: focus on sociodemographic and socioeconomic characteristics. <i>Aging and Mental Health</i> , 2017, 21, 1031-1039.	1.5	36
113	Validation of a Frailty Index from The Older Persons and Informal Caregivers Survey Minimum Data Set. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 1625-1627.	1.3	35
114	Chronic Disease and Lifestyle Transitions. <i>Journal of Aging and Health</i> , 2007, 19, 416-438.	0.9	34
115	The ability of four frailty screening instruments to predict mortality, hospitalization and dependency in (instrumental) activities of daily living. <i>European Journal of Ageing</i> , 2019, 16, 387-394.	1.2	34
116	Material deprivation and health-related dysfunction in older Dutch people: findings from the SMILE study. <i>European Journal of Public Health</i> , 2008, 18, 258-263.	0.1	32
117	Older people's preferences regarding programme formats for managing concerns about falls. <i>Age and Ageing</i> , 2012, 41, 474-481.	0.7	32
118	Effects of the Implementation of an Evidence-Based Program to Manage Concerns About Falls in Older Adults. <i>Gerontologist</i> , The, 2013, 53, 839-849.	2.3	32
119	A multi-component cognitive behavioural intervention for the treatment of fear of falling after hip fracture (FIT-HIP): protocol of a randomised controlled trial. <i>BMC Geriatrics</i> , 2017, 17, 71.	1.1	32
120	Measurement properties of the EQ-5D across four major geriatric conditions: Findings from TOPICS-MDS. <i>Health and Quality of Life Outcomes</i> , 2017, 15, 45.	1.0	32
121	Beliefs Concerning Death, Dying, and Hastening Death Among Older, Functionally Impaired Dutch Adults: A One-Year Longitudinal Study. <i>Journal of the American Geriatrics Society</i> , 1998, 46, 1251-1257.	1.3	31
122	Perceived control and long-term changes in disability in late middle-aged and older persons: An eight-year follow-up study. <i>Psychology and Health</i> , 2005, 20, 193-206.	1.2	31
123	Psychometric properties of the revised Piper Fatigue Scale in Dutch cancer patients were satisfactory. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 642-649.	2.4	31
124	The role of depressive symptoms in recovery from injuries to the extremities in older persons. A prospective study. <i>International Journal of Geriatric Psychiatry</i> , 2003, 18, 14-22.	1.3	30
125	The role of psychosocial factors in explaining socio-economic differences in mobility decline in a chronically ill population: results from the GLOBE study. <i>Social Science and Medicine</i> , 2005, 61, 123-132.	1.8	29
126	Home visiting programme for older people with health problems: process evaluation. <i>Journal of Advanced Nursing</i> , 2007, 58, 425-435.	1.5	29

#	ARTICLE	IF	CITATIONS
127	Process factors explaining the ineffectiveness of a multidisciplinary fall prevention programme: A process evaluation. <i>BMC Public Health</i> , 2008, 8, 332.	1.2	29
128	Characteristics of social participation as defined by older adults with a chronic physical illness. <i>Disability and Rehabilitation</i> , 2008, 30, 1298-1308.	0.9	29
129	The usefulness and feasibility of a screening instrument to identify psychosocial problems in patients receiving curative radiotherapy: a process evaluation. <i>BMC Cancer</i> , 2011, 11, 479.	1.1	29
130	Effect of Fall-Related Concerns on Physical, Mental, and Social Function in Community-Dwelling Older Adults: A Prospective Cohort Study. <i>Journal of the American Geriatrics Society</i> , 2014, 62, 2333-2338.	1.3	29
131	Reducing fear of falling and avoidance of activity in elderly persons: The development of a Dutch version of an American intervention. <i>Patient Education and Counseling</i> , 2006, 62, 220-227.	1.0	28
132	The Role of Perceived Control in the Process of Older Peoples' Recovery of Physical Functions After Fall-Related Injuries: A Prospective Study. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2003, 58, P35-P41.	2.4	27
133	Intervention Characteristics Associated With a Reduction in Fear of Falling Among Community-Dwelling Older People: A Systematic Review and Meta-analysis of Randomized Controlled Trials. <i>Gerontologist</i> , The, 2021, 61, e269-e282.	2.3	27
134	Mediating effects of psychosocial factors on concerns about falling and daily activity in a multicomponent cognitive behavioral group intervention. <i>Aging and Mental Health</i> , 2011, 15, 68-77.	1.5	26
135	Cognitive hostility predicts all-cause mortality irrespective of behavioural risk at late middle and older age. <i>European Journal of Public Health</i> , 2013, 23, 701-705.	0.1	26
136	Unravelling complex primary-care programs to maintain independent living in older people: a systematic overview. <i>Journal of Clinical Epidemiology</i> , 2018, 96, 110-119.	2.4	26
137	Development and feasibility of a nurse administered strategy on depression in community-dwelling patients with a chronic physical disease. <i>Patient Education and Counseling</i> , 2004, 54, 87-94.	1.0	25
138	Evaluation of a self-management programme for congestive heart failure patients: design of a randomised controlled trial. <i>BMC Health Services Research</i> , 2006, 6, 91.	0.9	25
139	Psychosocial screening effects on health-related outcomes in patients receiving radiotherapy. A cluster randomised controlled trial. <i>Psycho-Oncology</i> , 2013, 22, 2736-2746.	1.0	25
140	The effectiveness of an integrated care pathway in geriatric rehabilitation among older patients with complex health problems and their informal caregivers: a prospective cohort study. <i>BMC Geriatrics</i> , 2018, 18, 285.	1.1	25
141	Factors associated with successful home discharge after inpatient rehabilitation in frail older stroke patients. <i>BMC Geriatrics</i> , 2020, 20, 25.	1.1	24
142	The reduction of disability in community-dwelling frail older people: design of a two-arm cluster randomized controlled trial. <i>BMC Public Health</i> , 2010, 10, 511.	1.2	23
143	Substitution of Frieda™s performance-based physical frailty criteria with self-report questions. <i>Archives of Gerontology and Geriatrics</i> , 2018, 75, 91-95.	1.4	23
144	Effectiveness and cost-effectiveness of proactive and multidisciplinary integrated care for older people with complex problems in general practice: an individual participant data meta-analysis. <i>Age and Ageing</i> , 2018, 47, 705-714.	0.7	23

#	ARTICLE	IF	CITATIONS
145	Self-Reported Physical Fitness of Older Persons: A Substitute for Performance-Based Measures of Physical Fitness?. <i>Journal of Aging and Physical Activity</i> , 1997, 5, 298-310.	0.5	22
146	Effects of home visits by home nurses to elderly people with health problems: design of a randomised clinical trial in the Netherlands [ISRCTN92017183]. <i>BMC Health Services Research</i> , 2004, 4, 35.	0.9	22
147	The role of premorbid psychological attributes in short- and long-term adjustment after cardiac disease. A prospective study in the elderly in The Netherlands. <i>Social Science and Medicine</i> , 2005, 60, 1035-1045.	1.8	22
148	Process evaluation of a minimal psychological intervention to reduce depression in chronically ill elderly persons. <i>Patient Education and Counseling</i> , 2007, 68, 252-257.	1.0	22
149	Feasibility of a group-based self-management program among congestive heart failure patients. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2009, 38, 499-512.	0.8	22
150	Orientation and mobility training for adults with low vision: a new standardized approach. <i>Clinical Rehabilitation</i> , 2013, 27, 3-18.	1.0	22
151	Clinically Relevant Symptoms of Anxiety and Depression in Low-Vision Community-Living Older Adults. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 309-313.	0.6	22
152	Socioeconomic Status and the Course of Quality of Life in Older Patients with Coronary Heart Disease. <i>International Journal of Behavioral Medicine</i> , 2009, 16, 197-204.	0.8	21
153	Late-Life Depressed Mood and Weight Change Contribute to the Risk of Each Other. <i>American Journal of Geriatric Psychiatry</i> , 2010, 18, 236-244.	0.6	21
154	Evaluating an in-home multicomponent cognitive behavioural programme to manage concerns about falls and associated activity avoidance in frail community-dwelling older people: Design of a randomised control trial [NCT01358032]. <i>BMC Health Services Research</i> , 2011, 11, 228.	0.9	21
155	Does routine psychosocial screening improve referral to psychosocial care providers and patient-radiotherapist communication? A cluster randomized controlled trial. <i>Patient Education and Counseling</i> , 2013, 93, 289-297.	1.0	21
156	COST-EFFECTIVENESS OF AN INTERVENTION TO REDUCE FEAR OF FALLING. <i>International Journal of Technology Assessment in Health Care</i> , 2013, 29, 219-226.	0.2	21
157	An economic evaluation of an integrated care pathway in geriatric rehabilitation for older patients with complex health problems. <i>PLoS ONE</i> , 2018, 13, e0191851.	1.1	21
158	Experiences of home-care workers with the "Stay Active at Home"™ programme targeting reablement of community-living older adults: An exploratory study. <i>Health and Social Care in the Community</i> , 2020, 28, 291-299.	0.7	21
159	Gender differences in recovery from injuries to the extremities in older persons. A prospective study. <i>Disability and Rehabilitation</i> , 2003, 25, 827-832.	0.9	20
160	Effects and feasibility of a standardised orientation and mobility training in using an identification cane for older adults with low vision: design of a randomised controlled trial. <i>BMC Health Services Research</i> , 2009, 9, 153.	0.9	20
161	Psychometric properties of the Dutch version of the Mental Adjustment to Cancer scale in Dutch cancer patients. <i>Psycho-Oncology</i> , 2010, 19, 742-749.	1.0	20
162	Effectiveness of rehabilitation interventions in improving emotional and functional status in hearing or visually impaired older adults: a systematic review with meta-analyses. <i>Clinical Rehabilitation</i> , 2015, 29, 107-119.	1.0	20

#	ARTICLE	IF	CITATIONS
163	Can education improve clinical practice concerning delirium in older hospitalised patients? Results of a pre-test post-test study on an educational intervention for nursing staff. <i>BMC Medical Education</i> , 2018, 18, 59.	1.0	20
164	Conceptualizing autonomy in the context of chronic physical illness: relating philosophical theories to social scientific perspectives. <i>Health (United Kingdom)</i> , 2008, 12, 333-348.	0.9	19
165	Rasch analysis reveals comparative analyses of activities of daily living/instrumental activities of daily living summary scores from different residential settings is inappropriate. <i>Journal of Clinical Epidemiology</i> , 2016, 74, 207-217.	2.4	19
166	Measuring health status with the Dartmouth COOP charts in low-functioning elderly. Do the illustrations affect the outcomes?. <i>Quality of Life Research</i> , 1997, 6, 323-328.	1.5	18
167	The impact of physical performance and cognitive status on subsequent ADL disability in low-functioning older adults. , 1998, 13, 480-483.		18
168	Do psychological factors influence pain following a fracture of the extremities?. <i>Injury</i> , 1999, 30, 323-325.	0.7	18
169	Material vs. psychosocial explanations of old-age educational differences in physical and mental functioning. <i>European Journal of Public Health</i> , 2012, 22, 587-592.	0.1	18
170	Unhealthy Lifestyles Do Not Mediate the Relationship Between Socioeconomic Status and Incident Depressive Symptoms: The Health ABC study. <i>American Journal of Geriatric Psychiatry</i> , 2013, 21, 664-674.	0.6	18
171	The mediating role of disability and social support in the association between low vision and depressive symptoms in older adults. <i>Quality of Life Research</i> , 2014, 23, 1039-1043.	1.5	18
172	Process evaluation of an integrated care pathway in geriatric rehabilitation for people with complex health problems. <i>BMC Health Services Research</i> , 2017, 17, 34.	0.9	18
173	Psychological Well-being in Older Adults Suffering From Chronic Headache. <i>Headache</i> , 1998, 38, 292-294.	1.8	17
174	Measuring Rebelliousness and Predicting Health Behaviour and Outcomes. <i>Journal of Health Psychology</i> , 2009, 14, 771-779.	1.3	17
175	Orientation and mobility training for partially-sighted older adults using an identification cane: a systematic review. <i>Clinical Rehabilitation</i> , 2011, 25, 880-891.	1.0	17
176	Screening for hearing, visual and dual sensory impairment in older adults using behavioural cues: A validation study. <i>International Journal of Nursing Studies</i> , 2014, 51, 1434-1440.	2.5	17
177	The benefit of a geriatric nurse practitioner in a multidisciplinary diagnostic service for people with cognitive disorders. <i>BMC Research Notes</i> , 2015, 8, 217.	0.6	17
178	Explaining discrepancies in self-reported quality of life in frail older people: a mixed-methods study. <i>BMC Geriatrics</i> , 2017, 17, 251.	1.1	17
179	How do people with COPD or diabetes type 2 experience autonomy? An exploratory study. <i>Disability and Rehabilitation</i> , 2007, 29, 485-493.	0.9	16
180	The Mediating Role of Perceived Control on the Relationship Between Socioeconomic Status and Functional Changes in Older Patients With Coronary Heart Disease. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2008, 63, P353-P361.	2.4	16

#	ARTICLE	IF	CITATIONS
181	Social networks, social participation and self-perceived health among older people in transitional Kosovo. <i>European Journal of Public Health</i> , 2014, 24, 333-337.	0.1	16
182	Can resources moderate the impact of levels of frailty on adverse outcomes among (pre-) frail older people? A longitudinal study. <i>BMC Geriatrics</i> , 2017, 17, 185.	1.1	16
183	The impact of multidimensional frailty on dependency in activities of daily living and the moderating effects of protective factors. <i>Archives of Gerontology and Geriatrics</i> , 2018, 78, 255-260.	1.4	16
184	Nurse- and peer-led self-management programme for patients with an implantable cardioverter defibrillator; a feasibility study. <i>BMC Nursing</i> , 2007, 6, 6.	0.9	15
185	Socioeconomic factors from midlife predict mobility limitation and depressed mood three decades later; Findings from the AGES-Reykjavik Study. <i>BMC Public Health</i> , 2013, 13, 101.	1.2	15
186	Feasibility of a nurse-led in-home cognitive behavioral program to manage concerns about falls in frail older people: A process evaluation. <i>Research in Nursing and Health</i> , 2013, 36, 257-270.	0.8	15
187	Effectiveness of the blended care self-management program "Partner in Balance" for early-stage dementia caregivers: study protocol for a randomized controlled trial. <i>Trials</i> , 2016, 17, 231.	0.7	15
188	Process evaluation of a reablement training program for homecare staff to encourage independence in community-dwelling older adults. <i>BMC Geriatrics</i> , 2021, 21, 5.	1.1	15
189	Depressive symptoms in elderly patients predict poor adjustment after somatic events. <i>American Journal of Geriatric Psychiatry</i> , 2004, 12, 57-64.	0.6	15
190	To what extent does IQ 'explain' socio-economic variations in function?. <i>BMC Public Health</i> , 2007, 7, 179.	1.2	14
191	The effectiveness of the Screening Inventory of Psychosocial Problems (SIPP) in cancer patients treated with radiotherapy: design of a cluster randomised controlled trial. <i>BMC Cancer</i> , 2009, 9, 177.	1.1	14
192	Effects of the FIT-HIP Intervention for Fear of Falling After Hip Fracture: A Cluster-Randomized Controlled Trial in Geriatric Rehabilitation. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 857-865.e2.	1.2	14
193	Gender-specific risk factors for mortality associated with incident coronary heart disease: A prospective community-based study. <i>Preventive Medicine</i> , 2006, 43, 361-367.	1.6	13
194	The relative contributions of hostility and depressive symptoms to the income gradient in hospital-based incidence of ischaemic heart disease: 12-Year follow-up findings from the GLOBE study. <i>Social Science and Medicine</i> , 2009, 69, 1272-1280.	1.8	13
195	Effects of a Medication Review on Delirium in Older Hospitalised Patients: A Comparative Retrospective Cohort Study. <i>Drugs and Aging</i> , 2018, 35, 153-161.	1.3	13
196	Randomized controlled trial to evaluate a prevention program for frail community-dwelling older adults: a D-SCOPE protocol. <i>BMC Geriatrics</i> , 2018, 18, 194.	1.1	13
197	Psychometric properties of the Screening Inventory of Psychosocial Problems (SIPP) in Dutch cancer patients treated with radiotherapy. <i>European Journal of Cancer Care</i> , 2011, 20, 305-314.	0.7	12
198	Promising behavior change techniques in a multicomponent intervention to reduce concerns about falls in old age: A Delphi study. <i>Health Education Research</i> , 2015, 30, 309-322.	1.0	12

#	ARTICLE	IF	CITATIONS
199	The Maastricht Frailty Screening Tool for Hospitalised Patients (MFST-HP) to Identify Non-Frail Patients. <i>International Journal of Clinical Practice</i> , 2017, 71, e13003.	0.8	12
200	Effects, costs and feasibility of the "Stay Active at Home"™ Reablement training programme for home care professionals: study protocol of a cluster randomised controlled trial. <i>BMC Geriatrics</i> , 2018, 18, 276.	1.1	12
201	Health related quality of life assessment instruments: A prospective study on preference and acceptability among cancer patients referred for radiotherapy. <i>European Journal of Cancer</i> , 2005, 41, 2250-2256.	1.3	11
202	Effectiveness of a nurse-supported self-management programme for dual sensory impaired older adults in long-term care: a cluster randomised controlled trial. <i>BMJ Open</i> , 2018, 8, e016674.	0.8	11
203	Frailty screening in hospitalised older adults: How does the brief Dutch National Safety Management Program perform compared to a more extensive approach?. <i>Journal of Clinical Nursing</i> , 2020, 29, 1064-1073.	1.4	11
204	The opinions and experiences of nurses on frailty screening among older hospitalized patients. An exploratory study. <i>BMC Geriatrics</i> , 2021, 21, 624.	1.1	11
205	Disablement process and the utilization of home care among non-institutionalized elderly people: contrasting results between cross-sectional and panel data. <i>Disability and Rehabilitation</i> , 2003, 25, 845-855.	0.9	10
206	Usefulness and acceptability of a standardised orientation and mobility training for partially-sighted older adults using an identification cane. <i>BMC Health Services Research</i> , 2012, 12, 141.	0.9	10
207	Resources as a Protective Factor for Negative Outcomes of Frailty in Elderly People. <i>Gerontology</i> , 2012, 58, 391-397.	1.4	10
208	Development and usability of the MAINTAIN, an inventory assessing nursing staff behavior to optimize and maintain functional activity among nursing home residents: a mixed-methods approach. <i>BMC Health Services Research</i> , 2015, 16, 38.	0.9	10
209	Evaluation of nurses'™ changing perceptions when trained to implement a self-management programme for dual sensory impaired older adults in long-term care: a qualitative study. <i>BMJ Open</i> , 2016, 6, e013122.	0.8	10
210	Problems identified by dual sensory impaired older adults in long-term care when using a self-management program: A qualitative study. <i>PLoS ONE</i> , 2017, 12, e0173601.	1.1	10
211	Concordances and differences between a unidimensional and multidimensional assessment of frailty: a cross-sectional study. <i>BMC Geriatrics</i> , 2019, 19, 346.	1.1	10
212	The conceptualisation of vital communities related to ageing in place: a scoping review. <i>European Journal of Ageing</i> , 2022, 19, 49-62.	1.2	10
213	Effectiveness of a reablement training program for homecare staff on older adults' sedentary behavior: A cluster randomized controlled trial. <i>Journal of the American Geriatrics Society</i> , 2021, 69, 2566-2578.	1.3	10
214	EFFECT OF SELF-RATED HEALTH ON COGNITIVE PERFORMANCE IN COMMUNITY DWELLING ELDERLY. <i>Educational Gerontology</i> , 1999, 25, 13-17.	0.7	9
215	Short report chronic medical conditions and life satisfaction in the elderly. <i>Psychology and Health</i> , 1999, 14, 65-70.	1.2	9
216	Lack of basic and luxury goods and health-related dysfunction in older persons; Findings from the longitudinal SMILE study. <i>BMC Public Health</i> , 2008, 8, 242.	1.2	9

#	ARTICLE	IF	CITATIONS
217	Effectiveness of a self-management program for dual sensory impaired seniors in aged care settings: study protocol for a cluster randomized controlled trial. <i>Trials</i> , 2013, 14, 321.	0.7	9
218	Do nursing staff encourage functional activity among nursing home residents? A cross-sectional study of nursing staff perceived behaviors and associated factors. <i>BMC Geriatrics</i> , 2017, 17, 18.	1.1	9
219	The comprehensive frailty assessment instrument enables to detect multidimensional frailty in community dwelling older people. <i>Healthy Aging Research</i> , 2018, 07, .	0.3	9
220	Screening for Frailty in Hospitalized Older Adults: Reliability and Feasibility of the Maastricht Frailty Screening Tool for Hospitalized Patients (MFST-HP). <i>Research in Gerontological Nursing</i> , 2016, 9, 243-251.	0.2	9
221	Cognitive function in community-dwelling elderly with chronic medical conditions. , 1997, 12, 1039-1041.		8
222	A blunted diurnal cortisol response in the lower educated does not explain educational differences in coronary heart disease: Findings from the AGES-Reykjavik Study. <i>Social Science and Medicine</i> , 2015, 127, 143-149.	1.8	8
223	Disentangling interventions to reduce fear of falling in community-dwelling older people: a systematic review and meta-analysis of intervention components. <i>Disability and Rehabilitation</i> , 2022, 44, 6247-6257.	0.9	8
224	Do psychosocial profiles predict self-rated health, morbidity and mortality in late middle-aged and older people?. <i>Journal of Behavioral Medicine</i> , 2014, 37, 357-68.	1.1	7
225	Differences in Physical-Fitness Test Scores between Actively and Passively Recruited Older Adults: Consequences for Norm-Based Classification. <i>Journal of Aging and Physical Activity</i> , 2002, 10, 143-159.	0.5	6
226	Personality and health as predictors of income decrease in old age: Findings from the longitudinal SMILE study. <i>European Journal of Public Health</i> , 2009, 19, 418-423.	0.1	6
227	The educational patterning of health-related adversities in individuals with major depression. <i>Journal of Affective Disorders</i> , 2010, 126, 96-102.	2.0	6
228	Promoting Functional Activity Among Nursing Home Residents: A Cross-Sectional Study on Barriers Experienced by Nursing Staff. <i>Journal of Aging and Health</i> , 2018, 30, 605-623.	0.9	6
229	Can proxy assessments serve as a first screener for identifying people at risk for multidimensional frailty?. <i>European Geriatric Medicine</i> , 2018, 9, 501-507.	1.2	6
230	Relational aspects of mastery for frail, older adults: The role of informal caregivers in the care process. <i>Health and Social Care in the Community</i> , 2019, 27, 632-641.	0.7	6
231	Validation of replacement questions for slowness and weakness to assess the Fried Phenotype: a cross-sectional study. <i>European Geriatric Medicine</i> , 2020, 11, 793-801.	1.2	6
232	Effects on clients' daily functioning and common features of reablement interventions: a systematic literature review. <i>European Journal of Ageing</i> , 2022, 19, 903-929.	1.2	6
233	Demographic, health-related and psychosocial predictors of changes in depressive symptoms and anxiety in late middle-aged and older persons with fall-related injuries. <i>Psychology and Health</i> , 2004, 19, 103-115.	1.2	5
234	Long-term effect on mortality of a multicomponent cognitive behavioural group intervention to reduce fear of falling in older adults: a randomised controlled trial. <i>Age and Ageing</i> , 2011, 40, 519-523.	0.7	5

#	ARTICLE	IF	CITATIONS
235	Survey Mode Biases Reporting of Activities of Daily Living and Instrumental Activities of Daily Living. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 2419-2421.	1.3	5
236	Working in small-scale, homelike dementia care: effects on staff burnout symptoms and job characteristics. A quasi-experimental, longitudinal study. <i>Journal of Research in Nursing</i> , 2018, 23, 174498711875783.	0.3	5
237	Senior Friendly Communities: Designing an approach for cross-border exchange of public health policy. <i>Health Policy</i> , 2020, 124, 1129-1136.	1.4	4
238	Effectiveness of a reablement training program on self-efficacy and outcome expectations regarding client activation in homecare staff: A cluster randomized controlled trial. <i>Geriatric Nursing</i> , 2022, 43, 104-112.	0.9	4
239	The concept of disability and its causal mechanisms in older people over time from a theoretical perspective: a literature review. <i>European Journal of Ageing</i> , 2022, 19, 397-411.	1.2	4
240	Economic Evaluation of a Reablement Training Program for Homecare Staff Targeting Sedentary Behavior in Community-Dwelling Older Adults Compared to Usual Care: A Cluster Randomized Controlled Trial. <i>Clinical Interventions in Aging</i> , 2021, Volume 16, 2095-2109.	1.3	4
241	MEASURING EXPECTED OUTCOMES OF FALLS. <i>Journal of the American Geriatrics Society</i> , 2006, 54, 1300-1301.	1.3	3
242	Better health reports when the grass is greener on your side of the fence? A cross-sectional study in older persons. <i>International Journal of Public Health</i> , 2011, 56, 449-453.	1.0	3
243	Economic evaluation of a home-based programme to reduce concerns about falls in frail, independently-living older people. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2020, 20, 641-651.	0.7	3
244	Risk Factors for Developing Cardiac Disease in Late Middle-aged and Older Men and Women: A Prospective Study. <i>Journal of the American Geriatrics Society</i> , 2001, 49, 1575-1577.	1.3	2
245	Feasibility of the Translating Innovations into Practice-toolbox (TIP-toolbox): A mixed-methods study for implementing activity innovations in nursing homes. <i>Geriatric Nursing</i> , 2017, 38, 498-504.	0.9	2
246	Building Consensus on an Integrated Care Pathway in Geriatric Rehabilitation: A Modified Delphi Study Among Professional Experts. <i>Journal of Applied Gerontology</i> , 2020, 39, 423-434.	1.0	2
247	Psychometric properties of the client activation self-efficacy and outcome expectation scales for nurses (CA-SE-n and CA-OE-n) and domestic support workers (CA-SE-d and CA-OE-d): A cross-sectional study. <i>Geriatric Nursing</i> , 2021, 42, 309-316.	0.9	2
248	Cognitive function in community-dwelling elderly with chronic medical conditions. , 1997, 12, 1039.		2
249	NO DECLINE IN COGNITIVE FUNCTION IN OLDER PATIENTS TWO MONTHS AFTER A FRACTURE OF THE EXTREMITIES. <i>Journal of the American Geriatrics Society</i> , 1998, 46, 1177-1178.	1.3	1
250	Development and psychometric properties of the Maastricht Personal Autonomy Questionnaire (MPAQ) in older adults with a chronic physical illness. <i>Quality of Life Research</i> , 2014, 23, 1777-87.	1.5	1
251	The relation between age of retirement and frailty in later life? A cross-sectional study in Flemish older adults. <i>Archives of Gerontology and Geriatrics</i> , 2021, 96, 104473.	1.4	1
252	Assessing avoidance behavior due to concerns about falling: Psychometric properties of the FES-IAB in a sample of older adults of an online panel. <i>Archives of Gerontology and Geriatrics</i> , 2021, 97, 104469.	1.4	1

#	ARTICLE	IF	CITATIONS
253	Kempen and Ormel Respond. American Journal of Public Health, 1998, 88, 838-838.	1.5	0
254	DEPENDENCY IN ACTIVITIES OF DAILY LIVING: THE ROLE OF MULTIDIMENSIONAL FRAILTY AND PROTECTIVE FACTORS. Innovation in Aging, 2019, 3, S635-S636.	0.0	0
255	Feasibility of a multicomponent cognitive behavioral intervention for fear of falling after hip fracture: process evaluation of the FIT-HIP intervention. BMC Geriatrics, 2021, 21, 224.	1.1	0
256	Towards age-friendly municipalities: What are municipalities doing to support their ageing population with mental health problems?. World Medical and Health Policy, 0, , .	0.9	0