

Maxime Battistella

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5771540/publications.pdf>

Version: 2024-02-01

262
papers

4,825
citations

117625

34
h-index

155660

55
g-index

314
all docs

314
docs citations

314
times ranked

5425
citing authors

#	ARTICLE	IF	CITATIONS
1	Cutaneous Lymphoma International Consortium Study of Outcome in Advanced Stages of Mycosis Fungoides and Sézary Syndrome: Effect of Specific Prognostic Markers on Survival and Development of a Prognostic Model. <i>Journal of Clinical Oncology</i> , 2015, 33, 3766-3773.	1.6	328
2	Germline HAVCR2 mutations altering TIM-3 characterize subcutaneous panniculitis-like T cell lymphomas with hemophagocytic lymphohistiocytic syndrome. <i>Nature Genetics</i> , 2018, 50, 1650-1657.	21.4	151
3	Nivolumab-Induced Sarcoid-Like Granulomatous Reaction in a Patient With Advanced Melanoma. <i>Chest</i> , 2016, 149, e133-e136.	0.8	142
4	The PROCLIP international registry of early-stage mycosis fungoides identifies substantial diagnostic delay in most patients. <i>British Journal of Dermatology</i> , 2019, 181, 350-357.	1.5	127
5	Diagnosis and treatment of Kaposi's sarcoma: European consensus-based interdisciplinary guideline (EDF/EADO/EORTC). <i>European Journal of Cancer</i> , 2019, 114, 117-127.	2.8	120
6	IPH4102, a first-in-class anti-KIR3DL2 monoclonal antibody, in patients with relapsed or refractory cutaneous T-cell lymphoma: an international, first-in-human, open-label, phase 1 trial. <i>Lancet Oncology</i> , 2019, 20, 1160-1170.	10.7	119
7	Scleredema. A multicentre study of characteristics, comorbidities, course and therapy in 44 patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015, 29, 2399-2404.	2.4	104
8	ZEB1-mediated melanoma cell plasticity enhances resistance to MAPK inhibitors. <i>EMBO Molecular Medicine</i> , 2016, 8, 1143-1161.	6.9	98
9	Long-term efficacy and safety of alemtuzumab in advanced primary cutaneous T-cell lymphomas. <i>British Journal of Dermatology</i> , 2014, 170, 720-724.	1.5	95
10	Crohn's disease of the vulva. <i>Journal of Crohn's and Colitis</i> , 2014, 8, 563-570.	1.3	87
11	Primary Cutaneous Follicular Helper T-cell Lymphoma. <i>Archives of Dermatology</i> , 2012, 148, 832-9.	1.4	74
12	Allogeneic stem cell transplantation for advanced cutaneous T-cell lymphomas: a study from the French Society of Bone Marrow Transplantation and French Study Group on Cutaneous Lymphomas. <i>Haematologica</i> , 2014, 99, 527-534.	3.5	73
13	UBA1 Variations in Neutrophilic Dermatitis Skin Lesions of Patients With VEXAS Syndrome. <i>JAMA Dermatology</i> , 2021, 157, 1349.	4.1	71
14	Neonatal and Early Infantile Cutaneous Langerhans Cell Histiocytosis. <i>Archives of Dermatology</i> , 2010, 146, 149-56.	1.4	70
15	Histopathological and immunophenotypical criteria for the diagnosis of Sézary syndrome in differentiation from other erythrodermic skin diseases: a European Organisation for Research and Treatment of Cancer (EORTC) Cutaneous Lymphoma Task Force Study of 9. <i>British Journal of Dermatology</i> , 2015, 173, 93-105.	1.5	67
16	Prognostic value of HMGA2, CDK4, and JUN amplification in well-differentiated and dedifferentiated liposarcomas. <i>Modern Pathology</i> , 2015, 28, 1404-1414.	5.5	62
17	Subcutaneous Panniculitis-like T-cell Lymphoma: Immunosuppressive Drugs Induce Better Response than Polychemotherapy. <i>Acta Dermato-Venereologica</i> , 2017, 97, 358-364.	1.3	57
18	Epidemiology of Cutaneous T-Cell Lymphomas: A Systematic Review and Meta-Analysis of 16,953 Patients. <i>Cancers</i> , 2020, 12, 2921.	3.7	57

#	ARTICLE	IF	CITATIONS
19	Retrospective Multicentric Study of 25 Kimura Disease Patients: Emphasis on Therapeutics and Shared Features with Cutaneous IgG4-Related Disease. <i>Dermatology</i> , 2015, 231, 367-377.	2.1	52
20	Recalcitrant Pseudotumoral Anogenital Herpes Simplex Virus Type 2 in HIV-Infected Patients: Evidence for Predominant B-Lymphoplasmocytic Infiltration and Immunomodulators as Effective Therapeutic Strategy. <i>Clinical Infectious Diseases</i> , 2013, 57, 1648-1655.	5.8	49
21	Prediction of Clinical Outcome in Multiple Lung Cancer Cohorts by Integrative Genomics: Implications for Chemotherapy Selection. <i>Cancer Research</i> , 2009, 69, 1055-1062.	0.9	48
22	From Hidroacanthoma Simplex to Poroid Hidradenoma: Clinicopathologic and Immunohistochemic Study of Poroid Neoplasms and Reappraisal of Their Histogenesis. <i>American Journal of Dermatopathology</i> , 2010, 32, 459-468.	0.6	48
23	Sunitinib efficacy in the treatment of metastatic skin adnexal carcinomas: report of two patients with hidradenocarcinoma and trichoblastic carcinoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2010, 24, 199-203.	2.4	48
24	COVID-19-Related IgA Vasculitis. <i>Arthritis and Rheumatology</i> , 2020, 72, 1952-1953.	5.6	48
25	STAT3 Mediates Nilotinib Response in KIT-Altered Melanoma: A Phase II Multicenter Trial of the French Skin Cancer Network. <i>Journal of Investigative Dermatology</i> , 2018, 138, 58-67.	0.7	47
26	MYD88 Somatic Mutation Is a Diagnostic Criterion in Primary Cutaneous Large B-Cell Lymphoma. <i>Journal of Investigative Dermatology</i> , 2016, 136, 1741-1744.	0.7	46
27	Skin tumors with matrical differentiation: lessons from hair keratins, beta-catenin and <sc>PHLDA</sc> expression. <i>Journal of Cutaneous Pathology</i> , 2014, 41, 427-436.	1.3	41
28	Neutrophilic dermatosis. <i>Current Opinion in Hematology</i> , 2015, 22, 23-29.	2.5	40
29	Relationship between cutaneous polyarteritis nodosa (cPAN) and macular lymphocytic arteritis (MLA): Blinded histologic assessment of 35 cPAN cases. <i>Journal of the American Academy of Dermatology</i> , 2015, 73, 1013-1020.	1.2	40
30	Treatment of early-stage mycosis fungoides: results from the PROspective Cutaneous Lymphoma International Prognostic Index (PROCLIP) study*. <i>British Journal of Dermatology</i> , 2021, 184, 722-730.	1.5	39
31	Epidemiological changes in cutaneous lymphomas: an analysis of 8593 patients from the French Cutaneous Lymphoma Registry*. <i>British Journal of Dermatology</i> , 2021, 184, 1059-1067.	1.5	39
32	Syngotropic mycosis fungoides: Clinical and histologic features, response to treatment, and outcome in 19 patients. <i>Journal of the American Academy of Dermatology</i> , 2014, 71, 926-934.	1.2	38
33	Neutrophilic Skin Lesions in Autoimmune Connective Tissue Diseases. <i>Medicine (United States)</i> , 2014, 93, e346.	1.0	37
34	NUT Is a Specific Immunohistochemical Marker for the Diagnosis of YAP1-NUTM1-rearranged Cutaneous Poroid Neoplasms. <i>American Journal of Surgical Pathology</i> , 2021, 45, 1221-1227.	3.7	37
35	The High Expression of the microRNA 17-92 Cluster and its Paralogs, and the Downregulation of the Target Gene PTEN, Is Associated with Primary Cutaneous B-Cell Lymphoma Progression. <i>Journal of Investigative Dermatology</i> , 2015, 135, 1659-1667.	0.7	34
36	Aggressive digital papillary adenocarcinoma: A clinicopathological study of 19 cases. <i>Journal of the American Academy of Dermatology</i> , 2017, 77, 549-558.e1.	1.2	34

#	ARTICLE	IF	CITATIONS
37	PD-1 blockade with nivolumab in endemic Kaposi sarcoma. <i>Annals of Oncology</i> , 2018, 29, 1067-1069.	1.2	34
38	BRAF inhibitor rechallenge in patients with advanced BRAF V600-mutant melanoma. <i>Melanoma Research</i> , 2015, 25, 559-563.	1.2	33
39	Type I interferon response and vascular alteration in chilblain-like lesions during the COVID-19 outbreak*. <i>British Journal of Dermatology</i> , 2021, 185, 1176-1185.	1.5	33
40	Myelodysplasia Cutis Versus Leukemia Cutis. <i>Journal of Investigative Dermatology</i> , 2015, 135, 2321-2324.	0.7	32
41	Vascular invasion and other invasive features in granular cell tumours of the skin: a multicentre study of 119 cases. <i>Journal of Clinical Pathology</i> , 2014, 67, 19-25.	2.0	31
42	KIR3DL2 expression in cutaneous T-cell lymphomas: expanding the spectrum for KIR3DL2 targeting. <i>Blood</i> , 2017, 130, 2900-2902.	1.4	30
43	MDA5+ Dermatomyositis Is Associated with Stronger Skin Type I Interferon Transcriptomic Signature with Upregulation of IFN- β Transcript. <i>Journal of Investigative Dermatology</i> , 2020, 140, 1276-1279.e7.	0.7	30
44	Macrophage-derived CXCL9 and CXCL11, T-cell skin homing, and disease control in mogamulizumab-treated CTCL patients. <i>Blood</i> , 2022, 139, 1820-1832.	1.4	30
45	PHLDA1, a Follicular Stem Cell Marker, Differentiates Clear-Cell/Granular-Cell Trichoblastoma and Clear-Cell/Granular Cell Basal Cell Carcinoma. <i>American Journal of Dermatopathology</i> , 2014, 36, 643-650.	0.6	29
46	Acquired generalized lipodystrophy under immune checkpoint inhibition. <i>British Journal of Dermatology</i> , 2020, 182, 477-480.	1.5	29
47	HAVCR2 mutations are associated with severe hemophagocytic syndrome in subcutaneous panniculitis-like T-cell lymphoma. <i>Blood</i> , 2020, 135, 1058-1061.	1.4	29
48	KIR3DL2 (CD158k) is a potential therapeutic target in primary cutaneous anaplastic large-cell lymphoma. <i>British Journal of Dermatology</i> , 2016, 175, 325-333.	1.5	28
49	Primary cutaneous large B-cell lymphomas: relevance of the 2017 World Health Organization classification: clinicopathological and molecular analyses of 64 cases. <i>Histopathology</i> , 2019, 74, 1067-1080.	2.9	28
50	Tracking sub-clonal TP53 mutated tumor cells in human metastatic renal cell carcinoma. <i>Oncotarget</i> , 2015, 6, 19279-19289.	1.8	28
51	Extensive Nodular Secondary Syphilis With Prozone Phenomenon. <i>Archives of Dermatology</i> , 2008, 144, 1078-9.	1.4	27
52	The spectrum of neutrophilic dermatoses associated with monoclonal gammopathy: Association with IgA isotype and inflammatory profile. <i>Journal of the American Academy of Dermatology</i> , 2015, 73, 809-820.	1.2	26
53	Lichen planus associated with etanercept. <i>British Journal of Dermatology</i> , 2007, 158, 071018080405001-???.	1.5	25
54	Calcinosis Cutis: A Rare Reaction to Subcutaneous Injections of Calcium-Containing Heparin in Patients With Renal Failure. <i>American Journal of Dermatopathology</i> , 2010, 32, 52-55.	0.6	25

#	ARTICLE	IF	CITATIONS
55	PDE4D promotes FAK-mediated cell invasion in BRAF-mutated melanoma. <i>Oncogene</i> , 2017, 36, 3252-3262.	5.9	25
56	Association of autoimmunity and long-term complete remission in patients with Sjögren syndrome treated with mogamulizumab. <i>British Journal of Dermatology</i> , 2019, 180, 419-420.	1.5	25
57	Defining and recognising locally advanced basal cell carcinoma. <i>European Journal of Dermatology</i> , 2015, 25, 586-594.	0.6	24
58	Two Atypical Cases of Cutaneous Gamma/Delta T-Cell Lymphomas. <i>Dermatology</i> , 2011, 222, 297-303.	2.1	23
59	Peripheral and Local Human Papillomavirus 16-Specific CD8 + T-Cell Expansions Characterize Erosive Oral Lichen Planus. <i>Journal of Investigative Dermatology</i> , 2015, 135, 418-424.	0.7	23
60	Next-Generation Sequencing in Myeloid Neoplasm-Associated Sweet's Syndrome Demonstrates Clonal Relation between Malignant Cells and Skin-Infiltrating Neutrophils. <i>Journal of Investigative Dermatology</i> , 2020, 140, 1873-1876.e5.	0.7	23
61	BRAF V600 mutation levels predict response to vemurafenib in metastatic melanoma. <i>Melanoma Research</i> , 2014, 24, 415-418.	1.2	22
62	Discoidin domain receptors: A promising target in melanoma. <i>Pigment Cell and Melanoma Research</i> , 2019, 32, 697-707.	3.3	22
63	Composite tumors associating trichoblastoma and benign epidermal/follicular neoplasm: another proof of the follicular nature of inverted follicular keratosis. <i>Journal of Cutaneous Pathology</i> , 2010, 37, 1057-1063.	1.3	20
64	Towards better digital pathology workflows: programming libraries for high-speed sharpness assessment of Whole Slide Images. <i>Diagnostic Pathology</i> , 2014, 9, S3.	2.0	20
65	Vemurafenib in the French temporary authorization for use metastatic melanoma cohort. <i>Melanoma Research</i> , 2014, 24, 75-82.	1.2	20
66	CRTC1-TRIM11 Fusion in a Case of Metastatic Clear Cell Sarcoma. <i>American Journal of Surgical Pathology</i> , 2019, 43, 861-863.	3.7	20
67	Acute generalized exanthematous pustulosis induced by hydroxychloroquine prescribed for COVID-19. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020, 8, 2777-2779.e1.	3.8	20
68	Recent Advances on Immunohistochemistry and Molecular Biology for the Diagnosis of Adnexal Sweat Gland Tumors. <i>Cancers</i> , 2022, 14, 476.	3.7	20
69	PD-1 blockade with pembrolizumab in classic or endemic Kaposi's sarcoma: a multicentre, single-arm, phase 2 study. <i>Lancet Oncology</i> , The, 2022, 23, 491-500.	10.7	20
70	Ultrasound-guided core needle biopsy of superficial lymph nodes. <i>Melanoma Research</i> , 2015, 25, 519-527.	1.2	19
71	Persistent deficiency of mucosal-associated invariant T cells during dermatomyositis. <i>Rheumatology</i> , 2020, 59, 2282-2286.	1.9	19
72	Two Congenital Cases of Pigmented Epithelioid Melanocytoma Studied by Fluorescent in situ Hybridization for Melanocytic Tumors: Case Reports and Review of These Recent Topics. <i>Dermatology</i> , 2010, 221, 97-106.	2.1	18

#	ARTICLE	IF	CITATIONS
73	Angiosarcoma in patients with xeroderma pigmentosum: Less aggressive and not so rare?. <i>Journal of the American Academy of Dermatology</i> , 2013, 69, e142-e143.	1.2	18
74	Increased severity and epidermal alterations in persistent versus evanescent skin lesions in adult-onset Still disease. <i>Journal of the American Academy of Dermatology</i> , 2018, 79, 969-971.	1.2	18
75	Spindle cell tumor with <i>CD34</i> and <i>S100</i> co-expression and distinctive stromal and perivascular hyalinization showing <i>EML4-ALK</i> fusion. <i>Journal of Cutaneous Pathology</i> , 2021, 48, 896-901.	1.3	18
76	Netrin-1 and Its Receptor DCC Are Causally Implicated in Melanoma Progression. <i>Cancer Research</i> , 2020, 80, 747-756.	0.9	18
77	Dominance of an <i>UBA1</i> mutant clone over a <i>CALR</i> mutant clone: from essential thrombocytemia to VEXAS.. <i>Haematologica</i> , 2021, 106, 3245-3248.	3.5	18
78	Squamous Cell Carcinoma Following Photodynamic Therapy for Cutaneous Bowen's Disease in a Series of 105 Patients. <i>Acta Dermato-Venereologica</i> , 2016, 96, 658-663.	1.3	17
79	The Use of Central Pathology Review With Digital Slide Scanning in Advanced-stage Mycosis Fungoides and Sézary Syndrome. <i>American Journal of Surgical Pathology</i> , 2018, 42, 726-734.	3.7	17
80	Heterogeneity of PD-L1 expression and CD8 tumor-infiltrating lymphocytes among subtypes of cutaneous adnexal carcinomas. <i>Cancer Immunology, Immunotherapy</i> , 2019, 68, 951-960.	4.2	17
81	Dupilumab Treatment in Two Patients with Cutaneous T-cell Lymphomas. <i>Acta Dermato-Venereologica</i> , 2020, 100, adv00271.	1.3	17
82	Positive Association Between Location of Melanoma, Ultraviolet Signature, Tumor Mutational Burden, and Response to Anti-PD-1 Therapy. <i>JCO Precision Oncology</i> , 2021, 5, 1821-1829.	3.0	17
83	Expression of Sézary Biomarkers in the Blood of Patients with Erythrodermic Mycosis Fungoides. <i>Journal of Investigative Dermatology</i> , 2016, 136, 317-320.	0.7	16
84	Sentinel Lymph Node Biopsy in Cutaneous Squamous Cell Carcinoma Series of 37 Cases and Systematic Review of the Literature. <i>Acta Dermato-Venereologica</i> , 2018, 98, 671-676.	1.3	16
85	Dramatic response to brentuximab vedotin in refractory nontransformed <i>CD30</i> mycosis fungoides allowing allogeneic stem cell transplant and long-term complete remission. <i>British Journal of Dermatology</i> , 2019, 180, 1517-1520.	1.5	16
86	Clinical factors predictive for histological aggressiveness of basal cell carcinoma: A prospective study of 2274 cases. <i>Annales De Dermatologie Et De Venereologie</i> , 2021, 148, 23-27.	1.0	16
87	Locally Aggressive Trichoblastic Tumours (Low-grade Trichoblastic Carcinomas): Clinicopathological Analysis and Follow-up. <i>Acta Dermato-Venereologica</i> , 2018, 98, 126-127.	1.3	15
88	Diagnosis and Treatment of Primary Cutaneous B-Cell Lymphomas: State of the Art and Perspectives. <i>Cancers</i> , 2020, 12, 1497.	3.7	15
89	Plasma cell-directed therapies in monoclonal gammopathy-associated scleromyxedema. <i>Blood</i> , 2020, 135, 1101-1110.	1.4	15
90	Clinical, pathological, and molecular features of myelodysplasia cutis. <i>Blood</i> , 2022, 139, 1251-1253.	1.4	15

#	ARTICLE	IF	CITATIONS
91	Remission of Severe CD8 ⁺ Cytotoxic T Cell Skin Infiltrative Disease in Human Immunodeficiency Virus-Infected Patients Receiving Highly Active Antiretroviral Therapy. <i>Clinical Infectious Diseases</i> , 2010, 51, 741-748.	5.8	14
92	Primary Cutaneous Neuroendocrine Carcinoma Within a Cystic Trichoblastoma: A Nonfortuitous Association?. <i>American Journal of Dermatopathology</i> , 2011, 33, 383-387.	0.6	14
93	Human orf complicated by epidermolysis bullosa acquisita. <i>British Journal of Dermatology</i> , 2018, 178, 547-550.	1.5	14
94	Efficacy and safety of brentuximab vedotin plus bendamustine in advanced-stage primary cutaneous T-cell lymphomas. <i>British Journal of Dermatology</i> , 2019, 181, 1315-1317.	1.5	14
95	Sweet-Like Reaction Due to Arthropod Bites. <i>American Journal of Dermatopathology</i> , 2012, 34, 442-445.	0.6	13
96	EMMPRIN/CD147 is an independent prognostic biomarker in cutaneous melanoma. <i>Experimental Dermatology</i> , 2016, 25, 618-622.	2.9	13
97	Intermittent Versus Continuous Dosing of MAPK Inhibitors in the Treatment of BRAF-Mutated Melanoma. <i>Translational Oncology</i> , 2020, 13, 275-286.	3.7	13
98	Practical Approaches on CD30 Detection and Reporting in Lymphoma Diagnosis. <i>American Journal of Surgical Pathology</i> , 2020, 44, e1-e14.	3.7	13
99	Paradoxical simultaneous regression and progression of lesions in a phase II study of everolimus in classic Kaposi sarcoma. <i>British Journal of Dermatology</i> , 2015, 173, 1284-1287.	1.5	12
100	Identification of clonal skin myeloid cells by next-generation sequencing in myelodysplasia cutis. <i>British Journal of Dermatology</i> , 2021, 184, 367-369.	1.5	12
101	Acute myeloid leukemia and myelodysplastic syndrome-associated Sweet syndrome: A comparative multicenter retrospective study of 39 patients. <i>Journal of the American Academy of Dermatology</i> , 2021, 84, 838-840.	1.2	12
102	Primary cutaneous peripheral T-cell lymphoma, not otherwise specified: results of a multicentre European Organization for Research and Treatment of Cancer (EORTC) cutaneous lymphoma taskforce study on the clinicopathological and prognostic features. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, 658-668.	2.4	12
103	A targeted genomic alteration analysis predicts survival of melanoma patients under BRAF inhibitors. <i>Oncotarget</i> , 2019, 10, 1669-1687.	1.8	12
104	Cusatuzumab for treatment of CD70-positive relapsed or refractory cutaneous T-cell lymphoma. <i>Cancer</i> , 2022, 128, 1004-1014.	4.1	12
105	Clinical, histopathological and prognostic features of primary cutaneous acral CD8 ⁺ T-cell lymphoma and other dermal CD8 ⁺ cutaneous lymphoproliferations: results of an EORTC Cutaneous Lymphoma Group workshop*. <i>British Journal of Dermatology</i> , 2022, 186, 887-897.	1.5	12
106	Human Herpesvirus-6 Cytopathic Inclusions. <i>American Journal of Dermatopathology</i> , 2012, 34, e73-e76.	0.6	11
107	Reducing surgical margins in dermatofibrosarcoma protuberans using the pathological analysis technique -vertical modified technique™: A 5-year experience. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2013, 66, 617-622.	1.0	11
108	Histopathological atlas and proposed classification for melanocytic lesions in Tyr::NR ^{as} ; Q61K ⁺ ; Cdkn2a ^{+/+} transgenic mice. <i>Pigment Cell and Melanoma Research</i> , 2013, 26, 735-742.	3.3	11

#	ARTICLE	IF	CITATIONS
109	Focal necrotizing myopathy with "dropped-head syndrome"™ induced by cobimetinib in metastatic melanoma. <i>Melanoma Research</i> , 2017, 27, 511-515.	1.2	11
110	Tumor necrosis factor- α inhibitors for the treatment of pyoderma gangrenosum not associated with inflammatory bowel diseases: A multicenter retrospective study. <i>Journal of the American Academy of Dermatology</i> , 2019, 80, 1141-1143.	1.2	11
111	Patient-centered management of actinic keratosis. Results of a multi-center clinical consensus analyzing non-melanoma skin cancer patient profiles and field-treatment strategies. <i>Journal of Dermatological Treatment</i> , 2020, 31, 576-582.	2.2	11
112	The histopathological spectrum of cutaneous meningeal heterotopias: clues and pitfalls. <i>Histopathology</i> , 2011, 59, 407-420.	2.9	10
113	Combined Trichoblastoma and Melanocytic Nevus. <i>American Journal of Dermatopathology</i> , 2013, 35, 284-286.	0.6	10
114	Radiation-induced hidradenitis suppurativa: A case report. <i>JAAD Case Reports</i> , 2017, 3, 182-184.	0.8	10
115	Cutis laxa associated with monoclonal gammopathy: 14 new cases and review of the literature. <i>Journal of the American Academy of Dermatology</i> , 2018, 79, 945-947.	1.2	10
116	Cutaneous presentation of adult T-cell leukemia/lymphoma (ATLL). Single-center study on 37 patients in metropolitan France between 1996 and 2016. <i>Annales De Dermatologie Et De Venereologie</i> , 2018, 145, 405-412.	1.0	10
117	Baseline Genomic Features in BRAFV600-Mutated Metastatic Melanoma Patients Treated with BRAF Inhibitor + MEK Inhibitor in Routine Care. <i>Cancers</i> , 2019, 11, 1203.	3.7	10
118	Systemic Treatment Initiation in Classical and Endemic Kaposi's Sarcoma: Risk Factors and Global Multi-State Modelling in a Monocentric Cohort Study. <i>Cancers</i> , 2021, 13, 2519.	3.7	10
119	RICTOR Affects Melanoma Tumorigenesis and Its Resistance to Targeted Therapy. <i>Biomedicines</i> , 2021, 9, 1498.	3.2	10
120	Mogamulizumab induces long-term immune restoration and reshapes tumour heterogeneity in Sjögren syndrome*. <i>British Journal of Dermatology</i> , 2022, 186, 1010-1025.	1.5	10
121	Symplastic Trichodiscoma: A Spindle-Cell Predominant Variant of Trichodiscoma With Pseudosarcomatous/Ancient Features. <i>American Journal of Dermatopathology</i> , 2011, 33, e81-e83.	0.6	9
122	Stack or trash? Quality assessment of virtual slides. <i>Diagnostic Pathology</i> , 2013, 8, .	2.0	9
123	Lymph node image-guided core-needle biopsy for cutaneous T-cell lymphoma staging. <i>British Journal of Dermatology</i> , 2016, 175, 1397-1400.	1.5	9
124	KIR3DL2 expression in patients with adult T-cell lymphoma/leukaemia. <i>British Journal of Dermatology</i> , 2018, 179, 197-199.	1.5	9
125	Discoidin Domain Receptors in Melanoma: Potential Therapeutic Targets to Overcome MAPK Inhibitor Resistance. <i>Frontiers in Oncology</i> , 2020, 10, 1748.	2.8	9
126	Reply to: Expanding the Spectrum of Primary Cutaneous Carcinoma With BRD3-NUTM1 Fusion. <i>American Journal of Surgical Pathology</i> , 2021, 45, 1584-1586.	3.7	9

#	ARTICLE	IF	CITATIONS
127	Impact of expert pathology review in skin adnexal carcinoma diagnosis: Analysis of 2573 patients from the French CARADERM network. <i>European Journal of Cancer</i> , 2022, 163, 211-221.	2.8	9
128	Imatinib-Induced Hand-Foot Syndrome in a Patient With Metastatic Gastrointestinal Stromal Tumor. <i>Archives of Dermatology</i> , 2008, 144, 1400-2.	1.4	8
129	Stabilization of multiple metastatic epithelioid sarcoma under treatment with sunitinib malate. <i>British Journal of Dermatology</i> , 2013, 168, 871-873.	1.5	8
130	Phase I Study of IPH4102, Anti-KIR3DL2 Mab, in Relapsed/Refractory Cutaneous T-Cell Lymphomas (CTCL): Dose-escalation Safety, Biomarker and Clinical Activity Results. <i>Hematological Oncology</i> , 2017, 35, 48-49.	1.7	8
131	Sebaceous Carcinomas of the Skin: 24 Cases and a Literature Review. <i>Acta Dermato-Venereologica</i> , 2017, 97, 959-961.	1.3	8
132	Cytokine levels in persistent skin lesions of adult-onset Still disease. <i>Journal of the American Academy of Dermatology</i> , 2018, 79, 947-949.	1.2	8
133	Effectiveness of brentuximab vedotin before and after allogeneic stem cell transplantation in the management of transformed mycosis fungoides. <i>British Journal of Dermatology</i> , 2020, 182, 1503-1504.	1.5	8
134	Visceral leishmaniasis in patients with lymphoma. <i>Medicine (United States)</i> , 2020, 99, e22787.	1.0	8
135	Specific and Sensitive Diagnosis of BCOR-ITD in Various Cancers by Digital PCR. <i>Frontiers in Oncology</i> , 2021, 11, 645512.	2.8	8
136	Phase II Open-Label Multicenter Study of Palbociclib + Vemurafenib in BRAF ^{V600MUT} Metastatic Melanoma Patients: Uncovering CHEK2 as a Major Response Mechanism. <i>Clinical Cancer Research</i> , 2021, 27, 3876-3883.	7.0	8
137	Long-Term Outcome of Neoadjuvant Tyrosine Kinase Inhibitors Followed by Complete Surgery in Locally Advanced Dermatofibrosarcoma Protuberans. <i>Cancers</i> , 2021, 13, 2224.	3.7	8
138	EGFR is involved in dermatofibrosarcoma protuberans progression to high grade sarcoma. <i>Oncotarget</i> , 2018, 9, 8478-8488.	1.8	8
139	Usefulness of the "two-step method" of digital follow-up for early-stage melanoma detection in high-risk French patients: a retrospective 4-year study. <i>British Journal of Dermatology</i> , 2019, 181, 415-416.	1.5	7
140	Clinical presentation, therapeutic approach and outcome of primary cutaneous marginal zone B cell lymphoma presenting as AL amyloidoma of the skin. <i>British Journal of Dermatology</i> , 2019, 181, 607-609.	1.5	7
141	Chronic graft-versus-host disease and inhibition of interleukin-17: proof of concept in humans. <i>British Journal of Dermatology</i> , 2020, 182, 1038-1041.	1.5	7
142	FGF2 Induces Resistance to Nilotinib through MAPK Pathway Activation in KIT Mutated Melanoma. <i>Cancers</i> , 2020, 12, 1062.	3.7	7
143	A Multicenter Phase II Study of Pazopanib in Patients with Unresectable Dermatofibrosarcoma Protuberans. <i>Journal of Investigative Dermatology</i> , 2021, 141, 761-769.e2.	0.7	7
144	Mogamulizumab-induced Mucocutaneous Lichenoid Reaction: A Case Report and Short Review. <i>Acta Dermato-Venereologica</i> , 2020, 100, adv00158.	1.3	7

#	ARTICLE	IF	CITATIONS
145	Specific lymph node involvement in scleromyxedema: a new diagnostic entity for hypermetabolic lymphadenopathy. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2013, 462, 679-683.	2.8	6
146	L47. Single-organ vasculitis: Conceptual and practical considerations. <i>Presse Medicale</i> , 2013, 42, 628-634.	1.9	6
147	Psoriasis associated with idiopathic CD4+ T-cell lymphopenia: a regulatory T-cell defect?. <i>British Journal of Dermatology</i> , 2014, 171, 186-189.	1.5	6
148	Periumbilical Purpura. <i>American Journal of Dermatopathology</i> , 2014, 36, 899-900.	0.6	6
149	Disseminated skin involvement in HIV-associated Burkitt lymphoma: a rare clinical feature with poor prognosis. <i>British Journal of Dermatology</i> , 2016, 174, 184-186.	1.5	6
150	Trem-1 is not crucial in psoriasiform imiquimod-induced skin inflammation in mice. <i>Experimental Dermatology</i> , 2016, 25, 400-402.	2.9	6
151	Clinicopathologic and molecular characterization of melanomas mutated for CTNNB1 and MAPK. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, 480, 475-480.	2.8	6
152	Lymphomatoid papulosis types D and E: a multicentre series of the French Cutaneous Lymphomas Study Group. <i>Clinical and Experimental Dermatology</i> , 2021, 46, 1441-1451.	1.3	6
153	CD147 Promotes Tumor Lymphangiogenesis in Melanoma via PROX-1. <i>Cancers</i> , 2021, 13, 4859.	3.7	6
154	Outcome and clinicophenotypical features of acute lymphoblastic leukemia/lymphoblastic lymphoma with cutaneous involvement: A multicenter case series. <i>Journal of the American Academy of Dermatology</i> , 2020, 83, 1166-1170.	1.2	6
155	Argx-110 for Treatment of CD70-Positive Advanced Cutaneous T-Cell Lymphoma in a Phase 1/2 Clinical Trial. <i>Blood</i> , 2018, 132, 1627-1627.	1.4	6
156	First-in-Human, Multicenter Phase I Study of IPH4102, First-in-Class Humanized Anti-KIR3DL2 Monoclonal Antibody, in Relapsed/Refractory Cutaneous T-Cell Lymphomas: Preliminary Safety, Exploratory and Clinical Activity Results. <i>Blood</i> , 2016, 128, 1826-1826.	1.4	6
157	Treatment of Eosinophilic Annular Erythema: Retrospective multicenter study and literature review. <i>Annales De Dermatologie Et De Venereologie</i> , 2022, 149, 123-127.	1.0	6
158	RNA sequencing of chronic GVHD skin lesions defines shared and unique inflammatory pathways characterizing lichen planus and morphea. <i>Blood Advances</i> , 2022, 6, 2805-2811.	5.2	6
159	Frequency and Genomic Aspects of Intrinsic Resistance to Vismodegib in Locally Advanced Basal Cell Carcinoma. <i>Clinical Cancer Research</i> , 2022, 28, 1422-1432.	7.0	6
160	CCR8 is a new therapeutic target in cutaneous T-cell lymphomas. <i>Blood Advances</i> , 2022, 6, 3507-3512.	5.2	6
161	Harmonization of programmed death-ligand 1 immunohistochemistry and mRNA expression scoring in metastatic melanoma: a multicentre analysis. <i>Histopathology</i> , 2022, 80, 1091-1101.	2.9	6
162	A Unique Presentation of Eccrine Hamartoma: Eccrine Nevus With Abnormal Eccrine Structures and Angiomyxoid Stroma. <i>American Journal of Dermatopathology</i> , 2009, 31, 682-684.	0.6	5

#	ARTICLE	IF	CITATIONS
163	Sweet syndrome revealing microscopic polyangiitis. <i>Rheumatology</i> , 2012, 51, 1916-1917.	1.9	5
164	Unresectable Perineal Cuniculatum Carcinoma: Partial Remission Using Systemic Isotretinoin and Interferon- α 2a Therapy. <i>Acta Dermato-Venereologica</i> , 2014, 94, 721-722.	1.3	5
165	Efficacy of oral sirolimus as salvage therapy in refractory lichen planus associated with immune deficiency. <i>British Journal of Dermatology</i> , 2018, 179, 771-773.	1.5	5
166	Image-guided lymph node core-needle biopsy predicts survival in mycosis fungoides and S α zary syndrome*. <i>British Journal of Dermatology</i> , 2021, 185, 419-427.	1.5	5
167	Secondary skin involvement in classic Hodgkin lymphoma: Results of an international collaborative cutaneous lymphoma working group study of 25 patients. <i>Journal of Cutaneous Pathology</i> , 2021, 48, 1367-1378.	1.3	5
168	Recent advances on cutaneous lymphoma epidemiology. <i>Presse Medicale</i> , 2022, 51, 104108.	1.9	5
169	Novel treatment strategy for NRAS-mutated melanoma through a selective inhibitor of CD147/VEGFR-2 interaction. <i>Oncogene</i> , 2022, 41, 2254-2264.	5.9	5
170	Acquired bullous dermatosis associated with IgA multiple myeloma. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , 2013, 79, 719.	0.6	4
171	Linear immunoglobulin-A bullous dermatosis complicating multi-organ tuberculosis at early-stage treatment. <i>British Journal of Dermatology</i> , 2013, 169, 210-211.	1.5	4
172	Arterial aneurysm with distal ischemia in a renal allografted patient: beware of angiosarcoma. <i>European Journal of Dermatology</i> , 2013, 23, 410-411.	0.6	4
173	Online teaching of inflammatory skin pathology by a French-speaking International University Network. <i>Diagnostic Pathology</i> , 2014, 9, S5.	2.0	4
174	Plantar keloids: diagnostic and therapeutic issues in six patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015, 29, 1421-1426.	2.4	4
175	Histiocytoid Sweet Syndrome and Myelodysplastic Syndrome. <i>JAMA Dermatology</i> , 2017, 153, 835.	4.1	4
176	Pachydermoperiostosis: The value of molecular diagnosis. <i>Annales De Dermatologie Et De Venereologie</i> , 2017, 144, 799-803.	1.0	4
177	Pseudo-Sarcoidosis Revealing MonoMAC Syndrome. <i>Journal of Clinical Immunology</i> , 2018, 38, 739-741.	3.8	4
178	Alopecic patches of the scalp: a variant of primary cutaneous follicle centre B-cell lymphoma reported in a series of 14 cases. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, e209-e211.	2.4	4
179	Naevoid acanthosis nigricans or RAVEN (rounded and velvety epidermal naevus) and mosaic <i>FGFR3</i> and <i>FGFR2</i> mutations. <i>British Journal of Dermatology</i> , 2019, 180, 955-957.	1.5	4
180	Diagnostic performance of high-throughput sequencing of the T-cell receptor beta gene for the diagnosis of cutaneous T-cell lymphoma. <i>British Journal of Dermatology</i> , 2021, 185, 679-680.	1.5	4

#	ARTICLE	IF	CITATIONS
181	Clinicopathologic analysis of trichoblastoma and comparison with nodular basal cell carcinoma. <i>Annales De Dermatologie Et De Venereologie</i> , 2021, 148, 177-182.	1.0	4
182	Phase II multicentric uncontrolled national trial assessing the efficacy of nilotinib in the treatment of advanced melanomas with c-KIT mutation or amplification.. <i>Journal of Clinical Oncology</i> , 2014, 32, 9032-9032.	1.6	4
183	A multicenter phase II study of pazopanib in patients with unresectable or recurrent dermatofibrosarcoma protuberans (DFSP).. <i>Journal of Clinical Oncology</i> , 2018, 36, 11557-11557.	1.6	4
184	Yield of FDG PET/CT for Defining the Extent of Disease in Patients with Kaposi Sarcoma. <i>Cancers</i> , 2022, 14, 2189.	3.7	4
185	Sarcoidosis associated with Kaposi's sarcoma: description of four cases. <i>European Journal of Dermatology</i> , 2012, 22, 550-551.	0.6	3
186	NKp46-Specific Expression on Skin-Resident CD4 + Lymphocytes in Mycosis Fungoides and SÅ©zary Syndrome. <i>Journal of Investigative Dermatology</i> , 2014, 134, 574-578.	0.7	3
187	Lipofilling: A New Therapeutic Option for the Treatment of Lupus Panniculitis-Induced Atrophy. <i>Case Reports in Dermatology</i> , 2017, 8, 323-326.	0.8	3
188	IPH4102 in relapsed/refractory cutaneous T cell lymphoma (CTCL): Results of the first-in-human multicenter phase I study. <i>European Journal of Cancer</i> , 2018, 101, S29.	2.8	3
189	Coexisting cutaneous macroglobulinosis and scleredema of Buschke in a patient with a WaldenstrÅ©m Macroglobulinemia. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, e104-e106.	2.4	3
190	Clinical significance of BRAF/NRAS concurrent mutations in a clinicâ€based metastatic melanoma cohort. <i>British Journal of Dermatology</i> , 2020, 182, 1281-1283.	1.5	3
191	Increased risk of brain metastases among patients with melanoma and PROM2 expression in metastatic lymph nodes. <i>Clinical and Translational Medicine</i> , 2020, 10, e198.	4.0	3
192	Vismodegib efficacy in unresectable trichoblastic carcinoma: A multicenter study of 16 cases. <i>Journal of the American Academy of Dermatology</i> , 2022, 86, 1365-1366.	1.2	3
193	Phase I-II open label multicenter study of PD0332991 in <i>BRAF^{V600mut}</i> metastatic melanoma patients harboring <i>CDKN2A</i> loss and RB1 expression and treated with vemurafenib.. <i>Journal of Clinical Oncology</i> , 2019, 37, 9545-9545.	1.6	3
194	Pityriasis rubra pilaris with prominent acantholytic dyskeratosis. <i>European Journal of Dermatology</i> , 2011, 21, 796-797.	0.6	3
195	Exploring the role of the skin microenvironment in cutaneous T-cell lymphoma using single cell RNA-sequencing. <i>European Journal of Cancer</i> , 2021, 156, S3-S4.	2.8	3
196	Clinical efficacy of selective JAK1 inhibition and transcriptome analysis of chronic discoid lupus erythematosus. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, .	2.4	3
197	Recurrent <i>FOXP1</i> and <i>GRHL</i> and <i>GPS2</i>::<i>GRHL</i> fusions in trichogerminoma. <i>Journal of Pathology</i> , 2022, 257, 96-108.	4.5	3
198	IgA vasculitis with underlying monoclonal IgA gammopathy: innovative therapeutic approach targeting plasma cells. A case series. <i>Clinical Rheumatology</i> , 2022, 41, 3119-3123.	2.2	3

#	ARTICLE	IF	CITATIONS
199	Large-cell transformation is an independent poor prognostic factor in S�azary syndrome: analysis of 117 cases. <i>British Journal of Dermatology</i> , 2022, 187, 815-817.	1.5	3
200	Optic neuritis revealing Kikuchi�Fujimoto disease. <i>Multiple Sclerosis Journal</i> , 2014, 20, 1140-1142.	3.0	2
201	Granulomatous slack skin T-cell lymphoma: an important differential diagnosis with giant cell tumor of soft tissue. <i>Anais Brasileiros De Dermatologia</i> , 2015, 90, 892-895.	1.1	2
202	PDGFRa amplification in multiple skin lesions of undifferentiated pleomorphic sarcoma: A clue for intimal sarcoma metastases. <i>Journal of Cutaneous Pathology</i> , 2017, 44, 477-479.	1.3	2
203	Koebner Phenomenon in Eosinophilic Granulomatosis with Polyangiitis (Churg-Strauss). <i>Acta Dermato-Venereologica</i> , 2017, 97, 965-966.	1.3	2
204	Blue toe syndrome in cutaneous polyarteritis nodosa. <i>Rheumatology</i> , 2018, 57, 1281-1281.	1.9	2
205	Vasculitis and IgA monoclonal gammopathy of cutaneous significance. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, e175-e176.	2.4	2
206	Folliculotropic CD8+ mycosis fungoides associated with diffuse mucosal involvement. <i>JAAD Case Reports</i> , 2018, 4, 777-779.	0.8	2
207	Cutis laxa for diagnosis of �31-heavy�chain deposition disease: Report of four cases. <i>Journal of Dermatology</i> , 2018, 45, 1211-1215.	1.2	2
208	A Melanoma-Tailored Next-Generation Sequencing Panel Coupled with a Comprehensive Analysis to Improve Routine Melanoma Genotyping. <i>Targeted Oncology</i> , 2020, 15, 759-771.	3.6	2
209	Nailing the diagnosis: severe nail involvement in adult pulmonary Langerhans cell histiocytosis. <i>Thorax</i> , 2021, 76, 102-103.	5.6	2
210	A Novel Case of Gorlin Syndrome Mosaicism Involving an SMO Gene Mutation: Clinical, Histological and Molecular Analysis of Basaloid Tumours. <i>Acta Dermato-Venereologica</i> , 2021, 101, adv00434.	1.3	2
211	Lymph node and visceral progression without erythroderma or blood worsening in erythrodermic cutaneous T�cell lymphoma: nine cases. <i>British Journal of Dermatology</i> , 2021, 185, 1061-1063.	1.5	2
212	IPH4102; An Anti-KIR3DL2 Monoclonal Antibody in Refractory Sezary Syndrome: Results from a Multicenter Phase 1 Trial. <i>Blood</i> , 2018, 132, 684-684.	1.4	2
213	Granulomatous slack skin: clinical retrospective study of 8 cases of the Cutaneous Lymphoma French Study Group. <i>European Journal of Cancer</i> , 2021, 156, S35-S36.	2.8	2
214	Hypermetabolic dermatofibroma on Positron Emission Tomography/Computed tomography with 18F-FluoroDeoxyGlucose : a misleading false positive in the follow-up of a metastatic melanoma. <i>European Journal of Dermatology</i> , 2008, 18, 461-2.	0.6	2
215	Les calcinoses cutan�es. <i>Revue Du Rhumatisme Monographies</i> , 2011, 78, 178-186.	0.0	1
216	Visceral lesions occurring during follow�up of melanoma patients: a true place for other diagnosis than melanoma metastasis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2012, 26, 602-610.	2.4	1

#	ARTICLE	IF	CITATIONS
217	Association of Vemurafenib and Pipobroman Enhances BRAF-CRAF Dimerization in Squamous Cell Carcinoma. <i>Journal of Investigative Dermatology</i> , 2016, 136, 1302-1305.	0.7	1
218	Chronic graft versus host disease presenting as lichen planus pigmentosus. <i>Bone Marrow Transplantation</i> , 2018, 53, 1048-1050.	2.4	1
219	Image Gallery: Lenalidomide for the treatment of pseudotumoral herpes simplex virus type 2 infection in human immunodeficiency virus infection. <i>British Journal of Dermatology</i> , 2018, 178, e63.	1.5	1
220	Folliculotropic mycosis fungoides associated with GATA2 deficiency: a new skin manifestation. <i>British Journal of Dermatology</i> , 2018, 179, 1420-1421.	1.5	1
221	Vismodegib resistant mutations are not selected in multifocal relapses of locally advanced basal cell carcinoma after vismodegib discontinuation. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, e422-e424.	2.4	1
222	Mycosis fungoides presenting as vulvar plaques. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, e172-e174.	2.4	1
223	Increased CD8+CD28- circulating T cells and high blood interferon score characterize the systemic inflammation of amyopathic dermatomyositis. <i>Journal of the American Academy of Dermatology</i> , 2019, 85, 755-758.	1.2	1
224	Ifosfamide and etoposide in advanced stage, relapsed or refractory primary cutaneous T-cell lymphomas. <i>British Journal of Dermatology</i> , 2020, 183, 961-962.	1.5	1
225	Extensive cutaneous necrosis associated with cryofibrinogenemia. <i>Intensive Care Medicine</i> , 2020, 46, 1618-1619.	8.2	1
226	Measurement Of Histological Clearance Margins In Basal Cell Carcinoma. <i>Histopathology</i> , 2021, , .	2.9	1
227	Blaschko-linear lichen planus of the face: A retrospective study of 6 cases and a literature review. <i>Annales De Dermatologie Et De Venereologie</i> , 2022, 149, 112-118.	1.0	1
228	Chronic Ulceration of the Scalp Associated with Genetically Different Types of Congenital Ichthyosis: A Series of Four Cases. <i>Acta Dermato-Venereologica</i> , 2021, 101, adv00408.	1.3	1
229	Calcification and Ossification. , 2010, , 161-169.		1
230	Bone marrow leukaemic transformation of myelodysplastic syndrome revealed by a cutaneous Langerhans cell infiltrate: partial response to azacitidine. <i>European Journal of Dermatology</i> , 2013, 23, 710-711.	0.6	1
231	Intravascular relapse of an extra-nodal NK/T-cell lymphoma, nasal-type, presenting as diffuse and eruptive telangiectasia. <i>European Journal of Cancer</i> , 2021, 156, S63-S64.	2.8	1
232	Granulomatous rash associated with mogamulizumab mimicking mycosis fungoides: a case series. <i>European Journal of Cancer</i> , 2021, 156, S49.	2.8	1
233	Multicentric phase II clinical trial evaluating the role of everolimus (RAD001) in endemic or classic Kaposi's sarcoma (C06-46).. <i>Journal of Clinical Oncology</i> , 2011, 29, 10067-10067.	1.6	1
234	Pyoderma Gangrenosum Revealing Myeloid Activation of Fanconi Anaemia: Two Case Reports. <i>Acta Dermato-Venereologica</i> , 2020, 100, adv00338.	1.3	1

#	ARTICLE	IF	CITATIONS
235	Lupus Erythematosus Tumidus Mimicking Primary Cutaneous Marginal Zone B-cell Lymphoma. <i>Acta Dermato-Venereologica</i> , 2020, 100, adv00229.	1.3	1
236	p53 Phosphorylation and TP53 Copy-Number Alterations in Chronic Graft-Versus-Host Oral Lichen Preceding Squamous Cell Carcinoma. <i>Journal of Investigative Dermatology</i> , 2014, 134, 864-867.	0.7	0
237	Periumbilical Purpura. <i>American Journal of Dermatopathology</i> , 2014, 36, 907.	0.6	0
238	3426 Prognosis and local recurrence risk in completely resected superficial cutaneous leiomyosarcomas. <i>European Journal of Cancer</i> , 2015, 51, S696.	2.8	0
239	Dyskeratosis of the Face: A Quiz. <i>Acta Dermato-Venereologica</i> , 2016, 96, 285-287.	1.3	0
240	Reply to: "The relationship between lymphocytic thrombophilic arteritis and cutaneous polyarteritis nodosa". <i>Journal of the American Academy of Dermatology</i> , 2016, 75, e245-e246.	1.2	0
241	467 Immunological signature of amyopathic dermatomyositis. <i>Journal of Investigative Dermatology</i> , 2017, 137, S272.	0.7	0
242	A targeted genomic analysis uncovered a large spectrum of acquired resistance mechanisms to BRAF inhibitor therapy in metastatic melanoma patients. <i>Annals of Oncology</i> , 2018, 29, iii25-iii26.	1.2	0
243	Light Chain Deposition Disease with Bullous Skin Lesions Mimicking Atypical Bullous Pemphigoid. <i>Acta Dermato-Venereologica</i> , 2018, 98, 140-141.	1.3	0
244	Updates from the central pathology review in patients with advanced stage mycosis fungoides (MF) and Sezary syndrome (SS) for the Global PROCLIP study. <i>European Journal of Cancer</i> , 2018, 101, S16-S17.	2.8	0
245	KIR3DL2 expression in patients with adult T-cell lymphoma/leukaemia (ATLL). <i>European Journal of Cancer</i> , 2018, 101, S7-S8.	2.8	0
246	Neutrophilic Dermatoses in Blood Disorders. , 2018, , 223-238.		0
247	Primary cutaneous large B-cell lymphomas: relevance of the 2017 World Health Organization classification: clinicopathological and molecular analyses of 64 cases. <i>European Journal of Cancer</i> , 2019, 119, S20.	2.8	0
248	An international multi-institutional study for the evaluation of folliculotropic mycosis fungoides: results of the Consensus Histopathologic Review. <i>European Journal of Cancer</i> , 2019, 119, S26-S27.	2.8	0
249	Folliculotropic mycosis fungoides presents with two distinct clinicopathological presentations: an international virtual study. <i>European Journal of Cancer</i> , 2019, 119, S27-S28.	2.8	0
250	Thymic localization of erythrodermic cutaneous T-cell lymphoma. <i>British Journal of Dermatology</i> , 2019, 180, 427-428.	1.5	0
251	Infective dermatitis-like lesions as a novel skin manifestation of systemic lupus erythematosus. <i>Clinical Case Reports (discontinued)</i> , 2020, 8, 51-54.	0.5	0
252	Lymphocytic Thrombophilic Arteritis (Macular Lymphocytic Arteritis). , 2021, , 477-484.		0

#	ARTICLE	IF	CITATIONS
253	Eczema/prurigo as an unusual presentation of Kimura's disease. <i>Annales De Dermatologie Et De Venereologie</i> , 2021, 148, 49-50.	1.0	0
254	Granulomes cutan�es. <i>Annales De Dermatologie Et De V�n�r�ologie</i> , FMC, 2021, 1, 258-261.	0.0	0
255	Neutrophilic Urticaria with Systemic Inflammation Associated with Immunoglobulin A Myeloma. <i>Acta Dermato-Venereologica</i> , 2021, 101, adv00442.	1.3	0
256	Large cell transformation is an independent prognostic factor in S�zary syndrome: a retrospective analysis of 117 cases. <i>European Journal of Cancer</i> , 2021, 156, S25.	2.8	0
257	Acropulpsitis in systemic lupus erythematosus is associated with high type 1 interferon signature. <i>Experimental Dermatology</i> , 2022, 31, 819-820.	2.9	0
258	Quantifying response to various treatments using the revisited blood staging of mycosis fungoides and S�zary syndrome with the KIR3DL2 marker. <i>European Journal of Cancer</i> , 2021, 156, S6-S7.	2.8	0
259	BRAFV600 mutation levels and response to vemurafenib in metastatic melanoma.. <i>Journal of Clinical Oncology</i> , 2014, 32, 9005-9005.	1.6	0
260	SMO mutations do not seem to drive multifocal relapse of locally advanced basal cell carcinoma after vismodegib discontinuation.. <i>Journal of Clinical Oncology</i> , 2018, 36, e21559-e21559.	1.6	0
261	Germline TIM-3 Mutations Characterize Sub-Cutaneous Panniculitis T-Cell Lymphomas with Hemophagocytic Lymphohistiocytic Syndrome. <i>Blood</i> , 2018, 132, 1569-1569.	1.4	0
262	Nationwide incidence of sarcomas and tumors of intermediate malignancy in the NETSARC network with central pathology review: Correlation with published clinical research.. <i>Journal of Clinical Oncology</i> , 2020, 38, 11560-11560.	1.6	0