Sangeeta Mehta

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5780988/publications.pdf

Version: 2024-02-01

183 papers 31,994 citations

13854 67 h-index 174 g-index

188 all docs 188 docs citations

times ranked

188

22594 citing authors

| # | Article | IF | CITATIONS |
|----|--|--------------|-----------|
| 1 | Physical restraint practices in an adult intensive care unit: A prospective observational study. Journal of Clinical Nursing, 2023, 32, 1163-1172. | 1.4 | 6 |
| 2 | VTE Prophylaxis in Critically Ill Adults. Chest, 2022, 161, 418-428. | 0.4 | 27 |
| 3 | Perspectives of patients, family members, health professionals and the public on the impact of COVID-19 on mental health. Journal of Mental Health, 2022, 31, 524-533. | 1.0 | 2 |
| 4 | Development of a repeated-measures predictive model and clinical risk score for mortality in ventilated COVID-19 patients. Canadian Journal of Anaesthesia, 2022, 69, 343-352. | 0.7 | 4 |
| 5 | Personal, professional, and psychological impact of the COVID-19 pandemic on hospital workers: A cross-sectional survey. PLoS ONE, 2022, 17, e0263438. | 1.1 | 12 |
| 6 | Implementation of nonpharmacologic physical restraint minimization interventions in the adult intensive care unit: A scoping review. Intensive and Critical Care Nursing, 2022, 69, 103153. | 1.4 | 12 |
| 7 | L'impact de la pandémie de COVID-19 sur les travailleurs des unités de soins intensifs : une enquête nationale. Canadian Journal of Anaesthesia, 2022, 69, 472-484. | 0.7 | 25 |
| 8 | Lessening Organ Dysfunction With Vitamin C (LOVIT) Trial: Statistical Analysis Plan. JMIR Research Protocols, 2022, 11, e36261. | 0.5 | 3 |
| 9 | Devenirs suite \tilde{A} une ventilation m \tilde{A} ©canique prolong \tilde{A} ©e et une trach \tilde{A} ©otomie chez les patients \tilde{A} ¢g \tilde{A} ©s gravement malades : une \tilde{A} ©tude de cohorte historique. Canadian Journal of Anaesthesia, 2022, 69, 1107-1116. | 0.7 | 3 |
| 10 | Use of dexmedetomidine for sedation in mechanically ventilated adult ICU patients: a rapid practice guideline. Intensive Care Medicine, 2022, 48, 801-810. | 3.9 | 21 |
| 11 | The effect of intermittent pneumatic compression on deep-vein thrombosis and ventilation-free days in critically ill patients with heart failure. Scientific Reports, 2022, 12, . | 1.6 | 2 |
| 12 | Intravenous Vitamin C in Adults with Sepsis in the Intensive Care Unit. New England Journal of Medicine, 2022, 386, 2387-2398. | 13.9 | 146 |
| 13 | Acute Respiratory Failure Outcomes in Patients with Hematologic Malignancies and Hematopoietic Cell Transplant: A Secondary Analysis of the EFRAIM Study. Transplantation and Cellular Therapy, 2021, 27, 78.e1-78.e6. | 0.6 | 9 |
| 14 | Improving Diversity in Activities of Critical Care Societies. Chest, 2021, 159, 1334-1337. | 0.4 | 2 |
| 15 | ICU-acquired pneumonia in immunosuppressed patients with acute hypoxemic respiratory failure: A post-hoc analysis of a prospective international cohort study. Journal of Critical Care, 2021, 63, 243-245. | 1.0 | 0 |
| 16 | COVID-19: a heavy toll on health-care workers. Lancet Respiratory Medicine, the, 2021, 9, 226-228. | 5 . 2 | 247 |
| 17 | Survival in Immunocompromised Patients Ultimately Requiring Invasive Mechanical Ventilation: A Pooled Individual Patient Data Analysis. American Journal of Respiratory and Critical Care Medicine, 2021, 204, 187-196. | 2.5 | 29 |
| 18 | Gender disparity in critical care publications: a novel Female First Author Index. Annals of Intensive Care, 2021, 11, 103. | 2.2 | 17 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Consequences of visitor restriction policies in the intensive care unit during the COVID-19 pandemic. Canadian Journal of Anaesthesia, 2021, 68, 1465-1470. | 0.7 | 12 |
| 20 | Association of Thoracic Computed Tomographic Measurements and Outcomes in Patients with Hematologic Malignancies Requiring Mechanical Ventilation. Annals of the American Thoracic Society, 2021, 18, 1219-1226. | 1.5 | 4 |
| 21 | Bacteremia in critically ill immunocompromised patients with acute hypoxic respiratory failure: A post-hoc analysis of a prospective multicenter multinational cohort. Journal of Critical Care, 2021, 64, 114-119. | 1.0 | 2 |
| 22 | Utilization and effect of neuromuscular blockade in a randomized trial of high-frequency oscillation. Journal of Critical Care, 2021, 66, 86-92. | 1.0 | 0 |
| 23 | Surviving sepsis campaign: international guidelines for management of sepsis and septic shock 2021. Intensive Care Medicine, 2021, 47, 1181-1247. | 3.9 | 1,503 |
| 24 | Advancing women in academic medicine: ten strategies to use every day. Canadian Journal of Anaesthesia, 2020, 67, 9-12. | 0.7 | 14 |
| 25 | Peer review for the Canadian Journal of Anesthesia in 2016 and 2017: a retrospective analysis by reviewer and author gender. Canadian Journal of Anaesthesia, 2020, 67, 336-342. | 0.7 | 10 |
| 26 | Canadian Critical Care Society clinical practice guideline: The use of vasopressin and vasopressin analogues in critically ill adults with distributive shock. Canadian Journal of Anaesthesia, 2020, 67, 369-376. | 0.7 | 14 |
| 27 | Improving gender equity in critical care medicine: a protocol to establish priorities and strategies for implementation. BMJ Open, 2020, 10, e037090. | 0.8 | 6 |
| 28 | International Survey to Establish Prioritized Outcomes for Trials in People With Coronavirus Disease 2019. Critical Care Medicine, 2020, 48, 1612-1621. | 0.4 | 12 |
| 29 | Optimal VAsopressor TitraTION in patients 65 years and older (OVATION-65): protocol and statistical analysis plan for a randomised clinical trial. BMJ Open, 2020, 10, e037947. | 0.8 | 4 |
| 30 | Core Outcomes Set for Trials in People With Coronavirus Disease 2019. Critical Care Medicine, 2020, 48, 1622-1635. | 0.4 | 47 |
| 31 | Agitation, confusion, and aggression in critically ill traumatic brain injury-a pilot cohort study (ACACIA-PILOT). Pilot and Feasibility Studies, 2020, 6, 193. | 0.5 | 8 |
| 32 | Analgesia and sedation in patients with ARDS. Intensive Care Medicine, 2020, 46, 2342-2356. | 3.9 | 155 |
| 33 | Respiratory Mechanics and Outcomes in Immunocompromised Patients With ARDS. Chest, 2020, 158, 1947-1957. | 0.4 | 12 |
| 34 | Etiologies and Outcomes of Acute Respiratory Failure in Solid Organ Transplant Recipients: Insight Into the EFRAIM Multicenter Cohort. Transplantation Proceedings, 2020, 52, 2980-2987. | 0.3 | 2 |
| 35 | Strategies for the Prevention and Treatment of Iatrogenic Withdrawal from Opioids and Benzodiazepines in Critically Ill Neonates, Children and Adults: A Systematic Review of Clinical Studies. Drugs, 2020, 80, 1211-1233. | 4.9 | 22 |
| 36 | Diagnosis of severe respiratory infections in immunocompromised patients. Intensive Care Medicine, 2020, 46, 298-314. | 3.9 | 135 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Gender Differences in Authorship of Critical Care Literature. American Journal of Respiratory and Critical Care Medicine, 2020, 201, 840-847. | 2.5 | 44 |
| 38 | Diagnosis of ventilator-associated pneumonia in critically ill adult patientsâ€"a systematic review and meta-analysis. Intensive Care Medicine, 2020, 46, 1170-1179. | 3.9 | 98 |
| 39 | Aminoglycosides in Immunocompromised Critically Ill Patients With Bacterial Pneumonia and Septic Shock: A Post-Hoc Analysis of a Prospective Multicenter Multinational Cohort. Shock, 2020, 54, 731-737. | 1.0 | 5 |
| 40 | Acute respiratory failure in immunocompromised patients: outcome and clinical features according to neutropenia status. Annals of Intensive Care, 2020, 10, 146. | 2.2 | 9 |
| 41 | Gender diversity in Obstetric Medicine. Obstetric Medicine, 2019, 12, 55-56. | 0.5 | 0 |
| 42 | Outcomes of hematopoietic cell transplant recipients requiring invasive mechanical ventilation: a two-centre retrospective cohort study. Canadian Journal of Anaesthesia, 2019, 66, 1450-1457. | 0.7 | 8 |
| 43 | Pharmacological interventions for agitated behaviours in patients with traumatic brain injury: a systematic review. BMJ Open, 2019, 9, e029604. | 0.8 | 47 |
| 44 | Outcomes of hospitalized hematologic oncology patients receiving rapid response system activation for acute deterioration. Critical Care, 2019, 23, 286. | 2.5 | 9 |
| 45 | Time to drop the â€~Sir'?. Resuscitation, 2019, 143, 114. | 1.3 | 0 |
| 46 | Analgesia-first sedation in critically ill adults: A U.S. pilot, randomized controlled trial. Journal of Critical Care, 2019, 53, 107-113. | 1.0 | 9 |
| 47 | Diagnosis and outcome of acuteÂrespiratory failure in immunocompromised patients afterÂbronchoscopy. European Respiratory Journal, 2019, 54, 1802442. | 3.1 | 36 |
| 48 | Influenza and associated co-infections in critically ill immunosuppressed patients. Critical Care, 2019, 23, 152. | 2.5 | 21 |
| 49 | Sleep and Pathological Wakefulness at the Time of Liberation from Mechanical Ventilation (SLEEWE). A Prospective Multicenter Physiological Study. American Journal of Respiratory and Critical Care Medicine, 2019, 199, 1106-1115. | 2.5 | 46 |
| 50 | Adjunctive Intermittent Pneumatic Compression for Venous Thromboprophylaxis. New England Journal of Medicine, 2019, 380, 1305-1315. | 13.9 | 149 |
| 51 | Pharmacological interventions for the treatment of delirium in critically ill adults. The Cochrane Library, 2019, 2019, CD011749. | 1.5 | 75 |
| 52 | Frequency of Screening for Weaning From Mechanical Ventilation. Critical Care Medicine, 2019, 47, 817-825. | 0.4 | 12 |
| 53 | Frequency, risk factors and symptomatology of iatrogenic withdrawal from opioids and benzodiazepines in critically Ill neonates, children and adults: A systematic review of clinical studies. Journal of Clinical Pharmacy and Therapeutics, 2019, 44, 148-156. | 0.7 | 22 |
| 54 | Nutrition Care of Critically Ill Patients with Leukemia: A Retrospective Study. Canadian Journal of Dietetic Practice and Research, 2019, 80, 34-38. | 0.5 | 4 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Caloric intake and the fat-to-carbohydrate ratio in hypercapnic acute respiratory failure: Post-hoc analysis of the PermiT trial. Clinical Nutrition ESPEN, 2019, 29, 175-182. | 0.5 | 3 |
| 56 | Fulminant Guillain-Barr \tilde{A} © syndrome in a patient with systemic lupus erythematosus. BMJ Case Reports, 2019, 12, bcr-2018-226634. | 0.2 | 11 |
| 57 | Noninvasive Ventilation in Patients With Hematologic Malignancy: A Retrospective Study. Journal of Intensive Care Medicine, 2019, 34, 197-203. | 1.3 | 16 |
| 58 | Daily sedation interruption versus no daily sedation interruption for critically ill adult patients requiring invasive mechanical ventilation. The Cochrane Library, 2018, 2018, CD009176. | 1.5 | 69 |
| 59 | Early Evidence of Sepsis-Associated Hyperperfusion—A Study of Cerebral Blood Flow Measured With MRI Arterial Spin Labeling in Critically III Septic Patients and Control Subjects*. Critical Care Medicine, 2018, 46, e663-e669. | 0.4 | 12 |
| 60 | The utility and safety of flexible bronchoscopy in critically ill acute leukemia patients: a retrospective cohort study. Canadian Journal of Anaesthesia, 2018, 65, 272-279. | 0.7 | 7 |
| 61 | The Speaker Gender Gap at Critical Care Conferences. Critical Care Medicine, 2018, 46, 991-996. | 0.4 | 101 |
| 62 | Sedation Practice in Extracorporeal Membrane Oxygenation–Treated Patients with Acute Respiratory Distress Syndrome: A Retrospective Study. ASAIO Journal, 2018, 64, 544-551. | 0.9 | 44 |
| 63 | Statistical reporting and table construction guidelines for publication in the Canadian Journal of Anesthesia. Canadian Journal of Anaesthesia, 2018, 65, 152-161. | 0.7 | 6 |
| 64 | Ten tips for ICU sedation. Intensive Care Medicine, 2018, 44, 1141-1143. | 3.9 | 17 |
| 65 | The Impact of High-Flow Nasal Oxygen in the Immunocompromised Critically Ill: A Systematic Review and Meta-Analysis. Respiratory Care, 2018, 63, 1555-1566. | 0.8 | 30 |
| 66 | Supportive Care of Patients on Mechanical Ventilation. Respiratory Care, 2018, 63, 1567-1574. | 0.8 | 8 |
| 67 | Differences in clinical practice guideline authorship by gender. Lancet, The, 2018, 392, 1626-1628. | 6.3 | 47 |
| 68 | Women in Intensive Care study: a preliminary assessment of international data on female representation in the ICU physician workforce, leadership and academic positions. Critical Care, 2018, 22, 211. | 2.5 | 47 |
| 69 | Nutrition Adequacy Therapeutic Enhancement in the Critically Ill: A Randomized Doubleâ€Blind, Placeboâ€Controlled Trial of the Motilin Receptor Agonist Camicinal (GSK962040): The NUTRIATE Study. Journal of Parenteral and Enteral Nutrition, 2018, 42, 949-959. | 1.3 | 19 |
| 70 | Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock: 2016. Intensive Care Medicine, 2017, 43, 304-377. | 3.9 | 4,590 |
| 71 | Outcomes of elderly critically ill medical and surgical patients: a multicentre cohort study. Canadian Journal of Anaesthesia, 2017, 64, 260-269. | 0.7 | 23 |
| 72 | Gender Parity in Critical Care Medicine. American Journal of Respiratory and Critical Care Medicine, 2017, 196, 425-429. | 2.5 | 69 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Geo-economic variations in epidemiology, patterns of care, and outcomes in patients with acute respiratory distress syndrome: insights from the LUNG SAFE prospective cohort study. Lancet Respiratory Medicine,the, 2017, 5, 627-638. | 5.2 | 93 |
| 74 | Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock: 2016. Critical Care Medicine, 2017, 45, 486-552. | 0.4 | 2,336 |
| 75 | Feasibility of melatonin for prevention of delirium in critically ill patients: a protocol for a multicentre, randomised, placebo-controlled study. BMJ Open, 2017, 7, e015420. | 0.8 | 14 |
| 76 | The ICM research agenda on intensive care unit-acquired weakness. Intensive Care Medicine, 2017, 43, 1270-1281. | 3.9 | 153 |
| 77 | Acute hypoxemic respiratory failure in immunocompromised patients: the Efraim multinational prospective cohort study. Intensive Care Medicine, 2017, 43, 1808-1819. | 3.9 | 176 |
| 78 | Official ERS/ATS clinical practice guidelines: noninvasive ventilation for acute respiratory failure. European Respiratory Journal, 2017, 50, 1602426. | 3.1 | 1,014 |
| 79 | Management of Acute Respiratory Distress Syndrome and Refractory Hypoxemia. A Multicenter Observational Study. Annals of the American Thoracic Society, 2017, 14, 1818-1826. | 1.5 | 59 |
| 80 | Psychotropic Drug Use in Physically Restrained, Critically III Adults Receiving Mechanical Ventilation. American Journal of Critical Care, 2017, 26, 380-387. | 0.8 | 11 |
| 81 | Fluids in Sepsis and Septic Shock (FISSH): protocol for a pilot randomised controlled trial. BMJ Open, 2017, 7, e017602. | 0.8 | 10 |
| 82 | latrogenic Opioid Withdrawal in Critically Ill Patients: A Review of Assessment Tools and Management. Annals of Pharmacotherapy, 2017, 51, 1099-1111. | 0.9 | 32 |
| 83 | Delirium and exposure to psychoactive medications in critically ill adults: A multi-centre observational study. Journal of Critical Care, 2017, 42, 268-274. | 1.0 | 50 |
| 84 | An Official American Thoracic Society/American College of Chest Physicians Clinical Practice Guideline: Liberation from Mechanical Ventilation in Critically III Adults. Rehabilitation Protocols, Ventilator Liberation Protocols, and Cuff Leak Tests. American Journal of Respiratory and Critical Care Medicine, 2017, 195, 120-133. | 2.5 | 223 |
| 85 | Official Executive Summary of an American Thoracic Society/American College of Chest Physicians Clinical Practice Guideline: Liberation from Mechanical Ventilation in Critically Ill Adults. American Journal of Respiratory and Critical Care Medicine, 2017, 195, 115-119. | 2.5 | 105 |
| 86 | Liberation From Mechanical Ventilation in Critically III Adults: AnÂOfficial American College of Chest Physicians/American Thoracic Society Clinical Practice Guideline. Chest, 2017, 151, 166-180. | 0.4 | 248 |
| 87 | Liberation From Mechanical Ventilation in Critically III Adults. Chest, 2017, 151, 160-165. | 0.4 | 74 |
| 88 | Permissive Underfeeding or Standard Enteral Feeding in High– and Low–Nutritional-Risk Critically Ill Adults. <i>Post Hoc</i> Analysis of the PermiT Trial. American Journal of Respiratory and Critical Care Medicine, 2017, 195, 652-662. | 2.5 | 115 |
| 89 | Long-term physical morbidity in ARDS survivors. Intensive Care Medicine, 2017, 43, 101-103. | 3.9 | 1 |
| 90 | High flow oxygen therapy in adult critically ill patients. Minerva Anestesiologica, 2017, 83, 402-411. | 0.6 | 7 |

| # | Article | IF | Citations |
|-----|--|------|-----------|
| 91 | Antipsychotic Drug Use and Screening for Delirium in Mechanically Ventilated Patients in Canadian Intensive Care Units: An Observational Study. Canadian Journal of Hospital Pharmacy, 2016, 69, 107-13. | 0.1 | 3 |
| 92 | Practice Variation in Spontaneous Breathing Trial Performance and Reporting. Canadian Respiratory Journal, 2016, 2016, 1-10. | 0.8 | 18 |
| 93 | Outcomes and Predictors of Mortality for Patients with Acute Leukemia Admitted to the Intensive Care Unit. Canadian Respiratory Journal, 2016, 2016, 1-7. | 0.8 | 51 |
| 94 | Nurse Research Experiences and Attitudes Toward the Conduct of Intensive Care Research. Critical Care Medicine, 2016, 44, 153-161. | 0.4 | 13 |
| 95 | Clinical Practice Guidelines for Sustained Neuromuscular Blockade in the Adult Critically Ill Patient. Critical Care Medicine, 2016, 44, 2079-2103. | 0.4 | 297 |
| 96 | Thromboprophylaxis using combined intermittent pneumatic compression and pharmacologic prophylaxis versus pharmacologic prophylaxis alone in critically ill patients: study protocol for a randomized controlled trial. Trials, 2016, 17, 390. | 0.7 | 17 |
| 97 | A mixed-methods systematic review protocol to examine the use of physical restraint with critically ill adults and strategies for minimizing their use. Systematic Reviews, 2016, 5, 194. | 2.5 | 24 |
| 98 | The influence of corticosteroid treatment on the outcome of influenza A(H1N1pdm09)-related critical illness. Critical Care, 2016, 20, 75. | 2.5 | 80 |
| 99 | The standard of care of patients with ARDS: ventilatory settings and rescue therapies for refractory hypoxemia. Intensive Care Medicine, 2016, 42, 699-711. | 3.9 | 176 |
| 100 | Optimizing sedation in patients with acute brain injury. Critical Care, 2016, 20, 128. | 2.5 | 217 |
| 101 | Prevalence, risk factors, and outcomes associated with physical restraint use in mechanically ventilated adults. Journal of Critical Care, 2016, 31, 31-35. | 1.0 | 85 |
| 102 | One-Year Outcomes in Caregivers of Critically Ill Patients. New England Journal of Medicine, 2016, 374, 1831-1841. | 13.9 | 301 |
| 103 | Probiotics: Prevention of Severe Pneumonia and Endotracheal Colonization Trialâ€"PROSPECT: a pilot trial. Trials, 2016, 17, 377. | 0.7 | 38 |
| 104 | Response to letter to editor titled "Physical restraint in mechanically ventilated adults: A complex early diagnosis by protocols?â€. Journal of Critical Care, 2016, 35, 216. | 1.0 | 1 |
| 105 | Variation in diurnal sedation in mechanically ventilated patients who are managed with a sedation protocol alone or a sedation protocol and daily interruption. Critical Care, 2016, 20, 233. | 2.5 | 16 |
| 106 | Risk factors for mortality in patients admitted to intensive care units with pneumonia. Respiratory Research, 2016, 17, 80. | 1.4 | 39 |
| 107 | Comparison of sedation strategies for critically ill patients: a protocol for a systematic review incorporating network meta-analyses. Systematic Reviews, 2016, 5, 157. | 2.5 | 9 |
| 108 | Positive and negative effects of mechanical ventilation on sleep in the ICU: a review with clinical recommendations. Intensive Care Medicine, 2016, 42, 531-541. | 3.9 | 27 |

7

| # | Article | IF | Citations |
|-----|--|------|-----------|
| 109 | Higher versus lower blood pressure targets for vasopressor therapy in shock: a multicentre pilot randomized controlled trial. Intensive Care Medicine, 2016, 42, 542-550. | 3.9 | 137 |
| 110 | The RECOVER Program: Disability Risk Groups and 1-Year Outcome after 7 or More Days of Mechanical Ventilation. American Journal of Respiratory and Critical Care Medicine, 2016, 194, 831-844. | 2.5 | 272 |
| 111 | Use of probiotics to prevent ventilator-associated pneumonia: A survey of pharmacists' attitudes. Journal of Critical Care, 2016, 31, 221-226. | 1.0 | 8 |
| 112 | Design of nutrition trials in critically ill patients: food for thought. Annals of Translational Medicine, 2016, 4, 186-186. | 0.7 | 4 |
| 113 | Recall of ICU Stay in Patients Managed With a Sedation Protocol or a Sedation Protocol With Daily Interruption. Critical Care Medicine, 2015, 43, 2180-2190. | 0.4 | 36 |
| 114 | The Very Elderly Admitted to ICU. Critical Care Medicine, 2015, 43, 1352-1360. | 0.4 | 137 |
| 115 | Coenrollment in a Randomized Trial of High-Frequency Oscillation. Critical Care Medicine, 2015, 43, 328-338. | 0.4 | 12 |
| 116 | Prevalence, Risk Factors, and Outcomes of Delirium in Mechanically Ventilated Adults*. Critical Care Medicine, 2015, 43, 557-566. | 0.4 | 268 |
| 117 | Permissive Underfeeding or Standard Enteral Feeding in Critically Ill Adults. New England Journal of Medicine, 2015, 372, 2398-2408. | 13.9 | 455 |
| 118 | Clinician perspectives on protocols designed to minimize sedation. Journal of Critical Care, 2015, 30, 348-352. | 1.0 | 22 |
| 119 | Characteristics and Outcomes of Eligible Nonenrolled Patients in a Mechanical Ventilation Trial of Acute Respiratory Distress Syndrome. American Journal of Respiratory and Critical Care Medicine, 2015, 192, 1306-1313. | 2.5 | 20 |
| 120 | What's new in sedation strategies?. Intensive Care Medicine, 2015, 41, 1696-1699. | 3.9 | 11 |
| 121 | Protocolized Sedation in Critically Ill Children. JAMA - Journal of the American Medical Association, 2015, 313, 363. | 3.8 | 3 |
| 122 | Failure of Anticoagulant Thromboprophylaxis. Critical Care Medicine, 2015, 43, 401-410. | 0.4 | 106 |
| 123 | Admission of the very elderly to the intensive care unit: Family members' perspectives on clinical decision-making from a multicenter cohort study. Palliative Medicine, 2015, 29, 324-335. | 1.3 | 56 |
| 124 | Patient safety, resident well-being and continuity of care with different resident duty schedules in the intensive care unit: a randomized trial. Cmaj, 2015, 187, 321-329. | 0.9 | 80 |
| 125 | Recovery after critical illness in patients aged 80Âyears or older: a multi-center prospective observational cohort study. Intensive Care Medicine, 2015, 41, 1911-1920. | 3.9 | 174 |
| 126 | A ventilator strategy combining low tidal volume ventilation, recruitment maneuvers, and high positive end-expiratory pressure does not increase sedative, opioid, or neuromuscular blocker use in adults with acute respiratory distress syndrome and may improve patient comfort. Annals of Intensive Care, 2014, 4, 33. | 2.2 | 12 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 127 | Inhaled Nitric Oxide Does Not Reduce Mortality in Patients With Acute Respiratory Distress Syndrome Regardless of Severity. Critical Care Medicine, 2014, 42, 404-412. | 0.4 | 164 |
| 128 | Cost-effectiveness of Dalteparin vs Unfractionated Heparin for the Prevention of Venous Thromboembolism in Critically III Patients. JAMA - Journal of the American Medical Association, 2014, 312, 2135. | 3.8 | 50 |
| 129 | Ventilator settings and monitoring parameter targets for initiation of continuous mandatory ventilation: A questionnaire study. Journal of Critical Care, 2014, 29, 123-127. | 1.0 | 7 |
| 130 | Economic evaluation of the prophylaxis for thromboembolism in critical care trial (E-PROTECT): study protocol for a randomized controlled trial. Trials, 2014, 15, 502. | 0.7 | 10 |
| 131 | Predictors of physical restraint use in Canadian intensive care units. Critical Care, 2014, 18, R46. | 2.5 | 64 |
| 132 | Restrictive Lung Disease in Pregnancy. Chest, 2014, 145, 394-398. | 0.4 | 101 |
| 133 | Intensive care sedation: the past, present and the future. Critical Care, 2013, 17, 322. | 2.5 | 56 |
| 134 | High-Frequency Oscillation in Early Acute Respiratory Distress Syndrome. New England Journal of Medicine, 2013, 368, 795-805. | 13.9 | 1,209 |
| 135 | Rates and determinants of informed consent: A case study of an international thromboprophylaxis trial. Journal of Critical Care, 2013, 28, 28-39. | 1.0 | 19 |
| 136 | Use of Sedation and Neuromuscular Blockers in Critically Ill Adults Receiving High-Frequency Oscillatory Ventilation. Annals of Pharmacotherapy, 2013, 47, 1122-1129. | 0.9 | 8 |
| 137 | Heparin-Induced Thrombocytopenia in Medical Surgical Critical Illness. Chest, 2013, 144, 848-858. | 0.4 | 60 |
| 138 | The role of high-frequency oscillatory ventilation in the treatment of acute respiratory failure in adults. Current Opinion in Critical Care, 2012, 18, 70-79. | 1.6 | 24 |
| 139 | Critical Care Nurses' Pain Assessment and Management Practices: A Survey in Canada. American Journal of Critical Care, 2012, 21, 251-259. | 0.8 | 95 |
| 140 | Daily Sedation Interruption in Mechanically Ventilated Critically III Patients Cared for With a Sedation Protocol. JAMA - Journal of the American Medical Association, 2012, 308, 1985. | 3.8 | 402 |
| 141 | Why substitute decision makers provide or decline consent for ICU research studies: a questionnaire study. Intensive Care Medicine, 2012, 38, 47-54. | 3.9 | 52 |
| 142 | Clinical practice guidelines for the use of noninvasive positive-pressure ventilation and noninvasive continuous positive airway pressure in the acute care setting. Cmaj, 2011, 183, E195-E214. | 0.9 | 303 |
| 143 | Current Sedation Practices: Lessons Learned from International Surveys. Anesthesiology Clinics, 2011, 29, 607-624. | 0.6 | 40 |
| 144 | Functional Disability 5 Years after Acute Respiratory Distress Syndrome. New England Journal of Medicine, 2011, 364, 1293-1304. | 13.9 | 2,228 |

| # | Article | IF | Citations |
|-----|--|------|-----------|
| 145 | Recall of intensive care unit stay in patients managed with a sedation protocol or a sedation protocol with daily sedative interruption: A pilot study. Journal of Critical Care, 2011, 26, 127-132. | 1.0 | 32 |
| 146 | The effects of vasopressin on acute kidney injury in septic shock. Intensive Care Medicine, 2010, 36, 83-91. | 3.9 | 206 |
| 147 | Impact of endotracheal tube size on preextubation respiratory variables. Journal of Critical Care, 2010, 25, 483-488. | 1.0 | 9 |
| 148 | The 4Ts scoring system for heparin-induced thrombocytopenia in medical-surgical intensive care unit patients. Journal of Critical Care, 2010, 25, 287-293. | 1.0 | 117 |
| 149 | Open the lung with high-frequency oscillation ventilation or conventional mechanical ventilation? It may not matter!. Critical Care, 2010, 14, 1010. | 2.5 | 3 |
| 150 | Current Sedation Practices: Lessons Learned from International Surveys. Critical Care Clinics, 2009, 25, 471-488. | 1.0 | 91 |
| 151 | Interaction of vasopressin infusion, corticosteroid treatment, and mortality of septic shock*. Critical Care Medicine, 2009, 37, 811-818. | 0.4 | 234 |
| 152 | Noninvasive ventilation for patients presenting with acute respiratory failure: the randomized controlled trials. Respiratory Care, 2009, 54, 116-26. | 0.8 | 51 |
| 153 | Noninvasive ventilation in patients with acute cardiogenic pulmonary edema. Respiratory Care, 2009, 54, 186-95; discussion 195-7. | 0.8 | 17 |
| 154 | Recruitment Maneuvers for Acute Lung Injury. American Journal of Respiratory and Critical Care Medicine, 2008, 178, 1156-1163. | 2.5 | 294 |
| 155 | Vasopressin versus Norepinephrine Infusion in Patients with Septic Shock. New England Journal of Medicine, 2008, 358, 877-887. | 13.9 | 1,711 |
| 156 | A randomized trial of daily awakening in critically ill patients managed with a sedation protocol: A pilot trial*. Critical Care Medicine, 2008, 36, 2092-2099. | 0.4 | 107 |
| 157 | Noninvasive ventilation for acute respiratory failure near the end of life*. Critical Care Medicine, 2008, 36, 789-794. | 0.4 | 56 |
| 158 | High-Frequency Oscillatory Ventilation for Adult Patients With ARDS. Chest, 2007, 131, 1907-1916. | 0.4 | 113 |
| 159 | Two-Year Outcomes, Health Care Use, and Costs of Survivors of Acute Respiratory Distress Syndrome. American Journal of Respiratory and Critical Care Medicine, 2006, 174, 538-544. | 2.5 | 405 |
| 160 | Bench-to-bedside review: high-frequency oscillatory ventilation in adults with acute respiratory distress syndrome. Critical Care, 2006, 10, 240. | 2.5 | 31 |
| 161 | Canadian survey of the use of sedatives, analgesics, and neuromuscular blocking agents in critically ill patients*. Critical Care Medicine, 2006, 34, 374-380. | 0.4 | 307 |
| 162 | In-house, overnight physician staffing: A cross-sectional survey of Canadian adult and pediatric intensive care units*. Critical Care Medicine, 2006, 34, 1674-1678. | 0.4 | 83 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 163 | OVERDIAGNOSIS OF ASTHMA AND ITS RELATIONSHIP TO BODY MASS INDEX. Chest, 2006, 130, 97S. | 0.4 | 43 |
| 164 | Neuromuscular disease causing acute respiratory failure. Respiratory Care, 2006, 51, 1016-21; discussion 1021-3. | 0.8 | 104 |
| 165 | Combining high-frequency oscillatory ventilation and recruitment maneuvers in adults with early acute respiratory distress syndrome: The Treatment with Oscillation and an Open Lung Strategy (TOOLS) Trial pilot study*. Critical Care Medicine, 2005, 33, 479-486. | 0.4 | 123 |
| 166 | Prophylaxis of Thromboembolism in Critical Care (PROTECT) Trial: a pilot study. Journal of Critical Care, 2005, 20, 364-372. | 1.0 | 70 |
| 167 | Radiologic Pattern of Disease in Patients with Severe Acute Respiratory Syndrome: The Toronto Experience. Radiographics, 2004, 24, 553-563. | 1.4 | 83 |
| 168 | Diagnostic and Prognostic Implications of Endotoxemia in Critical Illness: Results of the MEDIC Study. Journal of Infectious Diseases, 2004, 190, 527-534. | 1.9 | 311 |
| 169 | Screening of ARDS patients using standardized ventilator settings: influence on enrollment in a clinical trial. Intensive Care Medicine, 2004, 30, 1111-1116. | 3.9 | 164 |
| 170 | Primary Pulmonary Sporotrichosis: A Case Report. Chest, 2004, 126, 945S. | 0.4 | 89 |
| 171 | High-Frequency Oscillatory Ventilation in Adults. Chest, 2004, 126, 518-527. | 0.4 | 1,201 |
| 172 | One-Year Outcomes in Survivors of the Acute Respiratory Distress Syndrome. New England Journal of Medicine, 2003, 348, 683-693. | 13.9 | 2,073 |
| 173 | Handheld Computing in Medicine. Journal of the American Medical Informatics Association: JAMIA, 2003, 10, 139-149. | 2.2 | 285 |
| 174 | Temporal change, reproducibility, and interobserver variability in pressure-volume curves in adults with acute lung injury and acute respiratory distress syndrome. Critical Care Medicine, 2003, 31, 2118-2125. | 0.4 | 28 |
| 175 | Acute oxygenation response to inhaled nitric oxide when combined with high-frequency oscillatory ventilation in adults with acute respiratory distress syndrome*. Critical Care Medicine, 2003, 31, 383-389. | 0.4 | 55 |
| 176 | High-Frequency Oscillatory Ventilation for Acute Respiratory Distress Syndrome in Adults. American Journal of Respiratory and Critical Care Medicine, 2002, 166, 801-808. | 2.5 | 588 |
| 177 | Optimizing sedative use in the intensive care unit. Intensive Care Medicine, 2002, 28, 44-47. | 3.9 | 1 |
| 178 | Noninvasive Ventilation. American Journal of Respiratory and Critical Care Medicine, 2001, 163, 540-577. | 2.5 | 940 |
| 179 | Utility of routine chest radiographs in a medical-surgical intensive care unit: a quality assurance survey. Critical Care, 2001, 5, 271. | 2.5 | 48 |
| 180 | Prospective trial of high-frequency oscillation in adults with acute respiratory distress syndrome. Critical Care Medicine, 2001, 29, 1360-1369. | 0.4 | 252 |

SANGEETA MEHTA

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Prediction of post-extubation work of breathing. Critical Care Medicine, 2000, 28, 1341-1346. | 0.4 | 47 |
| 182 | Effects of Continuous Positive Airway Pressure on Cardiac Volumes in Patients with Ischemic and Dilated Cardiomyopathy. American Journal of Respiratory and Critical Care Medicine, 2000, 161, 128-134. | 2.5 | 80 |
| 183 | Randomized, prospective trial of bilevel versus continuous positive airway pressure in acute pulmonary edema. Critical Care Medicine, 1997, 25, 620-628. | 0.4 | 457 |