

Angus C. Nairn

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5781721/publications.pdf>

Version: 2024-02-01

240
papers

24,973
citations

4960

84
h-index

7950

149
g-index

243
all docs

243
docs citations

243
times ranked

22786
citing authors

#	ARTICLE	IF	CITATIONS
1	Regulation of NMDA receptor trafficking by amyloid- β . <i>Nature Neuroscience</i> , 2005, 8, 1051-1058.	14.8	1,417
2	Beyond the Dopamine Receptor. <i>Neuron</i> , 1999, 23, 435-447.	8.1	722
3	DARPP-32: An Integrator of Neurotransmission. <i>Annual Review of Pharmacology and Toxicology</i> , 2004, 44, 269-296.	9.4	639
4	Identification of the Ca ²⁺ -dependent modulator protein as the fourth subunit of rabbit skeletal muscle phosphorylase kinase. <i>FEBS Letters</i> , 1978, 92, 287-293.	2.8	620
5	Regulation of a protein phosphatase cascade allows convergent dopamine and glutamate signals to activate ERK in the striatum. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 491-496.	7.1	558
6	PKC- δ regulates cardiac contractility and propensity toward heart failure. <i>Nature Medicine</i> , 2004, 10, 248-254.	30.7	551
7	Phosphorylation of DARPP-32 by Cdk5 modulates dopamine signalling in neurons. <i>Nature</i> , 1999, 402, 669-671.	27.8	538
8	Effects of chronic exposure to cocaine are regulated by the neuronal protein Cdk5. <i>Nature</i> , 2001, 410, 376-380.	27.8	442
9	CaM kinase δ -induced phosphorylation of Drp1 regulates mitochondrial morphology. <i>Journal of Cell Biology</i> , 2008, 182, 573-585.	5.2	397
10	CFTR channel opening by ATP-driven tight dimerization of its nucleotide-binding domains. <i>Nature</i> , 2005, 433, 876-880.	27.8	385
11	Rapamycin selectively inhibits translation of mRNAs encoding elongation factors and ribosomal proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994, 91, 11477-11481.	7.1	338
12	NMDA receptor-mediated control of protein synthesis at developing synapses. <i>Nature Neuroscience</i> , 2000, 3, 211-216.	14.8	338
13	Structural Basis for the Autoinhibition of Calcium/Calmodulin-Dependent Protein Kinase I. <i>Cell</i> , 1996, 84, 875-887.	28.9	327
14	Cocaine-induced dendritic spine formation in D1 and D2 dopamine receptor-containing medium spiny neurons in nucleus accumbens. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 3399-3404.	7.1	312
15	NMDA-mediated activation of the tyrosine phosphatase STEP regulates the duration of ERK signaling. <i>Nature Neuroscience</i> , 2003, 6, 34-42.	14.8	294
16	Structure of the Autoinhibited Kinase Domain of CaMKII and SAXS Analysis of the Holoenzyme. <i>Cell</i> , 2005, 123, 849-860.	28.9	293
17	Phosphorylation of WAVE1 regulates actin polymerization and dendritic spine morphology. <i>Nature</i> , 2006, 442, 814-817.	27.8	289
18	Protein phosphatase 1 modulation of neostriatal AMPA channels: regulation by DARPP-32 and spinophilin. <i>Nature Neuroscience</i> , 1999, 2, 13-17.	14.8	280

#	ARTICLE	IF	CITATIONS
19	Microinjection of catalytic subunit of cyclic AMP-dependent protein kinase enhances calcium action potentials of bag cell neurons in cell culture. Proceedings of the National Academy of Sciences of the United States of America, 1980, 77, 7487-7491.	7.1	278
20	Regulation of the gating of cystic fibrosis transmembrane conductance regulator C1 channels by phosphorylation and ATP hydrolysis.. Proceedings of the National Academy of Sciences of the United States of America, 1994, 91, 4698-4702.	7.1	276
21	Severe deficiencies in dopamine signaling in presymptomatic Huntington's disease mice. Proceedings of the National Academy of Sciences of the United States of America, 2000, 97, 6809-6814.	7.1	263
22	The Role of Calmodulin in the Structure and Regulation of Phosphorylase Kinase from Rabbit Skeletal Muscle. FEBS Journal, 1979, 100, 329-337.	0.2	259
23	Crystal Structure of the Atypical Protein Kinase Domain of a TRP Channel with Phosphotransferase Activity. Molecular Cell, 2001, 7, 1047-1057.	9.7	248
24	Cocaine Regulates MEF2 to Control Synaptic and Behavioral Plasticity. Neuron, 2008, 59, 621-633.	8.1	246
25	Protein kinase A activates protein phosphatase 2A by phosphorylation of the B56 subunit. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 2979-2984.	7.1	244
26	Coupling of CFTR Cl ⁻ channel gating to an ATP hydrolysis cycle. Neuron, 1994, 12, 473-482.	8.1	220
27	A phosphatase cascade by which rewarding stimuli control nucleosomal response. Nature, 2008, 453, 879-884.	27.8	219
28	Amplification of dopaminergic signaling by a positive feedback loop. Proceedings of the National Academy of Sciences of the United States of America, 2000, 97, 12840-12845.	7.1	218
29	PP1-mediated dephosphorylation of phosphoproteins at mitotic exit is controlled by inhibitor-1 and PP1 phosphorylation. Nature Cell Biology, 2009, 11, 644-651.	10.3	218
30	Neuron-specific Phosphorylation of Alzheimer's Amyloid Precursor Protein by Cyclin-Dependent Kinase 5. Journal of Neurochemistry, 2000, 75, 1085-1091.	3.9	212
31	Cell cycle-dependent phosphorylation of mammalian protein phosphatase 1 by cdc2 kinase. Proceedings of the National Academy of Sciences of the United States of America, 1997, 94, 2168-2173.	7.1	198
32	Î²-Mediated NMDA Receptor Endocytosis in Alzheimer's Disease Involves Ubiquitination of the Tyrosine Phosphatase STEP ₆₁ . Journal of Neuroscience, 2010, 30, 5948-5957.	3.6	198
33	Structural basis for protein phosphatase 1 regulation and specificity. FEBS Journal, 2013, 280, 596-611.	4.7	195
34	Role for the PP2A/B56 ^Î Phosphatase in Regulating 14-3-3 Release from Cdc25 to Control Mitosis. Cell, 2006, 127, 759-773.	28.9	183
35	On the Mechanism of MgATP-dependent Gating of CFTR Cl ⁻ Channels. Journal of General Physiology, 2003, 121, 17-36.	1.9	182
36	Spinophilin directs protein phosphatase 1 specificity by blocking substrate binding sites. Nature Structural and Molecular Biology, 2010, 17, 459-464.	8.2	181

#	ARTICLE	IF	CITATIONS
37	Genetic reduction of striatal-enriched tyrosine phosphatase (STEP) reverses cognitive and cellular deficits in an Alzheimer's disease mouse model. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 19014-19019.	7.1	179
38	Involvement of DARPP-32 phosphorylation in the stimulant action of caffeine. Nature, 2002, 418, 774-778.	27.8	174
39	Regulation of synaptojanin 1 by cyclin-dependent kinase 5 at synapses. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 546-551.	7.1	172
40	Phosphorylation of connexin 32, a hepatocyte gap-junction protein, by cAMP-dependent protein kinase, protein kinase C and Ca ²⁺ /calmodulin-dependent protein kinase II. FEBS Journal, 1990, 192, 263-273.	0.2	171
41	In vivo phosphorylation of CFTR promotes formation of a nucleotide-binding domain heterodimer. EMBO Journal, 2006, 25, 4728-4739.	7.8	171
42	Channel Function Is Dissociated from the Intrinsic Kinase Activity and Autophosphorylation of TRPM7/ChaK1. Journal of Biological Chemistry, 2005, 280, 20793-20803.	3.4	168
43	FGF acts as a co-transmitter through adenosine A2A receptor to regulate synaptic plasticity. Nature Neuroscience, 2008, 11, 1402-1409.	14.8	167
44	Crystal Structure of a Tetradecameric Assembly of the Association Domain of Ca ²⁺ /Calmodulin-Dependent Kinase II. Molecular Cell, 2003, 11, 1241-1251.	9.7	164
45	Regulation of Alzheimer's disease amyloid-beta formation by casein kinase I. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 4159-4164.	7.1	164
46	Regulation of protein phosphatase-1. Chemistry and Biology, 2000, 7, R13-R23.	6.0	161
47	Actions of Genistein on Cystic Fibrosis Transmembrane Conductance Regulator Channel Gating. Journal of General Physiology, 1998, 111, 477-490.	1.9	156
48	cGMP-dependent protein kinase enhances Ca ²⁺ current and potentiates the serotonin-induced Ca ²⁺ current increase in snail neurones. Nature, 1986, 323, 812-814.	27.8	155
49	The DARPP-32/protein phosphatase-1 cascade: a model for signal integration1Published on the World Wide Web on 22 January 1998.1. Brain Research Reviews, 1998, 26, 274-284.	9.0	152
50	DARPP-32 mediates the actions of multiple drugs of abuse. AAPS Journal, 2005, 7, E353-E360.	4.4	152
51	Ca ²⁺ /calmodulin-dependent kinase II mediates simultaneous enhancement of gap-junctional conductance and glutamatergic transmission. Proceedings of the National Academy of Sciences of the United States of America, 1998, 95, 13272-13277.	7.1	146
52	Phosphorylation of Connexin43 and the Regulation of Neonatal Rat Cardiac Myocyte Gap Junctions. Journal of Molecular and Cellular Cardiology, 1997, 29, 2131-2145.	1.9	144
53	Prolonged Nonhydrolytic Interaction of Nucleotide with CFTR's NH2-terminal Nucleotide Binding Domain and its Role in Channel Gating. Journal of General Physiology, 2003, 122, 333-348.	1.9	139
54	Isolation and Characterization of PNUTS, a Putative Protein Phosphatase 1 Nuclear Targeting Subunit. Journal of Biological Chemistry, 1998, 273, 4089-4095.	3.4	138

#	ARTICLE	IF	CITATIONS
55	A multiregional proteomic survey of the postnatal human brain. <i>Nature Neuroscience</i> , 2017, 20, 1787-1795.	14.8	138
56	Metabotropic mGlu5 receptors regulate adenosine A2A receptor signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 1322-1327.	7.1	135
57	Structural Domains Involved in the Regulation of Transmitter Release by Synapsins. <i>Journal of Neuroscience</i> , 2005, 25, 2658-2669.	3.6	134
58	Regulation of DARPP-32 dephosphorylation at PKA- and Cdk5-sites by NMDA and AMPA receptors: distinct roles of calcineurin and protein phosphatase-2A. <i>Journal of Neurochemistry</i> , 2002, 81, 832-841.	3.9	133
59	The Rho-Specific GEF Lfc Interacts with Neurabin and Spinophilin to Regulate Dendritic Spine Morphology. <i>Neuron</i> , 2005, 47, 85-100.	8.1	132
60	Isotype-specific Activation of Cystic Fibrosis Transmembrane Conductance Regulator-Chloride Channels by cGMP-dependent Protein Kinase II. <i>Journal of Biological Chemistry</i> , 1995, 270, 26626-26631.	3.4	129
61	Glutamate regulation of DARPP-32 phosphorylation in neostriatal neurons involves activation of multiple signaling cascades. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 1199-1204.	7.1	128
62	Regulation of cyclin-dependent kinase 5 and casein kinase 1 by metabotropic glutamate receptors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 11062-11068.	7.1	121
63	Inhibitor of the Tyrosine Phosphatase STEP Reverses Cognitive Deficits in a Mouse Model of Alzheimer's Disease. <i>PLoS Biology</i> , 2014, 12, e1001923.	5.6	119
64	Characterization of the interaction between DARPP-32 and protein phosphatase 1 (PP-1): DARPP-32 peptides antagonize the interaction of PP-1 with binding proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 3536-3541.	7.1	118
65	Characterization of the Inhibition of Protein Phosphatase-1 by DARPP-32 and Inhibitor-2. <i>Journal of Biological Chemistry</i> , 1999, 274, 7870-7878.	3.4	118
66	Severed Channels Probe Regulation of Gating of Cystic Fibrosis Transmembrane Conductance Regulator by Its Cytoplasmic Domains. <i>Journal of General Physiology</i> , 2000, 116, 477-500.	1.9	117
67	The role of DARPP-32 in the actions of drugs of abuse. <i>Neuropharmacology</i> , 2004, 47, 14-23.	4.1	117
68	Charge Screening by Internal pH and Polyvalent Cations as a Mechanism for Activation, Inhibition, and Rundown of TRPM7/MIC Channels. <i>Journal of General Physiology</i> , 2005, 126, 499-514.	1.9	117
69	Synaptic plasticity: one STEP at a time. <i>Trends in Neurosciences</i> , 2006, 29, 452-458.	8.6	116
70	Allosteric changes of the NMDA receptor trap diffusible dopamine 1 receptors in spines. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 762-767.	7.1	115
71	Understanding the antagonism of retinoblastoma protein dephosphorylation by PNUTS provides insights into the PP1 regulatory code. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 4097-4102.	7.1	112
72	cAMP-PKA phosphorylation of tau confers risk for degeneration in aging association cortex. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 5036-5041.	7.1	110

#	ARTICLE	IF	CITATIONS
73	Role of Calcineurin and Protein Phosphatase-2A in the Regulation of DARPP-32 Dephosphorylation in Neostriatal Neurons. <i>Journal of Neurochemistry</i> , 2008, 72, 2015-2021.	3.9	108
74	Methylphenidate-induced dendritic spine formation and \hat{I}'' FosB expression in nucleus accumbens. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 2915-2920.	7.1	107
75	The Carboxyl-Terminus of BACE Contains a Sorting Signal That Regulates BACE Trafficking but Not the Formation of Total $A\hat{I}^2$. <i>Molecular and Cellular Neurosciences</i> , 2002, 19, 175-185.	2.2	106
76	Regulation of the interaction between PIPK \hat{I}^3 and talin by proline-directed protein kinases. <i>Journal of Cell Biology</i> , 2005, 168, 789-799.	5.2	106
77	Changes in the phosphorylation of initiation factor eIF-2 \hat{I}^{\pm} , elongation factor eEF-2 and p70 S6 kinase after transient focal cerebral ischaemia in mice. <i>Journal of Neurochemistry</i> , 2001, 78, 779-787.	3.9	100
78	The B''/PR72 subunit mediates Ca $^{2+}$ -dependent dephosphorylation of DARPP-32 by protein phosphatase 2A. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 9876-9881.	7.1	99
79	WAVE1 controls neuronal activity-induced mitochondrial distribution in dendritic spines. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 3112-3116.	7.1	99
80	Cholecystokinin induces a decrease in Ca $^{2+}$ current in snail neurons that appears to be mediated by protein kinase C. <i>Nature</i> , 1987, 325, 809-811.	27.8	96
81	A Novel cAMP-Stimulated Pathway in Protein Phosphatase 2A Activation. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2002, 302, 111-118.	2.5	94
82	A Network of Control Mediated by Regulator of Calcium/Calmodulin-Dependent Signaling. <i>Science</i> , 2004, 306, 698-701.	12.6	92
83	Oligomerization states of the association domain and the holoenzyme of Ca $^{2+}$ /CaM kinase II. <i>FEBS Journal</i> , 2006, 273, 682-694.	4.7	92
84	Regulation of CFTR channel gating. <i>Trends in Biochemical Sciences</i> , 1994, 19, 513-518.	7.5	90
85	Dual regulation of translation initiation and peptide chain elongation during BDNF-induced LTP in vivo: evidence for compartment-specific translation control. <i>Journal of Neurochemistry</i> , 2006, 99, 1328-1337.	3.9	90
86	Phosphorylation of DARPP-32 at Threonine-34 is Required for Cocaine Action. <i>Neuropsychopharmacology</i> , 2006, 31, 555-562.	5.4	90
87	Assessment of cognitive function in the heterozygous reeler mouse. <i>Psychopharmacology</i> , 2006, 189, 95-104.	3.1	88
88	Cyclic Nucleotide-Dependent Protein Kinases and Some Major Substrates in the Rat Cerebellum After Neonatal X-Irradiation. <i>Journal of Neurochemistry</i> , 1983, 40, 577-581.	3.9	87
89	Increased activity of cyclin-dependent kinase 5 leads to attenuation of cocaine-mediated dopamine signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 1737-1742.	7.1	81
90	A molecular switch for translational control in taste memory consolidation. <i>European Journal of Neuroscience</i> , 2005, 22, 2560-2568.	2.6	80

#	ARTICLE	IF	CITATIONS
91	Mechanism of Regulation of Casein Kinase I Activity by Group I Metabotropic Glutamate Receptors. Journal of Biological Chemistry, 2002, 277, 45393-45399.	3.4	79
92	cAMP-stimulated Protein Phosphatase 2A Activity Associated with Muscle A Kinase-anchoring Protein (mAKAP) Signaling Complexes Inhibits the Phosphorylation and Activity of the cAMP-specific Phosphodiesterase PDE4D3. Journal of Biological Chemistry, 2010, 285, 11078-11086.	3.4	78
93	Site-directed mutagenesis of amino acid residues of protein phosphatase 1 involved in catalysis and inhibitor binding. Proceedings of the National Academy of Sciences of the United States of America, 1997, 94, 3530-3535.	7.1	77
94	Phosphorylation of Spinophilin Modulates Its Interaction with Actin Filaments. Journal of Biological Chemistry, 2003, 278, 1186-1194.	3.4	77
95	Molecular identification of human G-substrate, a possible downstream component of the cGMP-dependent protein kinase cascade in cerebellar Purkinje cells. Proceedings of the National Academy of Sciences of the United States of America, 1999, 96, 2467-2472.	7.1	76
96	Characterization of the Mechanism of Regulation of Ca ²⁺ /Calmodulin-dependent Protein Kinase I by Calmodulin and by Ca ²⁺ /Calmodulin-dependent Protein Kinase Kinase. Journal of Biological Chemistry, 1998, 273, 21473-21481.	3.4	75
97	Inhibition of the Ca ²⁺ /Calmodulin-dependent Protein Kinase I Cascade by cAMP-dependent Protein Kinase. Journal of Biological Chemistry, 1999, 274, 10086-10093.	3.4	75
98	Beyond the dopamine receptor: regulation and roles of serine/threonine protein phosphatases. Frontiers in Neuroanatomy, 2011, 5, 50.	1.7	73
99	Severed Molecules Functionally Define the Boundaries of the Cystic Fibrosis Transmembrane Conductance Regulator's Nh2-Terminal Nucleotide Binding Domain. Journal of General Physiology, 2000, 116, 163-180.	1.9	73
100	Phosphorylation of DARPP-32, a Dopamine- and cAMP-regulated Phosphoprotein, by Casein Kinase I in Vitro and in Vivo. Journal of Biological Chemistry, 1995, 270, 8772-8778.	3.4	70
101	Adenylyl cyclase-dependent form of chemical long-term potentiation triggers translational regulation at the elongation step. Neuroscience, 2003, 116, 743-752.	2.3	70
102	Wnt-5a-induced Phosphorylation of DARPP-32 Inhibits Breast Cancer Cell Migration in a CREB-dependent Manner. Journal of Biological Chemistry, 2009, 284, 27533-27543.	3.4	70
103	Phosphorylation by protein kinase C of serine-23 of the alpha-1 subunit of rat Na ⁺ ,K ⁺ -ATPase affects its conformational equilibrium.. Proceedings of the National Academy of Sciences of the United States of America, 1996, 93, 9132-9137.	7.1	69
104	Regulation of Na ⁺ ,K ⁺ -ATPase Isoforms in Rat Neostriatum by Dopamine and Protein Kinase C. Journal of Neurochemistry, 1999, 73, 1492-1501.	3.9	69
105	Differential regulation of dopamine D1 and D2 signaling by nicotine in neostriatal neurons. Journal of Neurochemistry, 2004, 90, 1094-1103.	3.9	68
106	Protein phosphatase 1 regulation by inhibitors and targeting subunits. Proceedings of the National Academy of Sciences of the United States of America, 2001, 98, 3080-3085.	7.1	67
107	Protein phosphatase 2C binds selectively to and dephosphorylates metabotropic glutamate receptor 3. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 16006-16011.	7.1	67
108	A molecular characterization of the choroid plexus and stress-induced gene regulation. Translational Psychiatry, 2012, 2, e139-e139.	4.8	67

#	ARTICLE	IF	CITATIONS
109	PNUTS, a Protein Phosphatase 1 (PP1) Nuclear Targeting Subunit. <i>Journal of Biological Chemistry</i> , 2003, 278, 13819-13828.	3.4	66
110	Preferential Phosphorylation of R-domain Serine 768 Dampens Activation of CFTR Channels by PKA. <i>Journal of General Physiology</i> , 2005, 125, 171-186.	1.9	66
111	[Ca ²⁺] _i determines the effects of protein kinases A and C on activity of rat renal Na ⁺ ,K ⁺ -ATPase. <i>Journal of Physiology</i> , 1999, 518, 37-46.	2.9	65
112	Discovery of Protein Phosphatase 2C Inhibitors by Virtual Screening. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 1658-1667.	6.4	65
113	A Calcium- and Calmodulin-Dependent Kinase I/II/Microtubule Affinity Regulating Kinase 2 Signaling Cascade Mediates Calcium-Dependent Neurite Outgrowth. <i>Journal of Neuroscience</i> , 2007, 27, 4413-4423.	3.6	64
114	The Regulatory Region of Calcium/Calmodulin-dependent Protein Kinase I Contains Closely Associated Autoinhibitory and Calmodulin-binding Domains. <i>Journal of Biological Chemistry</i> , 1995, 270, 23851-23859.	3.4	63
115	Mechanism of Inhibition of Protein Phosphatase 1 by DARPP-32: Studies with Recombinant DARPP-32 and Synthetic Peptides. <i>Biochemical and Biophysical Research Communications</i> , 1995, 206, 652-658.	2.1	63
116	Regulation of AMPA receptor dephosphorylation by glutamate receptor agonists. <i>Neuropharmacology</i> , 2003, 45, 703-713.	4.1	62
117	D1 receptor modulation of memory retrieval performance is associated with changes in pCREB and pDARPP-32 in rat prefrontal cortex. <i>Behavioural Brain Research</i> , 2006, 171, 127-133.	2.2	62
118	Phosphorylation of Rap1GAP, a striatally enriched protein, by protein kinase A controls Rap1 activity and dendritic spine morphology. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 3531-3536.	7.1	60
119	Synaptic NMDA receptor stimulation activates PP1 by inhibiting its phosphorylation by Cdk5. <i>Journal of Cell Biology</i> , 2013, 203, 521-535.	5.2	58
120	Mutation of the Protein Kinase C Phosphorylation Site on Rat $\hat{1}$ Na ⁺ ,K ⁺ -ATPase Alters Regulation of Intracellular Na ⁺ and pH and Influences Cell Shape and Adhesiveness. <i>Journal of Biological Chemistry</i> , 1997, 272, 20179-20184.	3.4	56
121	Spinophilin is phosphorylated by Ca ²⁺ /calmodulin-dependent protein kinase II resulting in regulation of its binding to F-actin. <i>Journal of Neurochemistry</i> , 2004, 90, 317-324.	3.9	56
122	Nerve growth factor controls GAP-43 mRNA stability via the phosphoprotein ARPP-19. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 12427-12431.	7.1	55
123	Functional Roles of Nonconserved Structural Segments in CFTR's NH ₂ -terminal Nucleotide Binding Domain. <i>Journal of General Physiology</i> , 2005, 125, 43-55.	1.9	55
124	Thermodynamics of CFTR Channel Gating: A Spreading Conformational Change Initiates an Irreversible Gating Cycle. <i>Journal of General Physiology</i> , 2006, 128, 523-533.	1.9	54
125	Cellular Mechanisms Regulating Protein Phosphatase-1. <i>Journal of Biological Chemistry</i> , 2000, 275, 18670-18675.	3.4	53
126	The Regulation of Glycogen Synthase by Protein Phosphatase 1 in 3T3-L1 Adipocytes. <i>Journal of Biological Chemistry</i> , 1997, 272, 29698-29703.	3.4	52

#	ARTICLE	IF	CITATIONS
127	Phosphorylation of DARPP-32 regulates breast cancer cell migration downstream of the receptor tyrosine kinase DDR1. <i>Experimental Cell Research</i> , 2006, 312, 4011-4018.	2.6	52
128	Functional Genomic and Proteomic Analysis Reveals Disruption of Myelin-Related Genes and Translation in a Mouse Model of Early Life Neglect. <i>Frontiers in Psychiatry</i> , 2011, 2, 18.	2.6	52
129	Phosphodiesterase 4 inhibition enhances the dopamine D1 receptor/PKA/DARPP-32 signaling cascade in frontal cortex. <i>Psychopharmacology</i> , 2012, 219, 1065-1079.	3.1	52
130	STEP ₆₁ is a substrate of the E3 ligase parkin and is upregulated in Parkinson's disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 1202-1207.	7.1	52
131	Cocaine Self-Administration in Mice Is Inversely Related to Phosphorylation at Thr34 (Protein Kinase A) Tj ETQq1 1 0.784314 ggBT /Overl	3.6	51
132	Orbitofrontal Cortex and Cognitive-Motivational Impairments in Psychostimulant Addiction. <i>Annals of the New York Academy of Sciences</i> , 2007, 1121, 610-638.	3.8	51
133	Differential effects of cocaine on histone posttranslational modifications in identified populations of striatal neurons. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 9511-9516.	7.1	51
134	A molecular modeling analysis of the binding interactions between the okadaic acid class of natural product inhibitors and the ser-thr phosphatases, PP1 and PP2A. <i>Bioorganic and Medicinal Chemistry</i> , 1997, 5, 1751-1773.	3.0	50
135	Striatal dysregulation of Cdk5 alters locomotor responses to cocaine, motor learning, and dendritic morphology. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 18561-18566.	7.1	49
136	Reduced levels of the tyrosine phosphatase STEP block beta amyloid-mediated GluA1/GluA2 receptor internalization. <i>Journal of Neurochemistry</i> , 2011, 119, 664-672.	3.9	49
137	Phosphorylation of spinophilin by ERK and cyclin-dependent PK 5 (Cdk5). <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 3489-3494.	7.1	48
138	Forebrain overexpression of CK1 γ leads to down-regulation of dopamine receptors and altered locomotor activity reminiscent of ADHD. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 4401-4406.	7.1	48
139	Amyloid β Peptide Formation in Cell-free Preparations. <i>Journal of Biological Chemistry</i> , 1996, 271, 24670-24674.	3.4	47
140	Immunocytochemical localization of phosphatase inhibitor-1 in rat brain. <i>Journal of Comparative Neurology</i> , 1991, 310, 170-188.	1.6	46
141	Phosphoproteomic Analysis Reveals a Novel Mechanism of CaMKII α Regulation Inversely Induced by Cocaine Memory Extinction versus Reconsolidation. <i>Journal of Neuroscience</i> , 2016, 36, 7613-7627.	3.6	46
142	Alzheimer's-like pathology in aging rhesus macaques: Unique opportunity to study the etiology and treatment of Alzheimer's disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 26230-26238.	7.1	46
143	A Role for Calcineurin (Protein Phosphatase-2B) in the Regulation of Glutamate Release. <i>Biochemical and Biophysical Research Communications</i> , 1995, 212, 609-616.	2.1	45
144	A 127-kDa Protein (UV-DDB) Binds to the Cytoplasmic Domain of the Alzheimer's Amyloid Precursor Protein. <i>Journal of Neurochemistry</i> , 1999, 72, 549-556.	3.9	45

#	ARTICLE	IF	CITATIONS
145	A Direct Test of the Reductionist Approach to Structural Studies of Calmodulin Activity. <i>Journal of Biological Chemistry</i> , 2002, 277, 16351-16354.	3.4	43
146	The design, synthesis, and biological evaluation of analogues of the serine-threonine protein phosphatase 1 and 2A selective inhibitor microcystin LA: rational modifications imparting PP1 selectivity. <i>Bioorganic and Medicinal Chemistry</i> , 1999, 7, 543-564.	3.0	42
147	Modulation of GT-1 DNA-binding activity by calcium-dependent phosphorylation. <i>Plant Molecular Biology</i> , 1999, 40, 373-386.	3.9	42
148	The Histamine H3 Receptor Differentially Modulates Mitogen-activated Protein Kinase (MAPK) and Akt Signaling in Striatonigral and Striatopallidal Neurons. <i>Journal of Biological Chemistry</i> , 2016, 291, 21042-21052.	3.4	42
149	Elevated glucose activates protein synthesis in cultured cardiac myocytes. <i>Metabolism: Clinical and Experimental</i> , 2005, 54, 1453-1460.	3.4	40
150	Proteomic Analysis of Activity-Dependent Synaptic Plasticity in Hippocampal Neurons. <i>Journal of Proteome Research</i> , 2007, 6, 3203-3215.	3.7	40
151	Developmental expression of MARCKS and protein kinase C in mice in relation to the exencephaly resulting from MARCKS deficiency. <i>Developmental Brain Research</i> , 1996, 96, 62-75.	1.7	39
152	The Actin-Binding Domain of Spinophilin is Necessary and Sufficient for Targeting to Dendritic Spines. <i>NeuroMolecular Medicine</i> , 2002, 2, 61-70.	3.4	38
153	Activation of a Calcium-Calmodulin-dependent Protein Kinase I Cascade in PC12 Cells. <i>Journal of Biological Chemistry</i> , 1996, 271, 20930-20934.	3.4	37
154	Drugs of abuse modulate the phosphorylation of ARPP-21, a cyclic AMP-regulated phosphoprotein enriched in the basal ganglia. <i>Neuropharmacology</i> , 2000, 39, 1637-1644.	4.1	36
155	Restoration of Protein Synthesis in Heart and Skeletal Muscle After Withdrawal of Alcohol. <i>Alcoholism: Clinical and Experimental Research</i> , 2004, 28, 517-525.	2.4	36
156	Evidence for the Involvement of Lfc and Tctex-1 in Axon Formation. <i>Journal of Neuroscience</i> , 2010, 30, 6793-6800.	3.6	36
157	Inhibition of protein synthesis in cortical neurons during exposure to hydrogen peroxide. <i>Journal of Neurochemistry</i> , 2001, 76, 1080-1088.	3.9	35
158	Nicotine Regulates DARPP-32 (Dopamine- and cAMP-Regulated Phosphoprotein of 32 kDa) Phosphorylation at Multiple Sites in Neostriatal Neurons. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2005, 315, 872-878.	2.5	35
159	Dopamine-Dependent Tuning of Striatal Inhibitory Synaptogenesis. <i>Journal of Neuroscience</i> , 2010, 30, 2935-2950.	3.6	35
160	Thr123 of rat G-substrate contributes to its action as a protein phosphatase inhibitor. <i>Neuroscience Research</i> , 2003, 45, 79-89.	1.9	34
161	A mathematical tool for exploring the dynamics of biological networks. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 19169-19174.	7.1	34
162	Selective Knockout of the Casein Kinase 2 in D1 Medium Spiny Neurons Controls Dopaminergic Function. <i>Biological Psychiatry</i> , 2013, 74, 113-121.	1.3	33

#	ARTICLE	IF	CITATIONS
163	Zinc Inhibits Protein Synthesis in Neurons. <i>Journal of Biological Chemistry</i> , 1999, 274, 32433-32438.	3.4	32
164	Quantitative Analysis of Protein Phosphorylation in Mouse Brain by Hypothesis-Driven Multistage Mass Spectrometry. <i>Analytical Chemistry</i> , 2005, 77, 7845-7851.	6.5	32
165	Synaptic proteins associated with cognitive performance and neuropathology in older humans revealed by multiplexed fractionated proteomics. <i>Neurobiology of Aging</i> , 2021, 105, 99-114.	3.1	32
166	Protein Phosphorylation Regulates Relative Utilization of Processing Pathways for Alzheimer β /A4 Amyloid Precursor Protein ^a . <i>Annals of the New York Academy of Sciences</i> , 1993, 695, 117-121.	3.8	31
167	Control of the CFTR channel's gates. <i>Biochemical Society Transactions</i> , 2005, 33, 1003.	3.4	31
168	Luteinizing Hormone Receptor Activation in Ovarian Granulosa Cells Promotes Protein Kinase A-Dependent Dephosphorylation of Microtubule-Associated Protein 2D. <i>Molecular Endocrinology</i> , 2008, 22, 1695-1710.	3.7	31
169	CK2 negatively regulates $G_{i/s}$ signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 14096-14101.	7.1	31
170	Variability of Distribution of Ca^{2+} /Calmodulin-Dependent Kinase II at Mixed Synapses on the Mauthner Cell: Colocalization and Association with Connexin 35. <i>Journal of Neuroscience</i> , 2010, 30, 9488-9499.	3.6	31
171	ARPP-16 Is a Striatal-Enriched Inhibitor of Protein Phosphatase 2A Regulated by Microtubule-Associated Serine/Threonine Kinase 3 (Mast 3 Kinase). <i>Journal of Neuroscience</i> , 2017, 37, 2709-2722.	3.6	31
172	Inhibition of Tumor Necrosis Factor Signal Transduction in Endothelial Cells by Dimethylaminopurine. <i>Journal of Biological Chemistry</i> , 1996, 271, 28624-28629.	3.4	30
173	Cytoplasmic localization of calcium/calmodulin-dependent protein kinase I \pm depends on a nuclear export signal in its regulatory domain. <i>FEBS Letters</i> , 2004, 566, 275-280.	2.8	30
174	Loss of Ftsj1 perturbs codon-specific translation efficiency in the brain and is associated with X-linked intellectual disability. <i>Science Advances</i> , 2021, 7, .	10.3	30
175	Dual involvement of G-substrate in motor learning revealed by gene deletion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 3525-3530.	7.1	29
176	Cell-Type-Specific Proteomics: A Neuroscience Perspective. <i>Proteomes</i> , 2018, 6, 51.	3.5	29
177	Ca^{2+} -independent Activation of Ca^{2+} /Calmodulin-dependent Protein Kinase II Bound to the C-terminal Domain of CaV2.1 Calcium Channels. <i>Journal of Biological Chemistry</i> , 2013, 288, 4637-4648.	3.4	28
178	Role of Striatal-Enriched Tyrosine Phosphatase in Neuronal Function. <i>Neural Plasticity</i> , 2016, 2016, 1-9.	2.2	28
179	Glucose Regulates EF-2 Phosphorylation and Protein Translation by a Protein Phosphatase-2A-dependent Mechanism in INS-1-derived 832/13 Cells. <i>Journal of Biological Chemistry</i> , 2003, 278, 18177-18183.	3.4	27
180	Regulation of ania-6 splice variants by distinct signaling pathways in striatal neurons. <i>Journal of Neurochemistry</i> , 2004, 86, 153-164.	3.9	27

#	ARTICLE	IF	CITATIONS
181	Regulation of Protein Phosphatase Inhibitor-1 by Cyclin-dependent Kinase 5. <i>Journal of Biological Chemistry</i> , 2007, 282, 16511-16520.	3.4	27
182	Prior chronic cocaine exposure in mice induces persistent alterations in cognitive function. <i>Behavioural Pharmacology</i> , 2009, 20, 695-704.	1.7	27
183	PP1 β 2 and PPP1R11 Are Parts of a Multimeric Complex in Developing Testicular Germ Cells in which their Steady State Levels Are Reciprocally Related. <i>PLoS ONE</i> , 2009, 4, e4861.	2.5	27
184	Molecular characterization of recombinant mouse adenosine kinase and evaluation as a target for protein phosphorylation. <i>FEBS Journal</i> , 2004, 271, 3547-3555.	0.2	26
185	Phosphorylation of CREB and DARPP-32 during late LTP at hippocampal to prefrontal cortex synapses in vivo. <i>Synapse</i> , 2007, 61, 24-28.	1.2	26
186	Substrate-Based Fragment Identification for the Development of Selective, Nonpeptidic Inhibitors of Striatal-Enriched Protein Tyrosine Phosphatase. <i>Journal of Medicinal Chemistry</i> , 2013, 56, 7636-7650.	6.4	26
187	The phosphorylation of ARPP19 by Greatwall renders the autoamplification of MPF independent of PKA in <i>Xenopus</i> oocytes. <i>Journal of Cell Science</i> , 2013, 126, 3916-26.	2.0	26
188	Requirement for DARPP-32 in mediating effect of dopamine D2 receptor activation. <i>European Journal of Neuroscience</i> , 1999, 11, 2589-2592.	2.6	25
189	TARPP, a novel protein that accompanies TCR gene rearrangement and thymocyte education. <i>European Journal of Immunology</i> , 2001, 31, 1141-1149.	2.9	25
190	Protein Phosphatase 2A Interacts with the Na ⁺ ,K ⁺ -ATPase and Modulates Its Trafficking by Inhibition of Its Association with Arrestin. <i>PLoS ONE</i> , 2011, 6, e29269.	2.5	25
191	Phosphorylation of Protein Phosphatase Inhibitor-1 by Protein Kinase C. <i>Journal of Biological Chemistry</i> , 2006, 281, 24322-24335.	3.4	24
192	Disruption of reelin signaling attenuates methamphetamine-induced hyperlocomotion. <i>European Journal of Neuroscience</i> , 2007, 25, 3376-3384.	2.6	24
193	Reciprocal regulation of ARPP-16 by PKA and MAST3 kinases provides a cAMP-regulated switch in protein phosphatase 2A inhibition. <i>ELife</i> , 2017, 6, .	6.0	24
194	Isoform-Level Interpretation of High-Throughput Proteomics Data Enabled by Deep Integration with RNA-seq. <i>Journal of Proteome Research</i> , 2018, 17, 3431-3444.	3.7	23
195	Increased phosphorylation of elongation factor 2 in Alzheimer's disease. <i>Molecular Brain Research</i> , 1992, 15, 319-326.	2.3	22
196	Signaling pathways controlling the phosphorylation state of WAVE1, a regulator of actin polymerization. <i>Journal of Neurochemistry</i> , 2010, 114, 182-190.	3.9	22
197	Structure, Regulation, and Function of Calcium/Calmodulin-Dependent Protein Kinase I. <i>Advances in Pharmacology</i> , 1996, 36, 251-275.	2.0	21
198	Distinct Mg ²⁺ -dependent Steps Rate Limit Opening and Closing of a Single CFTR Cl ⁻ Channel. <i>Journal of General Physiology</i> , 2002, 119, 545-559.	1.9	21

#	ARTICLE	IF	CITATIONS
199	Flexibility in the PP1:spinophilin holoenzyme. FEBS Letters, 2011, 585, 36-40.	2.8	21
200	Protein Kinase C-Dependent Dephosphorylation of Tyrosine Hydroxylase Requires the B56 β Heterotrimeric Form of Protein Phosphatase 2A. PLoS ONE, 2011, 6, e26292.	2.5	21
201	The selective inhibition of phosphatases by natural toxins: the anhydride domain of tautomycin is not a primary factor in controlling PP1/PP2A selectivity. Bioorganic and Medicinal Chemistry Letters, 2003, 13, 1597-1600.	2.2	20
202	Striatal-Enriched Protein Tyrosine Phosphatase in Alzheimer's Disease. Advances in Pharmacology, 2012, 64, 303-325.	2.0	20
203	Regulator of calmodulin signaling knockout mice display anxiety-like behavior and motivational deficits. European Journal of Neuroscience, 2012, 35, 300-308.	2.6	18
204	Development of Targeted Mass Spectrometry-Based Approaches for Quantitation of Proteins Enriched in the Postsynaptic Density (PSD). Proteomes, 2019, 7, 12.	3.5	18
205	Regulation of Synaptic Transmission and Plasticity by Protein Phosphatase 1. Journal of Neuroscience, 2021, 41, 3040-3050.	3.6	18
206	Proteasomal Degradation of Eukaryotic Elongation Factor-2 Kinase (EF2K) Is Regulated by cAMP-PKA Signaling and the SCF β TRCP Ubiquitin E3 Ligase. Journal of Biological Chemistry, 2013, 288, 17803-17811.	3.4	17
207	Calcium-induced synergistic inhibition of a translational factor eEF2 in nerve growth cones. Biochemical and Biophysical Research Communications, 2007, 353, 244-250.	2.1	16
208	Striatin-1 is a B subunit of protein phosphatase PP2A that regulates dendritic arborization and spine development in striatal neurons. Journal of Biological Chemistry, 2018, 293, 11179-11194.	3.4	16
209	Exosomes as Emerging Biomarker Tools in Neurodegenerative and Neuropsychiatric Disorders – A Proteomics Perspective. Brain Sciences, 2021, 11, 258.	2.3	16
210	Modulation of a calcium/calmodulin-dependent protein kinase cascade by retinoic acid during neutrophil maturation. Experimental Hematology, 1999, 27, 1682-1690.	0.4	15
211	Phosphorylation of the Cytoplasmic Domain of Alzheimer's β -Amyloid Precursor Protein at Ser655 by a Novel Protein Kinase. Biochemical and Biophysical Research Communications, 1999, 258, 300-305.	2.1	15
212	Backbone ^1H , ^{15}N , and ^{13}C resonance assignments of inhibitor-2 – a protein inhibitor of protein phosphatase-1. Journal of Biomolecular NMR, 2000, 17, 359-360.	2.8	15
213	2-Deoxyglucose and NMDA inhibit protein synthesis in neurons and regulate phosphorylation of elongation factor-2 by distinct mechanisms. Journal of Neurochemistry, 2006, 96, 815-824.	3.9	14
214	Phosphorylation of the amino-terminal region of X11L regulates its interaction with APP. Journal of Neurochemistry, 2009, 109, 465-475.	3.9	14
215	Regulation of neurite outgrowth mediated by localized phosphorylation of protein translational factor eEF2 in growth cones. Developmental Neurobiology, 2013, 73, 230-246.	3.0	14
216	GSAP regulates lipid homeostasis and mitochondrial function associated with Alzheimer's disease. Journal of Experimental Medicine, 2021, 218, .	8.5	14

#	ARTICLE	IF	CITATIONS
217	A new model of the tautomycin-PP1 complex that is not analogous to the corresponding okadaic acid structure. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2003, 13, 1601-1605.	2.2	13
218	A Novel Cyclin Provides a Link between Dopamine and RNA Processing. <i>Neuron</i> , 2001, 32, 174-176.	8.1	12
219	Auto-inhibition of Ca ²⁺ /calmodulin-dependent protein kinase II by its ATP-binding domain. <i>Journal of Neurochemistry</i> , 2001, 76, 1066-1072.	3.9	11
220	Expression of PKC substrate proteins, GAP43 and neurogranin, is downregulated by cAMP signaling and alterations in synaptic activity. <i>European Journal of Neuroscience</i> , 2007, 26, 3043-3053.	2.6	11
221	Localization of dopamine- and cAMP-regulated phosphoprotein-32 and inhibitor-1 in area 9 of Macaca mulatta prefrontal cortex. <i>Neuroscience</i> , 2010, 167, 428-438.	2.3	11
222	Evaluation of the Phosphoproteome of Mouse Alpha 4/Beta 2-Containing Nicotinic Acetylcholine Receptors In Vitro and In Vivo. <i>Proteomes</i> , 2018, 6, 42.	3.5	11
223	Direct Interaction of PP2A Phosphatase with GABAB Receptors Alters Functional Signaling. <i>Journal of Neuroscience</i> , 2020, 40, 2808-2816.	3.6	11
224	Ca ²⁺ /Calmodulin-Dependent Protein Kinase V and I May Form a Family of Isoforms. <i>Biochemical and Biophysical Research Communications</i> , 1994, 201, 1561-1566.	2.1	10
225	N-Methyl-D-aspartate receptor activation inhibits protein synthesis in cortical neurons independently of its ionic permeability properties. <i>Neuroscience</i> , 2002, 114, 859-867.	2.3	10
226	Zinc-induced inhibition of protein synthesis and reduction of connexin-43 expression and intercellular communication in mouse cortical astrocytes. <i>European Journal of Neuroscience</i> , 2002, 16, 1037-1044.	2.6	10
227	Letter to the Editor: 1H, 15N, and 13C resonance assignments of DARPP-32 (dopamine and cAMP-regulated) Tj ETQq1 1 0.784314 rgBT (C) NMR, 2004, 28, 413-414.	2.8	10
228	An immunocytochemical assay to detect human CFTR expression following gene transfer. <i>Molecular and Cellular Probes</i> , 2009, 23, 272-280.	2.1	10
229	Regulation of spinophilin Ser94 phosphorylation in neostriatal neurons involves both DARPP-32-dependent and independent pathways. <i>Journal of Neurochemistry</i> , 2005, 95, 1642-1652.	3.9	9
230	Subcellular distribution of the Rho GEF Lfc in primate prefrontal cortex: Effect of neuronal activation. <i>Journal of Comparative Neurology</i> , 2008, 508, 927-939.	1.6	9
231	The dominant protein phosphatase PP1c isoform in smooth muscle cells, PP1c ² , is essential for smooth muscle contraction. <i>Journal of Biological Chemistry</i> , 2018, 293, 16677-16686.	3.4	9
232	Backbone 1H, 15N, and 13C resonance assignments of ARPP-19. <i>Journal of Biomolecular NMR</i> , 2001, 19, 383-384.	2.8	8
233	Regulation of ERK1/2 mitogen-activated protein kinase by NMDA-receptor-induced seizure activity in cortical slices. <i>Brain Research</i> , 2013, 1507, 1-10.	2.2	7
234	Differential Protein Expression in Striatal D1- and D2-Dopamine Receptor-Expressing Medium Spiny Neurons. <i>Proteomes</i> , 2020, 8, 27.	3.5	6

#	ARTICLE	IF	CITATIONS
235	Structural characterization of the neurabin sterile alpha motif domain. <i>Proteins: Structure, Function and Bioinformatics</i> , 2007, 69, 192-198.	2.6	5
236	The expression of Ca ²⁺ /calmodulin-dependent protein kinase I in rat retina is regulated by light stimulation. <i>Vision Research</i> , 1999, 39, 3165-3173.	1.4	4
237	Phosphoproteomic Analysis of the Amygdala Response to Adolescent Glucocorticoid Exposure Reveals G-Protein Coupled Receptor Kinase 2 as a Target for Reducing Motivation for Alcohol. <i>Proteomes</i> , 2018, 6, 41.	3.5	4
238	cAMP-regulated phosphoproteins DARPP-32, ARPP16/19, and RCS modulate striatal signal transduction through protein kinases and phosphatases. <i>Advances in Pharmacology</i> , 2021, 90, 39-65.	2.0	2
239	Making brain proteomics true to type. <i>Nature Biotechnology</i> , 2018, 36, 149-150.	17.5	0
240	Editorial for Special Issue: Neuroproteomics. <i>Proteomes</i> , 2019, 7, 24.	3.5	0