

Carolyn J Cassady

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/578576/publications.pdf>

Version: 2024-02-01

64
papers

1,813
citations

279798

23
h-index

302126

39
g-index

64
all docs

64
docs citations

64
times ranked

1112
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Mechanistic Study of Enhanced Protonation by Chromium(III) in Electrospray Ionization: A Superacid Bound to a Peptide. <i>Journal of the American Society for Mass Spectrometry</i> , 2020, 31, 308-318. | 2.8 | 4 |
| 2 | Surface Effects of Iron Oxide Nanoparticles on the MALDI In-Source Decay Analysis of Glycans and Peptides. <i>ACS Applied Nano Materials</i> , 2019, 2, 3999-4008. | 5.0 | 9 |
| 3 | Experimental and Computational Study of the Gas-Phase Acidities of Acidic Di- and Tripeptides. <i>Journal of Physical Chemistry B</i> , 2019, 123, 606-613. | 2.6 | 3 |
| 4 | Bond dissociation energies in glycine, alanine, and dipeptide deprotonated anions for use in analyzing collision-induced dissociation processes. <i>International Journal of Mass Spectrometry</i> , 2018, 429, 212-226. | 1.5 | 6 |
| 5 | Electron Transfer Dissociation and Collision-Induced Dissociation of Underivatized Metallated Oligosaccharides. <i>Journal of the American Society for Mass Spectrometry</i> , 2018, 29, 1021-1035. | 2.8 | 19 |
| 6 | The use of chromium(III) complexes to enhance peptide protonation by electrospray ionization mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2018, 53, 1198-1206. | 1.6 | 1 |
| 7 | Electron transfer dissociation mass spectrometry of acidic phosphorylated peptides cationized with trivalent praseodymium. <i>Journal of Mass Spectrometry</i> , 2018, 53, 1178-1188. | 1.6 | 0 |
| 8 | Effects of acidic peptide size and sequence on trivalent praseodymium adduction and electron transfer dissociation mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2017, 52, 218-229. | 1.6 | 6 |
| 9 | Optimization of electrospray ionization conditions to enhance formation of doubly protonated peptide ions with and without addition of chromium(III). <i>Rapid Communications in Mass Spectrometry</i> , 2017, 31, 1129-1136. | 1.5 | 6 |
| 10 | Citric Acid Capped Iron Oxide Nanoparticles as an Effective MALDI Matrix for Polymers. <i>Journal of the American Society for Mass Spectrometry</i> , 2017, 28, 409-418. | 2.8 | 16 |
| 11 | The Effects of Trivalent Lanthanide Cationization on the Electron Transfer Dissociation of Acidic Fibrinopeptide B and its Analogs. <i>Journal of the American Society for Mass Spectrometry</i> , 2016, 27, 1499-1509. | 2.8 | 8 |
| 12 | Negative Ion In-Source Decay Matrix-Assisted Laser Desorption/Ionization Mass Spectrometry for Sequencing Acidic Peptides. <i>Journal of the American Society for Mass Spectrometry</i> , 2016, 27, 847-855. | 2.8 | 8 |
| 13 | Spectroscopic and biological activity studies of the chromium-binding peptide EEEEGDD. <i>Journal of Biological Inorganic Chemistry</i> , 2016, 21, 369-381. | 2.6 | 13 |
| 14 | An Experimental and Computational Study of the Gas-Phase Acidities of the Common Amino Acid Amides. <i>Journal of Physical Chemistry B</i> , 2015, 119, 9661-9669. | 2.6 | 13 |
| 15 | The Use of Chromium(III) to Supercharge Peptides by Protonation at Low Basicity Sites. <i>Journal of the American Society for Mass Spectrometry</i> , 2015, 26, 347-358. | 2.8 | 8 |
| 16 | Gas-Phase Acidities of Phosphorylated Amino Acids. <i>Journal of Physical Chemistry B</i> , 2015, 119, 14604-14621. | 2.6 | 6 |
| 17 | An Experimental and Computational Investigation into the Gas-Phase Acidities of Tyrosine and Phenylalanine: Three Structures for Deprotonated Tyrosine. <i>Journal of Physical Chemistry B</i> , 2014, 118, 12630-12643. | 2.6 | 12 |
| 18 | MALDI MS In-Source Decay of Glycans Using a Glutathione-Capped Iron Oxide Nanoparticle Matrix. <i>Analytical Chemistry</i> , 2014, 86, 8496-8503. | 6.5 | 37 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Paramagnetic ¹⁹ F NMR and electrospray ionization mass spectrometric studies of substituted pyridine complexes of chromium(III): Models for potential use of ¹⁹ F NMR to probe Cr(III)â€“nucleotide interaction. <i>Polyhedron</i> , 2013, 64, 136-141. | 2.2 | 4 |
| 20 | Fundamental Thermochemical Properties of Amino Acids: Gas-Phase and Aqueous Acidities and Gas-Phase Heats of Formation. <i>Journal of Physical Chemistry B</i> , 2012, 116, 2905-2916. | 2.6 | 52 |
| 21 | A Comparison of the Effects of Amide and Acid Groups at the C-Terminus on the Collision-Induced Dissociation of Deprotonated Peptides. <i>Journal of the American Society for Mass Spectrometry</i> , 2012, 23, 1544-1557. | 2.8 | 13 |
| 22 | Gas-Phase Deprotonation of the Peptide Backbone for Tripeptides and Their Methyl Esters with Hydrogen and Methyl Side Chains. <i>Journal of Physical Chemistry B</i> , 2012, 116, 14844-14858. | 2.6 | 16 |
| 23 | Effects of transition metal ion coordination on the collisionâ€“induced dissociation of polyanalines. <i>Journal of Mass Spectrometry</i> , 2011, 46, 1099-1107. | 1.6 | 16 |
| 24 | Characterization of the Organic Component of Low-Molecular-Weight Chromium-Binding Substance and Its Binding of Chromium. <i>Journal of Nutrition</i> , 2011, 141, 1225-1232. | 2.9 | 43 |
| 25 | A comparison of positive and negative ion collisionâ€“induced dissociation for model heptapeptides with one basic residue. <i>Journal of Mass Spectrometry</i> , 2010, 45, 297-305. | 1.6 | 24 |
| 26 | Sequence of the peptide component of lowâ€“molecularâ€“weight chromiumâ€“binding substance. <i>FASEB Journal</i> , 2010, 24, 537.5. | 0.5 | 0 |
| 27 | Mass Spectrometric and Spectroscopic Studies of the Nutritional Supplement Chromium(III) Nicotinate. <i>Biological Trace Element Research</i> , 2009, 130, 114-130. | 3.5 | 11 |
| 28 | Negative ion production from peptides and proteins by matrixâ€“assisted laser desorption/ionization timeâ€“ofâ€“flight mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2008, 22, 4066-4072. | 1.5 | 20 |
| 29 | The effects of chromium(III) coordination on the dissociation of acidic peptides. <i>Journal of Mass Spectrometry</i> , 2008, 43, 773-781. | 1.6 | 13 |
| 30 | Gas-phase acidities of aspartic acid, glutamic acid, and their amino acid amides. <i>International Journal of Mass Spectrometry</i> , 2007, 265, 213-223. | 1.5 | 55 |
| 31 | Low-molecular-weight chromium-binding substance from chicken liver and American alligator liver. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2006, 144, 423-431. | 1.6 | 13 |
| 32 | C-terminal amino acid residue loss for deprotonated peptide ions containing glutamic acid, aspartic acid, or serine residues at the C-terminus. <i>Journal of Mass Spectrometry</i> , 2006, 41, 939-949. | 1.6 | 27 |
| 33 | A comparison of negative and positive ion time-of-flight post-source decay mass spectrometry for peptides containing basic residues. <i>International Journal of Mass Spectrometry</i> , 2003, 222, 363-381. | 1.5 | 45 |
| 34 | Effects of peptide chain length on the gas-phase proton transfer properties of doubly-protonated ions from bradykinin and its N-terminal fragment peptides. <i>International Journal of Mass Spectrometry</i> , 2002, 219, 115-131. | 1.5 | 22 |
| 35 | Dissociation of multiply charged negative ions for hirudin (54â€“65), fibrinopeptide B, and insulin A (oxidized). <i>Journal of the American Society for Mass Spectrometry</i> , 2001, 12, 105-116. | 2.8 | 62 |
| 36 | Gas-phase basicities for ions from bradykinin and its des-arginine analogues. <i>Journal of Mass Spectrometry</i> , 2001, 36, 875-881. | 1.6 | 26 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Effects of cysteic acid groups on the gas-phase reactivity and dissociation of $[M + 4H]^{4+}$ ions from insulin chain B. <i>Journal of the American Society for Mass Spectrometry</i> , 1999, 10, 928-940. | 2.8 | 15 |
| 38 | Negative ion matrix-assisted laser desorption/ionization time-of-flight post-source decay calibration by using fibrinopeptide B. <i>Journal of the American Society for Mass Spectrometry</i> , 1998, 9, 540-544. | 2.8 | 12 |
| 39 | Gas-phase reactivity and molecular modeling studies on triply protonated dodecapeptides that contain four basic residues. <i>Journal of the American Society for Mass Spectrometry</i> , 1998, 9, 716-723. | 2.8 | 18 |
| 40 | Effects of basic site proximity on deprotonation and hydrogen/deuterium exchange reactions for model dodecapeptide ions containing lysine and glycine. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1998, 175, 159-171. | 1.8 | 13 |
| 41 | Negative Ion Postsource Decay Time-of-Flight Mass Spectrometry of Peptides Containing Acidic Amino Acid Residues. <i>Analytical Chemistry</i> , 1998, 70, 5122-5128. | 6.5 | 37 |
| 42 | Collision-induced dissociation and post-source decay of model dodecapeptide ions containing lysine and glycine. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1997, 171, 135-145. | 1.8 | 10 |
| 43 | Reactivity and gas-phase acidity determinations of small peptide ions consisting of 11 to 14 amino acid residues. , 1997, 32, 959-967. | | 43 |
| 44 | Matrix-assisted laser desorption/ionization of small biomolecules impregnated in silica prepared by a sol-gel process. <i>Rapid Communications in Mass Spectrometry</i> , 1997, 11, 1505-1508. | 1.5 | 10 |
| 45 | Ab Initio and Experimental Studies on the Protonation of Glucose in the Gas Phase. <i>Journal of the American Chemical Society</i> , 1996, 118, 10515-10524. | 13.7 | 70 |
| 46 | Elucidation of Isomeric Structures for Ubiquitin $[M+12H]^{12+}$ Ions Produced by Electrospray Ionization Mass Spectrometry. , 1996, 31, 247-254. | | 116 |
| 47 | Determination of the Gas-Phase Basicities of Proline and its Di- and Tripeptides with Glycine: The Enhanced Basicity of Prolylproline. , 1996, 31, 1345-1350. | | 38 |
| 48 | Anion and Cation Post-source Decay Time-of-flight Mass Spectrometry of Small Peptides: Substance P, Angiotensin II, and Renin Substrate. <i>Rapid Communications in Mass Spectrometry</i> , 1996, 10, 1678-1682. | 1.5 | 23 |
| 49 | Apparent gas-phase acidities of multiply protonated peptide ions: Ubiquitin, insulin B, and renin substrate. <i>Journal of the American Society for Mass Spectrometry</i> , 1996, 7, 1211-1218. | 2.8 | 60 |
| 50 | Gas-phase basicities of histidine and lysine and their selected di- and tripeptides. <i>Journal of the American Society for Mass Spectrometry</i> , 1996, 7, 1203-1210. | 2.8 | 61 |
| 51 | An electrospray ionization mass spectrometry study of copper adducts of protonated ubiquitin. <i>Journal of the American Society for Mass Spectrometry</i> , 1995, 6, 521-524. | 2.8 | 23 |
| 52 | Experimental and Ab Initio Studies on Protonations of Alanine and Small Peptides of Alanine and Glycine. <i>Journal of Organic Chemistry</i> , 1995, 60, 1704-1712. | 3.2 | 75 |
| 53 | Deprotonation reactions of multiply protonated ubiquitin ions. <i>Rapid Communications in Mass Spectrometry</i> , 1994, 8, 394-400. | 1.5 | 78 |
| 54 | Gas-phase basicities of serine and dipeptides of serine and glycine. <i>Journal of the American Society for Mass Spectrometry</i> , 1994, 5, 718-723. | 2.8 | 35 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Size-Specific Reactivity of Ag _x ⁺ and Cu _x ⁺ (x = 1-5) with Alcohols in the Gas Phase. <i>Organometallics</i> , 1994, 13, 3077-3084. | 2.3 | 17 |
| 56 | Ab Initio Studies of Neutral and Protonated Triglycines: Comparison of Calculated and Experimental Gas-Phase Basicity. <i>Journal of the American Chemical Society</i> , 1994, 116, 11512-11521. | 13.7 | 82 |
| 57 | Collision-induced dissociation and photodissociation of nitroaromatic molecular ions: A unique isomerization for p-nitrotoluene and p-ethylnitrobenzene ions. <i>Organic Mass Spectrometry</i> , 1993, 28, 1650-1657. | 1.3 | 7 |
| 58 | Experimental and ab initio studies of the gas-phase basicities of polyglycines. <i>Journal of the American Chemical Society</i> , 1993, 115, 10812-10822. | 13.7 | 159 |
| 59 | Production and fragmentation of molybdenum oxide ions. <i>Journal of Chemical Physics</i> , 1992, 96, 691-699. | 3.0 | 22 |
| 60 | Gas-phase reactions of molybdenum oxide ions with small hydrocarbons. <i>Organometallics</i> , 1992, 11, 2367-2377. | 2.3 | 41 |
| 61 | Gas-phase reactions of silver cluster ions produced by fast atom bombardment. <i>Chemical Physics Letters</i> , 1992, 191, 111-116. | 2.6 | 21 |
| 62 | Gas-phase reactions of tantalum carbide cluster ions with deuterium and small hydrocarbons. <i>Journal of the American Chemical Society</i> , 1990, 112, 4788-4797. | 13.7 | 62 |
| 63 | Total mass emissions from a hazardous waste incinerator. <i>Journal of Hazardous Materials</i> , 1988, 18, 99-106. | 12.4 | 1 |
| 64 | Structural determination of [C ₇ H ₇ O] ⁺ ions in the gas phase by ion cyclotron resonance spectrometry. <i>Organic Mass Spectrometry</i> , 1983, 18, 378-387. | 1.3 | 27 |