
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5787161/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Tungstate supported on magnetic ionic liquid-modiï¬ed graphene oxide as an efficient and recyclable catalyst for the selective oxidation of sulfides. Journal of Physics and Chemistry of Solids, 2022, 162, 110497.	4.0	2
2	Directed aromatic C–H functionalization of N-arylcarbamates and quinazolinones catalyzed by palladium nanoparticles supported on nitrogen-doped graphene. Colloids and Interface Science Communications, 2022, 47, 100606.	4.1	4
3	Pd nanoparticles supported on cubic shaped ZIF-based materials and their catalytic activates in organic reactions. Materials Research Bulletin, 2021, 133, 111015.	5.2	10
4	Palladium nanoparticle supported on core-shell FeOx@nitrogen-doped carbon cubes and their photocatalytic activities in selective oxidation of alcohols and Ullmann homocoupling in one reaction system. Materials Chemistry and Physics, 2021, 258, 123908.	4.0	4
5	A One-Step Method for Preparation of Ru Nanoparticle Decorated on Three-Dimensional Graphene with High Catalytic Activity for Reduction of Nitroarenes. Journal of Cluster Science, 2021, 32, 959-965.	3.3	3
6	Catalytic stereoselective Mannich-type reactions for construction of fluorinated compounds. Molecular Diversity, 2021, , 1.	3.9	0
7	Copper oxide nanoparticles decorated on nitrogen doped carbon hollow and their catalytic activities in synthesis of propargylamines and reduction of nitroarenes. Reaction Kinetics, Mechanisms and Catalysis, 2021, 134, 793-810.	1.7	3
8	AuPd alloy nanoparticles decorated graphitic carbon nitride as an excellent photocatalyst for the visible-light-enhanced Suzuki–Miyaura cross-coupling reaction. Journal of Alloys and Compounds, 2020, 819, 152994.	5.5	26
9	A mesoporous nanosorbent composed of silica, graphene, and palladium (II) for ultrasound-assisted dispersive solid-phase extraction of organophosphorus pesticides prior to their quantitation by ion mobility spectrometry. Mikrochimica Acta, 2020, 187, 209.	5.0	24
10	Visible light assisted photocatalytic reduction of CO2 to methanol using Fe3O4@N-C/Cu2O nanostructure photocatalyst. Journal of Photochemistry and Photobiology A: Chemistry, 2020, 401, 112763.	3.9	20
11	Orthoesters: Multiple Role Players in Organic Synthesis. ChemistrySelect, 2020, 5, 4394-4412.	1.5	4
12	Palladiumâ€Catalyzed Direct <i>ortho</i> â€C–H Bond Sulfonylation and Halogenation of Phthalazineâ€1,4â€diones. European Journal of Organic Chemistry, 2019, 2019, 7247-7254.	2.4	12
13	Decarboxylative Arylation of Pyridine 1â€Oxides and Anilides with Benzoic Acid via Palladiumâ€Catalyzed C–H Functionalization. European Journal of Organic Chemistry, 2019, 2019, 1479-1487.	2.4	8
14	Structuring Ru nanoparticles on magnetic nitrogen doped carbon induces excellent photocatalytic activity for oxidation of alcohols under visible light. Journal of Photochemistry and Photobiology A: Chemistry, 2019, 379, 159-170.	3.9	13
15	Palladiumâ€Catalyzed Regioselective Câ€H Bond <i>ortho</i> â€Acetylation and Oxidative Homocoupling of <i>N</i> â€Arylcarbamates. ChemistrySelect, 2019, 4, 3228-3232.	1.5	3
16	Ultrasound assisted dispersive solid phase extraction of triazole fungicides by using an N-heterocyclic carbene copper complex supported on ionic liquid-modified graphene oxide as a sorbent. Mikrochimica Acta, 2019, 186, 209.	5.0	27
17	Palladium Catalyzed <i>Cross</i> â€Dehydrogenative Coupling/Annulation Reaction: A Practical and Efficient Approach to Hydroxyisoindolo[1,2â€ <i>b</i>]quinazolinone. European Journal of Organic Chemistry, 2019, 2019, 2933-2940.	2.4	19
18	Introduction of graphene-periodic mesoporous silica as a new sorbent for removal: experiment and simulation. Research on Chemical Intermediates, 2019, 45, 1795-1813.	2.7	10

#	Article	IF	CITATIONS
19	Palladium Supported on Mesoporous Silica/Graphene Nanohybrid as a Highly Efficient and Reusable Heterogeneous Catalyst for Câ^'H Functionalization. ChemistrySelect, 2018, 3, 3487-3494.	1.5	13
20	Synthesis of gold nanoparticles decorated on sulfonated threeâ€dimensional graphene nanocomposite and application as a highly efficient and recyclable heterogeneous catalyst for Ullmann homocoupling of aryl iodides and reduction of <i>p</i> â€nitrophenol. Applied Organometallic Chemistry, 2018, 32, e4189.	3.5	9
21	Copper nanoparticles incorporated on a mesoporous carbon nitride, an excellent catalyst in the Huisgen 1,3â€dipolar cycloaddition and <i>N</i> â€arylation of <i>N</i> â€heterocycles. Applied Organometallic Chemistry, 2018, 32, e3914.	3.5	9
22	A nitrogen-doped porous carbon derived from copper phthalocyanines on/in ZIF-8 as an efficient photocatalyst for the degradation of dyes and the C H activation of formamides. Journal of Photochemistry and Photobiology A: Chemistry, 2018, 351, 208-224.	3.9	23
23	Synthesis of novel norsufentanil analogs via a fourâ€component Ugi reaction and in vivo, docking, and <scp>QSAR</scp> studies of their analgesic activity. Chemical Biology and Drug Design, 2018, 91, 902-914.	3.2	4
24	Palladium nanoparticles supported on core-shell and yolk-shell Fe3O4@nitrogen doped carbon cubes as a highly efficient, magnetically separable catalyst for the reduction of nitroarenes and the oxidation of alcohols. Journal of Catalysis, 2018, 364, 69-79.	6.2	50
25	N-Heterocyclic carbene–copper complex supported on ionic liquid-modified graphene oxide: versatile catalyst for synthesis of (i) 1,2,3-triazole and (ii) propargylamine derivatives. Journal of the Iranian Chemical Society, 2018, 15, 2463-2474.	2.2	5
26	Carbon-based leaving group capability of Meldrum's acid in substitution reactions: a new strategy toward the synthesis of 4-phenyl-3, 4-dihydro-2H-benzo[g]chromene-2, 5, 10-triones. Journal of the Iranian Chemical Society, 2017, 14, 1899-1907.	2.2	4
27	A Novel Synthesis of Macitentan, an Endothelin Receptor Antagonist. Organic Preparations and Procedures International, 2017, 49, 258-264.	1.3	3
28	Pd-Catalyzed regioselective C–H halogenation of quinazolinones and benzoxazinones. Organic and Biomolecular Chemistry, 2017, 15, 6264-6268.	2.8	33
29	PdCo bimetallic nanoparticles supported on threeâ€dimensional graphene as a highly active catalyst for Sonogashira crossâ€coupling reaction. Applied Organometallic Chemistry, 2017, 31, e3594.	3.5	25
30	Supported vanadium Schiff bases complex on nano silica: a heterogeneous catalyst for the selective oxidation of sulfides and alcohols. Journal of the Iranian Chemical Society, 2016, 13, 1265-1272.	2.2	11
31	Copper nanoparticle decorated three dimensional graphene with high catalytic activity for Huisgen 1,3-dipolar cycloaddition. RSC Advances, 2016, 6, 57019-57023.	3.6	21
32	Fe3O4@RGO@Au@C Composite with Magnetic Core and Au Enwrapped in Double-Shelled Carbon: An Excellent Catalyst in the Reduction of Nitroarenes and Suzuki–Miyaura Cross-Coupling. Catalysis Letters, 2016, 146, 1674-1686.	2.6	22
33	Ultrasound-assisted multi-component synthesis of indazolophthalazine derivatives. Journal of the Iranian Chemical Society, 2015, 12, 1613-1621.	2.2	5
34	Gold nanoparticles decorated on a graphene-periodic mesoporous silica sandwich nanocomposite as a highly efficient and recyclable heterogeneous catalyst for catalytic applications. RSC Advances, 2015, 5, 33423-33431.	3.6	28
35	New Convenient Fiveâ€Component Oneâ€Pot Synthesis of 3â€Alkylâ€6â€aminoâ€1,4â€dihydroâ€4â€{[(1,2,3â€triazolâ€4â€yl)methoxy]phenyl}pyrano[2,3â€ <i>c</i>]pyra Derivatives. Helvetica Chimica Acta, 2015, 98, 633-641.	az ol<i>œ</i>â€5 â•	€ ca rbonitrile
36	One-pot synthesis of 2,4,5-triaryl-1H-imidazoles linked 1,4-disubstituted 1,2,3-triazoles based on a merging multicomponent condensation with Huisgen 1,3-dipolar cycloaddition in ionic liquid. Research on Chemical Intermediates, 2015, 41, 3335-3347.	2.7	8

#	Article	IF	CITATIONS
37	Oneâ€Pot Synthesis of (1,2,3â€Triazolyl)methyl 3,4â€Dihydroâ€2â€oxoâ€1 <i>H</i> â€pyrimidineâ€5â€carboxyla Potentially Active Antimicrobial Agents. Helvetica Chimica Acta, 2014, 97, 375-383.	tes as 1.6	5
38	A one-step method for preparation of Cu@Cu2O nanoparticles on reduced graphene oxide and their catalytic activities in N-arylation of N-heterocycles. Applied Catalysis A: General, 2014, 481, 79-88.	4.3	66
39	Silicaâ€supported terpyridine palladium(II) complex as an efficient and reusable catalyst for Heck and Suzuki crossâ€coupling reactions. Applied Organometallic Chemistry, 2014, 28, 86-90.	3.5	17
40	Gold nanoparticle decorated reduced graphene oxide sheets with high catalytic activity for Ullmann homocoupling. RSC Advances, 2014, 4, 5243.	3.6	75
41	Water-dispersible and magnetically separable gold nanoparticles supported on a magnetite/s-graphene nanocomposite and their catalytic application in the Ullmann coupling of aryl iodides in aqueous media. RSC Advances, 2014, 4, 39428-39434.	3.6	26
42	Catalyst-free domino reaction in water/ethanol: an efficient, regio- and chemoselective one-pot multi-component synthesis of pyranopyrazole derivatives. RSC Advances, 2014, 4, 10669.	3.6	35
43	Gold nanoparticle supported on ionic liquid-modified graphene oxide as an efficient and recyclable catalyst for one-pot oxidative A ³ -coupling reaction of benzyl alcohols. RSC Advances, 2014, 4, 42155-42158.	3.6	33
44	Combining a Click–Multicomponent Reaction: One-Pot Synthesis of 1,2,3-Triazol-4-ylmethyl 3-Amino-5,10-dihydro-5,10-dioxo-1 <i>H</i> -pyrazolo[1,2- <i>b</i>]phthalazine-2-carboxylate Derivatives. Synthetic Communications, 2014, 44, 2037-2044.	2.1	6
45	Palladium nanoparticle decorated high nitrogen-doped graphene with high catalytic activity for Suzuki–Miyaura and Ullmann-type coupling reactions in aqueous media. Applied Catalysis A: General, 2014, 488, 265-274.	4.3	79
46	An efficient synthesis of tetrahydropyrazolopyridine derivatives by a one-pot tandem multi-component reaction in a green media. Arkivoc, 2014, 2014, 204-214.	0.5	4
47	Efficient One-Pot, Four-Component Synthesis of 1,2,3-Triazole-Linked Tetrahydrobenzo[b]pyrans. Synthetic Communications, 2013, 43, 486-497.	2.1	5
48	Highly efficient and eco-friendly synthesis of 2-alkyl and 2-aryl-4,5-diphenyl-1H-imidazoles under mild conditions. Tetrahedron Letters, 2013, 54, 2591-2594.	1.4	37
49	An Efficient Oneâ€Pot Fourâ€Component Synthesis of Functionalized Imidazo[1,2â€ <i>a</i>]pyridines. Helvetica Chimica Acta, 2013, 96, 525-532.	1.6	13
50	Facile and Highly Efficient Procedure for the Synthesis of Triazolyl Methoxyphenyl 1,8-Dioxo-decahydroacridines via One-Pot, Pseudo-Five-Component Reaction. Synthetic Communications, 2012, 42, 3117-3127.	2.1	9
51	An Efficient Synthesis of 3â€(1 <i>Hâ€</i> Tetrazolâ€5â€yl)coumarins (=3â€(1 <i>H</i> â€Tetrazolâ€5â€yl)â€2 <i>H</i> â€Iâ€benzopyranâ€2â€ones) <i>via</i> Domino <i>Knoevenage Condensation, <i>Pinner</i> Reaction, and 1,3â€Dipolar Cycloaddition in Water. Helvetica Chimica Acta, 2012, 95, 1600-1604.</i>	l≤/i≥ 1.8	11
52	Multicomponent Synthesis of 1,2,3-Triazol-4-yl-methylthio-3-arylquinazolin-4(3 <i>H</i>)-one Derivatives. Synthetic Communications, 2012, 42, 2415-2422.	2.1	4
53	Combining click-multicomponent reaction: one-pot synthesis of triazolyl methoxy-phenyl indazolo[2,1-b]phthalazine-trione derivatives. Molecular Diversity, 2012, 16, 231-240.	3.9	22
54	A novel organocatalytic multi-component reaction: an efficient synthesis of polysubstituted pyrano-fused spirooxindoles. Tetrahedron Letters, 2012, 53, 3603-3606.	1.4	40

MINOO DABIRI

#	Article	IF	CITATIONS
55	Ecofriendly and efficient procedure for hetero-Michael addition reactions with an acidic ionic liquid as catalyst and reaction medium. Monatshefte Für Chemie, 2012, 143, 109-112.	1.8	14
56	An efficient synthesis of fluorescent spiro[benzopyrazoloquinoline-indoline]triones and spiro[acenaphthylenebenzopyrazoloquinoline]triones. Monatshefte Für Chemie, 2012, 143, 139-143.	1.8	14
57	Volatile Components ofPelargonium roseumR. Br. Journal of Essential Oil-bearing Plants: JEOP, 2011, 14, 114-117.	1.9	5
58	Synthesis and Catalytic Applications of Sulfonic Acid Group–Functionalized Nano- and Microsilica Structures. Synthetic Communications, 2011, 41, 2115-2122.	2.1	9
59	One-pot synthesis of 1,2,3-triazole linked dihydropyrimidinones via Huisgen 1,3-dipolar/Biginelli cycloaddition. Molecular Diversity, 2011, 15, 833-837.	3.9	30
60	Synthesis of fluorescent hydroxyl naphthalene-1,4-dione derivatives by a three-component reaction in water. Dyes and Pigments, 2011, 89, 63-69.	3.7	56
61	Organic Reaction in Water: A Highly Efficient and Environmentally Friendly Synthesis of Spiro Compounds Catalyzed by <scp>L</scp> â€Proline. Helvetica Chimica Acta, 2011, 94, 824-830.	1.6	26
62	An Efficient Oneâ€Pot, Fourâ€Component Synthesis of {[(1 <i>H</i> â€1,2,3â€Triazolâ€4â€yl)methoxy]phenyl}â€1 <i>H</i> â€pyrazolo[1,2â€ <i>b</i>]phthalazineâ€5,10 Derivatives. Helvetica Chimica Acta, 2011, 94, 1416-1425.	â £d ione	15
63	Sonochemical multi-component synthesis of spirooxindoles. Ultrasonics Sonochemistry, 2011, 18, 1153-1159.	8.2	58
64	Highly efficient one-pot three-component Mannich reaction catalyzed by ZnO-nanoparticles in water. Arkivoc, 2011, 2011, 156-164.	0.5	20
65	A practical and versatile approach toward a one-pot synthesis of 2,3-disubstituted 4(3H)-quinazolinones. Monatshefte F¼r Chemie, 2010, 141, 877-881.	1.8	34
66	[Hmim]TFA catalyzed multicomponent reaction: direct, mild, and efficient procedure for the synthesis of 1,2-dihydroquinazoline derivatives. Molecular Diversity, 2010, 14, 507-512.	3.9	9
67	An efficient three omponent synthesis of benzoxanthenes in water. Journal of Heterocyclic Chemistry, 2010, 47, 1062-1065.	2.6	25
68	Synthesis of Diheterocyclic Compounds Based on Triazolyl Methoxy Phenylquinazolines via a One-Pot Four-Component-Click Reaction. ACS Combinatorial Science, 2010, 12, 638-642.	3.3	38
69	Ecofriendly and Efficient One-Pot Procedure for the Synthesis of Quinazoline Derivatives Catalyzed by an Acidic Ionic Liquid Under Aerobic Oxidation Conditions. Synthetic Communications, 2010, 40, 3214-3225.	2.1	31
70	An efficient and convenient protocol for the synthesis of novel 1′H-spiro[isoindoline-1,2′-quinazoline]-3,4′(3′H)-dione derivatives. Monatshefte Für Chemie, 2009, 2 401-404.	1403,	19
71	A regioselective three-component reaction for synthesis of novel 1′H-spiro[isoindoline-1,2′-quinazoline]-3,4′(3′H)-dione derivatives. Tetrahedron, 2009, 65, 3804-3808.	1.9	82
72	Ammonium salt catalyzed multicomponent transformation: simple route to functionalized spirochromenes and spiroacridines. Tetrahedron, 2009, 65, 9443-9447.	1.9	121

#	Article	IF	CITATIONS
73	An efficient method for catalytic enantioselective addition of diethylzinc to aryl aldehydes by a C2-symmetric chiral imino alcohol. Tetrahedron: Asymmetry, 2009, 20, 2609-2611.	1.8	19
74	Parallel Microwave Synthesis of 2-Styrylquinazolin-4(3 <i>H</i>)-ones in a High-Throughput Platform Using HPLC/GC Vials as Reaction Vessels. ACS Combinatorial Science, 2009, 11, 676-684.	3.3	23
75	Enantioselective Diethylzinc Addition to Aromatic Aldehydes Catalyzed by Novel Ti(IV) Complex of Three-Dentate Chiral Sulfonamide Ligands. Synthetic Communications, 2009, 39, 4350-4361.	2.1	6
76	Enantioselective Addition of Diethylzinc to Aromatic Aldehydes Catalyzed by Pyrolidine and Piperidine β -Amino Alcohols. Synthetic Communications, 2009, 39, 2575-2584.	2.1	6
77	Phosphotungstic Acid: An Efficient, Cost-effective and Recyclable Catalyst for the Synthesis of Polysubstituted Quinolines. Molecules, 2009, 14, 1126-1133.	3.8	31
78	Eco-friendly and efficient one-pot synthesis of alkyl- or aryl-14H-dibenzo[a,j]xanthenes in water. Bioorganic and Medicinal Chemistry Letters, 2008, 18, 436-438.	2.2	92
79	Enantioselective addition of diethylzinc to aromatic aldehydes catalyzed by 14-hydroxylsubstituted morphinans. Tetrahedron: Asymmetry, 2008, 19, 1970-1972.	1.8	17
80	A new and efficient one-pot procedure for the synthesis of 2-styrylquinolines. Tetrahedron Letters, 2008, 49, 5366-5368.	1.4	45
81	One-pot synthesis of xanthene derivatives under solvent-free conditions. Chemical Papers, 2008, 62, .	2.2	40
82	Water-Accelerated Selective Synthesis of 1,2-Disubstituted Benzimidazoles at Room Temperature Catalyzed by BrâŠ~nsted Acidic Ionic Liquid. Synthetic Communications, 2008, 38, 4272-4281.	2.1	31
83	Silica sulfuric acid: An efficient reusable heterogeneous catalyst for the synthesis of 2,3-dihydroquinazolin-4(1H)-ones in water and under solvent-free conditions. Catalysis Communications, 2008, 9, 785-788.	3.3	116
84	1-Methylimidazolium triflouroacetate ([Hmim]TFA): An efficient reusable acidic ionic liquid for the synthesis of 1,8-dioxo-octahydroxanthenes and 1,8-dioxo-decahydroacridines. Catalysis Communications, 2008, 9, 939-942.	3.3	136
85	Novel and Efficient One-Pot Tandem Synthesis of 2-Styryl-Substituted 4(3 <i>H</i>)-Quinazolinones. ACS Combinatorial Science, 2008, 10, 700-703.	3.3	44
86	A New Efficient Method for the Three-Component Synthesis of 4(3H)-Quinazolinones. Heterocycles, 2008, 75, 2809.	0.7	24
87	An Efficient Three-Component, One-Pot Synthesis of New Pyrimido[4,5-d]pyrimidine-2,4-diones. Heterocycles, 2008, 75, 87.	0.7	39
88	A Novel Three-Component, One-Pot Synthesis of 1,2-Dihydro-1-arylÂnaphtho[1,2-e][1,3]oxazine-3-one Derivatives under Microwave-Assisted and Thermal Solvent-Free Conditions. Synlett, 2007, 2007, 0821-0823.	1.8	5
89	Silica Sulfuric Acid as an Efficient and Reusable Catalyst for the Pechmann Synthesis of Coumarins under Solvent-Free Conditions. Heterocycles, 2007, 71, 677.	0.7	69
90	Silica Sulfuric Acid: An Efficient and Versatile Acidic Catalyst for the Rapid and Ecofriendly Synthesis of 1,3,4â€Oxadiazoles at Ambient Temperature. Synthetic Communications, 2007, 37, 1201-1209.	2.1	35

#	Article	IF	CITATIONS
91	A facile threeâ€components, oneâ€pot synthesis of pyrimido[4,5â€ <i>d</i>]pyrimidineâ€2,5â€dione derivatives under microwaveâ€assisted conditions. Journal of Heterocyclic Chemistry, 2007, 44, 1009-1011.	2.6	43
92	A novel and efficient synthesis of pyrimido[4,5-d]pyrimidine-2,4,7-trione and pyrido[2,3-d:6,5-d] dipyrimidine-2,4,6,8-tetrone derivatives. Tetrahedron, 2007, 63, 1770-1774.	1.9	123
93	Ionic Liquid Promoted Eco-friendly and Efficient Synthesis of 2,3-Dihydroquinazolin-4(1H)-ones. Monatshefte Für Chemie, 2007, 138, 1191-1194.	1.8	59
94	Diammonium Hydrogen Phosphate as an Efficient and Inexpensive Catalyst for the Synthesis of Bis(indolyl)methanes under Solvent-Free Conditions. Monatshefte Für Chemie, 2007, 138, 595-597.	1.8	24
95	Alum (KAl(SO4)2 · 12H2O) Catalyzed One-Pot Synthesis of Coumarins under Solvent-Free Conditions. Monatshefte FA¼r Chemie, 2007, 138, 997-999.	1.8	33
96	An Efficient and Rapid Approach to Quinolines via Friedläder Synthesis Catalyzed by Silica Gel Supported Sodium Hydrogen Sulfate Under Solvent-Free Conditions. Monatshefte Für Chemie, 2007, 138, 659-661.	1.8	32
97	Oxalic Acid: An Efficient and Cost-Effective Organic Catalyst for the FriedlĀ ¤ der Quinoline Synthesis under Solvent-Free Conditions. Monatshefte FÀ¼r Chemie, 2007, 138, 1249-1252.	1.8	32
98	Alum (KAl(SO4)2 · 12H2O): An Efficient and Inexpensive Catalyst for the One-pot Synthesis of 1,3,4-Oxadiazoles under Solvent-Free Conditions. Monatshefte Für Chemie, 2007, 138, 1253-1255.	1.8	22
99	Oneâ€Pot, Threeâ€Component Synthesis of 2,3â€Dihydroâ€4(1H)â€quinazolinones by Montmorillonite Kâ€10 as Efficient and Reusable Catalyst. Synthetic Communications, 2006, 36, 2287-2292.	; an 2.1	115
100	Selective synthesis of 2-aryl-1-arylmethyl-1H-1,3-benzimidazoles in water at ambient temperature. Tetrahedron Letters, 2006, 47, 2557-2560.	1.4	146
101	A facile procedure for the one-pot synthesis of unsymmetrical 2,5-disubstituted 1,3,4-oxadiazoles. Tetrahedron Letters, 2006, 47, 6983-6986.	1.4	117
102	Water-Accelerated Synthesis of Novel Bis-2,3-dihydroquinazolin-4(1H)-one Derivatives. Synthesis, 2006, 2006, 344-348.	2.3	14
103	Efficient synthesis of mono- and disubstituted 2,3-dihydroquinazolin-4(1H)-ones using KAl(SO4)2·12H2O as a reusable catalyst in water and ethanol. Tetrahedron Letters, 2005, 46, 6123-6126.	1.4	188
104	A new approach to the facile synthesis of mono- and disubstituted quinazolin-4(3H)-ones under solvent-free conditions. Tetrahedron Letters, 2005, 46, 7051-7053.	1.4	81
105	Optimization of microwave-assisted extraction for alizarin and purpurin in Rubiaceae plants and its comparison with conventional extraction methods. Journal of Separation Science, 2005, 28, 387-396.	2.5	45
106	One-Pot Synthesis of Mono- and Disubstituted (3H)-Quinazolin-4-ones in Dry Media under Microwave Irradiation ChemInform, 2005, 36, no.	0.0	0
107	A Novel Method for the One-Pot Three-Component Synthesis of 2,3-Dihydroquinazolin-4(1H)-ones. Synlett, 2005, 2005, 1155-1157.	1.8	115
108	Oneâ€Pot Synthesis of Mono―and Disubstituted (3 <i>H</i>)â€Quinazolinâ€4â€ones in Dry Media Under Microwave Irradiation. Synthetic Communications, 2005, 35, 279-287.	2.1	54

#	Article	IF	CITATIONS
109	Microwave-assisted One-Pot Three Component Synthesis of Some New 4(3H)-Quinazolinone Derivatives. Heterocycles, 2004, 63, 1417.	0.7	26
110	Silica sulfuric acid: an efficient and reusable catalyst for the one-pot synthesis of 3,4-dihydropyrimidin-2(1H)-ones. Tetrahedron Letters, 2003, 44, 2889-2891.	1.4	330
111	Efficient Synthesis of 3,4-Dihydropyrimidin-2(1H)-ones over Silica Sulfuric Acid as a Reusable Catalyst under Solvent-free Conditions. Heterocycles, 2003, 60, 2435.	0.7	41
112	Ruthenium-catalyzed regioselective N-directed C–H olefination of 2-phenylphthalazinone. Chemical Papers, 0, , .	2.2	0