

Min-Liang Kuo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5812253/publications.pdf>

Version: 2024-02-01

153
papers

11,818
citations

19657

61
h-index

29157

104
g-index

157
all docs

157
docs citations

157
times ranked

17119
citing authors

#	ARTICLE	IF	CITATIONS
1	Histone Methyltransferase G9a Drives Chemotherapy Resistance by Regulating the Glutamateâ€Cysteine Ligase Catalytic Subunit in Head and Neck Squamous Cell Carcinoma. <i>Molecular Cancer Therapeutics</i> , 2017, 16, 1421-1434.	4.1	43
2	CCN Detection of Cancer Tissues by Immunohistochemistry Staining. <i>Methods in Molecular Biology</i> , 2017, 1489, 487-493.	0.9	0
3	HMGCS2 enhances invasion and metastasis via direct interaction with PPAR α to activate Src signaling in colorectal cancer and oral cancer. <i>Oncotarget</i> , 2017, 8, 22460-22476.	1.8	55
4	G9a/RelB regulates self-renewal and function of colon-cancer-initiating cells by silencing Let-7b and activating the K-RAS/ β -catenin pathway. <i>Nature Cell Biology</i> , 2016, 18, 993-1005.	10.3	29
5	Glutaminase 2 stabilizes Dicer to repress Snail and metastasis in hepatocellular carcinoma cells. <i>Cancer Letters</i> , 2016, 383, 282-294.	7.2	44
6	Inhibition of VEGF165/VEGFR2-dependent signaling by LECT2 suppresses hepatocellular carcinoma angiogenesis. <i>Scientific Reports</i> , 2016, 6, 31398.	3.3	22
7	CCM-AMI, a Polyethylene Glycol Micelle with Amifostine, as an Acute Radiation Syndrome Protectant in C57BL/6 Mice. <i>Health Physics</i> , 2015, 109, 242-248.	0.5	9
8	Macrophage Infiltration Induces Gastric Cancer Invasiveness by Activating the β -Catenin Pathway. <i>PLoS ONE</i> , 2015, 10, e0134122.	2.5	32
9	IMP-3 Promotes Migration and Invasion of Melanoma Cells by Modulating the Expression of HMGA2 and Predicts Poor Prognosis in Melanoma. <i>Journal of Investigative Dermatology</i> , 2015, 135, 1065-1073.	0.7	40
10	The H3K9 Methyltransferase G9a Represses E-cadherin and is Associated with Myometrial Invasion in Endometrial Cancer. <i>Annals of Surgical Oncology</i> , 2015, 22, 1556-1565.	1.5	31
11	Keap1â€Nrf2 Interaction Suppresses Cell Motility in Lung Adenocarcinomas by Targeting the S100P Protein. <i>Clinical Cancer Research</i> , 2015, 21, 4719-4732.	7.0	39
12	GIT1 promotes lung cancer cell metastasis through modulating Rac1/Cdc42 activity and is associated with poor prognosis. <i>Oncotarget</i> , 2015, 6, 36278-36291.	1.8	39
13	Novel peptides suppress VEGFR-3 activity and antagonize VEGFR-3-mediated oncogenic effects. <i>Oncotarget</i> , 2014, 5, 3823-3835.	1.8	25
14	Leukocyte cell-derived chemotaxin 2 antagonizes MET receptor activation to suppress hepatocellular carcinoma vascular invasion by protein tyrosine phosphatase 1B recruitment. <i>Hepatology</i> , 2014, 59, 974-985.	7.3	48
15	Vascular endothelial growth factor-C modulates proliferation and chemoresistance in acute myeloid leukemic cells through an endothelin-1-dependent induction of cyclooxygenase-2. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2014, 1843, 387-397.	4.1	20
16	Blockade of cysteine-rich protein 61 attenuates renal inflammation and fibrosis after ischemic kidney injury. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 307, F581-F592.	2.7	34
17	Randomized Clinical Trial of New Intravenous Lipid (SMOFlipid 20%) Versus Medium-Chain Triglycerides/Long-Chain Triglycerides in Adult Patients Undergoing Gastrointestinal Surgery. <i>Journal of Parenteral and Enteral Nutrition</i> , 2014, 38, 800-808.	2.6	29
18	Effectiveness of a novel herbal agent MB-6 as a potential adjunct to 5-fluoracilâ€based chemotherapy in colorectal cancer. <i>Nutrition Research</i> , 2014, 34, 585-594.	2.9	34

#	ARTICLE	IF	CITATIONS
19	Two-dimensional LC-MS/MS to enhance ceramide and phosphatidylcholine species profiling in mouse liver. <i>Biomedical Chromatography</i> , 2014, 28, 1284-1293.	1.7	19
20	Inhibition of G9a induces DUSP4-dependent autophagic cell death in head and neck squamous cell carcinoma. <i>Molecular Cancer</i> , 2014, 13, 172.	19.2	58
21	The H3K9 methyltransferase G9a is a marker of aggressive ovarian cancer that promotes peritoneal metastasis. <i>Molecular Cancer</i> , 2014, 13, 189.	19.2	127
22	Association of miRNA-related Genetic Polymorphisms and Prognosis in Patients with Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2014, 21, 601-609.	1.5	28
23	Endothelin-1 induces connective tissue growth factor expression in human lung fibroblasts by ETAR-dependent JNK/AP-1 pathway. <i>Biochemical Pharmacology</i> , 2014, 88, 402-411.	4.4	31
24	Cyr61/CTGF/Nov family proteins in gastric carcinogenesis. <i>World Journal of Gastroenterology</i> , 2014, 20, 1694.	3.3	27
25	Soluble AXL: A Possible Circulating Biomarker for Neurofibromatosis Type 1 Related Tumor Burden. <i>PLoS ONE</i> , 2014, 9, e115916.	2.5	25
26	Input of microenvironmental regulation on colorectal cancer: Role of the CCN family. <i>World Journal of Gastroenterology</i> , 2014, 20, 6826.	3.3	18
27	Photodynamic Detection of Oral Cancers with High-Performance Chitosan-Based Nanoparticles. <i>Biomacromolecules</i> , 2013, 14, 3183-3191.	5.4	28
28	Induction of chemokine receptor CXCR4 expression by transforming growth factor- β 1 in human basal cell carcinoma cells. <i>Journal of Dermatological Science</i> , 2013, 72, 123-133.	1.9	10
29	Thrombin-induced CCN2 expression in human lung fibroblasts requires the c-Src/JAK2/STAT3 pathway. <i>Journal of Leukocyte Biology</i> , 2013, 93, 101-112.	3.3	20
30	Inhibition of Metastatic Potential in Breast Carcinoma <i>In Vivo</i> and <i>In Vitro</i> through Targeting VEGFRs and FGFRs. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013, 2013, 1-13.	1.2	9
31	The effects of exercise training on levels of vascular endothelial growth factor in tumor-bearing mice. <i>Cancer Biomarkers</i> , 2013, 13, 307-313.	1.7	17
32	Connective Tissue Growth Factor Activates Pluripotency Genes and Mesenchymal-Epithelial Transition in Head and Neck Cancer Cells. <i>Cancer Research</i> , 2013, 73, 4147-4157.	0.9	82
33	The Role of IL-6 Trans-Signaling in Vascular Leakage: Implications for Ovarian Hyperstimulation Syndrome in a Murine Model. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, E472-E484.	3.6	51
34	Cysteine-Rich Protein 61 Plays a Proinflammatory Role in Obstructive Kidney Fibrosis. <i>PLoS ONE</i> , 2013, 8, e56481.	2.5	27
35	IL-6 Regulates Mcl-1L Expression through the JAK/PI3K/Akt/CREB Signaling Pathway in Hepatocytes: Implication of an Anti-Apoptotic Role during Liver Regeneration. <i>PLoS ONE</i> , 2013, 8, e66268.	2.5	35
36	Angiopoietin-like protein 1 suppresses SLUG to inhibit cancer cell motility. <i>Journal of Clinical Investigation</i> , 2013, 123, 1082-1095.	8.2	81

#	ARTICLE	IF	CITATIONS
37	Ethanol Extract of <i>Agaricus blazei</i> Fermentation Product Inhibits the Growth and Invasion of Human Hepatoma HA22T/VGH and SK-Hep-1 Cells. <i>Journal of Traditional and Complementary Medicine</i> , 2012, 2, 145-153.	2.7	1
38	Estimating the Delivery Efficiency of Drug-Loaded Microbubbles in Cancer Cells with Ultrasound and Bioluminescence Imaging. <i>Ultrasound in Medicine and Biology</i> , 2012, 38, 1938-1948.	1.5	16
39	Eicosapentaenoic acid and docosahexaenoic acid inhibit macrophage-induced gastric cancer cell migration by attenuating the expression of matrix metalloproteinase 10. <i>Journal of Nutritional Biochemistry</i> , 2012, 23, 1434-1439.	4.2	35
40	Pretreatment Epidermal Growth Factor Receptor (EGFR) T790M Mutation Predicts Shorter EGFR Tyrosine Kinase Inhibitor Response Duration in Patients With Non-Small-Cell Lung Cancer. <i>Journal of Clinical Oncology</i> , 2012, 30, 433-440.	1.6	471
41	Annexin A1 is associated with gastric cancer survival and promotes gastric cancer cell invasiveness through the formyl peptide receptor/extracellular signal-regulated kinase/integrin beta-binding protein 1 pathway. <i>Cancer</i> , 2012, 118, 5757-5767.	4.1	80
42	Polymer supported synthesis of novel benzoxazole linked benzimidazoles under microwave conditions: In vitro evaluation of VEGFR-3 kinase inhibition activity. <i>Organic and Biomolecular Chemistry</i> , 2011, 9, 1917.	2.8	14
43	Vascular endothelial growth factor-A and changes in a tumor-bearing mouse model with Lewis lung cancer. <i>Oncology Letters</i> , 2011, 2, 1143-1147.	1.8	10
44	N-Acetyltransferase 10 Protein Suppresses Cancer Cell Metastasis by Binding PIX Proteins and Inhibiting Cdc42/Rac1 Activity. <i>Cancer Cell</i> , 2011, 19, 218-231.	16.8	88
45	Resveratrol promotes osteogenesis of human mesenchymal stem cells by upregulating RUNX2 gene expression via the SIRT1/FOXO3A axis. <i>Journal of Bone and Mineral Research</i> , 2011, 26, 2552-2563.	2.8	247
46	Connective Tissue Growth Factor Acts as a Therapeutic Agent and Predictor for Peritoneal Carcinomatosis of Colorectal Cancer. <i>Clinical Cancer Research</i> , 2011, 17, 3077-3088.	7.0	32
47	Estimate the delivery efficiency in cancer cells of drug-loaded microbubbles with US and IVIS. , 2011, , .		0
48	IL-6 Trans-Signaling in Formation and Progression of Malignant Ascites in Ovarian Cancer. <i>Cancer Research</i> , 2011, 71, 424-434.	0.9	184
49	miR-107 promotes tumor progression by targeting the let-7 microRNA in mice and humans. <i>Journal of Clinical Investigation</i> , 2011, 121, 3442-3455.	8.2	126
50	The ability of LCRMP-1 to promote cancer invasion by enhancing filopodia formation is antagonized by CRMP-1. <i>Journal of Clinical Investigation</i> , 2011, 121, 3189-3205.	8.2	67
51	Potential roles of fibroblast growth factor-9 in the benzo(a)pyrene-induced invasion in vitro and the metastasis of human lung adenocarcinoma. <i>Archives of Toxicology</i> , 2010, 84, 651-660.	4.2	29
52	MicroRNA-519c Suppresses Hypoxia-Inducible Factor-1 Expression and Tumor Angiogenesis. <i>Cancer Research</i> , 2010, 70, 2675-2685.	0.9	187
53	H3K9 Histone Methyltransferase G9a Promotes Lung Cancer Invasion and Metastasis by Silencing the Cell Adhesion Molecule Ep-CAM. <i>Cancer Research</i> , 2010, 70, 7830-7840.	0.9	327
54	PiggyBac Transposon-Mediated, Reversible Gene Transfer in Human Embryonic Stem Cells. <i>Stem Cells and Development</i> , 2010, 19, 763-771.	2.1	36

#	ARTICLE	IF	CITATIONS
55	The Activated Notch1 Signal Pathway Is Associated with Gastric Cancer Progression through Cyclooxygenase-2. <i>Cancer Research</i> , 2009, 69, 5039-5048.	0.9	148
56	Stromal cell-derived factor-1 α (SDF-1 α /CXCL12)-enhanced angiogenesis of human basal cell carcinoma cells involves ERK1/2 α -NF- κ B/interleukin-6 pathway. <i>Carcinogenesis</i> , 2009, 30, 205-213.	2.8	48
57	Thrombin-Induced Connective Tissue Growth Factor Expression in Human Lung Fibroblasts Requires the ASK1/JNK/AP-1 Pathway. <i>Journal of Immunology</i> , 2009, 182, 7916-7927.	0.8	39
58	Vascular endothelial growth factor-C (VEGF-C) promotes angiogenesis by induction of COX-2 in leukemic cells via the VEGF-R3/JNK/ AP-1 pathway. <i>Carcinogenesis</i> , 2009, 30, 2005-2013.	2.8	72
59	MBP-1 Suppresses Growth and Metastasis of Gastric Cancer Cells through COX-2. <i>Molecular Biology of the Cell</i> , 2009, 20, 5127-5137.	2.1	43
60	Connective Tissue Growth Factor Confers Drug Resistance in Breast Cancer through Concomitant Up-regulation of Bcl-xL and cIAP1. <i>Cancer Research</i> , 2009, 69, 3482-3491.	0.9	81
61	Tumor-Associated Macrophage-Induced Invasion and Angiogenesis of Human Basal Cell Carcinoma Cells by Cyclooxygenase-2 Induction. <i>Journal of Investigative Dermatology</i> , 2009, 129, 1016-1025.	0.7	292
62	Identification of Calreticulin as a Prognosis Marker and Angiogenic Regulator in Human Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2009, 16, 524-533.	1.5	111
63	Diversity-Oriented Synthesis of Angular Bis-benzimidazole Derivatives under Microwave Irradiation. <i>ACS Combinatorial Science</i> , 2009, 11, 1038-1046.	3.3	17
64	Connective tissue growth factor (CTGF) and cancer progression. <i>Journal of Biomedical Science</i> , 2008, 15, 675-685.	7.0	118
65	Further Evidence for Expression and Function of the VEGF-C/VEGFR-3 Axis in Cancer Cells. <i>Cancer Cell</i> , 2008, 13, 557-560.	16.8	43
66	The VEGF-C/Flt-4 Axis Promotes Invasion and Metastasis of Cancer Cells. <i>Cancer Cell</i> , 2008, 14, 274-277.	16.8	0
67	Inhibition of the ERK phosphorylation plays a role in terbinafine-induced p21 up-regulation and DNA synthesis inhibition in human vascular endothelial cells. <i>Toxicology and Applied Pharmacology</i> , 2008, 229, 86-93.	2.8	10
68	NF- κ B p50 promotes tumor cell invasion through negative regulation of invasion suppressor gene CRMP-1 in human lung adenocarcinoma cells. <i>Biochemical and Biophysical Research Communications</i> , 2008, 376, 283-287.	2.1	23
69	CXCL12/CXCR4 promotes laryngeal and hypopharyngeal squamous cell carcinoma metastasis through MMP-13-dependent invasion via the ERK1/2/AP-1 pathway. <i>Carcinogenesis</i> , 2008, 29, 1519-1527.	2.8	91
70	Involvement of Hypoxia-inducing Factor-1 α -dependent Plasminogen Activator Inhibitor-1 Up-regulation in Cyr61/CCN1-induced Gastric Cancer Cell Invasion. <i>Journal of Biological Chemistry</i> , 2008, 283, 15807-15815.	3.4	58
71	Breast Tumor Kinase Phosphorylates p190RhoGAP to Regulate Rho and Ras and Promote Breast Carcinoma Growth, Migration, and Invasion. <i>Cancer Research</i> , 2008, 68, 7779-7787.	0.9	75
72	OSU-03012, a Novel Celecoxib Derivative, Induces Reactive Oxygen Species α -Related Autophagy in Hepatocellular Carcinoma. <i>Cancer Research</i> , 2008, 68, 9348-9357.	0.9	131

#	ARTICLE	IF	CITATIONS
73	Forkhead Proteins Are Critical for Bone Morphogenetic Protein-2 Regulation and Anti-tumor Activity of Resveratrol*. <i>Journal of Biological Chemistry</i> , 2007, 282, 19385-19398.	3.4	94
74	Cysteine-Rich 61 (CCN1) Enhances Chemotactic Migration, Transendothelial Cell Migration, and Intravasation by Concomitantly Up-Regulating Chemokine Receptor 1 and 2. <i>Molecular Cancer Research</i> , 2007, 5, 1111-1123.	3.4	43
75	CTGF enhances the motility of breast cancer cells via an integrin- α 2 β 1-ERK1/2-dependent S100A4-upregulated pathway. <i>Journal of Cell Science</i> , 2007, 120, 2053-2065.	2.0	135
76	Elevated Expression of Cyr61 Enhances Peritoneal Dissemination of Gastric Cancer Cells through Integrin α 2 β 1. <i>Journal of Biological Chemistry</i> , 2007, 282, 34594-34604.	3.4	45
77	IL-6 induces AGS gastric cancer cell invasion via activation of the c-Src/RhoA/ROCK signaling pathway. <i>International Journal of Cancer</i> , 2007, 120, 2600-2608.	5.1	127
78	The VEGF-C/Flt-4 Axis Promotes Invasion and Metastasis of Cancer Cells. <i>Cancer Cell</i> , 2007, 11, 207.	16.8	0
79	Glucocorticoid receptor expression in advanced non-small cell lung cancer: clinicopathological correlation and in vitro effect of glucocorticoid on cell growth and chemosensitivity. <i>Lung Cancer</i> , 2006, 53, 303-310.	2.0	38
80	Cyclooxygenase-2 Overexpression in Human Basal Cell Carcinoma Cell Line Increases Antiapoptosis, Angiogenesis, and Tumorigenesis. <i>Journal of Investigative Dermatology</i> , 2006, 126, 1143-1151.	0.7	59
81	The Influence of Biologic Factors on the Surgical Decision in Advanced Neuroblastoma. <i>Annals of Surgical Oncology</i> , 2006, 13, 238-244.	1.5	17
82	The VEGF-C/Flt-4 axis promotes invasion and metastasis of cancer cells. <i>Cancer Cell</i> , 2006, 9, 209-223.	16.8	308
83	Knockdown of Contactin-1 Expression Suppresses Invasion and Metastasis of Lung Adenocarcinoma. <i>Cancer Research</i> , 2006, 66, 2553-2561.	0.9	61
84	Glucocorticoids enhance cytotoxicity of cisplatin via suppression of NF- κ B activation in the glucocorticoid receptor-rich human cervical carcinoma cell line SiHa. <i>Journal of Endocrinology</i> , 2006, 188, 311-319.	2.6	19
85	Effect of Connective Tissue Growth Factor on Hypoxia-Inducible Factor α 1 Degradation and Tumor Angiogenesis. <i>Journal of the National Cancer Institute</i> , 2006, 98, 984-995.	6.3	74
86	Arsenic trioxide prevents radiation-enhanced tumor invasiveness and inhibits matrix metalloproteinase-9 through downregulation of nuclear factor κ B. <i>Oncogene</i> , 2005, 24, 390-398.	5.9	61
87	GRP78 expression correlates with histologic differentiation and favorable prognosis in neuroblastic tumors. <i>International Journal of Cancer</i> , 2005, 113, 920-927.	5.1	48
88	Cyclooxygenase-2 increases hypoxia-inducible factor-1 and vascular endothelial growth factor to promote angiogenesis in gastric carcinoma. <i>Journal of Biomedical Science</i> , 2005, 12, 229-241.	7.0	103
89	Gene Expression Profile Predicts Patient Survival of Gastric Cancer After Surgical Resection. <i>Journal of Clinical Oncology</i> , 2005, 23, 7286-7295.	1.6	118
90	Induction of Fibroblast Growth Factor-9 and Interleukin- α 1 Gene Expression by Motorcycle Exhaust Particulate Extracts and Benzo(a)pyrene in Human Lung Adenocarcinoma Cells. <i>Toxicological Sciences</i> , 2005, 87, 483-496.	3.1	27

#	ARTICLE	IF	CITATIONS
91	A Novel Peptide Specifically Binding to Interleukin-6 Receptor (gp80) Inhibits Angiogenesis and Tumor Growth. <i>Cancer Research</i> , 2005, 65, 4827-4835.	0.9	79
92	Cyr61 Induces Gastric Cancer Cell Motility/Invasion via Activation of the Integrin/Nuclear Factor- κ B/Cyclooxygenase-2 Signaling Pathway. <i>Clinical Cancer Research</i> , 2005, 11, 5809-5820.	7.0	88
93	Connective tissue growth factor inhibits metastasis and acts as an independent prognostic marker in colorectal cancer. <i>Gastroenterology</i> , 2005, 128, 9-23.	1.3	113
94	Effects of glucocorticoids on the growth and chemosensitivity of carcinoma cells are heterogeneous and require high concentration of functional glucocorticoid receptors. <i>World Journal of Gastroenterology</i> , 2005, 11, 6373.	3.3	25
95	Cyclooxygenase-2 Induces EP1- and HER-2/Neu-Dependent Vascular Endothelial Growth Factor-C Up-Regulation. <i>Cancer Research</i> , 2004, 64, 554-564.	0.9	180
96	Cyr61 Expression Confers Resistance to Apoptosis in Breast Cancer MCF-7 Cells by a Mechanism of NF- κ B-dependent XIAP Up-Regulation. <i>Journal of Biological Chemistry</i> , 2004, 279, 24015-24023.	3.4	173
97	Up-regulation of interleukin-6 in human ovarian cancer cell via a Gi/PI3K-Akt/NF- κ B pathway by lysophosphatidic acid, an ovarian cancer-activating factor. <i>Carcinogenesis</i> , 2004, 26, 45-52.	2.8	80
98	Connective Tissue Growth Factor and Its Role in Lung Adenocarcinoma Invasion and Metastasis. <i>Journal of the National Cancer Institute</i> , 2004, 96, 364-75.	6.3	155
99	Resveratrol induces FasL-related apoptosis through Cdc42 activation of ASK1/JNK-dependent signaling pathway in human leukemia HL-60 cells. <i>Carcinogenesis</i> , 2004, 26, 1-10.	2.8	89
100	ENDOCRINE-DISRUPTING ACTIVITY IN CARBENDAZIM-INDUCED REPRODUCTIVE AND DEVELOPMENTAL TOXICITY IN RATS. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2004, 67, 1501-1515.	2.3	59
101	Overexpression of Her-2/ <i>neu</i> in Epithelial Ovarian Carcinoma Induces Vascular Endothelial Growth Factor C by Activating NF- κ B: Implications for Malignant Ascites Formation and Tumor Lymphangiogenesis. <i>Journal of Biomedical Science</i> , 2004, 11, 249-259.	7.0	4
102	Interleukin-6 Induced Basic Fibroblast Growth Factor-Dependent Angiogenesis in Basal Cell Carcinoma Cell Line via JAK/STAT3 and PI3-Kinase/Akt Pathways. <i>Journal of Investigative Dermatology</i> , 2004, 123, 1169-1175.	0.7	112
103	Interleukin-6 increases vascular endothelial growth factor and angiogenesis in gastric carcinoma. <i>Journal of Biomedical Science</i> , 2004, 11, 517-527.	7.0	160
104	Overexpression of Her-2/ <i>neu</i> in epithelial ovarian carcinoma induces vascular endothelial growth factor C by activating NF- κ B: Implications for malignant ascites formation and tumor lymphangiogenesis. <i>Journal of Biomedical Science</i> , 2004, 11, 249-259.	7.0	31
105	Interleukin-6 is responsible for drug resistance and anti-apoptotic effects in prostatic cancer cells. <i>Prostate</i> , 2004, 60, 120-129.	2.3	76
106	Effects of adlay on azoxymethane-induced colon carcinogenesis in rats. <i>Food and Chemical Toxicology</i> , 2004, 42, 1339-1347.	3.6	53
107	Interleukin-6 Increases Vascular Endothelial Growth Factor and Angiogenesis in Gastric Carcinoma. <i>Journal of Biomedical Science</i> , 2004, 11, 517-527.	7.0	11
108	Interleukin-6 increases vascular endothelial growth factor and angiogenesis in gastric carcinoma. , 2004, 11, 517.		1

#	ARTICLE	IF	CITATIONS
109	Interleukin-6 promotes cervical tumor growth by VEGF-dependent angiogenesis via a STAT3 pathway. <i>Oncogene</i> , 2003, 22, 1517-1527.	5.9	463
110	Inhibition of Vascular Endothelial Growth Factor-Induced Angiogenesis by Resveratrol through Interruption of Src-Dependent Vascular Endothelial Cadherin Tyrosine Phosphorylation. <i>Molecular Pharmacology</i> , 2003, 64, 1029-1036.	2.3	204
111	Up-regulation of Vascular Endothelial Growth Factor C in Breast Cancer Cells by Heregulin- β 1. <i>Journal of Biological Chemistry</i> , 2003, 278, 5750-5759.	3.4	132
112	Hepatitis B Virus X Protein Activates a Survival Signaling by Linking Src to Phosphatidylinositol 3-Kinase. <i>Journal of Biological Chemistry</i> , 2003, 278, 31807-31813.	3.4	53
113	β -Lapachone Reduces Endotoxin-induced Macrophage Activation and Lung Edema and Mortality. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2003, 168, 85-91.	5.6	43
114	Up-regulation of tumor interleukin-8 expression by infiltrating macrophages: its correlation with tumor angiogenesis and patient survival in non-small cell lung cancer. <i>Clinical Cancer Research</i> , 2003, 9, 729-37.	7.0	226
115	CHRONIC TOXICITY OF A MIXTURE OF CHLORINATED ALKANES AND ALKENES IN ICR MICE. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2002, 65, 279-291.	2.3	18
116	Correlation between serum levels of interleukin-6 and vascular endothelial growth factor in gastric carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2002, 17, 1165-1169.	2.8	47
117	Role of reactive oxygen species in cupric 8-quinolinoxide-induced genotoxic effect. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2001, 491, 45-56.	1.7	6
118	Involvement of Asp-Glu-Val-Asp-Directed, Caspase-Mediated Mitogen-Activated Protein Kinase Kinase 1 Cleavage, c-Jun N-Terminal Kinase Activation, and Subsequent Bcl-2 Phosphorylation for Paclitaxel-Induced Apoptosis in HL-60 Cells. <i>Molecular Pharmacology</i> , 2001, 59, 254-262.	2.3	37
119	Interleukin-6 in Cervical Cancer: The Relationship with Vascular Endothelial Growth Factor. <i>Gynecologic Oncology</i> , 2001, 82, 49-56.	1.4	101
120	Overexpression of interleukin-6 in human basal cell carcinoma cell lines increases anti-apoptotic activity and tumorigenic potency. <i>Oncogene</i> , 2001, 20, 198-208.	5.9	121
121	The involvement of PI 3-K/Akt-dependent up-regulation of Mcl-1 in the prevention of apoptosis of Hep3B cells by interleukin-6. <i>Oncogene</i> , 2001, 20, 677-685.	5.9	141
122	The anti-apoptotic role of interleukin-6 in human cervical cancer is mediated by up-regulation of Mcl-1 through a PI 3-K/Akt pathway. <i>Oncogene</i> , 2001, 20, 5799-5809.	5.9	149
123	IL-6 inhibits apoptosis and retains oxidative DNA lesions in human gastric cancer AGS cells through up-regulation of anti-apoptotic gene mcl-1. <i>Carcinogenesis</i> , 2001, 22, 1947-1953.	2.8	96
124	Cyclooxygenase-2 Inducing Mcl-1-dependent Survival Mechanism in Human Lung Adenocarcinoma CL1.0 Cells. <i>Journal of Biological Chemistry</i> , 2001, 276, 48997-49002.	3.4	164
125	BCRP/MXR/ABCP expression in topotecan-resistant human breast carcinoma cells. <i>Biochemical Pharmacology</i> , 2000, 60, 831-837.	4.4	118
126	Hepatitis B Virus X Protein Inhibits Transforming Growth Factor- β 2-induced Apoptosis through the Activation of Phosphatidylinositol 3-Kinase Pathway. <i>Journal of Biological Chemistry</i> , 2000, 275, 25858-25864.	3.4	176

#	ARTICLE	IF	CITATIONS
127	Inhibition by curcumin of diethylnitrosamine-induced hepatic hyperplasia, inflammation, cellular gene products and cell-cycle-related proteins in rats. <i>Food and Chemical Toxicology</i> , 2000, 38, 991-995.	3.6	168
128	Interleukin-6 Inhibits Transforming Growth Factor- β -induced Apoptosis through the Phosphatidylinositol 3-Kinase/Akt and Signal Transducers and Activators of Transcription 3 Pathways. <i>Journal of Biological Chemistry</i> , 1999, 274, 23013-23019.	3.4	215
129	Inhibition of inducible nitric oxide synthase by β -lapachone in rat alveolar macrophages and aorta. <i>British Journal of Pharmacology</i> , 1999, 126, 746-750.	5.4	22
130	The Antiapoptotic Gene <i>mcl-1</i> Is Up-Regulated by the Phosphatidylinositol 3-Kinase/Akt Signaling Pathway through a Transcription Factor Complex Containing CREB. <i>Molecular and Cellular Biology</i> , 1999, 19, 6195-6206.	2.3	335
131	Bcl-2 prevents topoisomerase II inhibitor GL331-induced apoptosis is mediated by down-regulation of poly(ADP-ribose)polymerase activity. <i>Oncogene</i> , 1998, 17, 2225-2234.	5.9	35
132	Involvement of Hydrogen Peroxide in Topoisomerase Inhibitor β -lapachone-Induced Apoptosis and Differentiation in Human Leukemia Cells. <i>Free Radical Biology and Medicine</i> , 1998, 24, 660-670.	2.9	97
133	Curcumin Induces a p53-Dependent Apoptosis in Human Basal Cell Carcinoma Cells. <i>Journal of Investigative Dermatology</i> , 1998, 111, 656-661.	0.7	179
134	Involvement of oxidative stress in motorcycle exhaust particle-induced DNA damage and inhibition of intercellular communication. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 1998, 413, 143-150.	1.7	43
135	<i>mcl-1</i> Is an Immediate-Early Gene Activated by the Granulocyte-Macrophage Colony-Stimulating Factor (GM-CSF) Signaling Pathway and Is One Component of the GM-CSF Viability Response. <i>Molecular and Cellular Biology</i> , 1998, 18, 4883-4898.	2.3	183
136	Transforming growth factor β 1 attenuates ceramide-induced CPP32/Yama activation and apoptosis in human leukaemic HL-60 cells. <i>Biochemical Journal</i> , 1997, 327, 663-667.	3.7	21
137	The Role of Src Kinase in the Potentiation by Ethanol of Cytokine- and Endotoxin-Mediated Nitric Oxide Synthase Expression in Rat Hepatocytes. <i>Molecular Pharmacology</i> , 1997, 52, 535-541.	2.3	16
138	Resistance to apoptosis induced by alkylating agents in v-Ha-ras-transformed cells due to defect in p53 function. <i>Molecular Carcinogenesis</i> , 1997, 18, 221-231.	2.7	13
139	Inhibitions of protein kinase C and proto-oncogene expressions in NIH 3t3 cells by apigenin. <i>European Journal of Cancer</i> , 1996, 32, 146-151.	2.8	63
140	Differential induction of apoptosis in oncogene-transformed NIH 3T3 cells by methylmethanesulfonate. <i>Biochemical Pharmacology</i> , 1996, 52, 481-488.	4.4	11
141	Inhibitors of Poly(ADP-ribose) polymerase Block Nitric Oxide-Induced Apoptosis but Not Differentiation in Human Leukemia HL-60 Cells. <i>Biochemical and Biophysical Research Communications</i> , 1996, 219, 502-508.	2.1	37
142	Curcumin, an antioxidant and anti-tumor promoter, induces apoptosis in human leukemia cells. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 1996, 1317, 95-100.	3.8	340
143	Inhibition of protein kinase C and proto-oncogene expression by crocetin in NIH/3T3 cells. <i>Molecular Carcinogenesis</i> , 1996, 17, 235-240.	2.7	22
144	Involvement of glutathione in induction of c-jun proto-oncogene by methylmethanesulfonate in NIH 3T3 cells. <i>Carcinogenesis</i> , 1996, 17, 815-820.	2.8	13

#	ARTICLE	IF	CITATIONS
145	Inhibition of protein kinase C and proto-oncogene expression by crocetin in NIH/3T3 cells. <i>Molecular Carcinogenesis</i> , 1996, 17, 235-240.	2.7	1
146	Pronounced activation of protein kinase C, ornithine decarboxylase and c-jun proto-oncogene by paraquat-generated active oxygen species in WI-38 human lung cells. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1995, 1268, 229-236.	4.1	22
147	A labile hyperphosphorylated c-Fos protein is induced in mouse fibroblast cells treated with a combination of phorbol ester and anti-tumor promoter curcumin. <i>Cancer Letters</i> , 1995, 96, 1-7.	7.2	25
148	Changes in lymphocyte single strand breakage and liver function of workers exposed to vinyl chloride monomer. <i>Toxicology Letters</i> , 1995, 77, 379-385.	0.8	20
149	Reversion of the transformed phenotypes of v-H-ras NIH3T3 cells by flavonoids through attenuating the content of phosphotyrosine. <i>Cancer Letters</i> , 1994, 87, 91-97.	7.2	36
150	Effects of tannic acid on 12-O-tetradecanoylphorbol-13-acetate-induced protein kinase C activation in NIH 3T3 cells. <i>Biochemical Pharmacology</i> , 1993, 46, 1327-1332.	4.4	13
151	Effects of signalling transduction modulators on the transformed phenotypes in v-H-ras-transformed NIH 3T3 cells. <i>Cancer Letters</i> , 1993, 74, 197-202.	7.2	3
152	The genotoxicity of the waste water discharged from paraquat manufacturing and its pyridyl components. <i>Mutation Research - Genetic Toxicology Testing and Biomonitoring of Environmental Or Occupational Exposure</i> , 1993, 300, 223-229.	1.2	15
153	Genotoxicities of nitropyrenes and their modulation by apigenin, tannic acid, ellagic acid and indole-3-carbinol in the Salmonella and CHO systems. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 1992, 270, 87-95.	1.0	92