Mariarosa Carta

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5814395/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Comparison of Anti–SARS-CoV-2 S1 Receptor-Binding Domain Antibody Immunoassays in Health Care Workers Before and After the BNT162b2 mRNA Vaccine. American Journal of Clinical Pathology, 2022, 157, 212-218.	0.7	6
2	Improvements and limits of anti SARS-CoV-2 antibodies assays by WHO (NIBSC 20/136) standardization. Diagnosis, 2022, 9, 274-279.	1.9	20
3	Evaluation of STAâ€NeoPTimal, an extraction thromboplastin reagent with ISI close to 1. International Journal of Laboratory Hematology, 2021, 43, 311-317.	1.3	0
4	Plasma glucose sampling using lyophilized citrate tubes: impact on the diagnosis of gestational diabetes mellitus. Diabetic Medicine, 2021, 38, e14422.	2.3	2
5	Gadolinium-based contrast media exposure and the possible risk of subclinical kidney damage: a pilot study. International Urology and Nephrology, 2021, 53, 1883-1889.	1.4	2
6	Prospective serological evaluation of anti SARS-CoV-2 IgG and anti S1-RBD antibodies in a community outbreak. Clinical Chemistry and Laboratory Medicine, 2021, 59, e322-e325.	2.3	0
7	Influence of patients' clinical features at intensive care unit admission on performance of cell cycle arrest biomarkers in predicting acute kidney injury. Clinical Chemistry and Laboratory Medicine, 2021, 59, 333-342.	2.3	1
8	Hemoglobin A2 and Heterogeneous Diagnostic Relevance Observed in Eight New Variants of the Delta Globin Gene. Genes, 2021, 12, 1821.	2.4	0
9	Subclinical Contrast-Induced Acute Kidney Injury in Patients Undergoing Cerebral Computed Tomography. CardioRenal Medicine, 2020, 10, 125-136.	1.9	14
10	Anti SARS-CoV-2 antibodies monitoring in a group of residents in a long term care facility during COVID-19 pandemic peak. Diagnosis, 2020, 7, 395-400.	1.9	8
11	Clinical impact of citrate-containing tubes on the detection of glucose abnormalities by the oral glucose tolerance test. Diagnosis, 2019, 6, 377-383.	1.9	7
12	Correct determination of glycemia in the diagnosis and management of diabetes: Recommendations for the optimization of the pre-analytical phase. Nutrition, Metabolism and Cardiovascular Diseases, 2019, 29, 1-3.	2.6	5
13	Presepsin and Procalcitonin Levels as Markers of Adverse Postoperative Complications and Mortality in Cardiac Surgery Patients. Blood Purification, 2019, 47, 140-148.	1.8	25
14	Glucose meters: What's the laboratory reference glucose?. Journal of Medical Biochemistry, 2019, 39, 32-39.	1.7	1
15	Predicting Acute Kidney Injury in Intensive Care Unit Patients: The Role of Tissue Inhibitor of Metalloproteinases-2 and Insulin-Like Growth Factor-Binding Protein-7 Biomarkers. Blood Purification, 2018, 45, 270-277.	1.8	28
16	Procalcitonin and Interleukin-6 Levels: Are They Useful Biomarkers in Cardiac Surgery Patients?. Blood Purification, 2017, 43, 290-297.	1.8	13
17	Multicenter evaluation of an enzymatic method for glycated albumin. Clinica Chimica Acta, 2017, 469, 81-86.	1.1	17
18	The new Greiner FC-Mix tubes equal the old Terumo ones and are useful as glucose stabilizer after prolonged storage of samples. Biochemia Medica, 2017, 27, 030901.	2.7	6

MARIAROSA CARTA

#	Article	IF	CITATIONS
19	Elevated Levels of Procalcitonin and Interleukin-6 are Linked with Postoperative Complications in Cardiac Surgery. Scandinavian Journal of Surgery, 2017, 106, 318-324.	2.6	30
20	Glucose sampling: importance of citrate. Annals of Clinical Biochemistry, 2016, 53, 715-716.	1.6	5
21	Which sample tube should be used for routine glucose determination?. Primary Care Diabetes, 2016, 10, 227-232.	1.8	23
22	Effectiveness of citrate buffer-fluoride mixture in Terumo tubes as an inhibitor of in vitro glycolysis. Biochemia Medica, 2016, 26, 68-76.	2.7	18
23	Determination of reference interval for presepsin, an early marker for sepsis. Biochemia Medica, 2015, 25, 64-68.	2.7	36
24	Raccomandazioni per l'autocontrollo della glicemia nel paziente diabetico: sinossi. Rivista Italiana Della Medicina Di Laboratorio, 2014, 10, 122-124.	0.4	0
25	Time Is Glucose, Can't Miss Gestational Diabetes. Diabetes Technology and Therapeutics, 2012, 14, 444-446.	4.4	5
26	The implementation of international standardization of glycated hemoglobin. A "red-letter-day" for glycated hemoglobin in Italy: 1/1/11. Italian Recommendations of GLAD Working Group (A1c delegates) Tj ETQ	q0 œœrgB⊺	[/Ovverlock 10
27	Recommendations for the implementation of international standardization of glycated hemoglobin in Italy. Clinical Chemistry and Laboratory Medicine, 2010, 48, 623-626.	2.3	20
28	Monitoring high-dose heparin levels by ACT and HMT during extracorporeal circulation: diagnostic accuracy of three compact monitors. Perfusion (United Kingdom), 2002, 17, 23-26.	1.0	8
29	The Long-Term Clinical Course of Acute Deep Venous Thrombosis. Annals of Internal Medicine, 1996, 125, 1.	3.9	1,818
30	Comparison of subcutaneous low-molecular-weight heparin with intravenous standard heparin in proximal deep-vein thrombosis. Lancet, The, 1992, 339, 441-445.	13.7	588
31	A New Computerized Impedance Plethysmograph: Accuracy in the Detection of Proximal Deep-Vein Thrombosis in Symptomatic Outpatients. Thrombosis and Haemostasis, 1991, 65, 229-232.	3.4	20

32Failure of Computerized Impedance Plethysmography in the Diagnostic Management of Patients with
Clinically Suspected Deep-Vein Thrombosis. Thrombosis and Haemostasis, 1991, 65, 233-236.3.4