

# Annars Lerdal

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5814900/publications.pdf>

Version: 2024-02-01

132  
papers

4,192  
citations

168829

31  
h-index

162838

57  
g-index

134  
all docs

134  
docs citations

134  
times ranked

5550  
citing authors

#	ARTICLE	IF	CITATIONS
1	Unidentified communication challenges in the intensive care unit: A qualitative study using multiple triangulations. <i>Australian Critical Care</i> , 2023, 36, 215-222.	0.6	10
2	Many Patients With Persistent Pain 1 Year After TKA Report Improvement by 5 to 7 Years: A Mixed-methods Study. <i>Clinical Orthopaedics and Related Research</i> , 2022, 480, 2075-2088.	0.7	4
3	Personally-Generated Quality of Life Outcomes in Adults with Juvenile Idiopathic Arthritis. <i>Journal of Rheumatology</i> , 2022, , jrheum.211245.	1.0	4
4	Factors Correlated With Physical Function 1 Year After Total Knee Arthroplasty in Patients With Knee Osteoarthritis. <i>JAMA Network Open</i> , 2022, 5, e2219636.	2.8	12
5	Preoperative risk factors associated with chronic pain profiles following total knee arthroplasty. <i>European Journal of Pain</i> , 2021, 25, 680-692.	1.4	23
6	Sleep disruption and duration are associated with variants in genes involved in energy homeostasis in adults with HIV/AIDS. <i>Sleep Medicine</i> , 2021, 82, 84-95.	0.8	2
7	Substance use in the Norwegian general population: prevalence and associations with disease. <i>Journal of Substance Use</i> , 2021, 26, 144-150.	0.3	3
8	Treatment Satisfaction With and Adherence to Disease-Modifying Antirheumatic Drugs in Adult Patients With Juvenile Idiopathic Arthritis. <i>Arthritis Care and Research</i> , 2021, 73, 221-231.	1.5	9
9	A mouth rinse based on a tea solution of <i>Salvia officinalis</i> for oral discomfort in palliative cancer care: a randomized controlled trial. <i>Supportive Care in Cancer</i> , 2021, 29, 4997-5007.	1.0	11
10	Authors' reply to the comment by Riddle et al. <i>European Journal of Pain</i> , 2021, 25, 1173-1174.	1.4	0
11	The Association between the Alcohol Biomarker Phosphatidylethanol (PEth) and Self-Reported Alcohol Consumption among Russian and Norwegian Medical Patients. <i>Alcohol and Alcoholism</i> , 2021, 56, 726-736.	0.9	7
12	Post-stroke fatigue: an exploratory study with patients and health professionals to develop a patient-reported outcome measure. <i>Journal of Patient-Reported Outcomes</i> , 2021, 5, 35.	0.9	19
13	A cross-sectional study exploring overlap in post-stroke fatigue caseness using three fatigue instruments: Fatigue Severity Scale, Fatigue Questionnaire and the Lynch's Clinical Interview. <i>Journal of Psychosomatic Research</i> , 2021, 150, 110605.	1.2	5
14	Multimorbidity, psychoactive substance use and psychological distress among acute medically ill patients: a cross-sectional study. <i>BMJ Open</i> , 2021, 11, e052428.	0.8	1
15	A literature review of factors associated with fatigue after stroke and a proposal for a framework for clinical utility. <i>Neuropsychological Rehabilitation</i> , 2020, 30, 1449-1476.	1.0	37
16	High levels of preoperative pain and fatigue are red flags for moderate-severe pain 12 months after total knee arthroplasty: A longitudinal cohort study. <i>Musculoskeletal Care</i> , 2020, 19, 186-192.	0.6	8
17	Daily use of alcohol in the Norwegian general population: Prevalence and associated factors. <i>Drugs and Alcohol Today</i> , 2020, 20, 109-121.	0.3	2
18	More Severe Radiographic Osteoarthritis Is Associated With Increased Improvement in Patients' Health State Following a Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2020, 35, 3131-3137.	1.5	9

#	ARTICLE	IF	CITATIONS
19	Sexual Assault and the Association With Health, Quality of Life, and Self-Efficacy in the General Norwegian Population. <i>Journal of Interpersonal Violence</i> , 2020, , 088626052092630.	1.3	6
20	Prevalence of psychoactive substance use among acutely hospitalised patients in Oslo and Moscow: a cross-sectional, observational study. <i>BMJ Open</i> , 2020, 10, e032572.	0.8	4
21	Predictors of chronic pain and level of physical function in total knee arthroplasty: a protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2020, 10, e037674.	0.8	3
22	High pre- and postoperative symptom burden in non-responders to total knee arthroplasty. <i>PLoS ONE</i> , 2020, 15, e0233347.	1.1	4
23	Psychometric properties of a short version of Lee Fatigue Scale used as a generic PROM in persons with stroke or osteoarthritis: assessment using a Rasch analysis approach. <i>Health and Quality of Life Outcomes</i> , 2020, 18, 168.	1.0	5
24	Trajectories of fatigue among stroke patients from the acute phase to 18 months post-injury: A latent class analysis. <i>PLoS ONE</i> , 2020, 15, e0231709.	1.1	22
25	Lack of content overlap and essential dimensions " A review of measures used for post-stroke fatigue. <i>Journal of Psychosomatic Research</i> , 2019, 124, 109759.	1.2	24
26	Perception of illness among patients with heart failure is related to their general health independently of their mood and functional capacity. <i>Journal of Patient-Reported Outcomes</i> , 2019, 3, 55.	0.9	16
27	Serious life events and post-traumatic stress disorder in the Norwegian population. <i>BJPsych Open</i> , 2019, 5, e82.	0.3	35
28	Flight Anxiety Reported from 1986 to 2015. <i>Aerospace Medicine and Human Performance</i> , 2019, 90, 384-388.	0.2	9
29	Optimists report fewer physical and mental health conditions than pessimists in the general Norwegian population. <i>Health Psychology Report</i> , 2019, 7, 9-18.	0.5	4
30	Longitudinal Health Status from Early Disease to Adulthood and Associated Prognostic Factors in Juvenile Idiopathic Arthritis. <i>Journal of Rheumatology</i> , 2019, 46, 1335-1344.	1.0	13
31	Self-evaluated anxiety in the Norwegian population: prevalence and associated factors. <i>Archives of Public Health</i> , 2019, 77, 10.	1.0	18
32	Predicting postoperative fatigue in surgically treated lung cancer patients in Norway: a longitudinal 5-month follow-up study. <i>BMJ Open</i> , 2019, 9, e028192.	0.8	6
33	Self-rated global health in the Norwegian general population. <i>Health and Quality of Life Outcomes</i> , 2019, 17, 188.	1.0	13
34	Effectiveness of nursing interventions for breathlessness in people with chronic obstructive pulmonary disease: A systematic review and meta-analysis. <i>Journal of Advanced Nursing</i> , 2019, 75, 927-945.	1.5	4
35	Description of a multifaceted intervention programme for fatigue after acquired brain injury: a pilot study. <i>Neuropsychological Rehabilitation</i> , 2019, 29, 946-968.	1.0	7
36	General self-efficacy in the Norwegian population: Differences and similarities between sociodemographic groups. <i>Scandinavian Journal of Public Health</i> , 2019, 47, 695-704.	1.2	45

#	ARTICLE	IF	CITATIONS
37	Associations between patient symptoms and falls in an acute care hospital: A cross-sectional study. <i>Journal of Clinical Nursing</i> , 2018, 27, 1826-1835.	1.4	16
38	Physical Functioning, Pain, and Health-Related Quality of Life in Adults With Juvenile Idiopathic Arthritis: A Longitudinal 30-Year Followup Study. <i>Arthritis Care and Research</i> , 2018, 70, 741-749.	1.5	56
39	Prevalence of pressure ulcer and associated risk factors in middle- and older-aged medical inpatients in Norway. <i>Journal of Clinical Nursing</i> , 2018, 27, e535-e543.	1.4	38
40	Higher physical activity and lower pain levels before surgery predict non-improvement of knee pain 1 year after TKA. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 1698-1708.	2.3	21
41	Rasch analysis of the Herth Hope Index in cancer patients. <i>Health and Quality of Life Outcomes</i> , 2018, 16, 196.	1.0	23
42	Self-diagnosed depression in the Norwegian general population – associations with neuroticism, extraversion, optimism, and general self-efficacy. <i>BMC Public Health</i> , 2018, 18, 1076.	1.2	35
43	Investigating post-stroke fatigue: An individual participant data meta-analysis. <i>Journal of Psychosomatic Research</i> , 2018, 113, 107-112.	1.2	42
44	The Impact of Demographic, Clinical, Symptom and Psychological Characteristics on the Trajectories of Acute Postoperative Pain After Total Knee Arthroplasty. <i>Pain Medicine</i> , 2017, 18, 124-139.	0.9	25
45	Supplementing the Braden scale for pressure ulcer risk among medical inpatients: the contribution of self-reported symptoms and standard laboratory tests. <i>Journal of Clinical Nursing</i> , 2017, 26, 202-214.	1.4	30
46	Pressure ulcer is associated with malnutrition as assessed by Nutritional Risk Screening (NRS 2002) in a mixed hospital population. <i>Food and Nutrition Research</i> , 2017, 61, 1324230.	1.2	21
47	Acute-Phase Fatigue Predicts Limitations with Activities of Daily Living 18 Months after First-Ever Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2017, 26, 523-531.	0.7	27
48	Population-based norms of the Life Orientation Test-Revised (LOT-R). <i>International Journal of Clinical and Health Psychology</i> , 2017, 17, 216-224.	2.7	62
49	The relationship between pain with walking and self-rated health 12 months following total knee arthroplasty: a longitudinal study. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 75.	0.8	13
50	Predictors of physical and mental health in persons with morbid obesity attending a patient education course – a two-year follow-up study. <i>Health and Quality of Life Outcomes</i> , 2017, 15, 103.	1.0	4
51	Psychometric limitations of the 13-item Sense of Coherence Scale assessed by Rasch analysis. <i>BMC Psychology</i> , 2017, 5, 18.	0.9	13
52	A systematic review of nursing interventions for breathlessness in COPD. , 2017, , .		0
53	Differences and similarities in the trajectories of self-esteem and positive and negative affect in persons with chronic illness: an explorative longitudinal study. <i>Journal of Multidisciplinary Healthcare</i> , 2016, Volume 9, 355-363.	1.1	2
54	Trajectories of physical and mental health among persons with morbid obesity and persons with COPD: a longitudinal comparative study. <i>Journal of Multidisciplinary Healthcare</i> , 2016, 9, 191.	1.1	6

#	ARTICLE	IF	CITATIONS
55	Psychometric Limitations of the Center for Epidemiologic Studies-Depression Scale for Assessing Depressive Symptoms among Adults with HIV/AIDS: A Rasch Analysis. <i>Depression Research and Treatment</i> , 2016, 2016, 1-11.	0.7	24
56	A Trend for Increased Risk of Revision Surgery due to Deep Infection following Fast-Track Hip Arthroplasty. <i>Advances in Orthopedics</i> , 2016, 2016, 1-7.	0.4	16
57	Factors Related to Postoperative Pain Trajectories following Total Knee Arthroplasty: A Longitudinal Study of Patients Admitted to a Russian Orthopaedic Clinic. <i>Pain Research and Treatment</i> , 2016, 2016, 1-12.	1.7	24
58	Preoperative Pain, Symptoms, and Psychological Factors related to Higher Acute Pain Trajectories during Hospitalization for Total Knee Arthroplasty. <i>PLoS ONE</i> , 2016, 11, e0161681.	1.1	38
59	Factors that can predict pain with walking, 12 months after total knee arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 600-606.	1.2	41
60	A Rasch Analysis of Assessments of Morning and Evening Fatigue in Oncology Patients Using the Lee Fatigue Scale. <i>Journal of Pain and Symptom Management</i> , 2016, 51, 1002-1012.	0.6	24
61	Sleep among bereaved caregivers of patients admitted to hospice: a 1-year longitudinal pilot study. <i>BMJ Open</i> , 2016, 6, e009345.	0.8	11
62	Pain and concomitant symptoms in medical and elective surgical inpatients: a point prevalence survey. <i>Journal of Clinical Nursing</i> , 2016, 25, 3229-3240.	1.4	8
63	Acute phase factors associated with the course of depression during the first 18 months after first-ever stroke. <i>Disability and Rehabilitation</i> , 2016, 38, 30-35.	0.9	15
64	The experiences of nurses implementing the Modified Early Warning Score and a 24-hour on-call Mobile Intensive Care Nurse: An exploratory study. <i>Intensive and Critical Care Nursing</i> , 2016, 34, 33-41.	1.4	24
65	The last three days of life: a comparison of pain management in the young old and the oldest old hospitalised patients using the Resident Assessment Instrument for Palliative Care. <i>International Journal of Older People Nursing</i> , 2015, 10, 263-272.	0.6	9
66	Morbid obese adults increased their sense of coherence 1 year after a patient education course: a longitudinal study. <i>Journal of Multidisciplinary Healthcare</i> , 2015, 8, 157.	1.1	10
67	Trajectories of illness perceptions in persons with chronic illness: An explorative longitudinal study. <i>Journal of Health Psychology</i> , 2015, 20, 942-953.	1.3	37
68	The Reliability and Validity of the Norwegian Version of the Quality of Life in Late-Stage Dementia Scale. <i>Dementia and Geriatric Cognitive Disorders</i> , 2015, 40, 233-242.	0.7	26
69	Cytokine polymorphisms and plasma levels are associated with sleep onset insomnia in adults living with HIV/AIDS. <i>Brain, Behavior, and Immunity</i> , 2015, 47, 58-65.	2.0	27
70	Factors associated with self-esteem in persons with morbid obesity and in persons with chronic obstructive pulmonary disease: A cross-sectional study. <i>Psychology, Health and Medicine</i> , 2015, 20, 431-442.	1.3	15
71	Fatigue after Stroke – Perspectives and Future Directions. <i>International Journal of Stroke</i> , 2015, 10, 280-281.	2.9	18
72	Circadian regulation gene polymorphisms are associated with sleep disruption and duration, and circadian phase and rhythm in adults with HIV. <i>Chronobiology International</i> , 2015, 32, 1278-1293.	0.9	22

#	ARTICLE	IF	CITATIONS
73	A 1-year follow-up study exploring the associations between perception of illness and health-related quality of life in persons with chronic obstructive pulmonary disease. <i>International Journal of COPD</i> , 2014, 9, 41.	0.9	23
74	The relationships of self-efficacy, physical activity, and paid work to health-related quality of life among patients with chronic obstructive pulmonary disease (COPD). <i>Journal of Multidisciplinary Healthcare</i> , 2014, 7, 239.	1.1	30
75	Sleep in family caregivers of patients admitted to hospice: A pilot study. <i>Palliative and Supportive Care</i> , 2014, 12, 439-444.	0.6	8
76	Trajectories of self-efficacy in persons with chronic illness: An explorative longitudinal study. <i>Psychology and Health</i> , 2014, 29, 350-364.	1.2	21
77	Fatigue in the acute phase after first stroke predicts poorer physical health 18 months later. <i>Neurology</i> , 2014, 82, 2255-2255.	1.5	2
78	A Review of the Relationship Between Poststroke Fatigue and Physical Activity. <i>Topics in Geriatric Rehabilitation</i> , 2014, 30, 296-306.	0.2	2
79	Subjective sleep quality in relation to objective sleep estimates: comparison, gender differences and changes between the acute phase and the six-month follow-up after stroke. <i>Journal of Advanced Nursing</i> , 2014, 70, 639-650.	1.5	19
80	Can the Fatigue Severity Scale 7-item version be used across different patient populations as a generic fatigue measure - a comparative study using a Rasch model approach. <i>Health and Quality of Life Outcomes</i> , 2014, 12, 24.	1.0	58
81	Rasch analysis of the sense of coherence scale in a sample of people with morbid obesity – a cross-sectional study. <i>BMC Psychology</i> , 2014, 2, .	0.9	14
82	Rasch analysis of the Beck Depression Inventory-II in stroke survivors: A cross-sectional study. <i>Journal of Affective Disorders</i> , 2014, 158, 48-52.	2.0	21
83	Cytokine polymorphisms are associated with fatigue in adults living with HIV/AIDS. <i>Brain, Behavior, and Immunity</i> , 2014, 40, 95-103.	2.0	36
84	Last three days of life in the hospital: a comparison of symptoms, signs and treatments in the young old and the oldest old patients using the Resident Assessment Instrument for Palliative Care. <i>International Journal of Older People Nursing</i> , 2013, 8, 199-206.	0.6	10
85	Development of a short version of the Lee Visual Analogue Fatigue Scale in a sample of women with HIV/AIDS: a Rasch analysis application. <i>Quality of Life Research</i> , 2013, 22, 1467-1472.	1.5	18
86	Fatigue in the acute phase after first stroke predicts poorer physical health 18 months later. <i>Neurology</i> , 2013, 81, 1581-1587.	1.5	50
87	Nurses' perceptions of unpleasant symptoms and signs in ventilated and sedated patients. <i>Nursing in Critical Care</i> , 2013, 18, 176-186.	1.1	22
88	Lee Fatigue and Energy Scales: Exploring aspects of validity in a sample of women with HIV using an application of a Rasch model. <i>Psychiatry Research</i> , 2013, 205, 241-246.	1.7	32
89	Lack of Energy: An Important and Distinct Component of HIV-Related Fatigue and Daytime Function. <i>Journal of Pain and Symptom Management</i> , 2013, 45, 191-201.	0.6	29
90	Rasch analysis of the General Self-Efficacy Scale in a sample of persons with morbid obesity. <i>Health and Quality of Life Outcomes</i> , 2013, 11, 202.	1.0	40

#	ARTICLE	IF	CITATIONS
91	Depressive symptoms in acute stroke: A cross-sectional study of their association with sociodemographics and clinical factors. <i>Neuropsychological Rehabilitation</i> , 2013, 23, 658-677.	1.0	24
92	Pain characteristics and self-rated health after elective orthopaedic surgery – a cross-sectional survey. <i>Journal of Clinical Nursing</i> , 2013, 22, 1242-1253.	1.4	24
93	Prescribed Exercise: A Prospective Study of Health-Related Quality of Life and Physical Fitness Among Participants in an Officially Sponsored Municipal Physical Training Program. <i>Journal of Physical Activity and Health</i> , 2013, 10, 1016-1023.	1.0	23
94	Curvilinear Relationship Between Age and Post-Stroke Fatigue among Patients in the Acute Phase following First-Ever Stroke. <i>International Journal of Physical Medicine &amp; Rehabilitation</i> , 2013, 01, .	0.5	9
95	The Course of Fatigue during the First 18 Months after First-Ever Stroke: A Longitudinal Study. <i>Stroke Research and Treatment</i> , 2012, 2012, 1-8.	0.5	31
96	Relationships between Physical Activity, Symptoms and Quality of Life among Inpatients with Severe Mental Illness. <i>British Journal of Occupational Therapy</i> , 2012, 75, 69-75.	0.5	14
97	Changes in health-related quality of life in people with morbid obesity attending a learning and mastery course. A longitudinal study with 12-months follow-up. <i>Health and Quality of Life Outcomes</i> , 2012, 10, 95.	1.0	14
98	The visitor's regard of their need for support, comfort, information proximity and assurance in the intensive care unit. <i>Intensive and Critical Care Nursing</i> , 2012, 28, 263-268.	1.4	13
99	Using a didactic model to improve patient observation skills in neonatal intensive care nurse trainees – A pilot study. <i>Intensive and Critical Care Nursing</i> , 2012, 28, 208-214.	1.4	2
100	Agreement in documentation of symptoms, clinical signs, and treatment at the end of life: a comparison of data retrieved from nurse interviews and electronic patient records using the Resident Assessment Instrument for Palliative Care. <i>Journal of Clinical Nursing</i> , 2012, 21, 1416-1424.	1.4	11
101	Stroke patients' functions in personal activities of daily living in relation to sleep and socio-demographic and clinical variables in the acute phase after first-time stroke and at six months of follow-up. <i>Journal of Clinical Nursing</i> , 2012, 21, 1886-1895.	1.4	39
102	Factors associated with self-efficacy in persons with chronic illness. <i>Scandinavian Journal of Psychology</i> , 2012, 53, 333-339.	0.8	60
103	Sleep-Wake Patterns during the Acute Phase after First-Ever Stroke. <i>Stroke Research and Treatment</i> , 2011, 2011, 1-7.	0.5	30
104	Group climate development in cognitive and interpersonal group therapy for social phobia.. <i>Group Dynamics</i> , 2011, 15, 32-48.	0.7	18
105	Patterns of morning and evening fatigue among adults with HIV/AIDS. <i>Journal of Clinical Nursing</i> , 2011, 20, 2204-2216.	1.4	25
106	Pain control at the end of life: a comparative study of hospitalized cancer and noncancer patients. <i>Scandinavian Journal of Caring Sciences</i> , 2011, 25, 771-779.	1.0	13
107	Psychometric properties of the Fatigue Severity Scale – Rasch analyses of individual responses in a Norwegian stroke cohort. <i>International Journal of Nursing Studies</i> , 2011, 48, 1258-1265.	2.5	128
108	Personal factors associated with health-related quality of life in persons with morbid obesity on treatment waiting lists in Norway. <i>Quality of Life Research</i> , 2011, 20, 1187-1196.	1.5	42

#	ARTICLE	IF	CITATIONS
109	A 7-item version of the fatigue severity scale has better psychometric properties among HIV-infected adults: an application of a Rasch model. <i>Quality of Life Research</i> , 2011, 20, 1447-1456.	1.5	41
110	Physical impairment, depressive symptoms and pre-stroke fatigue are related to fatigue in the acute phase after stroke. <i>Disability and Rehabilitation</i> , 2011, 33, 334-342.	0.9	116
111	A population-based study of associations between current posttraumatic stress symptoms and current fatigue. <i>Journal of Traumatic Stress</i> , 2010, 23, 606-614.	1.0	19
112	Exploring person-centredness: a qualitative meta-synthesis of four studies. <i>Scandinavian Journal of Caring Sciences</i> , 2010, 24, 620-634.	1.0	170
113	Psychometric properties of the Fatigue Severity Scale: Rasch analyses of responses in a Norwegian and a Swedish MS cohort. <i>Multiple Sclerosis Journal</i> , 2010, 16, 733-741.	1.4	44
114	Poststroke Fatigue—A Review. <i>Journal of Pain and Symptom Management</i> , 2009, 38, 928-949.	0.6	199
115	The complexity of the relationship between chronic pain and quality of life: a study of the general Norwegian population. <i>Quality of Life Research</i> , 2009, 18, 971-980.	1.5	50
116	Stages of Change – Continuous Measure (URICA-2): psychometrics of a Norwegian version. <i>Journal of Advanced Nursing</i> , 2009, 65, 193-202.	1.5	16
117	Perceptions of illness and its development in patients with multiple sclerosis: a prospective cohort study. <i>Journal of Advanced Nursing</i> , 2009, 65, 184-192.	1.5	17
118	Level of satisfaction during mammography screening in relation to discomfort, service provided, level of pain and breast compression. <i>European Journal of Radiography</i> , 2009, 1, 66-72.	0.2	15
119	Illness and injury presenting to a Norwegian travel insurance company's helpline. <i>Travel Medicine and Infectious Disease</i> , 2007, 5, 165-170.	1.5	7
120	A prospective study of patterns of fatigue in multiple sclerosis. <i>European Journal of Neurology</i> , 2007, 14, 1338-1343.	1.7	188
121	Age and the Experience of Chronic Pain. <i>Clinical Journal of Pain</i> , 2005, 21, 513-523.	0.8	177
122	Fatigue in the general population: A translation and test of the psychometric properties of the Norwegian version of the fatigue severity scale. <i>Scandinavian Journal of Public Health</i> , 2005, 33, 123-130.	1.2	294
123	Psychometric Properties of the WHOQOL-BREF Questionnaire for the Norwegian General Population. <i>Journal of Nursing Measurement</i> , 2004, 12, 147-159.	0.2	58
124	Quality of Life in the General Norwegian Population, Measured by the Quality of Life Scale (QOLS-N). <i>Quality of Life Research</i> , 2004, 13, 1001-1009.	1.5	62
125	Prevalence and characteristics of chronic pain in the general Norwegian population. <i>European Journal of Pain</i> , 2004, 8, 555-565.	1.4	192
126	Gender differences in chronic pain—findings from a population-based study of Norwegian adults. <i>Pain Management Nursing</i> , 2004, 5, 105-117.	0.4	99



#	ARTICLE	IF	CITATIONS
127	The Norwegian version of the Herth Hope Index (HHI-N): A psychometric study. Palliative and Supportive Care, 2004, 2, 255-263.	0.6	46
128	Fatigue and its association with sociodemographic variables among multiple sclerosis patients. Multiple Sclerosis Journal, 2003, 9, 509-514.	1.4	99
129	Hope in the general Norwegian population, measured using the Herth Hope Index. Palliative and Supportive Care, 2003, 1, 309-318.	0.6	27
130	A theoretical extension of the concept of energy through an empirical study. Scandinavian Journal of Caring Sciences, 2002, 16, 197-206.	1.0	36
131	A Concept Analysis of Energy: Its Meaning in the Lives of Three Individuals with Chronic Illness. Scandinavian Journal of Caring Sciences, 1998, 12, 3-10.	1.0	17
132	A Concept Analysis of Energy. Scandinavian Journal of Caring Sciences, 1998, 12, 3-10.	1.0	19