

# Jiri Kroll

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/581613/publications.pdf>

Version: 2024-02-01

714  
papers

33,686  
citations

4955

84  
h-index

10724

138  
g-index

756  
all docs

756  
docs citations

756  
times ranked

11181  
citing authors

#	ARTICLE	IF	CITATIONS
1	Performance of the ATLAS Level-1 topological trigger in Run 2. European Physical Journal C, 2022, 82, 1.	1.4	6
2	Measurement of the c-jet mistagging efficiency in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 13$ TeV collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	1.4	14
3	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2
4	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	1.4	8
5	and ( $\mathcal{B}(t \rightarrow \bar{t} \gamma) = 0.784314 \times 10^{-10}$ )		
6	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with $139 \text{ fb}^{-1}$ of pp collision data at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	10
7	AtlFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	1.3	23
8	Measurement of the energy response of the ATLAS calorimeter to charged pions from $W \rightarrow \mu \nu$ events in Run 2 data. European Physical Journal C, 2022, 82, 1.	1.4	4
9	The ATLAS inner detector trigger performance in pp collisions at $\sqrt{s} = 13$ TeV during LHC Run 2. European Physical Journal C, 2022, 82, 1.	1.4	5
10	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2022, 82, .	1.4	7
11	Measurement of the energy asymmetry in $t\bar{t}$ production at $\sqrt{s} = 13$ TeV with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	1.4	2
12	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and $13$ TeV. European Physical Journal C, 2022, 82, 1.	1.4	12
13	Measurement of hadronic event shapes in high- $p_T$ multijet final states at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
14	Search for squarks and gluinos in final states with jets and missing transverse momentum using $139 \text{ fb}^{-1}$ of $\sqrt{s} = 13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	37
15	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	1.4	12
16	Measurements of WH and ZH production in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	38
17	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	18
18	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	17

#	ARTICLE	IF	CITATIONS
19	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb <sup>-1</sup> of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	19
20	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	6
21	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14
22	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	22
23	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	18
24	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. European Physical Journal C, 2021, 81, 1.	1.4	15
25	Search for heavy resonances decaying into a pair of Z bosons in the $e^+e^- \rightarrow e^+e^- Z Z$ and $e^+e^- \rightarrow e^+e^- \gamma Z$ final states using 139 fb <sup>-1</sup> of proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	40
26	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	18
27	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $e^+e^- \rightarrow e^+e^- \gamma \gamma$ and $e^+e^- \rightarrow e^+e^- W W$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	26
28	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	23
29	Measurements of $W+W+1$ jet production cross-sections in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	8
30	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	46
31	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 1.	1.4	14
32	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\tau$ -lepton in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	27
33	Search for supersymmetry in events with four or more charged leptons in 139 fb <sup>-1</sup> of $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	12
34	Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W_{\pm}$ and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
35	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	8
36	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	5

#	ARTICLE	IF	CITATIONS
37	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s}=13$ TeV. European Physical Journal C, 2021, 81, 1.	1.4	82
38	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	13
39	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8, \text{ext} \{ \text{TeV} \}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	3
40	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	64
41	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	12
42	Search for dark matter produced in association with a single top quark in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	9
43	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14
44	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.	1.4	5
45	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	12
46	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data. European Physical Journal C, 2021, 81, 1.	1.4	7
47	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
48	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
49	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
50	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
51	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	28
52	Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.	1.4	7
53	Measurement of b-quark fragmentation properties in jets using the decay $B^{\pm} \rightarrow J/\psi K^{\pm}$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	3
54	Search for displaced vertices of oppositely charged leptons from decays of long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 801, 135114.	1.5	14

#	ARTICLE	IF	CITATIONS
55	Search for non-resonant Higgs boson pair production in the $b\bar{b}\gamma$ , $1\gamma 2e$ , $1\gamma 2\mu$ final state with the ATLAS detector in pp collisions at $\sqrt{s}=13$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 800, 135069.	1.5	13
56	Search for the Higgs boson decays $H\rightarrow e^+e^-$ and $H\rightarrow \mu^+\mu^-$ in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 800, 135069.	1.5	31
57	Searches for lepton-flavour-violating decays of the Higgs boson in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 800, 135069.	1.5	30
58	Search for flavour-changing neutral currents in processes with one top quark and a photon using 81 fb $^{-1}$ of pp collisions at $\sqrt{s}=13$ TeV with the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 800, 135082.	1.5	10
59	Measurement of the $\sigma(\text{pp}\rightarrow\text{H}\rightarrow\text{ZZ})$ ratio and cross section of $\text{pp}\rightarrow\text{H}\rightarrow\text{ZZ}$ in the $4\ell$ channel at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 800, 135103.	1.5	53
60	Measurements of inclusive and differential cross-sections of combined $\text{pp}\rightarrow\text{H}\rightarrow\text{ZZ}$ and $\text{pp}\rightarrow\text{H}\rightarrow\text{ZZ}$ production in the $4\ell$ channel at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	3
61	Electrical characterization of surface properties of the ATLAS17LS sensors after neutron, proton and gamma irradiation. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2020, 983, 164456.	0.7	6
62	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	1.6	17
63	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	24
64	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $4\ell$ decay channel at $\sqrt{s}=13$ TeV. European Physical Journal C, 2020, 80, 1.	1.4	32
65	Fluctuations of anisotropic flow in Pb+Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	28
66	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in $\text{pp}$ collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	34
67	Measurement of differential cross sections for single diffractive dissociation in $\sqrt{s}=8$ TeV pp collisions using the ATLAS ALFA spectrometer. Journal of High Energy Physics, 2020, 2020, 1.	1.6	8
68	Measurement of isolated-photon plus two-jet production in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	3
69	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	11
70	Search for the $HH\rightarrow b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	17
71	Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	12
72			

#	ARTICLE	IF	CITATIONS
73	Measurement of the transverse momentum distribution of Drellâ€“Yan lepton pairs in protonâ€“proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	28
74	Searches for electroweak production of supersymmetric particles with compressed mass spectra in $\sqrt{s}=13$ TeV proton-proton collisions with the ATLAS detector. Physical Review D, 2020, 101, .	1.6	80
75	Measurement of the azimuthal anisotropy of charged-particle production in $\sqrt{s}=13$ TeV proton-proton collisions at the ATLAS detector. Physical Review Letters, 2020, 124, 222002.	1.1	29
76	Search for direct stau production in events with two hadronic leptons in $\sqrt{s}=13$ TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	33
77	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	20
78	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s}=13$ TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. Journal of High Energy Physics, 2020, 2020, 1.	1.6	4
79	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	21
80	Measurements of top-quark pair spin correlations in the $\mu\mu$ channel at $\sqrt{s}=13$ TeV using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	22
81	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s}=13$ TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. Journal of High Energy Physics, 2020, 2020, 1.	1.6	12
82	Higgs boson production cross-section measurements and their EFT interpretation in the $b\bar{b}$ decay channel at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	41
83	Combination of the W boson polarization measurements in top quark decays using ATLAS and CMS data at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	9
84	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	36
85	Search for chargino-neutralino production with mass splittings near the electroweak scale in three-lepton final states in $\sqrt{s}=13$ TeV proton-proton collisions with the ATLAS detector. Physical Review D, 2020, 101, .	1.6	28
86	ATLAS data quality operations and performance for 2015â€“2018 data-taking. Journal of Instrumentation, 2020, 15, P04003-P04003.	0.5	68
87	Measurement of the Lund Jet Plane Using Charged Particles in 13 TeV Proton-Proton Collisions with the ATLAS Detector. Physical Review Letters, 2020, 124, 222002.	2.9	28
88	Measurement of Azimuthal Anisotropy of Muons from Charm and Bottom Hadrons in $\sqrt{s}=13$ TeV Proton-Proton Collisions with the ATLAS Detector. Physical Review Letters, 2020, 124, 082301.	2.9	17
89	Measurement of the $Z\gamma$ production cross-section and lepton differential distributions in $\mu\mu$ dilepton events from pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, .	1.4	26
90	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb <sup>-1</sup> of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	19

#	ARTICLE	IF	CITATIONS
91	Search for dijet resonances in events with an isolated charged lepton using $\sqrt{s} = 13$ TeV proton-proton collision data collected by the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	7
92	Z boson production in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV measured by the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 2020, 1.	1.5	11
93	Search for Magnetic Monopoles and Stable High-Electric-Charge Objects in 13 TeV Proton-Proton Collisions with the ATLAS Detector. Physical Review Letters, 2020, 124, 031802.	2.9	25
94	Measurement of the $Z(\gamma^* \rightarrow e^+e^-)$ production cross-section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	9
95	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at $\sqrt{s} = 8$ and 13 TeV. European Physical Journal C, 2020, 80, 1.	1.4	5
96	Transverse momentum and process dependent azimuthal anisotropies in $\sqrt{s} = 8.16$ TeV p+Pb collisions with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	12
97	Measurement of $J/\psi$ production in association with a $W^\pm$ boson with pp data at 8 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	10
98	Search for new resonances in mass distributions of jet pairs using 139 fb <sup>-1</sup> of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	68
99	Search for $\overline{t}t$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	14
100	Reconstruction and identification of boosted di- $\tau$ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1.	1.6	8
101	Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.	1.4	93
102	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	124
103	Search for top squarks in events with a Higgs or Z boson using 139 fb <sup>-1</sup> of pp collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	4
104	Evidence for $t\bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	30
105	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	29
106	Search for light long-lived neutral particles produced in pp collisions at $\sqrt{s} = 13$ TeV and decaying into collimated leptons or light hadrons with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	21
107	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	36
108	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	1.4	12

#	ARTICLE	IF	CITATIONS
109	Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8$ -TeV using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	15
110	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13$ TeV pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	49
111	Search for heavy particles decaying into a top-quark pair in the fully hadronic final state in $\sqrt{s} = 13$ -TeV pp collisions with the ATLAS detector. Physical Review D, 2019, 100, 1.	2.9	23
112	Search for chargino and neutralino production in final states with a Higgs boson and missing transverse momentum at $\sqrt{s} = 13$ -TeV with the ATLAS detector. Physical Review D, 2019, 100, 1.	1.6	21
113	Search for long-lived neutral particles in pp collisions at $\sqrt{s} = 13$ -TeV that decay into displaced hadronic jets in the ATLAS calorimeter. European Physical Journal C, 2019, 79, 1.	1.4	28
114	Search for heavy particles decaying into a top-quark pair in the fully hadronic final state in $\sqrt{s} = 13$ -TeV pp collisions with the ATLAS detector. Physical Review D, 2019, 100, 1.	1.6	22
115	Search for heavy particles decaying into a top-quark pair in the fully hadronic final state in $\sqrt{s} = 13$ -TeV pp collisions with the ATLAS detector. Physical Review D, 2019, 100, 1.	1.6	22
116	Search for Higgs boson pair production in the $WW^{(*)}WW^{(*)}$ decay channel using ATLAS data recorded at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	21
117	Observation of Light-by-Light Scattering in Ultraperipheral Collisions with the ATLAS Detector. Physical Review Letters, 2019, 123, 052001.	2.9	75
118	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	8
119	Measurement of $W^{\pm}Z$ production cross sections and gauge boson polarisation in pp collisions at $\sqrt{s} = 13$ -TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	41
120	Combination of Searches for Invisible Higgs Boson Decays with the ATLAS Experiment. Physical Review Letters, 2019, 122, 231801.	2.9	133
121	Measurement of the $t\bar{t}Z$ production cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	28
122	Searches for third-generation scalar leptoquarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	30
123	Search for scalar resonances decaying into $\tau\tau$ in events with and without b-tagged jets produced in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	15
124	Search for diboson resonances in hadronic final states in $139 \text{ fb}^{-1}$ of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	20
125	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} = 13$ -TeV with the ATLAS experiment at the LHC. European Physical Journal C, 2019, 79, 1.	1.4	4
126	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 1.	1.4	21



#	ARTICLE	IF	CITATIONS
127	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	24
128	Properties of jet fragmentation using charged particles measured with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2019, 100, 1.	1.6	9
129	Boson Pair in Association with Two Jets in Proton-Proton Collisions at $\sqrt{s} = 13$ TeV with the ATLAS Detector. Physical Review D, 2019, 100, 1.	2.9	53
130	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
131	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 1.	1.4	77
132	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	3
133	Searches for scalar leptoquarks and differential cross-section measurements in dilepton-dijet events in proton-proton collisions at a centre-of-mass energy of $\sqrt{s} = 13$ TeV with the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	1.4	22
134	Search for vector-boson resonances decaying to a top quark and bottom quark in the lepton plus jets final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 788, 347-370.	1.5	9
135	Measurement of the cross-section for the production of a top quark and a bottom quark in association with a photon in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2019, 99, 1.	1.6	20
136	Correlated long-range mixed-harmonic fluctuations measured in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, 444-471.	1.5	25
137	Modelling radiation damage to pixel sensors in the ATLAS detector. Journal of Instrumentation, 2019, 14, P06012-P06012.	0.5	7
138	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	27
139	Combinations of single-top-quark production cross-section measurements and $ f_{LVtb} $ determinations at $\sqrt{s} = 7$ and 8 TeV with the ATLAS and CMS experiments. Journal of High Energy Physics, 2019, 2019, 1.	1.6	9
140	Search for top-quark decays $t \rightarrow Hq$ with 36 fb <sup>-1</sup> of pp collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	19
141	Measurement of $VH$ , $\overline{H} \rightarrow \overline{b} \overline{b}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
142	Measurements of inclusive and differential fiducial cross-sections of $\overline{t} \rightarrow \overline{t} + \text{jets}$ production with additional heavy-flavour jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	18
143	Measurement of the four-lepton invariant mass spectrum in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	12
144	Search for Higgs boson pair production in the $\overline{b} W W^* \rightarrow \overline{b} W W^* + \text{jets}$ decay mode at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	26

#	ARTICLE	IF	CITATIONS
145	Search for heavy long-lived multicharged particles in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2019, 99, .	1.6	11
146	Properties of $\Lambda_c^+$ baryon in proton-proton collisions with the ATLAS detector. Physical Review D, 2019, 99, .	1.6	6
147	Leptons in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2019, 99, .	1.6	63
148	Measurements of W and Z boson production in pp collisions at $\sqrt{s}=5.02$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	17
149	Study of the rare decays of $B^0_s$ and $B^0$ mesons into muon pairs using data collected during 2015 and 2016 with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, .	1.6	62
150	Performance of top-quark and $W$ -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	1.4	42
151	Measurements of inclusive and differential fiducial cross-sections of $\gamma^*$ production in leptonic final states at $\sqrt{s}=13$ TeV in ATLAS. European Physical Journal C, 2019, 79, 1.	1.4	14
152	Search for long-lived particles produced in pp collisions at $\sqrt{s}=13$ TeV that decay into displaced hadronic jets in the ATLAS muon spectrometer. Physical Review D, 2019, 99, .	1.6	35
153	Search for the Production of a Long-Lived Neutral Particle Decaying within the ATLAS Hadronic Calorimeter in Association with a Z Boson from pp Collisions at $\sqrt{s}=13$ TeV. Physical Review Letters, 2019, 2, 9 122, 151801.		12
154	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	0.5	37
155	Search for four-top-quark production in the single-lepton and opposite-sign dilepton final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2019, 99, .	1.6	13
156	Search for doubly charged scalar bosons decaying into same-sign $W$ boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	1.4	61
157	Search for heavy Majorana or Dirac neutrinos and right-handed $W$ gauge bosons in final states with two charged leptons and two jets at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	39
158	In situ calibration of large-radius jet energy and mass in $\sqrt{s}=13$ TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	28
159	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	1.4	46
160	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s}=13$ and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
161	Measurement of the top quark mass in the $t \rightarrow t \bar{\nu}$ decay. European Physical Journal C, 2019, 79, 1.	1.4	47
162	Search for pair production of Higgs bosons in the $b\bar{b}$ final state using proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	55

#	ARTICLE	IF	CITATIONS
163	Measurements of gluon-gluon fusion and vector boson fusion Higgs boson production cross-sections in the $H \rightarrow \tau^+ \tau^- W \nu$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, 508-529.	1.5	46
164	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	1.4	25
165	Search for pairs of highly collimated photon-jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2019, 99.	1.6	10
166	Search for squarks and gluinos in final states with hadronically decaying leptons, jets, and missing transverse momentum using collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
167	Measurement of the top-quark mass in $t\bar{t}$ + 1-jet events collected with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	27
168	Measurement of fiducial and differential $W^+W^-$ production cross-sections at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	24
169	Measurement of ZZ production in the $\tau^+ \tau^- \nu \bar{\nu}$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
170	Measurement of $W^+W^-$ -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s} = 2.76$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	8
171	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	9
172	Electron and photon performance measurements with the ATLAS detector using the 2015-2017 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P12006-P12006.	0.5	124
173	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	50
174	Measurement of $W^+W^-$ boson production in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	17
175	ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 1.	1.4	130
176	Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	36
177	Resolution of the ATLAS muon spectrometer monitored drift tubes in LHC Run 2. Journal of Instrumentation, 2019, 14, P09011-P09011.	0.5	7
178	Measurement of angular and momentum distributions of charged particles within and around jets in collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.1	11
179	Search for electroweak diboson production in association with a high-mass dijet system in semileptonic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2019, 100, .	1.1	14
180	Search for electroweak diboson production in association with a high-mass dijet system in semileptonic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2019, 100, .	1.6	15

#	ARTICLE	IF	CITATIONS
181	Search for a heavy charged boson in events with a charged lepton and missing transverse momentum from $p \bar{p} \rightarrow \ell^+ \nu_\ell + \text{jet} + \cancel{E}_T$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 788, 316-335.	1.6	43
182	Measurements of top-quark pair differential and double-differential cross-sections in the $t\bar{t} + \text{jets}$ channel with pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	34
183	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
184	Search for light resonances decaying to boosted quark pairs and produced in association with a photon or a jet in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 788, 316-335.	1.5	31
185	Measurement of the inclusive isolated-photon cross section in pp collisions at $\sqrt{s} = 13$ TeV using an ionisation measurement with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 788, 96-116.	1.5	20
186	Measurement of the inclusive isolated-photon cross section in pp collisions at $\sqrt{s} = 13$ TeV using 36 fb <sup>-1</sup> of ATLAS data. Journal of High Energy Physics, 2019, 2019, 1.	1.6	5
187	Measurement of $S^0$ and $\Lambda^0$ production in $pp \rightarrow \ell^+ \ell^- + \text{hadrons}$ dileptonic events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	4
188	Measurement of long-range multiparticle azimuthal correlations with the subevent cumulant method in $pp$ and $p\text{-Pb}$ collisions with the ATLAS detector at the CERN Large Hadron Collider. Physical Review C, 2018, 97, 054907.	1.1	46
189	Preparation and characterization of A33S samples for A33S(n, $\gamma$ ) <sup>33</sup> S. Journal of Applied Physics, 2018, 124, 124701.	0.7	2
190	Search for High-Mass Resonances Decaying to $WZ$ or $W\gamma$ in $pp \rightarrow WZ/\gamma + \text{jet} + \cancel{E}_T$ Collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 779, 24-45.	2.9	50
191	Evidence for the associated production of the Higgs boson and a top quark pair with the ATLAS detector. Physical Review D, 2018, 97, 052002.	1.6	51
192	A search for resonances decaying into a Higgs boson and a new particle X in the $XH\bar{t}t$ final state with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 779, 24-45.	1.5	8
193	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb <sup>-1</sup> of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	116
194	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $\sqrt{s} = 13$ TeV with ATLAS. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
195	Measurement of the W-boson mass in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 110.	1.4	218
196	Measurement of differential cross sections of isolated-photon plus heavy-flavour jet production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 779, 24-45.	1.5	12
197	Measurement of the $t\bar{t} + \text{jet}$ process in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 779, 24-45.	1.5	38
198	Search for diboson resonances with boson-tagged jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 777, 91-113.	1.5	35

#	ARTICLE	IF	CITATIONS
199	Search for new phenomena in high-mass final states with a photon and a jet from $\sqrt{s}$ pp collisions at $\sqrt{s}$ s. European Physical Journal C, 2018, 78, 102.	1.4	13
200	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s} = 13, \text{TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	1.4	52
201	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ and 5.0. European Physical Journal C, 2018, 78, 142.	1.4	59
202	Measurement of quarkonium production in proton-lead and proton-proton collisions at $\sqrt{s} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	1.4	75
203	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s} = 13$ TeV with ATLAS. European Physical Journal C, 2018, 78, 186.	1.4	20
204	Search for heavy ZZ resonances in the $e^+e^-e^+e^-$ , $e^+e^-e^+e^-$ and $e^+e^-e^+e^-$ final states using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 293.	1.4	101
205	A search for pair-produced resonances in four-jet final states at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	1.4	66
206	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in $36 \text{ fb}^{-1}$ of $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	40
207	Search for heavy resonances decaying into WW in the $e^+e^-e^+e^-$ final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 24.	1.4	108
208	Direct top-quark decay width measurement in the $t \rightarrow b \tau^+ \nu_\tau$ lepton+jets channel at $\sqrt{s} = 8$ TeV with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.	1.4	17
209	Search for W/Z resonance production in $e^+e^-qq$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
210	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ^* \rightarrow 4\tau$ decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	46
211	Search for long-lived, massive particles in events with displaced vertices and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Physical Review D, 2018, 97, 112002.	1.6	18
212	Measurement of the production cross-section of a single top quark in association with a Z boson in proton-proton collisions at 13 TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 780, 557-577.	1.5	19
213	Measurement of the cross section for isolated-photon plus jet production in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 781, 55-76.	1.5	14
214	Measurement of the production cross section of three isolated photons in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 781, 55-76.	1.5	13
215	Search for the Higgs boson produced in association with a Z boson and decaying into two photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 776, 318-337.	1.5	54
216	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow aa \rightarrow 4b$ channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	28

#	ARTICLE	IF	CITATIONS
217	Measurement of the $Z\gamma_{\text{overline{u}}}\gamma$ production cross section in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics, 2018, 2018, 1.	1.6	10
218	Prompt and non-prompt $J/\psi$ elliptic flow in Pb+Pb collisions at $\sqrt{s_{\text{NN}}}=5.02$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 784.	1.4	19
219	Search for Higgs boson pair production in the $\gamma\gamma_{\text{overline{W}}}\hat{W}\hat{W}^{\text{+}}\hat{W}\hat{W}^{\text{-}}$ channel using pp collision data recorded at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	1.4	53
220	Measurement of colour flow using jet-pull observables in $t\bar{t}$ events with the ATLAS experiment at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 847.	1.4	16
221	Measurement of the suppression and azimuthal anisotropy of muons from heavy-flavor decays in Pb+Pb collisions at $\sqrt{s_{\text{NN}}}=5.02$ TeV with the ATLAS detector. Physical Review C, 2018, 98.	1.1	12
222	Search for resonant WZ production in the fully leptonic final state in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High Energy Physics, 2018, 787, 68-88.	1.6	18
223	Angular analysis of $B_0 \rightarrow \mu^+\mu^-\gamma$ decays in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	76
224	Combination of the Searches for Pair-Produced Vectorlike Partners of the Third-Generation Quarks at $\sqrt{s}=13$ TeV with the ATLAS Detector. Physical Review Letters, 2018, 121, 211801.	2.9	145
225	Scattering in Pb-Pb collisions at $\sqrt{s_{\text{NN}}}=2.76$ TeV. Physical Review Letters, 2018, 121, 212301.	2.9	41
226	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb $^{-1}$ of pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 401.	1.4	50
227	Search for resonant and non-resonant Higgs boson pair production in the $Z\gamma_{\text{overline{b}}}\gamma$ final state with 13 TeV pp collision data collected by the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	1.6	7
228	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	2.9	70
229	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
230	Search for Higgs boson pair production in the $\gamma\gamma_{\text{overline{b}}}\gamma$ final state with 13 TeV pp collision data collected by the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	1.6	38
231	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	30
232	Measurement of the azimuthal anisotropy of charged particles produced in Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	1.4	51
233	Search for pair and single production of vectorlike quarks in final states with at least one $Z$ boson decaying into a pair of electrons or muons in pp collision data collected with the ATLAS detector at $\sqrt{s}=13$ TeV. Physical Review Letters, 2018, 121, 191801.	1.6	32
234			

#	ARTICLE	IF	CITATIONS
235	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 903.	1.4	181
236	Measurement of dijet azimuthal decorrelations in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2018, 98, .	1.6	8
237	Search for lepton-flavor violation in different-flavor, high-mass final states in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2018, 98, .	1.6	29
238	Search for chargino-neutralino production using recursive jigsaw reconstruction in final states with two or three charged leptons in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2018, 98, .	1.6	14
239	Search for pair production of supersymmetric particles in final states with two or three leptons at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2018, 98, .	1.6	41
240	Comparison between simulated and observed LHC beam backgrounds in the ATLAS experiment at $\sqrt{s}=4$ TeV. Journal of Instrumentation, 2018, 13, P12006-P12006.	0.5	2
241	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	1.4	125
242	Search for pair production of Higgsinos in final states with at least three b-tagged jets in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2018, 98, .	1.6	20
243	Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	56
244	Measurements of Higgs boson properties in the diphoton decay channel with 36 fb <sup>-1</sup> of proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2018, 98, .	1.6	115
245	Operation and performance of the ATLAS Tile Calorimeter in Run 1. European Physical Journal C, 2018, 78, 987.	1.4	25
246	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	37
247	Search for resonances in the mass distribution of jet pairs with one or two jets identified as H boson in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2018, 98, .	1.6	13
248	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	18
249	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb <sup>-1</sup> of $\sqrt{s}=13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	22
250	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb <sup>-1</sup> of $\sqrt{s}=13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	48
251	Combined measurement of differential and total cross sections in the $H \rightarrow \tau^+ \tau^-$ and the $H \rightarrow Z Z \rightarrow 4\tau$ decay channels at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 134-155.	1.6	12
252	Searches for exclusive Higgs and Z boson decays into $J/\psi \rightarrow \tau^+ \tau^-$ , $\Upsilon(2S) \rightarrow \tau^+ \tau^-$ , and $\Upsilon(nS) \rightarrow \tau^+ \tau^-$ at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 134-155.	1.6	20

#	ARTICLE	IF	CITATIONS
253	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	67
254	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	15
255	Combination of searches for heavy resonances decaying into bosonic and leptonic final states using proton-proton collision data at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2018, 98, .	1.5	138
256	Constraints on off-shell Higgs boson production and the Higgs boson total width in ZZ $\rightarrow$ 4 $\ell$ , " and ZZ $\rightarrow$ 2 $\ell$ , "2 $\ell$ final states with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 223-244.	1.5	43
257	Search for charged Higgs bosons decaying via $H_{\pm} \rightarrow \tau^{\pm} \bar{\nu}_{\tau}$ , $H_{\pm} \rightarrow \tau^{\pm} \nu_{\tau}$ , in the $\tau^{\pm}$ , jets and $\tau^{\pm}$ , lepton final states with 36 fb $^{-1}$ of pp collision data recorded at $\sqrt{s}=13$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	1.6	59
258	Prompt and non-prompt $J/\psi$ and $\psi(2S)$ suppression at high transverse momentum in $\sqrt{s}=5.02$ TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	1.4	61
259	Probing the Quantum Interference between Singly and Doubly Resonant Top-Quark Production in Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. Physical Review Letters, 2018, 121, 152002.	2.9	16
260	Search for photonic signatures of gauge-mediated supersymmetry in 13 TeV pp collisions with the ATLAS detector. Physical Review D, 2018, 97, .	1.6	20
261	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
262	Search for flavor-changing neutral currents in top quark decays $t \rightarrow Hc$ and $t \rightarrow Hu$ in multilepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2018, 98, .	1.6	17
263	Measurement of the Higgs boson mass in the $H \rightarrow ZZ \rightarrow 4\ell$ , " and $H \rightarrow \tau\tau$ channels with $\sqrt{s}=13$ TeV pp collisions using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, 345-366.	1.6	68
264	Search for exclusive Higgs and Z boson decays to $\tau\tau$ and $\tau\tau$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
265	Measurements of b-jet tagging efficiency with the ATLAS detector using $t\bar{t}$ events at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	40
266	Search for flavour-changing neutral current top-quark decays $t \rightarrow qZ$ in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
267	Search for squarks and gluinos in final states with jets and missing transverse momentum using proton-proton collision data at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2018, 97, .	1.6	16
268	Measurement of the inclusive and fiducial $t\bar{t}$ production cross-sections in the $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 487.	1.4	10
269	Search for R-parity-violating supersymmetric particles in multi-jet final states produced in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 785, 136-158.	1.7	17



#	ARTICLE	IF	CITATIONS
271	Search for the standard model Higgs boson produced via vector boson fusion and decaying into bottom quark pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review Letters, 2018, 121, 081801.	1.6	26
272	Search for Low-Mass Dijet Resonances Using Trigger-Level Jets with the ATLAS Detector in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 565.	2.9	41
273	Search for top squarks decaying to tau sleptons in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	1.4	79
274	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review Letters, 2018, 121, 092001.	1.6	9
275	Measurement of jet fragmentation in Pb-Pb and pp collisions at $\sqrt{s} = 2.76$ and $\sqrt{s} = 13$ TeV. Physical Review D, 2018, 98, .	1.1	24
276	Measurement of the Soft-Drop Jet Mass in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS Detector. Physical Review Letters, 2018, 121, 092001.	2.9	33
277	Search for supersymmetry in events with four or more leptons in $\sqrt{s} = 13$ TeV pp collisions with ATLAS. Physical Review D, 2018, 98, .	1.6	21
278	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	1.4	27
279	Search for electroweak production of supersymmetric states in scenarios with compressed mass spectra at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2018, 97, .	1.6	26
280	Search for electroweak production of supersymmetric states in scenarios with compressed mass spectra at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2018, 97, .	1.6	64
281	Search for the Decay of the Higgs Boson to Charm Quarks with the ATLAS Experiment. Physical Review Letters, 2018, 120, 211802.	2.9	53
282	Search for $B\bar{A}^*L$ R-parity-violating top squarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS experiment. Physical Review D, 2018, 97, .	1.6	12
283	Search for the standard model Higgs boson produced in association with top quarks and decaying into a pair in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review Letters, 2018, 120, 202007.	1.6	49
284	Measurement and analysis of the $n_{TOF}$ neutron capture cross section at the $n_{TOF}$ facility at CERN. Physical Review C, 2018, 97, .	1.1	9
285	Search for a Structure in the Invariant Mass Spectrum with the ATLAS Experiment. Physical Review Letters, 2018, 120, 202007.	1.6	39
286	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	136
287	Search for Higgs boson decays into pairs of light (pseudo)scalar particles in the $l^+l^-j$ final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B, Nuclear, Elementary Particle and High-Energy Physics, 2018, 782, 750-767.	1.6	11
288	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17

#	ARTICLE	IF	CITATIONS
289	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	1.4	60
290	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 199.	1.4	132
291	Measurement of $\sigma_{\text{pol}}$ , polarisation in $Z/\gamma \rightarrow \text{e}^+\text{e}^-$ . European Physical Journal C, 2018, 78, 163.	1.4	7
292	Searches for heavy ZZ and ZW resonances in the $\text{e}^+\text{e}^-$ , $\text{q}\bar{\text{q}}$ and $\frac{1}{2}\text{e}^+\text{e}^-/\frac{1}{2}\text{q}\bar{\text{q}}$ final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
293	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	33
294	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $\text{e}^+\text{e}^-$ , $\text{e}^+\text{e}^- \rightarrow \text{b}\bar{\text{b}}$ final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 783, 392-414.	1.6	14
295	Measurement of jet fragmentation in 5.02 TeV proton-lead and proton-proton collisions with the ATLAS detector. Nuclear Physics A, 2018, 978, 65-106.	0.6	21
296	Search for $W \rightarrow \text{e}\nu$ decays in the hadronic final state using pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 781, 327-348.	1.5	20
297	Observation of Higgs boson production in association with a top quark pair at the LHC with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, 301-310.	1.5	169
298	Measurements of differential cross-sections of highly boosted top quarks decaying to all-hadronic final states in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 783, 392-414.	1.6	22
299	Measurements of differential cross-sections and $W^+W^-$ cross-section ratios for W boson production in association with jets at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.1	8
300	Measurement of differential cross sections and $W^+W^-$ cross-section ratios for W boson production in association with jets at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
301	Combination of inclusive and differential $\overline{\text{d}}\sigma/\text{d}\Omega$ charge asymmetry measurements using ATLAS and CMS data at $\sqrt{s}=7$ and 8 TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	7
302	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in $36 \text{ fb}^{-1}$ of ( $\sqrt{s}=13$ ) TeV pp collisions with the ATLAS detector. , 2018, 2018, 1.		1
303	Measurement of the W-boson mass in pp collisions at ( $\sqrt{s}=7$ , $\text{hbox {TeV}}$ ) with the ATLAS detector. , 2018, 78, 1.		1
304	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at ( $\sqrt{s}=13$ , ext {TeV}). , 2018, 78, 1.		1
305	Measurement of the $\sigma(\text{e}^+\text{e}^- \rightarrow Z\tau^+\tau^-)$ and $\sigma(\text{e}^+\text{e}^- \rightarrow W\tau^+\tau^-)$ production cross sections in multilepton final states using $3.2 \text{ fb}^{-1}$ of $\text{e}^+\text{e}^-$ pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	1.4	41
306	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	1.4	29

#	ARTICLE	IF	CITATIONS
307	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	29
308	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	1.4	11
309	Measurement of the W boson polarisation in $t\bar{t}$ events from pp collisions at $\sqrt{s} = 8$ TeV in the lepton+jets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	1.4	37
310	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. European Physical Journal C, 2017, 77, 195.	1.4	87
311	Measurements of top-quark pair differential cross-sections in the $e^+e^-$ channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	1.4	27
312	Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s} = 8$ TeV proton-proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	1.4	61
313	Neutron spectroscopy of $^{26}\text{Mg}$ states: Constraining the stellar neutron source $^{22}\text{Ne}(\hat{n},n)^{25}\text{Mg}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 768, 1-6.	1.5	32
314	Measurement of the prompt $J/\psi$ pair production cross-section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	1.4	81
315	Search for triboson $W^+W^+W^-$ production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	1.4	25
316	Neutron capture cross section measurement of $^{238}\text{U}$ at the CERN n_TOF facility in the energy region from 1 eV to 700 keV. Physical Review C, 2017, 95, .	1.1	12
317	Search for new phenomena in high-mass diphoton final states using 37 fb $^{-1}$ of proton-proton collisions collected at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 775, 105-125.		
318	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	1.4	325
319	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	1.4	56
320	Measurements of electroweak $W_{jj}$ production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	1.4	26
321	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	1.4	145
322	Measurements of integrated and differential cross sections for isolated photon pair production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2017, 95, .	1.6	15
323	Measurement of multi-particle azimuthal correlations in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	1.4	86
324	Search for the Dimuon Decay of the Higgs Boson in pp Collisions at $\sqrt{s} = 13$ TeV with the ATLAS Detector. Physical Review Letters, 2017, 119, 051802.	2.9	36

#	ARTICLE	IF	CITATIONS
325	Search for Dark Matter Produced in Association with a Higgs Boson Decaying to $b\bar{b}$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review Letters, 2017, 119, 181804.	2.9	49
326	Search for Heavy Higgs Bosons A/H Decaying to a Top Quark Pair in pp Collisions at $\sqrt{s} = 8$ TeV with the ATLAS Detector. Physical Review Letters, 2017, 119, 191803.	2.9	74
327	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
328	Measurement of the cross-section for electroweak production of dijets in association with a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 775, 206-228.	1.6	15
329	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$ . European Physical Journal C, 2017, 77, 804.	1.4	28
330	Measurement of the $U_{23}(n, \hat{p}^3)$ cross section up to 80 keV with the Total Absorption Calorimeter at the CERN n_TOF facility. Physical Review C, 2017, 96, .	1.1	8
331	Measurement of the $\gamma$ production cross section in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	9
332	Examination of photon strength functions for $D_{\gamma}$ from radiative capture of resonance neutrons. Physical Review C, 2017, 96, .	1.1	20
333	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	9
334	Search for heavy resonances decaying to a W or Z boson and a Higgs boson in the $t\bar{t}$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review Letters, 2017, 119, 181804.	1.5	24
335	ATLAS Collaboration. Nuclear Physics A, 2017, 967, 942-964.	0.6	1
336	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	1.4	75
337	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144.	1.4	12
338	Measurement of the ZZ production cross section in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ZZ $\rightarrow \ell\ell$ , $\ell\ell$ , $\ell\ell$ , $\ell\ell$ and ZZ $\rightarrow \ell\ell$ , $\ell\ell$ , $\ell\ell$ decay channels with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
339	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
340	Measurements of $\tilde{\chi}(2S)$ and $\tilde{\chi}(3872) \rightarrow J/\psi + \tilde{\chi}$ production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	33
341	Measurements of top-quark pair to Z-boson cross-section ratios at $\sqrt{s} = 13, 8, 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	13
342	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.	1.4	79

#	ARTICLE	IF	CITATIONS
343	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.	1.4	489
344	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.	1.4	71
345	Measurements of the production cross section of a $Z$ boson in association with jets in pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2017, 77, 361.	1.4	47
346	Precision measurement and interpretation of inclusive $W^+W^-$ , $W^+W^+$ , $W^-W^-$ . European Physical Journal C, 2017, 77, 367.	1.4	145
347	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV. European Physical Journal C, 2017, 77, 379.	1.4	51
348	Search for dark matter at $\sqrt{s} = 13$ TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	1.4	80
349	Measurement of charged-particle distributions sensitive to the underlying event in $\sqrt{s} = 13$ TeV proton-proton collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
350	Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.	1.4	50
351	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
352	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Physical Review D, 2017, 96, 1.	1.4	19
353	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
354	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
355	Jet energy scale measurements and their systematic uncertainties in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2017, 96, 1.	1.6	157
356	Search for dark matter in association with a Higgs boson decaying to two photons at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2017, 96, 1.	1.6	15
357	Measurement of the inclusive jet cross-sections in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
358	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	38
359	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580.	1.4	35
360	Measurement of $WW/WZ \rightarrow \ell u q q'$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s} = 8$ TeV with ATLAS, and constraints on anomalous gauge couplings. European Physical Journal C, 2017, 77, 563.	1.4	28

#	ARTICLE	IF	CITATIONS
361	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $s = 13 \sqrt{s}=13 \text{ TeV}$ proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.	1.6	12
362	Searches for the $Z\tilde{\nu}$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $s = 13 \sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	30
363	Studies of $Z\tilde{\nu}$ production in association with a high-mass dijet system in pp collisions at $s = 8 \sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
364	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $s = 13 \sqrt{s}=13 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	16
365	Search for new phenomena in dijet events using $\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline">\langle \text{mml:mrow}>\langle \text{mml:mn}>37\langle / \text{mml:mn}>\langle \text{mml:mtext}>\hat{\alpha}_s\langle / \text{mml:mtext}>\langle \text{mml:mtext}>\hat{\alpha}_s\langle / \text{mml:mtext}>\langle \text{mml:msup}>\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline">\langle \text{mml:mi}>p\langle / \text{mml:mi}>\langle \text{mml:mi}>p\langle / \text{mml:mi}>\langle / \text{mml:math}>$ collision data collected at $\sqrt{s} = 13 \text{ TeV}$ . Physical Review D, 2017, 96.	1.6	114
366	Search for top quark decays $t \rightarrow qH$ , with $H \rightarrow \tilde{\nu}\tilde{\nu}$ , in $s = 13 \sqrt{s}=13 \text{ TeV}$ pp collisions using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	18
367	Study of $WW\gamma W W \tilde{\nu}$ and $WZ\gamma W Z$ . European Physical Journal C, 2017, 77, 646.	1.4	30
368	Measurements of top quark spin observables in $t \bar{t} \tilde{A} \rightarrow \tilde{t} \tilde{t}^* \tilde{A}$ events using dilepton final states in $s = 8 \sqrt{s}=8 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	20
369	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in $13 \text{ TeV}$ pp collisions. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
370	Top-quark mass measurement in the all-hadronic $t \bar{t} \tilde{A} \rightarrow \tilde{t} \tilde{t}^* \tilde{A}$ decay channel at $s = 8 \sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	16
371	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8 \sqrt{s}=8 \text{ TeV}$ . Journal of High Energy Physics, 2017, 2017, 1.	1.6	28
372	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s = 13 \sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	45
373	Search for supersymmetry in final states with two same-sign or three leptons and jets using $36 \text{ fb}^{-1}$ of $s = 13 \sqrt{s}=13 \text{ TeV}$ pp collision data with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
374	Study of ordered hadron chains with the ATLAS detector. Physical Review D, 2017, 96, .	1.6	2
375	Search for pair production of heavy vector-like quarks decaying to high- $p_T$ $W$ bosons and $b$ quarks in the lepton-plus-jets final state in pp collisions at $s = 13 \sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	36
376	Study of the material of the ATLAS inner detector for Run 2 of the LHC. Journal of Instrumentation, 2017, 12, P12009-P12009.	0.5	29
377	Measurement of the $k_t$ splitting scales in $Z \rightarrow \tilde{a}_1 \tilde{a}_1^*$ events in pp collisions at $s = 8 \sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	3
378	Analysis of the $Wtb$ vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the $t$ -channel at $s = 8 \sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8

#	ARTICLE	IF	CITATIONS
379	Evidence for the $H \rightarrow b\bar{b}$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	64
380	Search for new high-mass phenomena in the dilepton final state using 36 fb <sup>-1</sup> of proton-proton collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	168
381	Determination of the strong coupling constant $\alpha_s$ from transverse energy correlations in multijet events at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2017, 77, 872.	1.4	32
382	Search for squarks and gluinos in events with an isolated lepton, jets, and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2017, 96, .	1.6	23
383	The Nuclear Astrophysics program at n_TOF (CERN). EPJ Web of Conferences, 2017, 165, 01014.	0.1	1
384	The <sup>236</sup> U neutron capture cross-section measured at the n_TOF CERN facility. EPJ Web of Conferences, 2017, 146, 11054.	0.1	1
385	High accuracy <sup>234</sup> U(n,f) cross section in the resonance energy region. EPJ Web of Conferences, 2017, 146, 04057.	0.1	1
386	Dissemination of data measured at the CERN n_TOF facility. EPJ Web of Conferences, 2017, 146, 07002.	0.1	3
387	High precision measurement of the radiative capture cross section of <sup>238</sup> U at the n_TOF CERN facility. EPJ Web of Conferences, 2017, 146, 11028.	0.1	0
388	Measurement of the neutron capture cross section of the fissile isotope <sup>235</sup> U with the CERN n_TOF total absorption calorimeter and a fission tagging based on micromegas detectors. EPJ Web of Conferences, 2017, 146, 11021.	0.1	7
389	Measurement of the <sup>241</sup> Am neutron capture cross section at the n_TOF facility at CERN. EPJ Web of Conferences, 2017, 146, 11022.	0.1	1
390	Study of hard double-parton scattering in four-jet events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	1.6	30
391	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	10
392	Towards the high-accuracy determination of the <sup>238</sup> U fission cross section at the threshold region at CERN n_TOF. EPJ Web of Conferences, 2016, 111, 02002.	0.1	2
393	Experiments with neutron beams for the astrophysical $s$ process. Journal of Physics: Conference Series, 2016, 665, 012020.	0.3	2
394	Measurement of event-shape observables in $Z \rightarrow \ell^+ \ell^-$ events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 375.	1.4	15
395	Charged-particle distributions in pp interactions at $\sqrt{s} = 8$ TeV measured with the ATLAS detector. European Physical Journal C, 2016, 76, 403.	1.4	30
396	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13$ TeV pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	1.4	61

#	ARTICLE	IF	CITATIONS
397	Search for bottom squark pair production in proton–proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 547.	1.4	37
398	Search for minimal supersymmetric standard model Higgs Bosons $H/\tilde{A}$ and for a $Z^{\prime}$ boson in the $u\bar{u}, \bar{d}d$ , final state produced in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	1.4	51
399	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	1.4	73
400	Measurement of the $b\bar{b}$ dijet cross section in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	1.4	12
401	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.	1.4	21
402	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 541.	1.4	23
403	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605.	1.4	24
404	Muon reconstruction performance of the ATLAS detector in proton–proton collision data at $\sqrt{s}=13$ TeV. European Physical Journal C, 2016, 76, 292.	1.4	453
405	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	1.4	48
406	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	1.4	31
407	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	44
408	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	71
409	Search for flavour-changing neutral current top-quark decays to $qZ$ in pp collision data collected with the ATLAS detector at $\sqrt{s}=8$ TeV. European Physical Journal C, 2016, 76, 12.	1.4	39
410	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s}=8$ TeV. European Physical Journal C, 2016, 76, 87.	1.4	39
411	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	1.4	10
412	Search for charged Higgs bosons in the $H \rightarrow t\bar{b}$ decay channel in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	43
413	Study of the rare decays of $B^0_s \rightarrow B^0$ and $B^0 \rightarrow B^0$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	1.4	46
414	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions. European Physical Journal C, 2016, 76, 517.	1.4	24



#	ARTICLE	IF	CITATIONS
415	Search for resonances in diphoton events at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	70
416	Search for single production of vector-like quarks decaying into $Wb$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	1.4	43
417	Measurement of the relative width difference of the $B^0 - \bar{B}^0$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	8
418	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	1.4	50
419	Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 581.	1.4	298
420	Fission Fragment Angular Distribution measurements of $^{235}\text{U}$ and $^{238}\text{U}$ at CERN n_TOF facility. EPJ Web of Conferences, 2016, 111, 10002.	0.1	14
421	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	1.4	51
422	Measurement of jet activity in top quark events using the $e^+e^-$ final state with two b-tagged jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	4
423	Measurement of the transverse momentum and $\phi_{\eta}^*$ distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	1.4	154
424	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^+e^- \mu^+\mu^-$ with the ATLAS detector at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
425	Measurement of the $WW$ and $WZ$ production cross section using final states with a charged lepton and heavy-flavor jets in the full CDF Run II data set. Physical Review D, 2016, 94, .	1.6	4
426	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	20
427	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $\sqrt{s} = 8$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
428	Identification of high transverse momentum top quarks in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17
429	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	1.2	2
430	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013.	0.5	11
431	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 538.	1.4	115
432	Measurement of the differential cross-sections of prompt and non-prompt production of $J/\psi$ and $\psi(2S)$ in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	1.4	63

#	ARTICLE	IF	CITATIONS
433	Luminosity determination in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	1.4	279
434	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683.	1.4	11
435	Addendum to "Measurement of the $t\bar{t}$ production cross-section using $e\bar{e} \rightarrow b\bar{b} + \text{jets}$ events with b-tagged jets in pp collisions at $\sqrt{s} = 7$ and $8$ TeV with the ATLAS detector". European Physical Journal C, 2016, 76, 1.	1.4	19
436	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	33
437	Searches for heavy diboson resonances in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	25
438	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $\sqrt{s} = 8$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	16
439	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	21
440	Measurement of the CP-violating phase $\arg(\lambda)$ and the $B_s^0$ meson decay width difference with $B_s^0 \rightarrow \mu^+\mu^-$ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
441	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	1.4	73
442	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	38
443	Integral measurement of the $^{12}\text{C}(n, p)^{12}\text{B}$ reaction up to 10 GeV. European Physical Journal A, 2016, 52, 1.	1.0	9
444	A search for prompt lepton-jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	31
445	Search for new phenomena with photon+jet events in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
446	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 199.	1.4	60
447	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
448	Search for the production of single vector-like and excited quarks in the $Wt$ final state in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
449	Search for strong gravity in multijet final states produced in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
450	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 154.	1.4	62

#	ARTICLE	IF	CITATIONS
451	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 210.	1.4	95
452	Probing lepton flavour violation via neutrinoless $\tau \rightarrow 3\mu$ , $\tau \rightarrow 3e$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	1.4	19
453	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	1.4	9
454	Search for supersymmetry at $\sqrt{s} = 13$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	1.4	72
455	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	49
456	Search for anomalous couplings in the W tb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	1.6	13
457	Searches for scalar leptoquarks in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 5.	1.4	109
458	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s} = 7$ and 8 TeV in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	1.4	274
459	Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional b-jets in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 11.	1.4	54
460	Study of the $B_c^+ \rightarrow J/\psi D_s^+ B_c + \hat{t}^* J/\psi D_s^+$ and $B_c^+ \rightarrow J/\psi D_s^+ \hat{t}^-$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4.	1.4	40
461	Search for an additional, heavy Higgs boson in the $H \rightarrow ZZ$ decay channel at $\sqrt{s} = 8$ TeV in pp collision data with the ATLAS detector. European Physical Journal C, 2016, 76, 45.	1.4	197
462	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	1.4	43
463	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at ( $\sqrt{s} = 8$ , TeV) with the ATLAS detector. , 2016, 76, 1.		1
464	Nuclear Data for the Thorium Fuel Cycle and the Transmutation of Nuclear Waste. , 2016, , 207-214.		1
465	Measurement of the two-step $^{238}\text{Pu}$ $\alpha$ decay cascades following thermal neutron capture in $^{238}\text{Pu}$ with the DANCE detector. Journal of High Energy Physics, 2016, 2016, 1.		11
466	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	4
467	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	4
468	A search for high-mass resonances decaying to $\tilde{l}, \tilde{l}^*$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	23

#	ARTICLE	IF	CITATIONS
469	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	1.6	55
470	Search for lepton-flavour-violating $H \rightarrow \tau \mu$ , decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	52
471	Measurement of four-jet differential cross sections in $\sqrt{s} = 8$ TeV proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	1.6	11
472	A search for $t \bar{t}$ resonances using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	66
473	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	28
474	Measurement of charged-particle spectra in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	1.6	67
475	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	33
476	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	108
477	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-39.	1.6	78
478	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $\sqrt{s} = 7$ TeV in the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	40
479	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	84
480	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	71
481	Search for new phenomena in events with three or more charged leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	20
482	Summary of the searches for squarks and gluinos using $\sqrt{s} = 8$ TeV pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	1.6	60
483	Determination of the top-quark pole mass using $t \bar{t} + 1$ -jet events collected with the ATLAS experiment in 7 TeV pp collisions. Journal of High Energy Physics, 2015, 2015, 1.	1.6	25
484	Measurement of the $t \bar{t} W$ and $t \bar{t} Z$ production cross sections in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	22
485	Search for flavour-changing neutral current top quark decays $t \rightarrow H q$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.	1.6	19
486	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	36

#	ARTICLE	IF	CITATIONS
487	Scissors Mode of $^{162}\text{Dy}$ Studied from Resonance Neutron Capture. EPJ Web of Conferences, 2015, 93, 01037.	0.1	3
488	Experimental neutron capture data of $^{58}\text{Ni}$ from the CERN n_TOF facility. EPJ Web of Conferences, 2015, 93, 02009.	0.1	0
489	Photon Strength Functions from Two-Step $^{13}\text{C}$ Cascades Experiment on $^{155,157}\text{Gd}$ . EPJ Web of Conferences, 2015, 93, 01036.	0.1	1
490	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	42
491	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	116
492	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	17
493	Search for $W' \rightarrow t b \rightarrow q \bar{q} b b$ decays in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 165.	1.4	35
494	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\sqrt{s} = 7 \text{ TeV}$ . European Physical Journal C, 2015, 75, 158.	1.4	17
495	Search for direct pair production of a chargino and a neutralino decaying to the $125 \text{ GeV}$ Higgs boson in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 208.	1.4	67
496	Study of (W/Z)H production and Higgs boson couplings using $H \rightarrow W W$ decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	22
497	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	1.4	27
498	Measurement of the production and lepton charge asymmetry of $W$ bosons in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 23.	1.4	41
499	$\text{xml:ns:mml}="http://www.w3.org/1998/Math/MathML"><\text{mml:mrow}><\text{mml:mmultiscripts}><\text{mml:mi mathvariant}="normal">U</\text{mml:mi}><\text{mml:mprescripts}/><\text{mml:none}/><\text{mml:mrow}><\text{mml:mn}>238</\text{mml:mn}></\text{mml:mrow}></\text{mml:mmultiscripts}><\text{mml:mo}>/</\text{mml:mo}><\text{mml:mmultiscripts}><\text{mml:mi mathvariant}="normal">U</\text{mml:mi}><\text{mml:mprescripts}/><\text{mml:none}/><\text{mml:mrow}><\text{mml:mn}>235</\text{mml:mn}></\text{mml:mrow}></\text{mml:mmultiscripts}></\text{mml:mrow}></\text{mml:math}>$ fission	1.1	24
500	Jet energy measurement and its systematic uncertainty in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 17.	1.4	268
501	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 79.	1.4	30
502	Search for resonant diboson production in the $q \bar{q} \rightarrow \gamma \gamma \rightarrow q \bar{q}$ final state in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 69.	1.4	74
503	Measurements of the $W$ production cross sections in association with jets with the ATLAS detector. European Physical Journal C, 2015, 75, 82.	1.4	92
504	Search for dark matter in events with heavy quarks and missing transverse momentum in pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.	1.4	77

#	ARTICLE	IF	CITATIONS
505	Measurement of the $t\bar{t}$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	30
506	Measurement of the $WW + WZ$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	27
507	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	33
508	Search for the $b\bar{b}\hat{A}$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	89
509	Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s} = 7$ TeV using $4.5\text{ fb}^{-1}$ of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	35
510	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $\sqrt{s} = 8$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	60
511	Search for charged Higgs bosons decaying via $H \rightarrow \hat{A}^{\pm} \hat{A}^{\pm 1/2}$ in fully hadronic final states using pp collision data at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	69
512	Search for production of $WW/WZ$ resonances decaying to a lepton, neutrino and jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	1.4	79
513	Performance of the ATLAS muon trigger in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 120.	1.4	62
514	Search for Higgs boson pair production in the $b\bar{b}b\hat{A}b\hat{A}$ final state from pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 412.	1.4	90
515	Determination of spin and parity of the Higgs boson in the $WW \rightarrow e\mu u\bar{u} W\hat{A} - \hat{A}^{\pm} e^{1/2} \hat{A}^{\pm 1/2}$ decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	1.4	21
516	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	1.4	238
517	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $e\ell\ell / \ell\ell u / u\bar{u} + b\bar{b}\hat{A}, \hat{A}, \hat{A}^{\pm 1/2} / \hat{A}^{\pm 1/2} + b\bar{b}\hat{A}$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	1.4	60
518	Measurement of three-jet production cross-sections in pp collisions at $\sqrt{s} = 7$ TeV centre-of-mass energy using the ATLAS detector. European Physical Journal C, 2015, 75, 228.	1.4	23
519	Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. European Physical Journal C, 2015, 75, 335.	1.4	95
520	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 303.	1.4	70
521	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	1.4	174
522	Observation and measurements of the production of prompt and non-prompt $J/\psi$ mesons in association with a Z boson in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 229.	1.4	64

#	ARTICLE	IF	CITATIONS
523	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in $pp$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 349.	1.4	123
524	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s}=8$ TeV $pp$ collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318.	1.4	56
525	Search for heavy long-lived multi-charged particles in $pp$ collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. European Physical Journal C, 2015, 75, 362.	1.4	36
526	Two-particle Bose-Einstein correlations in $pp$ collisions at $\sqrt{s}=0.9$ and 7 TeV measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	1.4	42
527	Measurement of the top quark mass in the $t\rightarrow\text{lepton}+\text{jets}$ and $t\rightarrow\text{dilepton}$ channels using $\sqrt{s}=7$ TeV ATLAS data. European Physical Journal C, 2015, 75, 330.	1.4	52
528	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	1.4	138
529	Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s}=7$ TeV using 4.5 fb <sup>-1</sup> of data with the ATLAS detector. , 2015, 2015, 1.		3
530	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. , 2015, 75, 1.		1
531	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in $pp$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. , 2015, 75, 1.		2
532	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. , 2015, 75, 1.		3
533	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. , 2015, 75, 1.		3
534	The nucleosynthesis of heavy elements in Stars: the key isotope <sup>25</sup> Mg. EPJ Web of Conferences, 2014, 66, 07016.	0.1	1
535	Measurements of neutron cross sections for advanced nuclear energy systems at n_TOF (CERN). EPJ Web of Conferences, 2014, 66, 10001.	0.1	2
536	Neutron cross-sections for advanced nuclear systems: the n_TOF project at CERN. EPJ Web of Conferences, 2014, 79, 01003.	0.1	0
537	Photon strength functions in Gd isotopes studied from radiative capture of resonance neutrons. EPJ Web of Conferences, 2014, 69, 00018.	0.1	0
538	<sup>238</sup> U(n, <sup>3</sup> ) reaction cross section measurement with C6D6 detectors at the n_TOF CERN facility.. EPJ Web of Conferences, 2014, 66, 03061.	0.1	1
539	Search for neutral Higgs bosons of the minimal supersymmetric standard model in $pp$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	82
540	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 3130.	1.4	213

#	ARTICLE	IF	CITATIONS
541	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in $pp$ collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.	1.4	40
542	A measurement of the ratio of the production cross sections for $WW$ and $ZZ$ bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.	1.4	23
543	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $\sqrt{s}=8$ TeV with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
544	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb <sup>-1</sup> of $\sqrt{s}=8$ TeV proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	12
545	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $\sqrt{s}=8$ TeV proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.	1.6	128
546	Measurement of the $t\bar{t}$ production cross-section using $e\bar{\nu}_e$ events with $b$ -tagged jets in $pp$ collisions at $\sqrt{s}=7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.	1.4	143
547	Experimental neutron capture data of $^{58}\text{Ni}$ from the CERN n_TOF facility. Physical Review C, 2014, 89, .	1.1	28
548	Measurement of the $^{12}\text{C}(n,p)^{12}\text{B}$ cross section at n_TOF at CERN by in-beam activation analysis. Physical Review C, 2014, 90, .	1.1	14
549	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $\sqrt{s}=8$ TeV $pp$ collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	66
550	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at $\sqrt{s}=7$ TeV in 2010. European Physical Journal C, 2014, 74, 3034.	1.4	58
551	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1.	1.4	172
552	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3134.	1.4	48
553	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3157.	1.4	68
554	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in $pp$ collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3195.	1.4	46
555	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	41
556	Measurement of the production cross-section of $\tilde{t}(2S) \rightarrow \tilde{t}^* \tilde{t} + \tilde{t}^* \tilde{t}^*$ in $pp$ collisions at $\sqrt{s}=7$ TeV at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	21
557	Measurement of the $Z/\tilde{\chi}^0$ boson transverse momentum distribution in $pp$ collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	131



#	ARTICLE	IF	CITATIONS
559	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $s = 8 \sqrt{s} = 8$ TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	38
560	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
561	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $s = 8 \sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	47
562	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $s = 8 \sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	35
563	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	42
564	Measurement and analysis of the $\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML">\langle \text{mml:mmultiscripts}>\langle \text{mml:mi mathvariant="normal">Am</mml:mi>\langle \text{mml:mprescripts />\langle \text{mml:none />\langle \text{mml:mn}>241</mml:mn>\langle \text{mml:mn}>\langle \text{mml:mmultiscripts}>\langle \text{mml:math}>(\langle \text{mml:math}>T_j \text{ ETQq0 0 0 rgBT /Overlock 10 Tf 50t5B7 Td (x25) \text{mml:math}>$		
565	Measurement of the angular distribution of fission fragments using a PPAC assembly at CERN n_TOF. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2014, 743, 79-85.	0.7	28
566	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $s = 8 \sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	40
567	Neutron Capture Reactions on Fe and Ni Isotopes for the Astrophysical s-process. Nuclear Data Sheets, 2014, 120, 201-204.	0.7	2
568	The $(n, \hat{\pm})$ Reaction in the s-process Branching Point $^{59}\text{Ni}$ . Nuclear Data Sheets, 2014, 120, 208-210.	0.7	14
569	The differential production cross section of the $\phi(1020)$ meson in $\sqrt{s} = 7 \text{ TeV}$ $pp$ collisions measured with the ATLAS detector. European Physical Journal C, 2014, 74, 2895.	1.4	13
570	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 2941.	1.4	204
571	Measurement of the underlying event in jet events from $7 \text{ TeV}$ proton-proton collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 1.	1.4	23
572	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 2982.	1.4	22
573	Light-quark and gluon jet discrimination in $pp$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3023.	1.4	77
574	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	22
575	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	88
576	Measurement of the production cross section of prompt $J/\psi$ mesons in association with a $W^{\pm}$ boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	35

#	ARTICLE	IF	CITATIONS
577	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	36
578	Measurement of the production of a W boson in association with a charm quark in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	59
579	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	145
580	Search for supersymmetry at $\sqrt{s} = 8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
581	Measurement of the low-mass Drell-Yan differential cross section at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	25
582	Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	59
583	Measurement of $\tilde{t} \rightarrow c1$ and $\tilde{t} \rightarrow c2$ production with $\sqrt{s} = 7$ TeV pp collisions at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	32
584	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	10
585	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
586	Search for direct top squark pair production in events with a Z boson, b-jets and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.	1.4	55
587	GEANT4 simulation of the neutron background of the C6D6 set-up for capture studies at n_TOF. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2014, 760, 57-67.	0.7	31
588	Measurement of the $(\overline{t})$ production cross-section using (emu) events with (b)-tagged jets in (pp) collisions at $(\sqrt{s}=7)$ and 8 TeV with the ATLAS detector. , 2014, 74, 1.		2
589	Neutron cross-sections for advanced nuclear systems: the n_TOF project at CERN. EPJ Web of Conferences, 2014, 79, 01003.	0.1	0
590	Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	73
591	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	53
592	Search for third generation scalar leptoquarks in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	32
593	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	137
594	Measurement of ZZ production in pp collisions at $\sqrt{s}=7$ TeV and limits on anomalous ZZZ and ZZ $\tilde{\chi}^0_1$ couplings with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	61

#	ARTICLE	IF	CITATIONS
595	Search for charged Higgs bosons through the violation of lepton universality in $t\bar{t}$ events using pp collision data at $\sqrt{s}=7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	1.6	19
596	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	52
597	Measurement of $k_T$ splitting scales in $W\hat{+}a, \tau^{1/2}$ events at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2013, 73, 2432.	1.4	19
598	Search for a light charged Higgs boson in the decay channel $H^{+} \rightarrow c\bar{s}$ in $t\bar{t}$ events using pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2013, 73, 2465.	1.4	119
599	High-accuracy determination of the neutron flux at n_TOF. European Physical Journal A, 2013, 49, 1.	1.0	71
600	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	102
601	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s}=8$ TeV proton-proton collisions using the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	1.6	71
602	Measurement of the differential cross-section of B + meson production in pp collisions at $\sqrt{s}=7$ TeV at ATLAS. Journal of High Energy Physics, 2013, 2013, 1.	1.6	31
603	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	52
604	Improved luminosity determination in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2518.	1.4	362
605	Measurement of the inclusive jet cross-section in pp collisions at $\sqrt{s}=2.76 \text{ TeV}$ and comparison to the inclusive jet cross-section at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2013, 73, 2509.	1.4	105
606	Multi-channel search for squarks and gluinos in $\sqrt{s}=7 \text{ TeV}$ pp collisions with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2362.	1.4	34
607			

#	ARTICLE	IF	CITATIONS
613	Measurement of isolated-photon pair production in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	64
614	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at $\sqrt{s}=7\text{TeV}$ . Journal of High Energy Physics, 2013, 2013, 1.	1.6	59
615	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	15
616	A new CVD diamond mosaic-detector for (n, $\gamma$ ) ETQq0 0 0 rgBT /Overlock 10 Tf 50 637 Td (xmlns:mml="http://www.w3.org/2003/11/22/mathml") at CERN. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2013, 732, 190-194.	0.7	26
617	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $\sqrt{s}=7\text{TeV}$ . European Physical Journal C, 2013, 73, 1.	1.4	61
618	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at $\sqrt{s}=7\text{TeV}$ . European Physical Journal C, 2013, 73, 1.	1.4	45
619	Neutron Capture Cross Section of Unstable $^{63}\text{Ni}$ : Implications for Stellar Nucleosynthesis. Physical Review Letters, 2013, 110, 022501.	2.9	44
620	Measurement of the flavour composition of dijet events in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2013, 73, 1.	1.4	15
621	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 1.	1.4	45
622	Jet energy resolution in proton-proton collisions at $\sqrt{s}=7\text{TeV}$ recorded in 2010 with the ATLAS detector. European Physical Journal C, 2013, 73, 2306.	1.4	209
623	Measurement of the $\tau$ production cross section in the tau + jets channel using the ATLAS detector. European Physical Journal C, 2013, 73, 2328.	1.4	45
624	Strength of the scissors mode in odd-mass Gd isotopes from the radiative capture of resonance neutrons. Physical Review C, 2013, 88, .	1.1	26
625	(n, $\hat{p}$ ) Experiments on tin isotopes. , 2013, , .		0
626	Neutron research at the N_TOF facility (CERN): Results and perspectives. , 2013, , .		0
627	Search for WHproduction with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. New Journal of Physics, 2013, 15, 043009.	1.2	15
628	Scissors mode of Gd nuclei measured, with the DANCE detector. Physica Scripta, 2013, T154, 014009.	1.2	4
629	Search for Pair Production of Strongly Interacting Particles Decaying to Pairs of Jets in pp Collisions at $\sqrt{s}=1.96\text{TeV}$ . Physical Review Letters, 2013, 111, 031802.	2.9	26
630	Direct Measurement of the Total Decay Width of the Top Quark. Physical Review Letters, 2013, 111, 202001.	2.9	33

#	ARTICLE	IF	CITATIONS
631	Photon strength functions of $Gd$ from radiative capture of resonance neutrons. Physical Review C, 2013, 87, .	1.1	20
632	THE LATEST ON NEUTRON-INDUCED CAPTURE AND FISSION MEASUREMENTS AT THE CERN $n\_TOF$ FACILITY., 2013, , .		1
633	Angular distribution in the neutron-induced fission of actinides. EPJ Web of Conferences, 2013, 62, 08003.	0.1	1
634	Scissors mode of $Gd$ nuclei studied from resonance neutron capture. , 2012, , . Transverse momentum cross section of $e^+e^-$ pairs in the $Z$ -boson region from		0
635	$e^+e^-$ pairs in the $Z$ -boson region from	1.6	46
636	Precision Top-Quark Mass Measurement at CDF. Physical Review Letters, 2012, 109, 152003. Measurement of the $WZ$ cross section and triple gauge couplings in	2.9	39
637	$pp$ collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector	1.6	28
638	Measurement of the cross section for top-quark pair production in $pp$ collisions at $\sqrt{s} = 7, 8$ TeV with the ATLAS detector using final states with two high- $p_T$ leptons. Journal of High Energy Physics, 2012, 2012, 1.	1.6	45
639	Jet mass and substructure of inclusive jets in $\sqrt{s} = 7$ TeV $pp$ collisions with the ATLAS experiment. Journal of High Energy Physics, 2012, 2012, 1.	1.6	88
640	Measurement of inclusive two-particle angular correlations in $pp$ collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	12
641	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in $4.7 \text{ fb}^{-1}$ of $\sqrt{s} = 7$ TeV $pp$ collisions. Journal of High Energy Physics, 2012, 2012, 1.	1.6	53
642	A search for $t$ resonances in lepton+jets events with highly boosted top quarks collected in $pp$ collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	40
643	Search for the Standard Model Higgs boson in the $H \rightarrow \tau\tau$ decay mode in $\sqrt{s} = 7, 8$ TeV $pp$ collisions with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	1.6	43
644	A search for flavour changing neutral currents in top-quark decays in $pp$ collision data collected with the ATLAS detector at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	34
645	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s} = 7$ TeV with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	1.6	15
646	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	54
647	Search for high-mass resonances decaying to dilepton final states in $pp$ collisions at $\sqrt{s} = 7, 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	54
648	Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s} = 7, 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	17

#	ARTICLE	IF	CITATIONS
649	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s}=7\text{ TeV}$ pp collisions at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	48
650	Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s}=7\text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	13
651	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. European Physical Journal C, 2012, 72, 1.	1.4	248
652	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at $\sqrt{s} = 7\text{ TeV}$ . European Physical Journal C, 2012, 72, 1.	1.4	100
653	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at $\sqrt{s} = 7\text{ TeV}$ . European Physical Journal C, 2012, 72, 1.	1.4	13
654	Measurement of $\text{Star}{t}$ production with a veto on additional central jet activity in pp collisions at $\sqrt{s}=7\text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2012, 72, 2043.	1.4	109
655	A search for $\text{Star}{t}$ resonances with the ATLAS detector in $2.05\text{ fb}^{-1}$ of proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$ . European Physical Journal C, 2012, 72, 2083.	1.4	25
656	Search for second generation scalar leptoquarks in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	37
657	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	16
658	Measurement of $W \hat{\pm} Z$ production in proton-proton collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	59
659	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	25
660	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{s}=7\text{ TeV}$ . European Physical Journal C, 2012, 72, 1.	1.4	22
661	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in $7\text{ TeV}$ proton-proton collision data with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	13
662	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s}=7\text{ TeV}$ proton-proton collisions. European Physical Journal C, 2012, 72, 1.	1.4	31
663	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s} = 7\text{ TeV}$ . European Physical Journal C, 2012, 72, 1.	1.4	36
664			

#	ARTICLE	IF	CITATIONS
667	Performance of missing transverse momentum reconstruction in proton-proton collisions at $\sqrt{s} = 7$ TeV with ATLAS. European Physical Journal C, 2012, 72, 1.	1.4	230
668	Performance of the ATLAS Trigger System in 2010. European Physical Journal C, 2012, 72, 1.	1.4	259
669	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	36
670	Search for charged Higgs bosons decaying via $H \rightarrow t\bar{t}$ in $t$ events using pp collision data at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	126
671	Measurement of the W boson polarization in top quark decays with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	57
672	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	29
673	Simultaneous measurement of neutron-induced capture and fission reactions at CERN. European Physical Journal A, 2012, 48, 1.	1.0	19
674	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	15
675	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS experiment. European Physical Journal C, 2012, 72, 1.	1.4	36

676

#	ARTICLE	IF	CITATIONS
685	Luminosity determination in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	1.4	179
686	Measurements of underlying-event properties using neutral and charged particles in pp collisions at $\sqrt{s}=900$ GeV and $\sqrt{s}=7$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	1.4	31
687	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in $\sqrt{s}=7$ TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	18
688	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $\sqrt{s}=7$ TeV proton-proton collisions with the ATLAS experiment. European Physical Journal C, 2011, 71, 1.	1.4	41
689	Limits on the production of the standard model Higgs boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	40
690	Search for diphoton events with large missing transverse energy with $36 \text{ pb}^{-1}$ of 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	15
691	Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy. European Physical Journal C, 2011, 71, 1.	1.4	60
692	Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	56
693	Search for a heavy neutral particle decaying into an electron and a muon using $1 \text{ fb}^{-1}$ of ATLAS data. European Physical Journal C, 2011, 71, 1.	1.4	14
694	Search for massive colored scalars in four-jet final states in $\sqrt{s}=7$ TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	39
695	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	73
696	Measurement of $W^{\pm}Z$ and $Z^{\pm}Z$ production in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	11
697	Inclusive search for same-sign dilepton signatures in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	33
698	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 7$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	65
699	Evidence for the Scissors Mode in $[\text{sup } 160]\text{Tb}$ from the Two-Step Gamma Cascades Measurement. , 2011,		0
700	Measurement of the $\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline">< mml:mmultiscripts>< mml:mi mathvariant="normal">Gd</mml:mi>< mml:mprescripts />< mml:none$		



#	ARTICLE	IF	CITATIONS
703	The ATLAS Inner Detector commissioning and calibration. European Physical Journal C, 2010, 70, 787-821.	1.4	95
704	Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons. European Physical Journal C, 2010, 70, 755-785.	1.4	51
705	The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874.	1.4	1,187
706	Readiness of the ATLAS Tile Calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 1193-1236.	1.4	121
707	Performance of the ATLAS detector using first collision data. Journal of High Energy Physics, 2010, 2010, 1.	1.6	18
708	Measurement of the $W \rightarrow e \nu_e$ and $Z \rightarrow e^+ e^-$ production cross sections in proton-proton collisions at $\sqrt{s} = 7$ and $8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2010, 2010, 1.	1.6	64
709	Transverse Momentum and Total Cross Section of $e^+ e^-$ Pairs in the Z-Boson Region from $pp \rightarrow Z \rightarrow e^+ e^-$ Collisions at $\sqrt{s} = 1.8$ TeV. Physical Review Letters, 2000, 84, 845-850.	2.9	131
710	Measurement of $Z \rightarrow \mu^+ \mu^-$ and Drell-Yan production cross sections using dimuons in $pp \rightarrow Z \rightarrow \mu^+ \mu^-$ collisions at $\sqrt{s} = 1.8$ TeV. Physical Review D, 1999, 59, .	1.6	26
711	Measurement of $\sigma_B(W \rightarrow e \nu_e)$ and $\sigma_B(Z \rightarrow e^+ e^-)$ in $pp \rightarrow Z \rightarrow e^+ e^-$ Collisions at $\sqrt{s} = 1.8$ TeV. Physical Review Letters, 1996, 76, 3070-3075.	2.9	62
712	Observation of Top Quark Production in $pp \rightarrow t \bar{t}$ Collisions with the Collider Detector at Fermilab. Physical Review Letters, 1995, 74, 2626-2631.	2.9	1,240
713	A measurement of energy correlations and a determination of $\Gamma_{\pm}(M_{Z^0})$ $e^+ e^-$ annihilations at $\sqrt{s} = 91$ GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1990, 252, 159-169.	1.5	39
714	Studies of intermediate vector boson production and decay in UA1 at the CERN proton-antiproton collider. Zeitschrift für Physik C-Particles and Fields, 1989, 44, 15-61.	1.5	99