

Michael C Phillips

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5816439/publications.pdf>

Version: 2024-02-01

180
papers

19,212
citations

8749

75
h-index

11928

134
g-index

182
all docs

182
docs citations

182
times ranked

14269
citing authors

#	ARTICLE	IF	CITATIONS
1	Is ABCA1 a lipid transfer protein?. <i>Journal of Lipid Research</i> , 2018, 59, 749-763.	2.0	122
2	Reference Parameters for Protein Hydrogen Exchange Rates. <i>Journal of the American Society for Mass Spectrometry</i> , 2018, 29, 1936-1939.	1.2	61
3	Directional ABCA1-mediated cholesterol efflux and apoB-lipoprotein secretion in the retinal pigment epithelium. <i>Journal of Lipid Research</i> , 2018, 59, 1927-1939.	2.0	21
4	Helical structure, stability, and dynamics in human apolipoprotein E3 and E4 by hydrogen exchange and mass spectrometry. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 968-973.	3.3	38
5	ATP-Binding Cassette Transporter A1 Deficiency in Human Induced Pluripotent Stem Cell-Derived Hepatocytes Abrogates HDL Biogenesis and Enhances Triglyceride Secretion. <i>EBioMedicine</i> , 2017, 18, 139-145.	2.7	23
6	A human APOC3 missense variant and monoclonal antibody accelerate apoC-III clearance and lower triglyceride-rich lipoprotein levels. <i>Nature Medicine</i> , 2017, 23, 1086-1094.	15.2	88
7	A consensus model of human apolipoprotein A-I in its monomeric and lipid-free state. <i>Nature Structural and Molecular Biology</i> , 2017, 24, 1093-1099.	3.6	54
8	Cell lipid metabolism modulators 2-bromopalmitate, D609, monensin, U18666A and probucol shift discoidal HDL formation to the smaller-sized particles: implications for the mechanism of HDL assembly. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2016, 1861, 1968-1979.	1.2	5
9	Kinetic and Thermodynamic Analyses of Spontaneous Exchange between High-Density Lipoprotein-Bound and Lipid-Free Apolipoprotein A-I. <i>Biochemistry</i> , 2015, 54, 1123-1131.	1.2	23
10	Robust passive and active efflux of cellular cholesterol to a designer functional mimic of high density lipoprotein. <i>Journal of Lipid Research</i> , 2015, 56, 972-985.	2.0	39
11	Molecular Mechanisms of Cellular Cholesterol Efflux. <i>Journal of Biological Chemistry</i> , 2014, 289, 24020-24029.	1.6	449
12	Interaction of Thioflavin T with amyloid fibrils of apolipoprotein A-I N-terminal fragment: Resonance energy transfer study. <i>Journal of Structural Biology</i> , 2014, 185, 116-124.	1.3	23
13	Apolipoprotein E isoforms and lipoprotein metabolism. <i>IUBMB Life</i> , 2014, 66, 616-623.	1.5	236
14	Influence of Domain Stability on the Properties of Human Apolipoprotein E3 and E4 and Mouse Apolipoprotein E. <i>Biochemistry</i> , 2014, 53, 4025-4033.	1.2	21
15	Fluorescence study of domain structure and lipid interaction of human apolipoproteins E3 and E4. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2014, 1841, 1716-1724.	1.2	13
16	The roles of C-terminal helices of human apolipoprotein A-I in formation of high-density lipoprotein particles. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2014, 1841, 80-87.	1.2	28
17	Dual Role of an N-terminal Amyloidogenic Mutation in Apolipoprotein A-I. <i>Journal of Biological Chemistry</i> , 2013, 288, 2848-2856.	1.6	37
18	Apolipoprotein E-mediated cell cycle arrest linked to p27 and the Cox2-dependent repression of miR221/222. <i>Atherosclerosis</i> , 2013, 227, 65-71.	0.4	25

#	ARTICLE	IF	CITATIONS
19	Interactions of Apolipoprotein A-I with High-Density Lipoprotein Particles. <i>Biochemistry</i> , 2013, 52, 1963-1972.	1.2	22
20	Factors controlling nascent high-density lipoprotein particle heterogeneity: ATP-binding cassette transporter A1 activity and cell lipid and apolipoprotein AI availability. <i>FASEB Journal</i> , 2013, 27, 2880-2892.	0.2	29
21	Influence of apolipoprotein A-I and apolipoprotein A-II availability on nascent HDL heterogeneity. <i>Journal of Lipid Research</i> , 2013, 54, 3464-3470.	2.0	2
22	Molecular Mechanisms Responsible for the Differential Effects of ApoE3 and ApoE4 on Plasma Lipoprotein Cholesterol Levels. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013, 33, 687-693.	1.1	50
23	Comparison of apoA-I helical structure and stability in discoidal and spherical HDL particles by HX and mass spectrometry. <i>Journal of Lipid Research</i> , 2013, 54, 1589-1597.	2.0	30
24	Mechanisms Responsible for the Compositional Heterogeneity of Nascent High Density Lipoprotein. <i>Journal of Biological Chemistry</i> , 2013, 288, 23150-23160.	1.6	35
25	Serum albumin acts as a shuttle to enhance cholesterol efflux from cells. <i>Journal of Lipid Research</i> , 2013, 54, 671-676.	2.0	86
26	New insights into the determination of HDL structure by apolipoproteins. <i>Journal of Lipid Research</i> , 2013, 54, 2034-2048.	2.0	149
27	Effects of the Iowa and Milano Mutations on Apolipoprotein A-I Structure and Dynamics Determined by Hydrogen Exchange and Mass Spectrometry. <i>Biochemistry</i> , 2012, 51, 8993-9001.	1.2	25
28	Cardiovascular Protection by ApoE and ApoE-HDL Linked to Suppression of ECM Gene Expression and Arterial Stiffening. <i>Cell Reports</i> , 2012, 2, 1259-1271.	2.9	159
29	Apolipoprotein A-I helical structure and stability in discoidal high-density lipoprotein (HDL) particles by hydrogen exchange and mass spectrometry. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 11687-11692.	3.3	69
30	Influence of C-terminal α -helix hydrophobicity and aromatic amino acid content on apolipoprotein A-I functionality. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2012, 1821, 456-463.	1.2	29
31	Cytoskeleton disruption in J774 macrophages: Consequences for lipid droplet formation and cholesterol flux. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2012, 1821, 464-472.	1.2	18
32	Fluorescence Analysis of the Lipid Binding-Induced Conformational Change of Apolipoprotein E4. <i>Biochemistry</i> , 2012, 51, 5580-5588.	1.2	21
33	Cholesterol Efflux and Atheroprotection. <i>Circulation</i> , 2012, 125, 1905-1919.	1.6	772
34	Hepatic sortilin regulates both apolipoprotein B secretion and LDL catabolism. <i>Journal of Clinical Investigation</i> , 2012, 122, 2807-2816.	3.9	190
35	Influence of N-terminal helix bundle stability on the lipid-binding properties of human apolipoprotein A-I. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2011, 1811, 25-30.	1.2	22
36	A sensitive assay for ABCA1-mediated cholesterol efflux using BODIPY-cholesterol. <i>Journal of Lipid Research</i> , 2011, 52, 2332-2340.	2.0	176

#	ARTICLE	IF	CITATIONS
37	Novel In Vivo Method for Measuring Cholesterol Mass Flux in Peripheral Macrophages. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 2865-2871.	1.1	14
38	Influence of Apolipoprotein A-I Domain Structure on Macrophage Reverse Cholesterol Transport in Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 320-327.	1.1	25
39	High-density lipoprotein heterogeneity and function in reverse cholesterol transport. <i>Current Opinion in Lipidology</i> , 2010, 21, 229-238.	1.2	281
40	From noncoding variant to phenotype via SORT1 at the 1p13 cholesterol locus. <i>Nature</i> , 2010, 466, 714-719.	13.7	1,018
41	Surface plasmon resonance analysis of the mechanism of binding of apoA-I to high density lipoprotein particles. <i>Journal of Lipid Research</i> , 2010, 51, 606-617.	2.0	35
42	Disruption of the C-terminal helix by single amino acid deletion is directly responsible for impaired cholesterol efflux ability of apolipoprotein A-I. <i>Journal of Lipid Research</i> , 2010, 51, 809-818.	2.0	22
43	High Density Lipoprotein Structure—Function and Role in Reverse Cholesterol Transport. <i>Sub-Cellular Biochemistry</i> , 2010, 51, 183-227.	1.0	204
44	Influence of Apolipoprotein (Apo) A-I Structure on Nascent High Density Lipoprotein (HDL) Particle Size Distribution. <i>Journal of Biological Chemistry</i> , 2010, 285, 31965-31973.	1.6	43
45	Pathways by Which Reconstituted High-Density Lipoprotein Mobilizes Free Cholesterol From Whole Body and From Macrophages. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010, 30, 526-532.	1.1	41
46	Molecular Basis for the Differences in Lipid and Lipoprotein Binding Properties of Human Apolipoproteins E3 and E4. <i>Biochemistry</i> , 2010, 49, 10881-10889.	1.2	56
47	Structural and functional consequences of the Milano mutation (R173C) in human apolipoprotein A-I. <i>Journal of Lipid Research</i> , 2009, 50, 1409-1419.	2.0	59
48	Influence of class B scavenger receptors on cholesterol flux across the brush border membrane and intestinal absorption. <i>Journal of Lipid Research</i> , 2009, 50, 2235-2244.	2.0	37
49	Effects of acceptor composition and mechanism of ABCG1-mediated cellular free cholesterol efflux. <i>Journal of Lipid Research</i> , 2009, 50, 275-284.	2.0	144
50	Macrophage Reverse Cholesterol Transport in Mice Expressing ApoA-I Milano. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009, 29, 1496-1501.	1.1	53
51	Helical structure and stability in human apolipoprotein A-I by hydrogen exchange and mass spectrometry. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 19005-19010.	3.3	139
52	Mechanism underlying apolipoprotein E (ApoE) isoform-dependent lipid efflux from neural cells in culture. <i>Journal of Neuroscience Research</i> , 2009, 87, 2498-2508.	1.3	67
53	Molecular Mechanism of Apolipoprotein E Binding to Lipoprotein Particles. <i>Biochemistry</i> , 2009, 48, 3025-3032.	1.2	50
54	Interaction between the N- and C-Terminal Domains Modulates the Stability and Lipid Binding of Apolipoprotein A-I. <i>Biochemistry</i> , 2009, 48, 2529-2537.	1.2	41

#	ARTICLE	IF	CITATIONS
55	Structure–function properties of the apoE-dependent COX-2 pathway in vascular smooth muscle cells. <i>Atherosclerosis</i> , 2008, 196, 201-209.	0.4	15
56	Influence of Tertiary Structure Domain Properties on the Functionality of Apolipoprotein A-I. <i>Biochemistry</i> , 2008, 47, 2172-2180.	1.2	42
57	Conformational Flexibility of the N-Terminal Domain of Apolipoprotein A-I Bound to Spherical Lipid Particles. <i>Biochemistry</i> , 2008, 47, 11340-11347.	1.2	47
58	Contributions of the Carboxyl-Terminal Helical Segment to the Self-Association and Lipoprotein Preferences of Human Apolipoprotein E3 and E4 Isoforms. <i>Biochemistry</i> , 2008, 47, 2968-2977.	1.2	51
59	Role of the N- and C-Terminal Domains in Binding of Apolipoprotein E Isoforms to Heparan Sulfate and Dermatan Sulfate: A Surface Plasmon Resonance Study. <i>Biochemistry</i> , 2008, 47, 6702-6710.	1.2	35
60	CD36 Mediates Both Cellular Uptake of Very Long Chain Fatty Acids and Their Intestinal Absorption in Mice. <i>Journal of Biological Chemistry</i> , 2008, 283, 13108-13115.	1.6	124
61	Characterization and properties of pre β ² -HDL particles formed by ABCA1-mediated cellular lipid efflux to apoA-I. <i>Journal of Lipid Research</i> , 2008, 49, 1006-1014.	2.0	84
62	Lipoprotein structure. , 2008, , 485-506.		34
63	List of contributors**Authors™ names are followed by the starting page number(s) of their contribution(s).. , 2008, , vii-x.		0
64	Effects of amino acid substitutions at glycine 420 on SR-BI cholesterol transport function. <i>Journal of Lipid Research</i> , 2007, 48, 1386-1395.	2.0	7
65	Wild-Type ApoA-I and the Milano Variant Have Similar Abilities to Stimulate Cellular Lipid Mobilization and Efflux. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007, 27, 2022-2029.	1.1	46
66	The roles of different pathways in the release of cholesterol from macrophages. <i>Journal of Lipid Research</i> , 2007, 48, 2453-2462.	2.0	274
67	ABCA1-Induced Cell Surface Binding Sites for ApoA-I. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007, 27, 1603-1609.	1.1	122
68	Mechanism of ATP-binding Cassette Transporter A1-mediated Cellular Lipid Efflux to Apolipoprotein A-I and Formation of High Density Lipoprotein Particles. <i>Journal of Biological Chemistry</i> , 2007, 282, 25123-25130.	1.6	300
69	Multiple plasma membrane receptors but not NPC1L1 mediate high-affinity, ezetimibe-sensitive cholesterol uptake into the intestinal brush border membrane. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2007, 1771, 1140-1147.	1.2	49
70	The C-Terminal Lipid-Binding Domain of Apolipoprotein E Is a Highly Efficient Mediator of ABCA1-Dependent Cholesterol Efflux that Promotes the Assembly of High-Density Lipoproteins. <i>Biochemistry</i> , 2007, 46, 2583-2593.	1.2	99
71	Characterization of nascent HDL particles and microparticles formed by ABCA1-mediated efflux of cellular lipids to apoA-I. <i>Journal of Lipid Research</i> , 2006, 47, 832-843.	2.0	168
72	Contributions of the N- and C-Terminal Helical Segments to the Lipid-Free Structure and Lipid Interaction of Apolipoprotein A-I. <i>Biochemistry</i> , 2006, 45, 10351-10358.	1.2	69

#	ARTICLE	IF	CITATIONS
73	Effect of Carboxyl-Terminal Truncation on Structure and Lipid Interaction of Human Apolipoprotein E4. <i>Biochemistry</i> , 2006, 45, 4240-4247.	1.2	42
74	Mechanisms of cholesterol-lowering effects of dietary insoluble fibres: relationships with intestinal and hepatic cholesterol parameters. <i>British Journal of Nutrition</i> , 2005, 94, 331-337.	1.2	120
75	Two-step Mechanism of Binding of Apolipoprotein E to Heparin. <i>Journal of Biological Chemistry</i> , 2005, 280, 5414-5422.	1.6	73
76	Effects of the Core Lipid on the Energetics of Binding of ApoA-I to Model Lipoprotein Particles of Different Sizes. <i>Biochemistry</i> , 2005, 44, 10689-10695.	1.2	13
77	Class B Scavenger Receptor-Mediated Intestinal Absorption of Dietary β -Carotene and Cholesterol. <i>Biochemistry</i> , 2005, 44, 4517-4525.	1.2	259
78	Structural Analysis of Lipoprotein E Particles. <i>Biochemistry</i> , 2005, 44, 12525-12534.	1.2	39
79	Identification of an Apolipoprotein A-I Structural Element That Mediates Cellular Cholesterol Efflux and Stabilizes ATP Binding Cassette Transporter A1. <i>Journal of Biological Chemistry</i> , 2004, 279, 24044-24052.	1.6	62
80	Scavenger Receptor BI (SR-BI) Clustered on Microvillar Extensions Suggests that This Plasma Membrane Domain Is a Way Station for Cholesterol Trafficking between Cells and High-Density Lipoprotein. <i>Molecular Biology of the Cell</i> , 2004, 15, 384-396.	0.9	89
81	Aromatic Residue Position on the Nonpolar Face of Class A Amphipathic Helical Peptides Determines Biological Activity. <i>Journal of Biological Chemistry</i> , 2004, 279, 26509-26517.	1.6	72
82	α -Helix Formation Is Required for High Affinity Binding of Human Apolipoprotein A-I to Lipids. <i>Journal of Biological Chemistry</i> , 2004, 279, 20974-20981.	1.6	103
83	Scavenger Receptor Class B Type I-mediated Cholesteryl Ester-selective Uptake and Efflux of Unesterified Cholesterol. <i>Journal of Biological Chemistry</i> , 2004, 279, 12448-12455.	1.6	83
84	Influence of ApoA-I Structure on the ABCA1-mediated Efflux of Cellular Lipids. <i>Journal of Biological Chemistry</i> , 2004, 279, 49931-49939.	1.6	71
85	Apolipoprotein A-I-stimulated Apolipoprotein E Secretion from Human Macrophages Is Independent of Cholesterol Efflux. <i>Journal of Biological Chemistry</i> , 2004, 279, 25966-25977.	1.6	40
86	Helix Orientation of the Functional Domains in Apolipoprotein E in Discoidal High Density Lipoprotein Particles. <i>Journal of Biological Chemistry</i> , 2004, 279, 14273-14279.	1.6	79
87	Structure of Human Apolipoprotein A-IV: A Distinct Domain Architecture among Exchangeable Apolipoproteins with Potential Functional Implications. <i>Biochemistry</i> , 2004, 43, 10719-10729.	1.2	33
88	Contributions of domain structure and lipid interaction to the functionality of exchangeable human apolipoproteins. <i>Progress in Lipid Research</i> , 2004, 43, 350-380.	5.3	187
89	Antimitogenic effects of HDL and APOE mediated by Cox-2-dependent IP activation. <i>Journal of Clinical Investigation</i> , 2004, 113, 609-618.	3.9	41
90	Increased Low-Density Lipoprotein Oxidation and Impaired High-Density Lipoprotein Antioxidant Defense Are Associated With Increased Macrophage Homing and Atherosclerosis in Dyslipidemic Obese Mice. <i>Circulation</i> , 2003, 107, 1640-1646.	1.6	166

#	ARTICLE	IF	CITATIONS
91	Effects of Apolipoprotein A-I on ATP-binding Cassette Transporter A1-mediated Efflux of Macrophage Phospholipid and Cholesterol. <i>Journal of Biological Chemistry</i> , 2003, 278, 42976-42984.	1.6	111
92	Importance of Different Pathways of Cellular Cholesterol Efflux. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2003, 23, 712-719.	1.1	460
93	A quantitative analysis of apolipoprotein binding to SR-BI: multiple binding sites for lipid-free and lipid-associated apolipoproteins. <i>Journal of Lipid Research</i> , 2003, 44, 1132-1142.	2.0	63
94	Characterization of the Heparin Binding Sites in Human Apolipoprotein E. <i>Journal of Biological Chemistry</i> , 2003, 278, 14782-14787.	1.6	74
95	Domain Structure and Lipid Interaction in Human Apolipoproteins A-I and E, a General Model. <i>Journal of Biological Chemistry</i> , 2003, 278, 23227-23232.	1.6	161
96	Effects of Polymorphism on the Lipid Interaction of Human Apolipoprotein E. <i>Journal of Biological Chemistry</i> , 2003, 278, 40723-40729.	1.6	76
97	High density lipoprotein structure. <i>Frontiers in Bioscience - Landmark</i> , 2003, 8, d1044-1054.	3.0	82
98	Effects of Enrichment of Fibroblasts with Unesterified Cholesterol on the Efflux of Cellular Lipids to Apolipoprotein A-I. <i>Journal of Biological Chemistry</i> , 2002, 277, 11811-11820.	1.6	45
99	Influence of apoE domain structure and polymorphism on the kinetics of phospholipid vesicle solubilization. <i>Journal of Lipid Research</i> , 2002, 43, 1688-1700.	2.0	87
100	Comparison of the stabilities and unfolding pathways of human apolipoprotein E isoforms by differential scanning calorimetry and circular dichroism. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2002, 1584, 9-19.	1.2	72
101	Lipid Binding-induced Conformational Change in Human Apolipoprotein E. <i>Journal of Biological Chemistry</i> , 2001, 276, 40949-40954.	1.6	106
102	Scavenger Receptor Class B, Type I-mediated Uptake of Various Lipids into Cells. <i>Journal of Biological Chemistry</i> , 2001, 276, 43801-43808.	1.6	115
103	Arg123-Tyr166 Domain of Human ApoA-I Is Critical for HDL-Mediated Inhibition of Macrophage Homing and Early Atherosclerosis in Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2001, 21, 1977-1983.	1.1	50
104	New Insights into the Heparan Sulfate Proteoglycan-binding Activity of Apolipoprotein E. <i>Journal of Biological Chemistry</i> , 2001, 276, 39138-39144.	1.6	89
105	Effects of increasing hydrophobicity on the physical-chemical and biological properties of a class A amphipathic helical peptide. <i>Journal of Lipid Research</i> , 2001, 42, 1096-1104.	2.0	203
106	Effects of polymorphism on the microenvironment of the LDL receptor-binding region of human apoE. <i>Journal of Lipid Research</i> , 2001, 42, 894-901.	2.0	34
107	Effects of Lipid Interaction on the Lysine Microenvironments in Apolipoprotein E. <i>Journal of Biological Chemistry</i> , 2000, 275, 34459-34464.	1.6	51
108	Binding and Cross-linking Studies Show That Scavenger Receptor BI Interacts with Multiple Sites in Apolipoprotein A-I and Identify the Class A Amphipathic α -Helix as a Recognition Motif. <i>Journal of Biological Chemistry</i> , 2000, 275, 18897-18904.	1.6	102

#	ARTICLE	IF	CITATIONS
109	Differences in Stability among the Human Apolipoprotein E Isoforms Determined by the Amino-Terminal Domain. <i>Biochemistry</i> , 2000, 39, 11657-11666.	1.2	289
110	Intestinal Sterol Absorption Mediated by Scavenger Receptors Is Competitively Inhibited by Amphipathic Peptides and Proteins. <i>Biochemistry</i> , 2000, 39, 12623-12631.	1.2	46
111	Efflux of Cholesterol from Different Cellular Pools. <i>Biochemistry</i> , 2000, 39, 4508-4517.	1.2	123
112	Apolipoprotein E low density lipoprotein receptor interaction: influences of basic residue and amphipathic α -helix organization in the ligand. <i>Journal of Lipid Research</i> , 2000, 41, 1087-1095.	2.0	62
113	Apolipoprotein-mediated Plasma Membrane Microsolubilization. <i>Journal of Biological Chemistry</i> , 1999, 274, 2021-2028.	1.6	170
114	Mechanism of Scavenger Receptor Class B Type I-mediated Selective Uptake of Cholesteryl Esters from High Density Lipoprotein to Adrenal Cells. <i>Journal of Biological Chemistry</i> , 1999, 274, 20344-20350.	1.6	172
115	Kinetics and mechanism of exchange of apolipoprotein C-III molecules from very low density lipoprotein particles. <i>BBA - Proteins and Proteomics</i> , 1999, 1430, 302-312.	2.1	16
116	Induction of cellular cholesterol efflux to lipid-free apolipoprotein A-I by cAMP. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 1999, 1438, 85-98.	1.2	84
117	Scavenger receptor BI and cholesterol trafficking. <i>Current Opinion in Lipidology</i> , 1999, 10, 329-340.	1.2	164
118	Cell cholesterol efflux: integration of old and new observations provides new insights. <i>Journal of Lipid Research</i> , 1999, 40, 781-796.	2.0	436
119	Scavenger receptor BI (SR-BI) mediates free cholesterol flux independently of HDL tethering to the cell surface. <i>Journal of Lipid Research</i> , 1999, 40, 575-580.	2.0	191
120	Structural and metabolic consequences of liposome-lipoprotein interactions. <i>Advanced Drug Delivery Reviews</i> , 1998, 32, 31-43.	6.6	43
121	Studies of Synthetic Peptides of Human Apolipoprotein A-I Containing Tandem Amphipathic α -Helices. <i>Biochemistry</i> , 1998, 37, 10313-10324.	1.2	75
122	Apolipoprotein B-100 Conformation and Particle Surface Charge in Human LDL Subspecies: Implication for LDL Receptor Interaction. <i>Biochemistry</i> , 1998, 37, 12867-12874.	1.2	124
123	Identification of a Receptor Mediating Absorption of Dietary Cholesterol in the Intestine. <i>Biochemistry</i> , 1998, 37, 17843-17850.	1.2	231
124	Mechanisms of high density lipoprotein-mediated efflux of cholesterol from cell plasma membranes. <i>Atherosclerosis</i> , 1998, 137, S13-S17.	0.4	76
125	Scavenger Receptor Class B Type I as a Mediator of Cellular Cholesterol Efflux to Lipoproteins and Phospholipid Acceptors. <i>Journal of Biological Chemistry</i> , 1998, 273, 5599-5606.	1.6	265
126	Removal of cellular cholesterol by pre-HDL involves plasma membrane microsolubilization. <i>Journal of Lipid Research</i> , 1998, 39, 1918-1928.	2.0	81

#	ARTICLE	IF	CITATIONS
127	Dietary modification of high density lipoprotein phospholipid and influence on cellular cholesterol efflux. <i>Journal of Lipid Research</i> , 1998, 39, 2065-2075.	2.0	27
128	Scavenger Receptor BI Promotes High Density Lipoprotein-mediated Cellular Cholesterol Efflux. <i>Journal of Biological Chemistry</i> , 1997, 272, 20982-20985.	1.6	626
129	Truncation of the Amino Terminus of Human Apolipoprotein A-I Substantially Alters Only the Lipid-Free Conformation. <i>Biochemistry</i> , 1997, 36, 288-300.	1.2	117
130	The uptake of cholesterol at the small-intestinal brush border membrane is inhibited by apolipoproteins. <i>FEBS Letters</i> , 1997, 411, 7-11.	1.3	21
131	Lipoproteins and Cellular Cholesterol Homeostasis. <i>Sub-Cellular Biochemistry</i> , 1997, 28, 235-276.	1.0	22
132	Remodeling and Shuttling. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 17, 383-393.	1.1	45
133	Cellular Cholesterol Efflux Mediated by Cyclodextrins. <i>Journal of Biological Chemistry</i> , 1996, 271, 16026-16034.	1.6	406
134	Apolipoprotein A-I Structural Modification and the Functionality of Reconstituted High Density Lipoprotein Particles in Cellular Cholesterol Efflux. <i>Journal of Biological Chemistry</i> , 1996, 271, 23792-23798.	1.6	46
135	Only the Two End Helices of Eight Tandem Amphipathic Helical Domains of Human Apo A-I Have Significant Lipid Affinity. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1996, 16, 328-338.	1.1	177
136	Effects of Acceptor Particle Size on the Efflux of Cellular Free Cholesterol. <i>Journal of Biological Chemistry</i> , 1995, 270, 17106-17113.	1.6	116
137	Effect of the Cholesterol Content of Reconstituted LpA-I on Lecithin:Cholesterol Acyltransferase Activity. <i>Journal of Biological Chemistry</i> , 1995, 270, 5151-5157.	1.6	35
138	Effect of the Arrangement of Tandem Repeating Units of Class A Amphipathic α -Helices on Lipid Interaction. <i>Journal of Biological Chemistry</i> , 1995, 270, 1602-1611.	1.6	32
139	The Effect of High Density Lipoprotein Phospholipid Acyl Chain Composition on the Efflux of Cellular Free Cholesterol. <i>Journal of Biological Chemistry</i> , 1995, 270, 5882-5890.	1.6	139
140	Efflux of Newly Synthesized Cholesterol and Biosynthetic Sterol Intermediates from Cells. <i>Journal of Biological Chemistry</i> , 1995, 270, 25037-25046.	1.6	32
141	Effects of the Neutral Lipid Content of High Density Lipoprotein on Apolipoprotein A-I Structure and Particle Stability. <i>Journal of Biological Chemistry</i> , 1995, 270, 26910-26917.	1.6	101
142	Molecular Determinants of Plasma Cholesteryl Ester Transfer Protein Binding to High Density Lipoproteins. <i>Journal of Biological Chemistry</i> , 1995, 270, 11532-11542.	1.6	40
143	Cellular Cholesterol Efflux Mediated by Cyclodextrins. <i>Journal of Biological Chemistry</i> , 1995, 270, 17250-17256.	1.6	723
144	Efflux of cellular cholesterol and phospholipid to lipid-free apolipoproteins and class A amphipathic peptides. <i>Biochemistry</i> , 1995, 34, 7955-7965.	1.2	199

#	ARTICLE	IF	CITATIONS
145	Effect of end group blockage on the properties of a class A amphipathic helical peptide. <i>Proteins: Structure, Function and Bioinformatics</i> , 1993, 15, 349-359.	1.5	115
146	Effects of membrane lipids and -proteins and cytoskeletal proteins on the kinetics of cholesterol exchange between high density lipoprotein and human red blood cells, ghosts and microvesicles. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1992, 1111, 103-110.	1.4	8
147	A technique to estimate the apparent surface pressure of emulsion particles using apolipoproteins as probes. <i>Advances in Colloid and Interface Science</i> , 1992, 41, 1-8.	7.0	11
148	Effects of apolipoprotein structure on the kinetics of apolipoprotein transfer between phospholipid vesicles. <i>Lipids and Lipid Metabolism</i> , 1991, 1081, 220-228.	2.6	12
149	Cholesterol transport between cells and high-density lipoproteins. <i>Lipids and Lipid Metabolism</i> , 1991, 1085, 273-298.	2.6	410
150	Effects of apolipoproteins on the kinetics of cholesterol exchange. <i>Biochemistry</i> , 1991, 30, 866-873.	1.2	27
151	Cholesterol efflux from arterial wall cells. <i>Current Opinion in Lipidology</i> , 1991, 2, 288-294.	1.2	17
152	Kinetics and mechanism of transfer of reduced and carboxymethylated apolipoprotein A-II between phospholipid vesicles. <i>Biochemistry</i> , 1990, 29, 3472-3479.	1.2	7
153	Effects of membrane lipid composition on the kinetics of cholesterol exchange between lipoproteins and different species of red blood cells. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1990, 1027, 85-92.	1.4	45
154	Effect of substrate physical state on the activity of acid cholesteryl ester hydrolase. <i>Lipids and Lipid Metabolism</i> , 1990, 1042, 301-309.	2.6	14
155	The surface properties of apolipoproteins A-I and A-II at the lipid/water interface. <i>Lipids and Lipid Metabolism</i> , 1989, 1004, 300-308.	2.6	54
156	Molecular packing of high-density and low-density lipoprotein surface lipids and apolipoprotein A-I binding. <i>Biochemistry</i> , 1989, 28, 1126-1133.	1.2	90
157	Physical state of cholesteryl esters deposited in cultured macrophages. <i>Biochemistry</i> , 1988, 27, 3640-3646.	1.2	21
158	Effects of lipid composition and packing on the adsorption of apolipoprotein A-I to lipid monolayers. <i>Biochemistry</i> , 1988, 27, 7155-7162.	1.2	76
159	A comparison of the surface activities of human apolipoproteins A-I and A-II at the air/water interface. <i>Lipids and Lipid Metabolism</i> , 1988, 959, 229-237.	2.6	53
160	Influence of molecular packing and phospholipid type on rates of cholesterol exchange. <i>Biochemistry</i> , 1988, 27, 3416-3423.	1.2	231
161	Mechanisms and consequences of cellular cholesterol exchange and transfer. <i>BBA - Biomembranes</i> , 1987, 906, 223-276.	7.9	495
162	Interaction between the 35 kDa apolipoprotein of pulmonary surfactant and saturated phosphatidylcholines. Effects of temperature. <i>Lipids and Lipid Metabolism</i> , 1986, 879, 1-13.	2.6	27

#	ARTICLE	IF	CITATIONS
163	Hydrolysis of lipid monolayers and the substrate specificity of hepatic lipase. <i>Lipids and Lipid Metabolism</i> , 1986, 876, 233-242.	2.6	44
164	Packing of cholesterol molecules in human low-density lipoprotein. <i>Biochemistry</i> , 1986, 25, 1562-1568.	1.2	120
165	Reverse cholesterol transport. <i>Methods in Enzymology</i> , 1986, 129, 628-644.	0.4	78
166	[22] Studies of apolipoproteins at the air-water interface. <i>Methods in Enzymology</i> , 1986, 128, 387-403.	0.4	53
167	Mechanism of the hepatic lipase-induced accumulation of high-density lipoprotein cholesterol by cells in culture. <i>Biochemistry</i> , 1985, 24, 3693-3701.	1.2	128
168	Closing Comments and Summary. <i>Experimental Lung Research</i> , 1984, 6, 271-272.	0.5	0
169	Packing of cholesterol molecules in human high-density lipoproteins. <i>Biochemistry</i> , 1984, 23, 1130-1138.	1.2	46
170	Influence of cholesterol on bilayers of ester- and ether-linked phospholipids Permeability and ¹³ C-nuclear magnetic resonance measurements. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1984, 772, 117-126.	1.4	60
171	Cholesterol transfer from small and large unilamellar vesicles. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1984, 776, 21-26.	1.4	75
172	Kinetics of phosphatidylcholine and lysophosphatidylcholine exchange between unilamellar vesicles. <i>Biochemistry</i> , 1984, 23, 4624-4630.	1.2	144
173	The helical hydrophobic moments and surface activities of serum apolipoproteins. <i>Lipids and Lipid Metabolism</i> , 1983, 754, 227-230.	2.6	33
174	A comparison of the surface activities of rat plasma apolipoproteins C-II, C-III-0, C-III-3. <i>Lipids and Lipid Metabolism</i> , 1983, 751, 470-473.	2.6	24
175	Cholesterol desorption from clusters of phosphatidylcholine and cholesterol in unilamellar vesicle bilayers during lipid transfer or exchange. <i>Biochemistry</i> , 1982, 21, 4053-4059.	1.2	76
176	Location and motion of free cholesterol molecules in high density lipoprotein. <i>Biochemical and Biophysical Research Communications</i> , 1981, 100, 1735-1742.	1.0	12
177	Ion-Binding to Phospholipids. Interaction of Calcium with Phosphatidylserine. <i>FEBS Journal</i> , 1976, 62, 335-344.	0.2	137
178	Interaction of Apoprotein from Porcine High-Density Lipoprotein with Dimyristoyl Lecithin. 2. Nature of Lipid-Protein Interaction. <i>FEBS Journal</i> , 1976, 64, 549-563.	0.2	75
179	Ion-Binding to Phospholipids. Interaction of Calcium and Lanthanide Ions with Phosphatidylcholine (Lecithin). <i>FEBS Journal</i> , 1975, 58, 133-144.	0.2	157
180	Structures of Aqueous Dispersions of Phosphatidylserine. <i>Journal of Biological Chemistry</i> , 1973, 248, 8585-8591.	1.6	47