

# Somboon Tanasupawat

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5817247/publications.pdf>

Version: 2024-02-01

168  
papers

3,662  
citations

126907  
33  
h-index

223800  
46  
g-index

173  
all docs

173  
docs citations

173  
times ranked

2342  
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparative genomics and proposal of <i>Streptomyces radicis</i> sp. nov., an endophytic actinomycete from roots of plants in Thailand. <i>Microbiological Research</i> , 2022, 254, 126889.	5.3	2
2	<i>Nocardia coffeae</i> sp. nov., an endophytic actinobacterium isolated from the root of <i>Coffea arabica</i> (L.). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	1.7	4
3	<i>Streptomyces corallincola</i> and <i>Kineosporia corallincola</i> sp. nov., two new coral-derived marine actinobacteria. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	1.7	14
4	<i>Allobacillus salarius</i> sp. nov., and <i>Allobacillus saliphilus</i> sp. nov., isolated from shrimp paste (ka-pi) in Thailand. <i>Archives of Microbiology</i> , 2022, 204, 71.	2.2	10
5	<i>Streptomyces barringtoniae</i> sp. nov., isolated from rhizosphere of plant with antioxidative potential. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	1.7	5
6	Diversity of the culturable lichen-derived actinobacteria and the taxonomy of <i>Streptomyces parmotrematis</i> sp. nov.. <i>Antonie Van Leeuwenhoek</i> , 2022, 115, 911-920.	1.7	8
7	<i>Neokomagataea anthophila</i> sp. nov., an osmotolerant acetic acid bacterium isolated in Thailand and emended description of the genus <i>Neokomagataea</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	1.7	5
8	<i>Actinomadura parmotrematis</i> sp. nov., isolated from the foliose lichen, <i>Parmotrema praesorediosum</i> (Nyl.) Hale. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	1.7	6
9	<i>Actinomadura decatromicini</i> sp. nov., isolated from mountain soil in Thailand. <i>Journal of Antibiotics</i> , 2021, 74, 51-58.	2.0	7
10	<i>Nocardia terrae</i> sp. nov., an actinomycete isolated from soil in Thailand. <i>Archives of Microbiology</i> , 2021, 203, 1071-1077.	2.2	3
11	Genome analysis and optimization of $\beta$ -aminobutyric acid (GABA) production by lactic acid bacteria from plant materials. <i>Journal of General and Applied Microbiology</i> , 2021, 67, 150-161.	0.7	7
12	<i>Secundilactobacillus folii</i> sp. nov., isolated from fermented tea leaves in Thailand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	1.7	4
13	Draft genome sequencing of <i>Sporolactobacillus terrae</i> SBT-1, an efficient bacterium to ferment concentrated sugar to d-lactic acid. <i>Archives of Microbiology</i> , 2021, 203, 3577-3590.	2.2	6
14	Characterization and comparative genomic analysis of gamma-aminobutyric acid (GABA)-producing lactic acid bacteria from Thai fermented foods. <i>Biotechnology Letters</i> , 2021, 43, 1637-1648.	2.2	8
15	<i>Amycolatopsis dendrobii</i> sp. nov., an endophytic actinomycete isolated from <i>Dendrobium heterocarpum</i> Lindl.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	1.7	8
16	<i>Streptomyces musisoli</i> sp. nov., an actinomycete isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	1.7	5
17	<i>Actinoplanes lichenicola</i> sp. nov. and <i>Actinoplanes ovalisporus</i> sp. nov., isolated from lichen in Thailand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	1.7	12
18	A modified approach for high-quality RNA extraction of spore-forming <i>Bacillus subtilis</i> at varied physiological stages. <i>Molecular Biology Reports</i> , 2021, 48, 6757-6768.	2.3	1

#	ARTICLE	IF	CITATIONS
19	Potential antibiotic production of <i>Streptomyces justiciae</i> sp. nov., isolated from the root of <i>Justicia</i> subcoriacea. International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	1.7	6
20	<i>Streptomyces endocoffeicus</i> sp. nov., an endophytic actinomycete isolated from <i>Coffea arabica</i> (L.). Antonie Van Leeuwenhoek, 2021, 114, 1889-1898.	1.7	2
21	Characterisation of Plant Growth-Promoting Endophytic Bacteria from Sugarcane and Their Antagonistic Activity against <i>Fusarium moniliforme</i> . Tropical Life Sciences Research, 2021, 32, 97-118.	0.9	4
22	<i>Acetobacter garciniae</i> sp. nov., an acetic acid bacterium isolated from fermented mangosteen peel in Thailand. International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	1.7	6
23	<i>Halobacillus fulvus</i> sp. nov., a moderately halophilic bacterium isolated from shrimp paste (Ka-pi) in Thailand. International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	1.7	6
24	<i>Actinomadura violacea</i> sp. nov., a madurastatin A1-producing strain isolated from lichen in Thailand. International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	1.7	7
25	<i>Nonomuraea phyllanthi</i> sp. nov., an endophytic actinomycete isolated from the leaf of <i>Phyllanthus amarus</i> . Archives of Microbiology, 2020, 202, 55-61.	2.2	8
26	Characterization of a novel <i>Clostridium</i> sp. SP17-B1 and its application for succinic acid production from hevea wood waste hydrolysate. Anaerobe, 2020, 61, 102096.	2.1	2
27	Enhanced Antipsoriatic Activity of Mycophenolic Acid Against the TNF- $\pm$ -Induced HaCaT Cell Proliferation by Conjugated Poloxamer Micelles. Journal of Pharmaceutical Sciences, 2020, 109, 1153-1160.	3.3	10
28	Identification and lipolytic activity of yeasts isolated from foods and wastes. Mycology, 2020, 11, 279-286.	4.4	8
29	Bryophytes Harbor Cultivable Actinobacteria With Plant Growth Promoting Potential. Frontiers in Microbiology, 2020, 11, 563047.	3.5	4
30	<i>Microbispora catharanthi</i> sp. nov., a novel endophytic actinomycete isolated from the root of <i>Catharanthus roseus</i> . International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 964-970.	1.7	8
31	<i>Corynebacterium suranareeae</i> sp. nov., a glutamate producing bacterium isolated from soil and its complete genome-based analysis. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 1903-1911.	1.7	11
32	<i>Streptomyces mimosae</i> sp. nov., an endophytic actinomycete isolated from the root of <i>Mimosa pudica</i> in Thailand. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 3316-3322.	1.7	8
33	<i>Gluconobacter aidae</i> sp. nov., an acetic acid bacteria isolated from tropical fruits in Thailand. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 4351-4357.	1.7	10
34	<i>Streptomyces bauhiniae</i> sp. nov., isolated from tree bark of <i>Bauhinia variegata</i> Linn. in Thailand. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 228-233.	1.7	6
35	<i>Terrilactibacillus tamarindi</i> sp. nov., isolated from bark of <i>Tamarindus indica</i> . International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 4145-4150.	1.7	6
36	<i>Nocardia aurantiaca</i> sp. nov., isolated from soil in Thailand. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 5432-5438.	1.7	6

#	ARTICLE	IF	CITATIONS
37	Occurrence of oleaginous yeast from mangrove forest in Thailand. World Journal of Microbiology and Biotechnology, 2019, 35, 108.	3.6	17
38	Micromonospora musae sp. nov., an endophytic actinomycete isolated from roots of Musa species. Systematic and Applied Microbiology, 2019, 42, 126020.	2.8	9
39	Lumichrome Inhibits Human Lung Cancer Cell Growth and Induces Apoptosis via a p53-Dependent Mechanism. Nutrition and Cancer, 2019, 71, 1390-1402.	2.0	11
40	Characterisation of Two Polyketides from Streptomyces sp. SKH1-2 Isolated from Roots of Musa (ABB) cv. ຂູ້ຄູາສອງກະເວີ້ນ. International Microbiology, 2019, 22, 451-459.	2.4	3
41	Micromonospora azadirachtae sp. nov., isolated from roots of Azadirachta indica A. Juss. var. siamensis Valeton. Antonie Van Leeuwenhoek, 2019, 112, 253-262.	1.7	17
42	Characterization and Antibacterial Activity Against Helicobacter pylori of Lactic Acid Bacteria Isolated from Thai Fermented Rice Noodle. Probiotics and Antimicrobial Proteins, 2019, 11, 92-102.	3.9	15
43	Antimicrobial substances from the rare actinomycete <i>&lt;sup&gt;i&lt;/sup&gt;Nonomuraea rhodomycinica&lt;/i&gt;</i> NR4-ASC07 <sup>T</sup> . Natural Product Research, 2019, 33, 2285-2291.	1.8	7
44	New 2-arylbenzofurans from the root bark of Artocarpus gomezianus and their $\beta$ -glucosidase inhibitory activity. Natural Product Research, 2019, 33, 1436-1441.	1.8	6
45	Enterococcus florum sp. nov., isolated from a cotton flower ( <i>Gossypium hirsutum L.</i> ). International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 2506-2513.	1.7	10
46	Micromonospora radicis sp. nov., isolated from roots of Azadirachta indica var. siamensis Valenton, and reclassification of <i>Jishengella zingiberis</i> as <i>Micromonospora zingiberis</i> comb. nov.. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 2884-2891.	1.7	11
47	Lentibacillus lipolyticus sp. nov., a moderately halophilic bacterium isolated from shrimp paste (Ka-pi). International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 3529-3536.	1.7	15
48	Bacillus salacetis sp. nov., a slightly halophilic bacterium from Thai shrimp paste (Ka-pi). International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 1162-1168.	1.7	8
49	Micromonospora caldifontis sp. nov., isolated from hot spring soil. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 1336-1342.	1.7	8
50	Autochthonous lactic acid bacteria isolated from pig faeces in Thailand show probiotic properties and antibacterial activity against enteric pathogenic bacteria. Microbial Pathogenesis, 2018, 119, 208-215.	2.9	50
51	Diversity and characterization of cultivable oleaginous yeasts isolated from mangrove forests. World Journal of Microbiology and Biotechnology, 2018, 34, 125.	3.6	13
52	Micromonospora globbae sp. nov., an endophytic actinomycete isolated from roots of <i>Globba winitii</i> C. H. Wright. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 1073-1077.	1.7	23
53	Amycolatopsis silviterrae sp. nov., isolated from forest soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 1455-1460.	1.7	7
54	Streptomyces lichenis sp. nov., isolated from lichen. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 3641-3646.	1.7	11

#	ARTICLE	IF	CITATIONS
55	Actinomadura rhizosphaerae sp. nov., isolated from rhizosphere soil of the plant <i>Azadirachta indica</i> . International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 3012-3016.	1.7	9
56	Characterization of D-lactic acid, spore-forming bacteria and <i>Terrilactibacillus laevilacticus</i> SK5-6 as potential industrial strains. Annals of Microbiology, 2017, 67, 763-778.	2.6	10
57	A homofermentative <i>Bacillus</i> sp. BC-001 and its performance as a potential l-lactate industrial strain. Bioprocess and Biosystems Engineering, 2017, 40, 1787-1799.	3.4	8
58	<i>Allodekkera sacchari</i> gen. nov., sp. nov., a yeast species in the Saccharomycetales isolated from a sugar factory. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 250-255.	1.7	7
59	Investigation on antimicrobial agents of the terrestrial <i>Streptomyces</i> sp. BCC71188. Applied Microbiology and Biotechnology, 2017, 101, 533-543.	3.6	18
60	<i>Achromobacter aloeverae</i> sp. nov., isolated from the root of <i>Aloe vera</i> (L.) Burm.f.. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 37-41.	1.7	13
61	<i>Streptomyces krungchingensis</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 50-54.	1.7	8
62	<i>Nocardia xestospongiae</i> sp. nov., isolated from a marine sponge in the Andaman Sea. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1451-1456.	1.7	25
63	<i>Nonomuraea rhodomycinica</i> sp. nov., isolated from peat swamp forest soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1683-1687.	1.7	21
64	<i>Sporolactobacillus shoreicorticis</i> sp.nov., a lactic acid-producing bacterium isolated from tree bark. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2363-2369.	1.7	10
65	<i>Paenibacillus aurantiacus</i> sp. nov., isolated from ant nest soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3226-3230.	1.7	6
66	<i>Streptomyces cerasinus</i> sp. nov., isolated from soil in Thailand. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3854-3859.	1.7	5
67	<i>Streptomyces xylanilyticus</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4189-4194.	1.7	6
68	<i>Acetobacter suratthanensis</i> sp. nov., an acetic acid bacterium isolated in Thailand. Annals of Microbiology, 2016, 66, 1157-1166.	2.6	17
69	<i>Streptomyces actinomycinicus</i> sp. nov., isolated from soil of a peat swamp forest. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 290-295.	1.7	14
70	<i>Actinoplanes lichenis</i> sp. nov., isolated from lichen. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 468-473.	1.7	17
71	<i>Trichosporon heliocopridis</i> sp. nov., a urease-negative basidiomycetous yeast associated with dung beetles ( <i>Heliocopris bucephalus</i> Fabricius). International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1180-1186.	1.7	4
72	<i>Bacillus piscicola</i> sp. nov., isolated from Thai fish sauce (Nam-pla). International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1151-1155.	1.7	12

#	ARTICLE	IF	CITATIONS
73	Paenibacillus cathormii sp. nov., isolated from tree bark. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1187-1192.	1.7	6
74	Virgibacillus kapii sp. nov., isolated from Thai shrimp paste (Ka-pi). International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1832-1837.	1.7	12
75	Terrilactibacillus laevilacticus gen. nov., sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1311-1316.	1.7	14
76	Nocardia rayongensis sp. nov., isolated from Thai peat swamp forest soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1950-1955.	1.7	11
77	Streptomyces andamanensis sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 2030-2034.	1.7	8
78	Ideonella sakaiensis sp. nov., isolated from a microbial consortium that degrades poly(ethylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 54	1.7	115
79	Micromonospora sediminis sp. nov., isolated from mangrove sediment. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3235-3240.	1.7	13
80	Actinomadura montaniterrae sp. nov., isolated from mountain soil. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3310-3316.	1.7	16
81	Streptomyces verrucosisporus sp. nov., isolated from marine sediments. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3607-3613.	1.7	15
82	Streptomyces phyllanthi sp. nov., isolated from the stem of Phyllanthus amarus. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3923-3928.	1.7	9
83	Lactobacillus ixorae sp. nov., isolated from a flower (West-Indian jasmine). International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 5500-5505.	1.7	15
84	Dactylosporangium sucinum sp. nov., isolated from Thai peat swamp forest soil. Journal of Antibiotics, 2015, 68, 379-384.	2.0	7
85	Regulating Pyruvate Carboxylase in the Living Culture of Aspergillus Terreus Nrrl 1960 by L-Aspartate for Enhanced Itaconic Acid Production. Applied Biochemistry and Biotechnology, 2015, 177, 595-609.	2.9	13
86	InÂvitro modulation of tumor necrosis factor Î± production in THP-1 cells by lactic acid bacteria isolated from healthy human infants. Anaerobe, 2015, 33, 109-116.	2.1	11
87	Actinomadura rayongensis sp. nov., isolated from peat swamp forest soil. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 890-895.	1.7	9
88	Sporolactobacillus shoreae sp. nov. and Sporolactobacillus spathodeae sp. nov., two spore-forming lactic acid bacteria isolated from tree barks in Thailand. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 1220-1226.	1.7	18
89	Lactobacillus plajomi sp. nov. and Lactobacillus modestisalitolerans sp. nov., isolated from traditional fermented foods. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 2485-2490.	1.7	30
90	Amycolatopsis stemonae sp. nov., isolated from a Thai medicinal plant. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 3894-3899.	1.7	26

#	ARTICLE	IF	CITATIONS
91	Micromonospora fluostatini sp. nov., isolated from marine sediment. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4417-4423.	1.7	27
92	Flavobacterium arsenitoxidans sp. nov., an arsenite-oxidizing bacterium from Thai soil. Antonie Van Leeuwenhoek, 2014, 106, 1239-1246.	1.7	18
93	Streptomyces chumphonensis sp. nov., isolated from marine sediments. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 2605-2610.	1.7	24
94	EFFECTS OF THE AMOUNT OF CHINESE STEAMED BUN STARTER DOUGH (CSB-SD) AND THE ACTIVATION TIME ON DOUGH AND BREAD PROPERTIES. Journal of Food Processing and Preservation, 2013, 37, 232-244.	2.0	11
95	Micromonospora maritima sp. nov., isolated from mangrove soil. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 554-559.	1.7	20
96	Micromonospora sedimincola sp. nov., isolated from marine sediment. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 570-575.	1.7	19
97	Halobacterium piscisalsi Yachai et al. 2008 is a later heterotypic synonym of Halobacterium salinarum Elazari-Volcani 1957. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 2160-2162.	1.7	10
98	Cellulosibacter alkalithermophilus gen. nov., sp. nov., an anaerobic alkalithermophilic, cellulolytic-xylanolytic bacterium isolated from soil of a coconut garden. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 2330-2335.	1.7	19
99	Cohnella cellulosilytica sp. nov., isolated from buffalo faeces. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 1921-1925.	1.7	38
100	Characterization of Alkaline Phosphatase Producing Bacteria Isolated from Thai Fermented Fish Products. International Journal of Biology, 2012, 4, .	0.2	4
101	Comamonas terrae sp. nov., an arsenite-oxidizing bacterium isolated from agricultural soil in Thailand. Journal of General and Applied Microbiology, 2012, 58, 245-251.	0.7	26
102	Paenibacillus xylanisolvans sp. nov., a xylan-degrading bacterium from soil. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 160-164.	1.7	23
103	Haloarcula salario sp. nov. and Haloarcula tradensis sp. nov., isolated from salt in Thai fish sauce. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 231-236.	1.7	44
104	Acetobacter farinalis sp. nov., an acetic acid bacterium in the .ALPHA.-Proteobacteria. Journal of General and Applied Microbiology, 2011, 57, 159-167.	0.7	21
105	&lt;I&gt;Gluconobacter uchimurae &lt;/I&gt;sp. nov., an acetic acid bacterium in the &alpha;-&lt;I&gt;Proteobacteria&lt;/I&gt;. Journal of General and Applied Microbiology, 2011, 57, 293-301.	0.7	16
106	Identification of <i>Acetobacter</i> strains from Thai fermented rice products based on the 16S rRNA gene sequence and 16Sâ€“23S rRNA gene internal transcribed spacer restriction analyses. Journal of the Science of Food and Agriculture, 2011, 91, 2652-2659.	3.5	10
107	Micromonospora humi sp. nov., isolated from peat swamp forest soil. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 1176-1181.	1.7	14
108	Gluconobacter nephelii sp. nov., an acetic acid bacterium in the class Alphaproteobacteria. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 2117-2122.	1.7	20

#	ARTICLE	IF	CITATIONS
109	< i>Neokomagataea</i> gen. nov., with Descriptions of < i>Neokomagataea thailandica</i> sp. nov. and < i>Neokomagataea tanensis</i> sp. nov., Osmotolerant Acetic Acid Bacteria of the Î±-< i>Proteobacteria</i>. Bioscience, Biotechnology and Biochemistry, 2011, 75, 419-426.	1.3	49
110	Agromyces tropicus sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 605-609.	1.7	15
111	Dactylosporangium tropicum sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 2358-2362.	1.7	10
112	Pisciglobus halotolerans gen. nov., sp. nov., isolated from fish sauce. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 1688-1692.	1.7	15
113	Asaia spathodeae sp. nov., an acetic acid bacterium in the Î±-Proteobacteria. Journal of General and Applied Microbiology, 2010, 56, 81-87.	0.7	20
114	Gluconobacter wancherniae sp. nov., an acetic acid bacterium from Thai isolates in the Î±-Proteobacteria. Journal of General and Applied Microbiology, 2010, 56, 67-73.	0.7	23
115	Identification of moderately halophilic bacteria from Thai fermented fish ( pla-ra ) and proposal of Virgibacillus siamensis sp. nov.. Journal of General and Applied Microbiology, 2010, 56, 369-379.	0.7	27
116	Bacillus siamensis sp. nov., isolated from salted crab (poo-khem) in Thailand. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 2364-2370.	1.7	68
117	Gracilibacillus thailandensis sp. nov., from fermented fish (pla-ra). International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 944-948.	1.7	33
118	Micromonospora marina sp. nov., isolated from sea sand. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 648-652.	1.7	30
119	Cohnella xylanilytica sp. nov. and Cohnella terraee sp. nov., xylanolytic bacteria from soil. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 2913-2917.	1.7	32
120	Cohnella thailandensis sp. nov., a xylanolytic bacterium from Thai soil. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 2284-2287.	1.7	39
121	Actinaurispora siamensis gen. nov., sp. nov., a new member of the family Micromonosporaceae. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1660-1666.	1.7	24
122	&lt; i>Gluconobacter kanchanaburiensis&lt;/i> sp. nov., a brown pigment-producing acetic acid bacterium for Thai isolates in the &lt; i>Alphaproteobacteria&lt;/i>. Journal of General and Applied Microbiology, 2009, 55, 247-254.	0.7	21
123	Paenibacillus siamensis sp. nov., Paenibacillus septentrionalis sp. nov. and Paenibacillus montaniterrae sp. nov., xylanase-producing bacteria from Thai soils. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 130-134.	1.7	23
124	Salinivibrio siamensis sp. nov., from fermented fish (pla-ra) in Thailand. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 880-885.	1.7	34
125	Paenibacillus thailandensis sp. nov. and Paenibacillus nanensis sp. nov., xylanase-producing bacteria isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 564-568.	1.7	35
126	Paenibacillus cellulositrophicus sp. nov., a cellulolytic bacterium from Thai soil. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 2680-2684.	1.7	26

#	ARTICLE	IF	CITATIONS
127	Isolation and characterization of arsenic resistant bacteria from tannery wastes and agricultural soils in Thailand. <i>Annals of Microbiology</i> , 2009, 59, 649-656.	2.6	28
128	Lactic acid bacteria and yeasts isolated from the starter doughs for Chinese steamed buns in Thailand. <i>LWT - Food Science and Technology</i> , 2009, 42, 1404-1412.	5.2	49
129	Gluconobacter japonicus sp. nov., an acetic acid bacterium in the Alphaproteobacteria. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 466-471.	1.7	47
130	<i>Ameyamaea chiangmaiensis</i> gen. nov., sp. nov., an Acetic Acid Bacterium in the $\gamma$ -Proteobacteria. <i>Bioscience, Biotechnology and Biochemistry</i> , 2009, 73, 2156-2162.	1.3	39
131	Identification of Acetobacter, Gluconobacter, and Asaia Strains Isolated in Thailand Based on 16S-23S rRNA Gene Internal Transcribed Spacer Restriction and 16S rRNA Gene Sequence Analyses. <i>Microbes and Environments</i> , 2009, 24, 135-143.	1.6	24
132	Oceanobacillus kapiialis sp. nov., from fermented shrimp paste in Thailand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2254-2259.	1.7	61
133	Isolation and characterization of arsenite-oxidizing bacteria from arsenic-contaminated soils in Thailand. <i>World Journal of Microbiology and Biotechnology</i> , 2008, 24, 3091-3096.	3.6	27
134	Identification of Acetobacter strains isolated in Thailand based on 16S-23S rRNA gene ITS restriction and 16S rRNA gene sequence analyses. <i>Annals of Microbiology</i> , 2008, 58, 319-324.	2.6	12
135	Identification of Gluconobacter strains isolated in Thailand based on 16S-23S rRNA gene ITS restriction and 16S rRNA gene sequence analyses. <i>Annals of Microbiology</i> , 2008, 58, 741-747.	2.6	7
136	Lactobacillus senmaizukei sp. nov., isolated from Japanese pickle. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1625-1629.	1.7	34
137	<i>Tanticharoenia sakaeratensis</i> gen. nov., sp. nov., a New Osmotolerant Acetic Acid Bacterium in the $\gamma$ -Proteobacteria. <i>Bioscience, Biotechnology and Biochemistry</i> , 2008, 72, 672-676.	1.3	42
138	Asaia lannaensis sp. nov., a New Acetic Acid Bacterium in the Alphaproteobacteria. <i>Bioscience, Biotechnology and Biochemistry</i> , 2008, 72, 666-671.	1.3	37
139	Enterococcus thailandicus sp. nov., isolated from fermented sausage ('mum') in Thailand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1630-1634.	1.7	57
140	<i>Gluconobacter sphaericus</i> (Ameyama 1975) comb. nov., a brown pigment-producing acetic acid bacterium in the Alphaproteobacteria. <i>Journal of General and Applied Microbiology</i> , 2008, 54, 211-220.	0.7	26
141	&lt;I&gt;Gluconobacter roseus&lt;/I&gt; (ex Asai 1935) sp. nov., nom. rev., a pink-colored acetic acid bacterium in the Alphaproteobacteria. <i>Journal of General and Applied Microbiology</i> , 2008, 54, 119-125.	0.7	25
142	Enterococcus camelliae sp. nov., isolated from fermented tea leaves in Thailand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2151-2154.	1.7	40
143	Piscibacillus salipiscarius gen. nov., sp. nov., a moderately halophilic bacterium from fermented fish (pla-ra) in Thailand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1413-1417.	1.7	56
144	Lentibacillus kapiialis sp. nov., from fermented shrimp paste in Thailand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 364-369.	1.7	49

#	ARTICLE	IF	CITATIONS
145	Salinicoccus siamensis sp. nov., isolated from fermented shrimp paste in Thailand. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 2004-2008.	1.7	27
146	&lt;i&gt;Gluconobacter kondonii&lt;/i&gt; sp. nov., an acetic acid bacterium in the &alpha;-&lt;i&gt;Proteobacteria&lt;/i&gt;. Journal of General and Applied Microbiology, 2007, 53, 301-307.	0.7	32
147	Identification of lactic acid bacteria from fermented tea leaves (miang) in Thailand and proposals of <i>Lactobacillus thailandensis</i> sp. nov., <i>Lactobacillus camelliae</i> sp. nov., and <i>Pediococcus siamensis</i> sp. nov.. Journal of General and Applied Microbiology, 2007, 53, 7-15.	0.7	80
148	Identification of Thai isolates assigned to the genus <i>Gluconobacter</i> based on 16S-23S rDNA ITS restriction analysis. Journal of General and Applied Microbiology, 2007, 53, 133-142.	0.7	9
149	Screening and identification of xylanase-producing bacteria from Thai soils. Journal of General and Applied Microbiology, 2007, 53, 57-65.	0.7	9
150	Halococcus thailandensis sp. nov., from fish sauce in Thailand. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 2199-2203.	1.7	46
151	Actinocatenispora thailandica gen. nov., sp. nov., a new member of the family Micromonosporaceae. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 1789-1794.	1.7	37
152	Heterogeneity of Strains Assigned to <i>Gluconobacter frateurii</i> Mason and Claus 1989 Based on Restriction Analysis of 16S-23S rDNA Internal Transcribed Spacer Regions. Bioscience, Biotechnology and Biochemistry, 2006, 70, 684-690.	1.3	20
153	<i>Lentibacillus halophilus</i> sp. nov., from fish sauce in Thailand. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 1859-1863.	1.7	48
154	Identification of strains assigned to the genus <i>Asaia</i> Yamada et al. 2000 based on 16S rDNA restriction analysis. Journal of General and Applied Microbiology, 2006, 52, 241-247.	0.7	6
155	<i>Neoasaia chiangmaiensis</i> gen. nov., sp. nov., a novel osmotolerant acetic acid bacterium in the .ALPHA.-Proteobacteria. Journal of General and Applied Microbiology, 2005, 51, 301-311.	0.7	70
156	<i>Micromonospora siamensis</i> sp. nov., isolated from Thai peat swamp forest. Journal of General and Applied Microbiology, 2005, 51, 229-234.	0.7	29
157	Isolation of <i>Lentibacillus salicampi</i> strains and <i>Lentibacillus juripiscarius</i> sp. nov. from fish sauce in Thailand. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 315-320.	1.7	83
158	<i>Micromonospora eburnea</i> sp. nov., isolated from a Thai peat swamp forest. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 417-422.	1.7	44
159	Re-identification of <i>Gluconobacter</i> strains based on restriction analysis of 16S-23S rDNA internal transcribed spacer regions. Journal of General and Applied Microbiology, 2004, 50, 189-195.	0.7	29
160	<i>Gluconobacter albidus</i> (ex Kondo and Ameyama 1958) sp. nov., nom. rev., an acetic acid bacterium in the .ALPHA.-Proteobacteria. Journal of General and Applied Microbiology, 2004, 50, 235-242.	0.7	31
161	<i>Gluconobacter thailandicus</i> sp. nov., an acetic acid bacterium in the .ALPHA.-Proteobacteria. Journal of General and Applied Microbiology, 2004, 50, 159-167.	0.7	79
162	Identification of acetic acid bacteria isolated from fruits collected in Thailand. Journal of General and Applied Microbiology, 2004, 50, 47-53.	0.7	36

#	ARTICLE	IF	CITATIONS
163	Asaia krungthepensis sp. nov., an acetic acid bacterium in the $\beta$ -Proteobacteria. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 313-316.	1.7	90
164	Characterization and Identification of <i>Tetragenococcus halophilus</i> and <i>Tetragenococcus muriaticus</i> Strains from Fish Sauce (Nam-pla). Japanese Journal of Lactic Acid Bacteria, 2002, 13, 46-52.	0.1	42
165	Lactic acid bacteria isolated from soy sauce mash in Thailand.. Journal of General and Applied Microbiology, 2002, 48, 201-209.	0.7	85
166	LACTIC ACID BACTERIA IN FERMENTED FOODS IN SOUTHEAST ASIA. , 2001, , 43-59.		11
167	Lactic acid bacteria found in fermented fish in Thailand.. Journal of General and Applied Microbiology, 1998, 44, 193-200.	0.7	76
168	Characterization and identification of <i>Lactobacillus pentosus</i> and <i>Lactobacillus plantarum</i> strains from fermented foods in Thailand.. Journal of General and Applied Microbiology, 1992, 38, 121-134.	0.7	52