Kasi Pitchumani

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/582054/publications.pdf

Version: 2024-02-01

137 papers

4,822 citations

39 h-index 60 g-index

172 all docs

 $\begin{array}{c} 172 \\ \text{docs citations} \end{array}$

172 times ranked

5443 citing authors

| # | Article | IF | CITATIONS |
|----|---|--------------|-----------|
| 1 | Quinolinium modified \hat{l}^2 -cyclodextrin: An ionic ligand towards sustainable A3-coupling and tandem cyclisation reactions of aldehydes, amines and alkynes. Molecular Catalysis, 2022, 519, 112151. | 1.0 | 3 |
| 2 | Chemistry in Confinement: Copper and Palladium Catalyzed Ecofriendly Organic Transformations within Porous Frameworks. Chemical Record, 2018, 18, 506-526. | 2.9 | 4 |
| 3 | Heterogenization of cobalt nanoparticles on hollow carbon capsules: Lab-in-capsule for catalytic transfer hydrogenation of carbonyl compounds. Molecular Catalysis, 2018, 448, 153-161. | 1.0 | 11 |
| 4 | Design and one-pot synthesis of a novel pyrene based fluorescent sensor for selective "turn onâ€, naked eye detection of Ni2+ ions, and live cell imaging. Sensors and Actuators B: Chemical, 2018, 266, 429-437. | 4.0 | 42 |
| 5 | Ultrafine Bimetallic PdCo Alloy Nanoparticles on Hollow Carbon Capsules: An Efficient Heterogeneous Catalyst for Transfer Hydrogenation of Carbonyl Compounds. ACS Sustainable Chemistry and Engineering, 2018, 6, 491-500. | 3.2 | 31 |
| 6 | Triaminopyrimidine Based Porous Organic Polymers: Synthesis, Characterization and Catalytic Applications in Oneâ€pot Room Temperature Synthesis of Dihydropyranopyranes. ChemistrySelect, 2018, 3, 13743-13750. | 0.7 | 9 |
| 7 | βâ€Cyclodextrin Monosulphonic Acid Promoted Multicomponent Synthesis of 1,8â€Dioxodecahydroacridines in Water. ChemistrySelect, 2018, 3, 10886-10891. | 0.7 | 15 |
| 8 | Water-Soluble Palladium Complex of <i>N</i> ′-(pyridin-2-yl)propane-1,3-diamine modified β-Cyclodextrin: An efficient Catalyst for Transfer Hydrogenation of Carbonyl Compounds. ACS Sustainable Chemistry and Engineering, 2018, 6, 16130-16138. | 3.2 | 12 |
| 9 | βâ€Cyclodextrinâ€Monosulphonic Acid Catalyzed Efficient Synthesis of 1â€Amidoalkylâ€2â€naphthols. ChemistrySelect, 2017, 2, 10798-10803. | 0.7 | 5 |
| 10 | Isolable C@Fe3O4 nanospheres supported cubical Pd nanoparticles as reusable catalysts for Stille and Mizoroki-Heck coupling reactions. Tetrahedron Letters, 2017, 58, 3276-3282. | 0.7 | 25 |
| 11 | Mesoporous Microcapsules through <scp>d</scp> -Glucose Promoted Hydrothermal Self-Assembly of Colloidal Silica: Reusable Catalytic Containers for Palladium Catalyzed Hydrogenation Reactions. ACS Sustainable Chemistry and Engineering, 2017, 5, 667-674. | 3 . 2 | 20 |
| 12 | A pyridinium modified \hat{l}^2 -cyclodextrin: an ionic supramolecular ligand for palladium acetate in Câ \in "C coupling reactions in water. Green Chemistry, 2016, 18, 5518-5528. | 4.6 | 46 |
| 13 | Cubical Palladium Nanoparticles on C@Fe3O4 for Nitro reduction, Suzuki-Miyaura Coupling and Sequential Reactions. Journal of Molecular Catalysis A, 2016, 423, 511-519. | 4.8 | 24 |
| 14 | Copper(<scp>i</scp>)â€"Y zeolite catalyzed N-sulfonylketenimine mediated annulation of hydroxynaphthoquinones: syntheses of naphtho[2,1-b]furan-2,5-diones and benzo[de]chromene-2,6-diones. Chemical Communications, 2016, 52, 8436-8439. | 2.2 | 16 |
| 15 | A highly selective, sensitive and "turn-on―fluorescent sensor for the paramagnetic Fe3+ ion. Sensors and Actuators B: Chemical, 2016, 230, 199-205. | 4.0 | 29 |
| 16 | Î ² -Cyclodextrin included coumarin derivatives as selective fluorescent sensors for Cu ²⁺ ions in HeLa cells. RSC Advances, 2016, 6, 20269-20275. | 1.7 | 29 |
| 17 | Naked eye sensing of melamine: aggregation induced recognition by sodium <scp>d</scp> -gluconate stabilised silver nanoparticles. New Journal of Chemistry, 2016, 40, 3869-3874. | 1.4 | 16 |
| 18 | Chemical constituents from the flowering buds of <i>Bauhinia tomentosa</i> Linn (FBBT). Natural Product Research, 2016, 30, 1670-1674. | 1.0 | 7 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 19 | Melamineâ€Based Microporous Network Polymer Supported Palladium Nanoparticles: A Stable and Efficient Catalyst for the Sonogashira Coupling Reaction in Water. ChemCatChem, 2015, 7, 666-673. | 1.8 | 102 |
| 20 | Plumbagin as colorimetric and ratiometric sensor for arginine. Sensors and Actuators B: Chemical, 2015, 221, 521-527. | 4.0 | 36 |
| 21 | Isolation of biochanin A, an isoflavone, and its selective sensing of copper(II) ion. Sensors and Actuators B: Chemical, 2015, 221, 75-80. | 4.0 | 24 |
| 22 | Palladium nanoparticles embedded on thiourea-modified chitosan: a green and sustainable heterogeneous catalyst for the Suzuki reaction in water. RSC Advances, 2015, 5, 27533-27539. | 1.7 | 45 |
| 23 | Copper(I)-Y Zeolite-Catalyzed Regio- and Stereoselective $[2+2+2]$ Cyclotrimerization Cascade: An Atom- and Step-Economical Synthesis of Pyrimido $[1,6-\langle i\rangle a\langle i\rangle]$ quinoline. Journal of Organic Chemistry, 2015, 80, 10299-10308. | 1.7 | 30 |
| 24 | Fabrication of Pd Nanoparticles Embedded C@Fe ₃ O ₄ Core–Shell Hybrid Nanospheres: An Efficient Catalyst for Cyanation in Aryl Halides. ACS Applied Materials & Discrete Samp; Interfaces, 2015, 7, 22907-22917. | 4.0 | 43 |
| 25 | Copper(I)â€Catalyzed Oneâ€Pot Synthesis of Highly Functionalized Pyrrolidines from Sulfonyl Azides, Alkynes, and Dimethyl 2â€(Phenylamino)maleate. European Journal of Organic Chemistry, 2015, 2015, 463-467. | 1.2 | 18 |
| 26 | Selective sensing of silver ion using berberine, a naturally occurring plant alkaloid. Sensors and Actuators B: Chemical, 2015, 206, 170-175. | 4.0 | 32 |
| 27 | A New Isoflavone Apioglucoside from the Roots of Dalbergia spinosa. Natural Product Communications, 2015, 10, 1959-60. | 0.2 | 2 |
| 28 | Synthesis, Characterization, and DNA Binding Studies of Nanoplumbagin. Journal of Nanomaterials, 2014, 2014, 1-9. | 1.5 | 5 |
| 29 | One-pot synthesis of 2-substituted quinoxalines using K10-montmorillonite as heterogeneous catalyst. Tetrahedron Letters, 2014, 55, 1616-1620. | 0.7 | 37 |
| 30 | K10 montmorillonite clays as environmentally benign catalysts for organic reactions. Catalysis Science and Technology, 2014, 4, 2378-2396. | 2.1 | 156 |
| 31 | Synthesis of 5-benzyl-4-aryl-octahydro-1H-benzo[b][1,5]diazepin-2-ones as potent antidepressant and antimicrobial agents. Medicinal Chemistry Research, 2014, 23, 2070-2079. | 1.1 | 9 |
| 32 | Michael addition of indoles to \hat{l}^2 -nitrostyrenes catalyzed by HY zeolite under solvent-free conditions. Tetrahedron Letters, 2014, 55, 2061-2064. | 0.7 | 27 |
| 33 | Aerobic homocoupling of arylboronic acids catalysed by copper terephthalate metal–organic frameworks. Green Chemistry, 2014, 16, 2865. | 4.6 | 88 |
| 34 | Microwave promoted one-pot synthesis of 2-aryl substituted 1,3,4-oxadiazoles and 1,2,4-oxadiazole derivatives using Al3+-K10 clay as a heterogeneous catalyst. Tetrahedron Letters, 2014, 55, 3678-3682. | 0.7 | 29 |
| 35 | Synthesis of substituted isoquinolines via iminoalkyne cyclization using Ag(<scp>i</scp>) exchanged K10-montmorillonite clay as a reusable catalyst. RSC Advances, 2014, 4, 38491. | 1.7 | 18 |
| 36 | A Ratiometric Tetrazolylpyridineâ€Based "Turnâ€On―Fluorescent Chemosensor for Zinc(II) Ion in Aqueous Media. ChemPlusChem, 2014, 79, 1361-1366. | 1.3 | 11 |

3

| # | Article | lF | Citations |
|----|---|-------|-----------|
| 37 | Highly Selective "Turnâ€On―Fluorescent and Colorimetric Sensing of Fluoride Ion Using 2â€(2â€Hydroxyphenyl)â€2,3â€dihydroquinolinâ€4(1 <i>H</i>)â€one based on Excitedâ€State Proton Trans Chemistry - an Asian Journal, 2014, 9, 146-152. | sfer7 | 39 |
| 38 | Triazineâ€Based Mesoporous Covalent Imine Polymers as Solid Supports for Copperâ€Mediated Chan–Lam Crossâ€Coupling Nâ€Arylation Reactions. Chemistry - A European Journal, 2014, 20, 8761-8770. | 1.7 | 68 |
| 39 | One-Pot Synthesis of Propargylamines Using Ag(I)-Exchanged K10 Montmorillonite Clay as Reusable Catalyst in Water. ACS Sustainable Chemistry and Engineering, 2014, 2, 781-787. | 3.2 | 60 |
| 40 | Palladium nanoparticles supported on triazine functionalised mesoporous covalent organic polymers as efficient catalysts for Mizoroki–Heck cross coupling reaction. Green Chemistry, 2014, 16, 4223-4233. | 4.6 | 144 |
| 41 | Selective "turn-off―fluorescent sensing of mercury ions using aminocyclodextrin:3-hydroxy-N-phenyl-2-naphthamide complex in aqueous solution. RSC Advances, 2014, 4, 11714. | 1.7 | 46 |
| 42 | Solvent-Free Syntheses of 1,5-Benzodiazepines Using HY Zeolite as a Green Solid Acid Catalyst. ACS Sustainable Chemistry and Engineering, 2014, 2, 1169-1176. | 3.2 | 31 |
| 43 | Oxidative hydroxylation of arylboronic acids to phenols catalyzed by copper nanoparticles ellagic acid composite. Journal of Molecular Catalysis A, 2014, 395, 500-505. | 4.8 | 44 |
| 44 | Copperâ∈Based Metalâ∈"Organic Frameworks as Reusable Heterogeneous Catalysts for the Oneâ∈Pot Syntheses of Imidazo[1,2â∈ <i>a</i>]pyridines. Asian Journal of Organic Chemistry, 2014, 3, 784-791. | 1.3 | 33 |
| 45 | Flavone modified- \hat{l}^2 -cyclodextrin as a highly selective and efficient fluorescent chemosensor for Cu2+ ions and l-histidine. Sensors and Actuators B: Chemical, 2013, 188, 59-64. | 4.0 | 33 |
| 46 | An Expeditious Synthesis of Flavonols Promoted by Montmorillonite KSF Clay and Assisted by Microwave Irradiation under Solvent-Free Conditions. Helvetica Chimica Acta, 2013, 96, 1269-1272. | 1.0 | 13 |
| 47 | Amino acid intercalated layered double hydroxide catalyzed chemoselective methylation of phenols and thiophenols with dimethyl carbonate. Tetrahedron Letters, 2013, 54, 7167-7170. | 0.7 | 30 |
| 48 | Synthesis of 2-substituted 3-ethyl-3H-imidazo[4,5-b]pyridines catalyzed by Al3+-exchanged K10 clay as solid acids. Tetrahedron Letters, 2013, 54, 6479-6484. | 0.7 | 9 |
| 49 | The Aminocyclodextrin/Pd(OAc) ₂ Complex as an Efficient Catalyst for the Mizoroki–Heck Crossâ€Coupling Reaction. Chemistry - A European Journal, 2013, 19, 14425-14431. | 1.7 | 38 |
| 50 | A green route for the synthesis of 2-substituted benzoxazole derivatives catalyzed by Al3+-exchanged K10 clay. Tetrahedron Letters, 2013, 54, 6415-6419. | 0.7 | 21 |
| 51 | Per-6-amino- \hat{l}^2 -cyclodextrin as a Chiral Base Catalyst Promoting One-Pot Asymmetric Synthesis of 2-Aryl-2,3-dihydro-4-quinolones. Journal of Organic Chemistry, 2013, 78, 744-751. | 1.7 | 71 |
| 52 | Copper(I)â€Catalyzed [3+2] Cycloaddition/Ringâ€Opening Rearrangement/[4+2] Cycloaddition/Aromati Cascade: An Unprecedented Chemo―and Stereoselective Three Component Coupling of Sulfonyl Azide, Alkyne and <i>N</i> àâ€Arylidenepyridinâ€2―amine to Pyrido[1,2â€ <i>a</i>)pyrimidinâ€4â€imine. Advanced Synand Catalysis, 2013, 355, 93-98. | | 28 |
| 53 | A highly selective ratiometric fluorescent chemosensor for Cu(ii) based on dansyl-functionalized thiol stabilized silver nanoparticles. Journal of Materials Chemistry B, 2013, 1, 1962. | 2.9 | 50 |
| 54 | Synthesis and antimicrobial activities of highly functionalised novel \hat{l}^2 -lactam and thiazolidine-grafted tetrahydrobenzothiophenes. Medicinal Chemistry Research, 2013, 22, 2964-2974. | 1.1 | 6 |

| # | Article | IF | Citations |
|----|---|-------------|-----------|
| 55 | d-Glucose sensing by (E)-(4-((pyren-1-ylmethylene)amino)phenyl) boronic acid via a photoinduced electron transfer (PET) mechanism. RSC Advances, 2013, 3, 11566. | 1.7 | 22 |
| 56 | One-Pot Multicomponent Solvent-Free Synthesis of 2-Amino-4 <i>H</i> -benzo[<i>b</i>]pyrans Catalyzed by Per-6-amino- \hat{I}^2 -cyclodextrin. ACS Sustainable Chemistry and Engineering, 2013, 1, 174-179. | 3.2 | 88 |
| 57 | Synergistic photodynamic action of ZnO nanomaterials encapsulated meso-tetra (4-sulfonatophenyl) porphyrin. Powder Technology, 2013, 237, 497-505. | 2.1 | 24 |
| 58 | î ² -Cyclodextrin-Mediated Acetic Acid Catalyzed Diastereoselective Mannich Reaction in Water. Synlett, 2012, 23, 2328-2332. | 1.0 | 7 |
| 59 | Cascade synthesis of bis-N-sulfonylcyclobutenes via Cu(i)/Lewis acid-catalyzed (3 + 2)/(2 + 2) cycloadditions: observation of aggregation-induced emission enhancement from restricted Cî€N photoisomerization. Organic and Biomolecular Chemistry, 2012, 10, 2937. | 1.5 | 23 |
| 60 | Selective Reduction of Nitroarenes by using Zeoliteâ€Supported Copper Nanoparticles with 2â€Propanol as a Sustainable Reducing Agent. ChemCatChem, 2012, 4, 1917-1921. | 1.8 | 45 |
| 61 | An efficient hydration of nitriles to amides in aqueous media by hydrotalcite-clay supported nickel nanoparticles. Catalysis Communications, 2012, 29, 109-113. | 1.6 | 35 |
| 62 | Transfer hydrogenation of carbonyl compounds and carbon–carbon multiple bonds by zeolite supported Cu nanoparticles. Catalysis Science and Technology, 2012, 2, 296-300. | 2.1 | 40 |
| 63 | Pyridinium ylide-assisted KY zeolite catalyzed tandem synthesis of polysubstituted cyclopropanes. Catalysis Communications, 2012, 26, 39-43. | 1.6 | 22 |
| 64 | An intramolecular charge transfer (ICT) based chemosensor for silver ion using 4-methoxy-N-((thiophen-2-yl)methyl)benzenamine. Analyst, The, 2012, 137, 5320. | 1.7 | 39 |
| 65 | Al-MCM-41 as a mild and ecofriendly catalyst for Michael addition of indole to \hat{l}_{\pm},\hat{l}^2 -unsaturated ketones. Journal of Molecular Catalysis A, 2012, 363-364, 115-121. | 4.8 | 14 |
| 66 | Per-6-amino- \hat{l}^2 -cyclodextrin/CuI catalysed cyanation of aryl halides with K4[Fe(CN)6]. New Journal of Chemistry, 2012, 36, 2334. | 1.4 | 27 |
| 67 | An acyclic, dansyl based colorimetric and fluorescent chemosensor for Hg(II) via twisted intramolecular charge transfer (TICT). Analytica Chimica Acta, 2012, 751, 171-175. | 2.6 | 70 |
| 68 | Autofluorescence in BrdU-Positive Cells and Augmentation of Regeneration Kinetics by Riboflavin. Stem Cells and Development, 2012, 21, 2071-2083. | 1.1 | 27 |
| 69 | Isoxazoles incorporated N-substituted decahydroquinolines: A precursor to the next generation antimicrobial drug. European Journal of Medicinal Chemistry, 2012, 47, 608-614. | 2.6 | 6 |
| 70 | Highly selective fluorescent sensing of fenitrothion using per-6-amino- \hat{l}^2 -cyclodextrin:Eu(III) complex. Biosensors and Bioelectronics, 2012, 35, 452-455. | 5. 3 | 34 |
| 71 | Design and synthesis of 3,5-diarylpiperidin-2,6-diones as anticonvulsant agents. Bioorganic and Medicinal Chemistry Letters, 2012, 22, 1263-1266. | 1.0 | 5 |
| 72 | A multicomponent, solvent-free, one-pot synthesis of benzoxanthenones catalyzed by HY zeolite: their anti-microbial and cell imaging studies. Tetrahedron Letters, 2012, 53, 1018-1024. | 0.7 | 51 |

| # | Article | IF | CITATIONS |
|------------|---|-----|-----------|
| 73 | Alginate stabilized silver nanocube–Rh6G composite as a highly selective mercury sensor in aqueous solution. Nanoscale, 2011, 3, 1166. | 2.8 | 45 |
| 74 | Copper(I)-Catalyzed Three Component Reaction of Sulfonyl Azide, Alkyne, and Nitrone Cycloaddition/Rearrangement Cascades: A Novel One-Step Synthesis of Imidazolidin-4-ones. Organic Letters, 2011, 13, 5728-5731. | 2.4 | 71 |
| 7 5 | Syntheses of 5-Substituted 1 <i>H</i> -Tetrazoles Catalyzed by Reusable CoY Zeolite. Journal of Organic Chemistry, 2011, 76, 9090-9095. | 1.7 | 141 |
| 76 | Clay encapsulated ZnO nanoparticles as efficient catalysts for N-benzylation of amines. Catalysis Communications, 2011, 16, 15-19. | 1.6 | 40 |
| 77 | Per-6-ammonium- \hat{l}^2 -cyclodextrin/p-nitrophenol complex as a colorimetric sensor for phosphate and pyrophosphate anions in water. Sensors and Actuators B: Chemical, 2011, 155, 909-914. | 4.0 | 39 |
| 78 | Zn2+-K10-clay (clayzic) as an efficient water-tolerant, solid acid catalyst for the synthesis of benzimidazoles and quinoxalines at room temperature. Tetrahedron Letters, 2011, 52, 69-73. | 0.7 | 86 |
| 79 | Per-6-amino- \hat{l}^2 -cyclodextrin as a Reusable Promoter and Chiral Host for Enantioselective Henry Reaction. Organic Letters, 2010, 12, 4070-4073. | 2.4 | 68 |
| 80 | Nickelâ€Catalyzed Solventâ€Free Threeâ€Component Coupling of Aldehyde, Alkyne and Amine. European Journal of Organic Chemistry, 2010, 2010, 411-415. | 1.2 | 101 |
| 81 | Layered Double Hydroxideâ€Supported <scp>L</scp> â€Methionineâ€Catalyzed Chemoselective Oâ€Methylation of Phenols and Esterification of Carboxylic Acids with Dimethyl Carbonate: A "Green―Protocol. Chemistry - A European Journal, 2010, 16, 1128-1132. | 1.7 | 40 |
| 82 | Solvent-free multicomponent synthesis of pyranopyrazoles: per-6-amino- \hat{l}^2 -cyclodextrin as a remarkable catalyst and host. Tetrahedron Letters, 2010, 51, 3312-3316. | 0.7 | 159 |
| 83 | Naked-eye detection of Fe3+ and Ru3+ in water: Colorimetric and ratiometric sensor based on per-6-amino-Î ² -cyclodextrin/p-nitrophenol. Sensors and Actuators B: Chemical, 2010, 146, 273-277. | 4.0 | 61 |
| 84 | Toxicity and immunological activity of silver nanoparticles. Applied Clay Science, 2010, 48, 547-551. | 2.6 | 59 |
| 85 | Cu ^{II} –Hydrotalcite as an Efficient Heterogeneous Catalyst for Huisgen [3+2] Cycloaddition. Chemistry - A European Journal, 2009, 15, 2755-2758. | 1.7 | 118 |
| 86 | Novel photohydration of trans-stilbenes and trans-anethole inside cyclodextrin nanocavity in aqueous medium. Journal of Photochemistry and Photobiology A: Chemistry, 2009, 206, 40-45. | 2.0 | 8 |
| 87 | Clay-supported ceric ammonium nitrate as an effective, viable catalyst in the oxidation of olefins, chalcones and sulfides by molecular oxygen. Catalysis Communications, 2009, 10, 872-878. | 1.6 | 68 |
| 88 | Per-6-amino- \hat{l}^2 -cyclodextrin catalyzed asymmetric Michael addition of nitromethane and thiols to chalcones in water. Tetrahedron: Asymmetry, 2008, 19, 2037-2044. | 1.8 | 69 |
| 89 | Clay entrapped nickel nanoparticles as efficient and recyclable catalysts for hydrogenation of olefins. Tetrahedron Letters, 2008, 49, 1818-1823. | 0.7 | 80 |
| 90 | l-Proline anchored hydrotalcite clays: An efficient catalyst for asymmetric Michael addition. Applied Catalysis A: General, 2008, 340, 25-32. | 2,2 | 44 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 91 | Per-6-amino-β-cyclodextrin as an Efficient Supramolecular Ligand and Host for Cu(I)-Catalyzed <i>N</i> -Arylation of Imidazole with Aryl Bromides. Journal of Organic Chemistry, 2008, 73, 9121-9124. | 1.7 | 88 |
| 92 | Zeolite Encapsulated Nanocrystalline CuO: A Redox Catalyst for the Oxidation of Secondary Alcohols. Journal of Nanomaterials, 2008, 2008, 1-7. | 1.5 | 8 |
| 93 | Regioselective monobromination of substituted phenols in the presence of \hat{l}^2 -cyclodextrin. Tetrahedron, 2007, 63, 4959-4967. | 1.0 | 19 |
| 94 | Cavity size effect on ICT-dual emission of p-(N,N-dimethylamino)-2-styrylquinoline: complexation with cyclodextrin derivatives. Journal of Inclusion Phenomena and Macrocyclic Chemistry, 2007, 57, 403-408. | 1.6 | 1 |
| 95 | Selectivity in photolysis of benzyl acetate and benzyl hexanoate upon cyclodextrin complexation. Journal of Photochemistry and Photobiology A: Chemistry, 2006, 184, 34-43. | 2.0 | 4 |
| 96 | Clay-anchored non-heme iron–salen complex catalyzed cleavage of CC bond in aqueous medium. Tetrahedron, 2006, 62, 9911-9918. | 1.0 | 75 |
| 97 | Acceleration of Thiol Ester Hydrolysis by Cyclodextrins: Evidence from Rate and Computational Studies. European Journal of Organic Chemistry, 2006, 2006, 1034-1042. | 1.2 | 5 |
| 98 | Influence of Cyclodextrin Encapsulation on Norrish–Yang Photoreaction of Valerophenone. Bulletin of the Chemical Society of Japan, 2005, 78, 2000-2006. | 2.0 | 6 |
| 99 | Facile clay-induced Fischer indole synthesis: A new approach to synthesis of 1,2,3,4-tetrahydrocarbazole and indoles. Applied Catalysis A: General, 2005, 292, 305-311. | 2.2 | 42 |
| 100 | Effect of cyclodextrin complexation in bromine addition to unsymmetrical olefins: evidence for participation of cyclodextrin hydroxyl groups. Organic and Biomolecular Chemistry, 2005, 3, 1008. | 1.5 | 10 |
| 101 | Simple and efficient reduction of nitroarenes by hydrazine in faujasite zeolites. Applied Catalysis A: General, 2004, 265, 135-139. | 2.2 | 82 |
| 102 | Zeolite-promoted selective mono-N-methylation of aniline with dimethyl carbonate. Journal of Molecular Catalysis A, 2004, 218, 196-201. | 4.8 | 9 |
| 103 | Simple, solvent free syntheses of unsymmetrical sulfides from thiols and alkyl halides using hydrotalcite clays. Journal of Molecular Catalysis A, 2004, 217, 117-120. | 4.8 | 26 |
| 104 | Triplet photochemistry within zeolites through heavy atom effect, sensitization and light atom effect. Tetrahedron, 2003, 59, 5763-5772. | 1.0 | 12 |
| 105 | Photodimerisation of acenaphthylene in a clay microenvironment. Photochemical and Photobiological Sciences, 2003, 2, 95. | 1.6 | 6 |
| 106 | Photodimerisation of enones in a clay microenvironment. Photochemical and Photobiological Sciences, 2002, 1, 991. | 1.6 | 11 |
| 107 | Zeolite-mediated regioselective nitration of phenol in solid state. Journal of Molecular Catalysis A, 2002, 185, 305-309. | 4.8 | 48 |
| 108 | Photoreactions in clay media: singlet oxygen oxidation of electron-rich substrates mediated by clay-bound dyes. Journal of Photochemistry and Photobiology A: Chemistry, 2002, 153, 205-210. | 2.0 | 25 |

7

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Reactions in clay media: photooxidation of sulfides by clay-bound methylene blue. Tetrahedron, 2001, 57, 8391-8394. | 1.0 | 31 |
| 110 | Dual emission from 4-dimethylaminobenzonitrile in cyclodextrin derivatives. Journal of Photochemistry and Photobiology A: Chemistry, 2000, 131, 101-110. | 2.0 | 21 |
| 111 | Utility of Zeolitic Medium in Photo-Fries and Photo-Claisen Rearrangements#. Research on Chemical Intermediates, 1999, 25, 623-631. | 1.3 | 13 |
| 112 | Effect of cyclodextrin complexation on photo-Fries rearrangement of naphthyl esters. Tetrahedron, 1999, 55, 9601-9610. | 1.0 | 13 |
| 113 | Triphasic catalyst systems based on surfactant/clay composites. Green Chemistry, 1999, 1, 95-97. | 4.6 | 17 |
| 114 | Zeolite mediated protection of carbonyl groups. Green Chemistry, 1999, 1, 173-174. | 4.6 | 17 |
| 115 | Title is missing!. Catalysis Letters, 1998, 54, 165-167. | 1.4 | 10 |
| 116 | Influence of cations in faujasite zeolites in cis-trans isomerization of 4-bromophenyl styryl sulfone. Tetrahedron, 1998, 54, 15667-15672. | 1.0 | 11 |
| 117 | Novel approaches towards the generation of excited triplets of organic guest molecules with zeolites. Chemical Communications, 1998, , 1197-1198. | 2.2 | 11 |
| 118 | Activation Conditions Play a Key Role in the Activity of Zeolite CaY:  NMR and Product Studies of Brønsted Acidity. Journal of Physical Chemistry A, 1998, 102, 5627-5638. | 1.1 | 46 |
| 119 | A Clean Clay Catalysed Synthesis of \tilde{A}_i ,N-Diarylnitrones. Synthetic Communications, 1997, 27, 4041-4047. | 1.1 | 13 |
| 120 | Asymmetrically modified zeolite as a medium for enantioselective photoreactions: Reactions from spin forbidden excited states. Tetrahedron Letters, 1997, 38, 8825-8828. | 0.7 | 47 |
| 121 | Sheet silicate catalysed demethylation and Fischer-Hepp rearrangement of N-methyl-N-nitrosoaniline. Journal of Molecular Catalysis A, 1997, 118, 189-193. | 4.8 | 17 |
| 122 | Selectivity in bromination of alkylbenzenes in the presence of montmorillonite clay. Tetrahedron, 1997, 53, 2581-2584. | 1.0 | 27 |
| 123 | Oxidation of organic sulfides with clay-supported iodosylbenzene as oxygen donor. Tetrahedron, 1997, 53, 7635-7640. | 1.0 | 32 |
| 124 | Fries rearrangement of esters in montmorillonite clays: Steric control on selectivity. Tetrahedron, 1997, 53, 17171-17176. | 1.0 | 23 |
| 125 | Electron Transfer Reactions within Zeolites:Â Radical Cation from Benzonorbornadiene. Journal of the American Chemical Society, 1996, 118, 8152-8153. | 6.6 | 13 |
| 126 | Remarkable Product Selectivity During Photo-Fries and Photo-Claisen Rearrangements within Zeolites. Journal of the American Chemical Society, 1996, 118, 9428-9429. | 6.6 | 91 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Triplet–triplet energy transfer between organic molecules trapped in zeolites. Chemical Communications, 1996, , 2049-2050. | 2.2 | 12 |
| 128 | Selectivity in bromination of aniline and N-substituted anilines encapsulated in \hat{l}^2 -cyclodextrin. Tetrahedron, 1996, 52, 3487-3496. | 1.0 | 22 |
| 129 | Cation to anion triplet-triplet energy transfer in crystalline organic salts. Tetrahedron Letters, 1996, 37, 6037-6040. | 0.7 | 6 |
| 130 | Photo-fries reaction of naphthyl esters within zeolites. Tetrahedron Letters, 1996, 37, 6251-6254. | 0.7 | 25 |
| 131 | A novel photorearrangement of benzyl phenyl sulfone encapsulated in \hat{l}^2 -cyclodextrin. Tetrahedron Letters, 1995, 36, 1149-1152. | 0.7 | 11 |
| 132 | Selectivity in sodium borohydride reduction of coumarin encapsulated in \hat{l}^2 -cyclodextrin. Tetrahedron, 1994, 50, 12979-12988. | 1.0 | 19 |
| 133 | Modification of chemical reactivity upon cyclodextrin encapsulation:. Tetrahedron, 1994, 50, 7903-7912. | 1.0 | 19 |
| 134 | Photoinduced reduction of aryl methyl sulfones on titanium dioxide. Journal of the Chemical Society Chemical Communications, 1994, , 1473. | 2.0 | 13 |
| 135 | Reductive quenching of excited states of chromium(III)-polypyridyl complexes with alkyl aryl sulphides. Tetrahedron, 1993, 49, 4721-4740. | 1.0 | 17 |
| 136 | Effect of cyclodextrin encapsulation on photo-fries rearrangement of benzensulphonanilide. Tetrahedron Letters, 1991, 32, 2975-2978. | 0.7 | 32 |
| 137 | Cation-exchanged montmorillonite clays as Lewis acid catalysts in the Fries rearrangement of phenyl toluene-p-sulphonate. Journal of the Chemical Society Chemical Communications, 1990, , 1613. | 2.0 | 19 |