

Ritchie E Brown

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5824378/publications.pdf>

Version: 2024-02-01

66
papers

6,746
citations

101543

36
h-index

118850

62
g-index

74
all docs

74
docs citations

74
times ranked

6163
citing authors

#	ARTICLE	IF	CITATIONS
1	Knockdown of GABAA alpha3 subunits on thalamic reticular neurons enhances deep sleep in mice. Nature Communications, 2022, 13, 2246.	12.8	14
2	Translational approaches to influence sleep and arousal. Brain Research Bulletin, 2022, 185, 140-161.	3.0	8
3	Alterations of sleep oscillations in Alzheimer's disease: A potential role for GABAergic neurons in the cortex, hippocampus, and thalamus. Brain Research Bulletin, 2022, 187, 181-198.	3.0	13
4	Optogenetic manipulation of an ascending arousal system tunes cortical broadband gamma power and reveals functional deficits relevant to schizophrenia. Molecular Psychiatry, 2021, 26, 3461-3475.	7.9	26
5	Characterization of basal forebrain glutamate neurons suggests a role in control of arousal and avoidance behavior. Brain Structure and Function, 2021, 226, 1755-1778.	2.3	10
6	Basal Forebrain Parvalbumin Neurons Mediate Arousals from Sleep Induced by Hypercarbia or Auditory Stimuli. Current Biology, 2020, 30, 2379-2385.e4.	3.9	35
7	Effects of a patient-derived de novo coding alteration of CACNA1I in mice connect a schizophrenia risk gene with sleep spindle deficits. Translational Psychiatry, 2020, 10, 29.	4.8	25
8	Thalamic Reticular Nucleus Parvalbumin Neurons Regulate Sleep Spindles and Electrophysiological Aspects of Schizophrenia in Mice. Scientific Reports, 2019, 9, 3607.	3.3	46
9	Optogenetic stimulation of basal forebrain parvalbumin neurons modulates the cortical topography of auditory steady-state responses. Brain Structure and Function, 2019, 224, 1505-1518.	2.3	22
10	Validation of an automated sleep spindle detection method for mouse electroencephalography. Sleep, 2019, 42, .	1.1	40
11	Activation of basal forebrain purinergic P2 receptors promotes wakefulness in mice. Scientific Reports, 2018, 8, 10730.	3.3	8
12	Sleep Neurophysiological Dynamics Through the Lens of Multitaper Spectral Analysis. Physiology, 2017, 32, 60-92.	3.1	201
13	Intrinsic membrane properties and cholinergic modulation of mouse basal forebrain glutamatergic neurons in vitro. Neuroscience, 2017, 352, 249-261.	2.3	10
14	The menagerie of the basal forebrain: how many (neural) species are there, what do they look like, how do they behave and who talks to whom?. Current Opinion in Neurobiology, 2017, 44, 159-166.	4.2	54
15	Dopaminergic Transmission and Wake-Promoting Effects of Central Nervous System Stimulants. , 2016, , 19-37.		0
16	Cholinergic Neurons in the Basal Forebrain Promote Wakefulness by Actions on Neighboring Non-Cholinergic Neurons: An Opto-Dialysis Study. Journal of Neuroscience, 2016, 36, 2057-2067.	3.6	106
17	Turning a Negative into a Positive: Ascending GABAergic Control of Cortical Activation and Arousal. Frontiers in Neurology, 2015, 6, 135.	2.4	82
18	Cortically projecting basal forebrain parvalbumin neurons regulate cortical gamma band oscillations. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 3535-3540.	7.1	246

#	ARTICLE	IF	CITATIONS
19	Optogenetic Dissection of the Basal Forebrain Neuromodulatory Control of Cortical Activation, Plasticity, and Cognition. <i>Journal of Neuroscience</i> , 2015, 35, 13896-13903.	3.6	103
20	Cholinergic Neurons Excite Cortically Projecting Basal Forebrain GABAergic Neurons. <i>Journal of Neuroscience</i> , 2014, 34, 2832-2844.	3.6	80
21	The cholinergic agonist carbachol increases the frequency of spontaneous GABAergic synaptic currents in dorsal raphe serotonergic neurons in the mouse. <i>Neuroscience</i> , 2014, 258, 62-73.	2.3	10
22	Impaired GABAergic Neurotransmission in Schizophrenia Underlies Impairments in Cortical Gamma Band Oscillations. <i>Current Psychiatry Reports</i> , 2013, 15, 346.	4.5	42
23	Impact of Ketamine on Neuronal Network Dynamics: Translational Modeling of Schizophreniaâ€™s Relevant Deficits. <i>CNS Neuroscience and Therapeutics</i> , 2013, 19, 437-447.	3.9	85
24	Adenosine Inhibits the Excitatory Synaptic Inputs to Basal Forebrain Cholinergic, GABAergic, and Parvalbumin Neurons in Mice. <i>Frontiers in Neurology</i> , 2013, 4, 77.	2.4	33
25	Distribution and intrinsic membrane properties of basal forebrain GABAergic and parvalbumin neurons in the mouse. <i>Journal of Comparative Neurology</i> , 2013, 521, 1225-1250.	1.6	79
26	Knockdown of orexin type 2 receptor in the lateral pontomesencephalic tegmentum of rats increases <sc>REM</sc> sleep. <i>European Journal of Neuroscience</i> , 2013, 37, 957-963.	2.6	11
27	Chronic Ketamine Reduces the Peak Frequency of Gamma Oscillations in Mouse Prefrontal Cortex Ex vivo. <i>Frontiers in Psychiatry</i> , 2013, 4, 106.	2.6	32
28	Control of Sleep and Wakefulness. <i>Physiological Reviews</i> , 2012, 92, 1087-1187.	28.8	1,089
29	Complex receptor mediation of acute ketamine application on in vitro gamma oscillations in mouse prefrontal cortex: modeling gamma band oscillation abnormalities in schizophrenia. <i>Neuroscience</i> , 2011, 199, 51-63.	2.3	57
30	GAD67-GFP knock-in mice have normal sleepâ€™wake patterns and sleep homeostasis. <i>NeuroReport</i> , 2010, 21, 216-220.	1.2	15
31	Knockdown of orexin type 1 receptor in rat locus coeruleus increases REM sleep during the dark period. <i>European Journal of Neuroscience</i> , 2010, 32, 1528-1536.	2.6	44
32	Sleep fragmentation reduces hippocampal CA1 pyramidal cell excitability and response to adenosine. <i>Neuroscience Letters</i> , 2010, 469, 1-5.	2.1	35
33	Animal Models of Narcolepsy. <i>CNS and Neurological Disorders - Drug Targets</i> , 2009, 8, 296-308.	1.4	28
34	Characterization of GABAergic neurons in rapidâ€™eyeâ€™movement sleep controlling regions of the brainstem reticular formation in GAD67â€™green fluorescent protein knockâ€™in mice. <i>European Journal of Neuroscience</i> , 2008, 27, 352-363.	2.6	81
35	Electrophysiological characterization of neurons in the dorsolateral pontine rapid-eye-movement sleep induction zone of the rat: Intrinsic membrane properties and responses to carbachol and orexins. <i>Neuroscience</i> , 2006, 143, 739-755.	2.3	74
36	Effects of arousalâ€™and feedingâ€™related neuropeptides on dopaminergic and GABAergic neurons in the ventral tegmental area of the rat. <i>European Journal of Neuroscience</i> , 2006, 23, 2677-2685.	2.6	157

#	ARTICLE	IF	CITATIONS
37	Hippocampal synaptic plasticity and spatial learning are impaired in a rat model of sleep fragmentation. <i>European Journal of Neuroscience</i> , 2006, 23, 2739-2748.	2.6	185
38	Sleep deprivation-induced protein changes in basal forebrain: Implications for synaptic plasticity. <i>Journal of Neuroscience Research</i> , 2005, 82, 650-658.	2.9	65
39	NEUROTRANSMITTERS, NEUROMODULATORS, AND SLEEP. , 2005, , 45-75.		2
40	Functional Diversity of Ventral Midbrain Dopamine and GABAergic Neurons. <i>Molecular Neurobiology</i> , 2004, 29, 243-260.	4.0	66
41	Orexins/hypocretins cause sharp wave- and θ -related synaptic plasticity in the hippocampus via glutamatergic, gabaergic, noradrenergic, and cholinergic signaling. <i>Neuroscience</i> , 2004, 127, 519-528.	2.3	102
42	Co-expression of non-selective cation channels of the transient receptor potential canonical family in central aminergic neurones. <i>Journal of Neurochemistry</i> , 2003, 85, 1547-1552.	3.9	38
43	Excitation of Ventral Tegmental Area Dopaminergic and Nondopaminergic Neurons by Orexins/Hypocretins. <i>Journal of Neuroscience</i> , 2003, 23, 7-11.	3.6	522
44	Involvement of hypocretins/orexins in sleep disorders and narcolepsy. <i>Drug News and Perspectives</i> , 2003, 16, 75.	1.5	12
45	Selective excitation of GABAergic neurons in the substantia nigra of the rat by orexin/hypocretin in vitro. <i>Regulatory Peptides</i> , 2002, 104, 83-89.	1.9	97
46	Histamine excites GABAergic cells in the rat substantia nigra and ventral tegmental area in vitro. <i>Neuroscience Letters</i> , 2002, 320, 133-136.	2.1	71
47	Convergent Excitation of Dorsal Raphe Serotonin Neurons by Multiple Arousal Systems (Orexin/Hypocretin, Histamine and Noradrenaline). <i>Journal of Neuroscience</i> , 2002, 22, 8850-8859.	3.6	326
48	The physiology of brain histamine. <i>Progress in Neurobiology</i> , 2001, 63, 637-672.	5.7	891
49	The mechanism of spontaneous firing in histamine neurons. <i>Behavioural Brain Research</i> , 2001, 124, 105-112.	2.2	46
50	Histamine H3 receptors depress synaptic transmission in the corticostriatal pathway. <i>Neuropharmacology</i> , 2001, 40, 106-113.	4.1	76
51	Orexin A excites serotonergic neurons in the dorsal raphe nucleus of the rat. <i>Neuropharmacology</i> , 2001, 40, 457-459.	4.1	254
52	Orexin/Hypocretin Excites the Histaminergic Neurons of the Tubero-mammillary Nucleus. <i>Journal of Neuroscience</i> , 2001, 21, 9273-9279.	3.6	477
53	Defective hippocampal mossy fiber long-term potentiation in endothelial nitric oxide synthase knockout mice. <i>Synapse</i> , 2001, 41, 191-194.	1.2	6
54	On the mechanism of histaminergic inhibition of glutamate release in the rat dentate gyrus. <i>Journal of Physiology</i> , 1999, 515, 777-786.	2.9	109

#	ARTICLE	IF	CITATIONS
55	Mice deficient in endothelial nitric oxide synthase exhibit a selective deficit in hippocampal long-term potentiation. <i>Neuroscience</i> , 1999, 90, 1157-1165.	2.3	46
56	East Germans succeed. <i>Nature</i> , 1998, 394, 613-613.	27.8	0
57	In vivo electrophysiological investigations into the role of histamine in the dentate gyrus of the rat. <i>Neuroscience</i> , 1998, 84, 783-790.	2.3	26
58	Fast increases of AMPA receptor sensitivity following tetanus-induced potentiation in the CA1 region of the rat hippocampus. <i>NeuroReport</i> , 1997, 8, 411-414.	1.2	4
59	Long-term increase of hippocampal excitability by histamine and cyclic AMP. <i>Neuropharmacology</i> , 1997, 36, 1539-1548.	4.1	88
60	Histamine H3 receptor-mediated depression of synaptic transmission in the dentate gyrus of the rat in vitro. <i>Journal of Physiology</i> , 1996, 496, 175-184.	2.9	60
61	Metabotropic glutamate receptor agonists reduce paired-pulse depression in the dentate gyrus of the rat in vitro. <i>Neuroscience Letters</i> , 1995, 196, 17-20.	2.1	40
62	Class I metabotropic glutamate receptor agonists do not facilitate the induction of long-term potentiation in the dentate gyrus of the rat in vitro. <i>Neuroscience Letters</i> , 1995, 202, 73-76.	2.1	7
63	Histaminergic modulation of synaptic plasticity in area CA1 of rat hippocampal slices. <i>Neuropharmacology</i> , 1995, 34, 181-190.	4.1	85
64	(RS)-1-Methyl-4-carboxyphenylglycine (MCPG) does not block theta burst-induced long-term potentiation in area CA1 of rat hippocampal slices. <i>Neuroscience Letters</i> , 1994, 170, 17-21.	2.1	34
65	Neuroanatomical and neurochemical basis of wakefulness and REM sleep systems. , 0, , 23-58.		3
66	Neuroanatomy and neurobiology of sleep and wakefulness. , 0, , 13-35.		2