

# Lucy C Chappell

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/583540/publications.pdf>

Version: 2024-02-01

226  
papers

20,408  
citations

50170

46  
h-index

12558

132  
g-index

243  
all docs

243  
docs citations

243  
times ranked

30074  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Monitoring the safety of COVID-19 vaccination in pregnancy in the UK: A national study using the UK Obstetric Surveillance System (UKOSS), UK Teratology Information Service (UKTIS) and Vaccination in Pregnancy (VIP) safety monitoring systems. <i>Obstetric Medicine</i> , 2023, 16, 40-47. | 0.5 | 1         |
| 2  | The assessment of blood pressure in pregnant women: pitfalls and novel approaches. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 226, S804-S818.   | 0.7 | 20        |
| 3  | External validation of prognostic models to predict stillbirth using International Prediction of Pregnancy Complications (<scp>IPPIC</scp>) Network database: individual participant data meta-analysis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2022, 59, 209-219.                    | 0.9 | 8         |
| 4  | Intrahepatic Cholestasis of Pregnancy: Toward Improving Perinatal Outcome. <i>Reproductive Sciences</i> , 2022, 29, 3100-3105.  | 1.1 | 3         |
| 5  | Visual assessment of the placenta in antenatal magnetic resonance imaging across gestation in normal and compromised pregnancies: Observations from a large cohort study. <i>Placenta</i> , 2022, 117, 29-38.   | 0.7 | 5         |
| 6  | Rule-in and rule-out of pre-eclampsia using DELFIA Xpress PIGF 1-2-3 and sFlt-1: PIGF ratio. <i>Pregnancy Hypertension</i> , 2022, 27, 96-102.  | 0.6 | 6         |
| 7  | Which antihypertensive treatment is better for mild to moderate hypertension in pregnancy?. <i>BMJ, The</i> , 2022, 376, e066333.   | 3.0 | 1         |
| 8  | Postpartum blood pressure self-management following hypertensive pregnancy: protocol of the Physician Optimised Post-partum Hypertension Treatment (POP-HT) trial. <i>BMJ Open</i> , 2022, 12, e051180.   | 0.8 | 11        |
| 9  | Cardiac and placental imaging (CARP) in pregnancy to assess aetiology of preeclampsia. <i>Placenta</i> , 2022, 122, 46-55.  | 0.7 | 2         |
| 10 | In-hospital Complications in Pregnancies Conceived by Assisted Reproductive Technology. <i>Journal of the American Heart Association</i> , 2022, 11, e022658.   | 1.6 | 13        |
| 11 | Two-year follow-up of infant and maternal outcomes after planned early delivery or expectant management for late preterm pre-eclampsia (<scp>PHOENIX</scp>): A randomised controlled trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2022, 129, 1654-1663.         | 1.1 | 10        |
| 12 | Postnatal health and care following hypertensive disorders in pregnancy: a prospective cohort study (BPIPP study). <i>BMC Pregnancy and Childbirth</i> , 2022, 22, 286.   | 0.9 | 2         |
| 13 | Cross-sectional diagnostic accuracy study of self-testing for proteinuria during hypertensive pregnancies: The <scp>UDIP</scp> study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2022, 129, 2142-2148.   | 1.1 | 5         |
| 14 | Planned delivery or expectant management in preeclampsia: an individual participant data meta-analysis. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 227, 218-230.e8.   | 0.7 | 9         |
| 15 | Effect of Self-monitoring of Blood Pressure on Diagnosis of Hypertension During Higher-Risk Pregnancy. <i>JAMA - Journal of the American Medical Association</i> , 2022, 327, 1656.   | 3.8 | 40        |
| 16 | Effect of Self-monitoring of Blood Pressure on Blood Pressure Control in Pregnant Individuals With Chronic or Gestational Hypertension. <i>JAMA - Journal of the American Medical Association</i> , 2022, 327, 1666.  | 3.8 | 34        |
| 17 | Kidney morphology in pregnancy using T2-weighted MRI. <i>Clinical Radiology</i> , 2022, , .   | 0.5 | 0         |
| 18 | Quality framework for remote antenatal care: qualitative study with women, healthcare professionals and system-level stakeholders. <i>BMJ Quality and Safety</i> , 2022, , bmjqs-2021-014329.   | 1.8 | 7         |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Role of Antihypertensive Treatment and Blood Pressure Control in the Occurrence of Adverse Pregnancy Outcomes: a Population-Based Study of Linked Electronic Health Records. <i>Hypertension</i> , 2022, 79, 1548-1558.  | 1.3  | 7         |
| 20 | The impact of chronic kidney disease Stages 3-5 on pregnancy outcomes. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 2008-2017.   | 0.4  | 43        |
| 21 | Dexamethasone in Hospitalized Patients with Covid-19. <i>New England Journal of Medicine</i> , 2021, 384, 693-704.   | 13.9 | 8,063     |
| 22 | Anti-Müllerian hormone concentrations in women with chronic kidney disease. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 537-542.   | 1.4  | 7         |
| 23 | Ursodeoxycholic acid in intrahepatic cholestasis of pregnancy: a secondary analysis of the PITCHES trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 1066-1075.  | 1.1  | 24        |
| 24 | Ursodeoxycholic acid in intrahepatic cholestasis of pregnancy: a summary of the PITCHES study and its clinical implications. <i>Obstetrics, Gynaecology and Reproductive Medicine</i> , 2021, 31, 30-31.   | 0.1  | 0         |
| 25 | Placental magnetic resonance imaging in chronic hypertension: A case-control study. <i>Placenta</i> , 2021, 104, 138-145.  | 0.7  | 13        |
| 26 | Fetal cardiac dysfunction in intrahepatic cholestasis of pregnancy is associated with elevated serum bile acid concentrations. <i>Journal of Hepatology</i> , 2021, 74, 1087-1096.   | 1.8  | 38        |
| 27 | Placental growth factor measurements in the assessment of women with suspected Preeclampsia: A stratified analysis of the PARROT trial. <i>Pregnancy Hypertension</i> , 2021, 23, 41-47.   | 0.6  | 14        |
| 28 | A multi-centre, open label, randomised, parallel-group, superiority Trial to compare the efficacy of Ursodeoxycholic acid with Rifampicin in the management of women with severe early onset Intrahepatic Cholestasis of pregnancy: the TURRIFIC randomised trial. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 51. | 0.9  | 21        |
| 29 | Current prevalence of self-monitoring of blood pressure during pregnancy: the BUMP Survey. <i>Journal of Hypertension</i> , 2021, 39, 994-1001.  | 0.3  | 16        |
| 30 | In Reply. <i>Obstetrics and Gynecology</i> , 2021, 137, 380-381.   | 1.2  | 0         |
| 31 | Effect of the CRADLE vital signs alert device intervention on referrals for obstetric haemorrhage in low-middle income countries: a secondary analysis of a stepped-wedge cluster-randomised control trial. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 317.   | 0.9  | 5         |
| 32 | A prognostic model to guide decision-making on timing of delivery in late preterm pre-eclampsia: the PEACOCK prospective cohort study. <i>Health Technology Assessment</i> , 2021, 25, 1-32.   | 1.3  | 4         |
| 33 | Planned early delivery for late preterm pre-eclampsia in a low- and middle-income setting: a feasibility study. <i>Reproductive Health</i> , 2021, 18, 110.  | 1.2  | 4         |
| 34 | Prognostic indicators of severe disease in late preterm pre-eclampsia to guide decision making on timing of delivery: The PEACOCK study. <i>Pregnancy Hypertension</i> , 2021, 24, 90-95.  | 0.6  | 13        |
| 35 | Improving Knowledge on Safety is Key to Enabling Drug Access for Pregnant and Breastfeeding Women. <i>Clinical Pharmacology and Therapeutics</i> , 2021, 110, 866-868.   | 2.3  | 8         |
| 36 | Placental and endothelial biomarkers for the prediction of superimposed pre-eclampsia in chronic kidney disease. <i>Pregnancy Hypertension</i> , 2021, 24, 58-64.  | 0.6  | 12        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Validation of the BPro radial pulse waveform acquisition device in pregnancy and gestational hypertensive disorders. <i>Blood Pressure Monitoring</i> , 2021, 26, 380-384.  | 0.4 | 2         |
| 38 | In-Hospital Complications in Pregnant Women With Current or Historical Cancer Diagnoses. <i>Mayo Clinic Proceedings</i> , 2021, 96, 2779-2792.  | 1.4 | 3         |
| 39 | Ursodeoxycholic acid in intrahepatic cholestasis of pregnancy: a systematic review and individual participant data meta-analysis. <i>The Lancet Gastroenterology and Hepatology</i> , 2021, 6, 547-558.   | 3.7 | 60        |
| 40 | An efficient and combined placental ADC acquisition in pregnancies with and without pre-eclampsia. <i>Magnetic Resonance in Medicine</i> , 2021, 86, 2684-2691.   | 1.9 | 2         |
| 41 | Pre-eclampsia. <i>Lancet, The</i> , 2021, 398, 341-354.   | 6.3 | 365       |
| 42 | Data-Driven multi-Contrast spectral microstructure imaging with InSpecT: INTEgrated SPECTral component estimation and mapping. <i>Medical Image Analysis</i> , 2021, 71, 102045.  | 7.0 | 22        |
| 43 | APPLAUSE: Automatic Prediction of PLAcental health via U-net Segmentation and statistical Evaluation. <i>Medical Image Analysis</i> , 2021, 72, 102145.   | 7.0 | 13        |
| 44 | Association Between Administration of IL-6 Antagonists and Mortality Among Patients Hospitalized for COVID-19. <i>JAMA - Journal of the American Medical Association</i> , 2021, 326, 499.  | 3.8 | 498       |
| 45 | Protein-creatinine ratio and albumin-creatinine ratio for the diagnosis of significant proteinuria in pregnant women with hypertension: Systematic review and meta-analysis of diagnostic test accuracy. <i>Pregnancy Hypertension</i> , 2021, 25, 196-203. | 0.6 | 9         |
| 46 | Multicenter Cohort Study, With a Nested Randomized Comparison, to Examine the Cardiovascular Impact of Preterm Preeclampsia. <i>Hypertension</i> , 2021, 78, 1382-1394.   | 1.3 | 12        |
| 47 | Adherence with blood pressure self-monitoring in women with pregnancy hypertension, and comparisons to clinic readings: A secondary analysis of OPTIMUM-BP. <i>Pregnancy Hypertension</i> , 2021, 25, 68-74.  | 0.6 | 6         |
| 48 | Women's attitudes, beliefs and values about tests, and management for hypertensive disorders of pregnancy. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 665.   | 0.9 | 7         |
| 49 | Planned delivery to improve postpartum cardiac function in women with preterm pre-eclampsia: the PHOEBE mechanisms of action study within the PHOENIX RCT. <i>Efficacy and Mechanism Evaluation</i> , 2021, 8, 1-28.  | 0.9 | 4         |
| 50 | P-069. Planned delivery or expectant management for the prevention of adverse pregnancy outcomes in pre-eclampsia: A meta-analysis of individual participant data. <i>Pregnancy Hypertension</i> , 2021, 25, e51-e52.                                       | 0.6 | 0         |
| 51 | The role of antenatal corticosteroids in improving neonatal outcomes. <i>The Obstetrician and Gynaecologist</i> , 2021, 23, 246.  | 0.2 | 2         |
| 52 | Y-014. Two-year infant and maternal outcomes after planned delivery or expectant management for late preterm pre-eclampsia (PHOENIX): a randomised controlled trial. <i>Pregnancy Hypertension</i> , 2021, 25, e22.   | 0.6 | 0         |
| 53 | Changes to management of hypertension in pregnancy, and attitudes to self-management: An online survey of obstetricians, before and following the first wave of the COVID-19 pandemic. <i>Pregnancy Hypertension</i> , 2021, 26, 54-61.                     | 0.6 | 9         |
| 54 | Anisotropy in the Human Placenta in Pregnancies Complicated by Fetal Growth Restriction. <i>Mathematics and Visualization</i> , 2021, , 263-276.  | 0.4 | 1         |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | Postpartum-Specific Vital Sign Reference Ranges. <i>Obstetrics and Gynecology</i> , 2021, 137, 295-304.  | 1.2  | 13        |
| 56 | Factors influencing perinatal outcomes in women with preterm preeclampsia: A secondary analysis of the PHOENIX trial. <i>Pregnancy Hypertension</i> , 2021, 26, 91-93.   | 0.6  | 1         |
| 57 | Renal biopsy findings during and after pregnancy. <i>Obstetric Medicine</i> , 2020, 13, 174-178.   | 0.5  | 1         |
| 58 | Detection of additional abnormalities or co-morbidities in women with suspected intrahepatic cholestasis of pregnancy. <i>Obstetric Medicine</i> , 2020, 13, 185-191.  | 0.5  | 4         |
| 59 | Perfusion and apparent oxygenation in the human placenta (PERFOX). <i>Magnetic Resonance in Medicine</i> , 2020, 83, 549-560.  | 1.9  | 20        |
| 60 | Pravastatin for early-onset preeclampsia: a randomised, blinded, placebo-controlled trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020, 127, 478-488.   | 1.1  | 85        |
| 61 | Corticosteroids in the Management of Pregnant Patients With Coronavirus Disease (COVID-19). <i>Obstetrics and Gynecology</i> , 2020, 136, 823-826.   | 1.2  | 50        |
| 62 | Effect of Hydroxychloroquine in Hospitalized Patients with Covid-19. <i>New England Journal of Medicine</i> , 2020, 383, 2030-2040.  | 13.9 | 1,013     |
| 63 | Lopinavir-ritonavir in patients admitted to hospital with COVID-19 (RECOVERY): a randomised, controlled, open-label, platform trial. <i>Lancet, The</i> , 2020, 396, 1345-1352.  | 6.3  | 569       |
| 64 | Standardising definitions for the pre-eclampsia core outcome set: A consensus development study. <i>Pregnancy Hypertension</i> , 2020, 21, 208-217.  | 0.6  | 9         |
| 65 | Implementation of national antenatal hypertension guidelines: a multicentre multiple methods study. <i>BMJ Open</i> , 2020, 10, e035762.   | 0.8  | 5         |
| 66 | Planned early delivery versus expectant management to reduce adverse pregnancy outcomes in pre-eclampsia in a low- and middle-income setting: study protocol for a randomised controlled trial (CRADLE-4 Trial). <i>Trials</i> , 2020, 21, 960.  | 0.7  | 8         |
| 67 | Placental growth factor in suspected preterm preeclampsia: a review of the evidence and practicalities of implementation. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020, 127, 1590-1597.  | 1.1  | 17        |
| 68 | Authors' reply re: Incidence and characteristics of pregnancy-related death across ten low- and middle-income geographical regions: secondary analysis of a cluster randomised controlled trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020, 127, 1302-1303. | 1.1  | 0         |
| 69 | Pharmacological interventions for treating intrahepatic cholestasis of pregnancy. <i>The Cochrane Library</i> , 2020, 2020, CD000493.  | 1.5  | 35        |
| 70 | Temporal Trends in Pregnancy-Associated Stroke and Its Outcomes Among Women With Hypertensive Disorders of Pregnancy. <i>Journal of the American Heart Association</i> , 2020, 9, e016182.   | 1.6  | 23        |
| 71 | Setting and techniques for monitoring blood pressure during pregnancy. <i>The Cochrane Library</i> , 2020, 2020, CD012739.   | 1.5  | 6         |
| 72 | Research priorities for pregnancy hypertension: a UK priority setting partnership with the James Lind Alliance. <i>BMJ Open</i> , 2020, 10, e036347.   | 0.8  | 11        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Include pregnant women in research particularly covid-19 research. <i>BMJ, The</i> , 2020, 370, m3305.  | 3.0 | 19        |
| 74 | Managing late preterm pre-eclampsia Authors' reply. <i>Lancet, The</i> , 2020, 396, 308-309.  | 6.3 | 1         |
| 75 | Evidence and Recommendations on the Use of Telemedicine for the Management of Arterial Hypertension. <i>Hypertension</i> , 2020, 76, 1368-1383.   | 1.3 | 178       |
| 76 | Elevated serum bile acid and alanine aminotransferase concentrations in intrahepatic cholestasis of pregnancy are associated with increased fetal NT-proBNP which is ameliorated by ursodeoxycholic acid treatment. <i>Journal of Hepatology</i> , 2020, 73, S556-S557.   | 1.8 | 2         |
| 77 | Placental growth factor for the prognosis of women with preeclampsia (fullPIERS model extension): context matters. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 668.   | 0.9 | 6         |
| 78 | External validation of prognostic models predicting pre-eclampsia: individual participant data meta-analysis. <i>BMC Medicine</i> , 2020, 18, 302.  | 2.3 | 12        |
| 79 | A core outcome set for pre-eclampsia research: an international consensus development study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020, 127, 1516-1526.  | 1.1 | 68        |
| 80 | Predisposition to superimposed preeclampsia in women with chronic hypertension: endothelial, renal, cardiac, and placental factors in a prospective longitudinal cohort. <i>Hypertension in Pregnancy</i> , 2020, 39, 326-335.  | 0.5 | 11        |
| 81 | Rule-in thresholds for DELFIA Xpress PIGF 1-2-3 test for suspected pre-eclampsia. <i>Pregnancy Hypertension</i> , 2020, 21, 35-37.  | 0.6 | 6         |
| 82 | Incidence and characteristics of pregnancy-related death across ten low and middle income geographical regions: secondary analysis of a cluster randomised controlled trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020, 127, 1082-1089.  | 1.1 | 8         |
| 83 | Ursodeoxycholic acid for adverse perinatal outcomes Authors' reply. <i>Lancet, The</i> , 2020, 395, 780-781.  | 6.3 | 0         |
| 84 | CKD and Pregnancy Outcomes in Africa: A Narrative Review. <i>Kidney International Reports</i> , 2020, 5, 1342-1349.   | 0.4 | 6         |
| 85 | Diagnostic accuracy of repeat placental growth factor measurements in women with suspected preeclampsia: A case series study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020, 99, 994-1002.   | 1.3 | 12        |
| 86 | Gestation-Specific Vital Sign Reference Ranges in Pregnancy. <i>Obstetrics and Gynecology</i> , 2020, 135, 653-664.   | 1.2 | 68        |
| 87 | Are blood pressure level and variability related to pregnancy outcome? Analysis of control of hypertension in pregnancy study data. <i>Pregnancy Hypertension</i> , 2020, 19, 87-93.  | 0.6 | 11        |
| 88 | Placental growth factor testing in suspected pre-eclampsia Authors' reply. <i>Lancet, The</i> , 2020, 395, 336-337.   | 6.3 | 0         |
| 89 | The ability of late pregnancy maternal tests to predict adverse pregnancy outcomes associated with placental dysfunction (specifically fetal growth restriction and pre-eclampsia): a protocol for a systematic review and meta-analysis of prognostic accuracy studies. <i>Systematic Reviews</i> , 2020, 9, 78. | 2.5 | 6         |
| 90 | Temporal Changes in Hypertensive Disorders of Pregnancy and Impact on Cardiovascular and Obstetric Outcomes. <i>American Journal of Cardiology</i> , 2020, 125, 1508-1516.  | 0.7 | 23        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Blood pressure monitoring in high-risk pregnancy to improve the detection and monitoring of hypertension (the BUMP 1 and 2 trials): protocol for two linked randomised controlled trials. <i>BMJ Open</i> , 2020, 10, e034593.   | 0.8 | 30        |
| 92  | Updates in Diagnosis and Management of Preeclampsia in Women with CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020, 15, 1371-1380.   | 2.2 | 32        |
| 93  | Data-Driven Multi-contrast Spectral Microstructure Imaging with InSpect. <i>Lecture Notes in Computer Science</i> , 2020, , 375-385.   | 1.0 | 1         |
| 94  | T2* Placental Magnetic Resonance Imaging in Preterm Preeclampsia. <i>Hypertension</i> , 2020, 75, 1523-1531.   | 1.3 | 52        |
| 95  | Validation and development of models using clinical, biochemical and ultrasound markers for predicting pre-eclampsia: an individual participant data meta-analysis. <i>Health Technology Assessment</i> , 2020, 24, 1-252.   | 1.3 | 17        |
| 96  | Exploring the potential for introducing home monitoring of blood pressure during pregnancy into maternity care: current views and experiences of staff—a qualitative study. <i>BMJ Open</i> , 2020, 10, e037874.   | 0.8 | 13        |
| 97  | Ursodeoxycholic acid to reduce adverse perinatal outcomes for intrahepatic cholestasis of pregnancy: the PITCHES RCT. <i>Efficacy and Mechanism Evaluation</i> , 2020, 7, 1-42.  | 0.9 | 2         |
| 98  | Ursodeoxycholic acid versus placebo in women with intrahepatic cholestasis of pregnancy (PITCHES): a randomised controlled trial. <i>Lancet, The</i> , 2019, 394, 849-860.   | 6.3 | 183       |
| 99  | Caring for women with chronic hypertension. <i>British Journal of Midwifery</i> , 2019, 27, 343-351.   | 0.1 | 1         |
| 100 | Placental growth factor testing for suspected pre-eclampsia: a cost-effectiveness analysis. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019, 126, 1390-1398.  | 1.1 | 29        |
| 101 | Intrahepatic cholestasis: suggested future investigations — Authors' reply. <i>Lancet, The</i> , 2019, 394, e18.   | 6.3 | 1         |
| 102 | PREPARE: protocol for a stepped wedge trial to evaluate whether a risk stratification model can reduce preterm deliveries among women with suspected or confirmed preterm pre-eclampsia. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, 343.  | 0.9 | 5         |
| 103 | A randomised controlled trial of blood pressure self-monitoring in the management of hypertensive pregnancy. <i>OPTIMUM-BP: A feasibility trial. Pregnancy Hypertension</i> , 2019, 18, 141-149.   | 0.6 | 37        |
| 104 | Clinical practice guideline on pregnancy and renal disease. <i>BMC Nephrology</i> , 2019, 20, 401.   | 0.8 | 124       |
| 105 | Enzymatic quantification of total serum bile acids as a monitoring strategy for women with intrahepatic cholestasis of pregnancy receiving ursodeoxycholic acid treatment: a cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019, 126, 1633-1640. | 1.1 | 29        |
| 106 | Planned early delivery or expectant management for late preterm pre-eclampsia (PHOENIX): a randomised controlled trial. <i>Lancet, The</i> , 2019, 394, 1181-1190.   | 6.3 | 112       |
| 107 | Diagnosis and management of hypertension in pregnancy: summary of updated NICE guidance. <i>BMJ: British Medical Journal</i> , 2019, 366, l5119.   | 2.4 | 154       |
| 108 | Pregnancy-Related Acute Kidney Injury in Preeclampsia. <i>Hypertension</i> , 2019, 74, 1144-1151.  | 1.3 | 43        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Preeclampsia and Cardiovascular Disease in a Large UK Pregnancy Cohort of Linked Electronic Health Records. <i>Circulation</i> , 2019, 140, 1050-1060.  | 1.6 | 186       |
| 110 | Planned delivery or expectant management for late preterm pre-eclampsia: study protocol for a randomised controlled trial (PHOENIX trial). <i>Trials</i> , 2019, 20, 85.  | 0.7 | 14        |
| 111 | Reducing maternal deaths from hypertensive disorders: learning from confidential inquiries. <i>BMJ: British Medical Journal</i> , 2019, 364, l230.  | 2.4 | 16        |
| 112 | Quantifying adherence to antihypertensive medication for chronic hypertension during pregnancy. <i>Pregnancy Hypertension</i> , 2019, 17, 12-14.  | 0.6 | 5         |
| 113 | InSpect: INtegrated SPECTral Component Estimation and Mapping for Multi-contrast Microstructural MRI. <i>Lecture Notes in Computer Science</i> , 2019, , 755-766.   | 1.0 | 5         |
| 114 | Exploring the effect of implementation and context on a stepped-wedge randomised controlled trial of a vital sign triage device in routine maternity care in low-resource settings. <i>Implementation Science</i> , 2019, 14, 38. | 2.5 | 11        |
| 115 | Shock index thresholds to predict adverse outcomes in maternal hemorrhage and sepsis: A prospective cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019, 98, 1178-1186.                                      | 1.3 | 28        |
| 116 | Markers of maternal cardiac dysfunction in pre-eclampsia and superimposed pre-eclampsia. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019, 237, 151-156.   | 0.5 | 8         |
| 117 | Combined diffusion-relaxometry MRI to identify dysfunction in the human placenta. <i>Magnetic Resonance in Medicine</i> , 2019, 82, 95-106.   | 1.9 | 74        |
| 118 | Diagnostic Indicators of Superimposed Preeclampsia in Women With CKD. <i>Kidney International Reports</i> , 2019, 4, 842-853.   | 0.4 | 23        |
| 119 | Incidence of eclampsia and related complications across 10 low- and middle-resource geographical regions: Secondary analysis of a cluster randomised controlled trial. <i>PLoS Medicine</i> , 2019, 16, e1002775.                 | 3.9 | 49        |
| 120 | Placental growth factor testing to assess women with suspected pre-eclampsia: a multicentre, pragmatic, stepped-wedge cluster-randomised controlled trial. <i>Lancet, The</i> , 2019, 393, 1807-1818.                             | 6.3 | 192       |
| 121 | Effect of a novel vital sign device on maternal mortality and morbidity in low-resource settings: a pragmatic, stepped-wedge, cluster-randomised controlled trial. <i>The Lancet Global Health</i> , 2019, 7, e347-e356.          | 2.9 | 34        |
| 122 | Association of adverse perinatal outcomes of intrahepatic cholestasis of pregnancy with biochemical markers: results of aggregate and individual patient data meta-analyses. <i>Lancet, The</i> , 2019, 393, 899-909.             | 6.3 | 305       |
| 123 | Intervention planning and modification of the BUMP intervention: a digital intervention for the early detection of raised blood pressure in pregnancy. <i>Pilot and Feasibility Studies</i> , 2019, 5, 153.                       | 0.5 | 11        |
| 124 | Uncertainties in Screening and Prevention of Group B Streptococcus Disease. <i>Clinical Infectious Diseases</i> , 2019, 69, 720-725.  | 2.9 | 17        |
| 125 | Serum Creatinine in Pregnancy: A Systematic Review. <i>Kidney International Reports</i> , 2019, 4, 408-419.   | 0.4 | 70        |
| 126 | Impact of ethnicity on adverse perinatal outcome in women with chronic hypertension: a cohort study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019, 54, 72-78.  | 0.9 | 13        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Multi-modal functional MRI to explore placental function over gestation. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 1191-1204.  | 1.9 | 60        |
| 128 | Prediction of pre-eclampsia: review of reviews. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019, 54, 16-27.  | 0.9 | 69        |
| 129 | Temporal and external validation of the fullPIERS model for the prediction of adverse maternal outcomes in women with pre-eclampsia. <i>Pregnancy Hypertension</i> , 2019, 15, 42-50.  | 0.6 | 27        |
| 130 | Longitudinal changes in vascular function parameters in pregnant women with chronic hypertension and association with adverse outcome: a cohort study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019, 53, 638-648.         | 0.9 | 5         |
| 131 | Comparison of three commercially available placental growth factor-based tests in women with suspected preterm pre-eclampsia: the COMPARE study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019, 53, 62-67.                 | 0.9 | 34        |
| 132 | The Renal Association Clinical Practice Guideline on Pregnancy and Renal Disease. <i>Podiatry</i> , 2019, 8, 225-233.  | 0.1 | 0         |
| 133 | Reduced fetal movements. <i>BMJ: British Medical Journal</i> , 2018, 360, k570.  | 2.4 | 8         |
| 134 | Placental Growth Factor informed management of suspected pre-eclampsia or fetal growth restriction: The MAPPLE cohort study. <i>Pregnancy Hypertension</i> , 2018, 14, 228-233.  | 0.6 | 18        |
| 135 | Does ursodeoxycholic acid improve perinatal outcomes in women with intrahepatic cholestasis of pregnancy?. <i>BMJ: British Medical Journal</i> , 2018, 360, k104.  | 2.4 | 15        |
| 136 | Prospective biomarkers in preterm preeclampsia: A review. <i>Pregnancy Hypertension</i> , 2018, 14, 72-78.   | 0.6 | 39        |
| 137 | Predicting delivery of a small-for-gestational-age infant and adverse perinatal outcome in women with suspected pre-eclampsia. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 51, 387-395.                                 | 0.9 | 26        |
| 138 | The feasibility and acceptability of self-testing for proteinuria during pregnancy: A mixed methods approach. <i>Pregnancy Hypertension</i> , 2018, 12, 161-168.   | 0.6 | 14        |
| 139 | Early warning system hypertension thresholds to predict adverse outcomes in pre-eclampsia: A prospective cohort study. <i>Pregnancy Hypertension</i> , 2018, 12, 183-188.  | 0.6 | 24        |
| 140 | Development and evaluation of a novel Vital Signs Alert device for use in pregnancy in low-resource settings. <i>BMJ Innovations</i> , 2018, 4, 192-198.   | 1.0 | 21        |
| 141 | Ursodeoxycholic acid versus placebo in the treatment of women with intrahepatic cholestasis of pregnancy (ICP) to improve perinatal outcomes: protocol for a randomised controlled trial (PITCHES). <i>Trials</i> , 2018, 19, 657. | 0.7 | 15        |
| 142 | Why is the search for pre-eclampsia prevention so elusive?. <i>BMJ: British Medical Journal</i> , 2018, 362, k3536.  | 2.4 | 3         |
| 143 | What is the evidence for using labetalol as a first-line treatment option for hypertension in pregnancy?. <i>Drug and Therapeutics Bulletin</i> , 2018, 56, 107-111.   | 0.3 | 5         |
| 144 | Creating biobanks in low and middle-income countries to improve knowledge – The PREPARE initiative. <i>Pregnancy Hypertension</i> , 2018, 13, 62-64.   | 0.6 | 8         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Postpartum evaluation of cardiovascular disease risk for women with pregnancies complicated by hypertension. <i>Pregnancy Hypertension</i> , 2018, 13, 218-224.  | 0.6 | 12        |
| 146 | Chronic hypertension in pregnancy: impact of ethnicity and superimposed preeclampsia on placental, endothelial, and renal biomarkers. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2018, 315, R36-R47.  | 0.9 | 22        |
| 147 | Evaluation of a novel device for the management of high blood pressure and shock in pregnancy in low-resource settings: study protocol for a stepped-wedge cluster-randomised controlled trial (CRADLE-3 trial). <i>Trials</i> , 2018, 19, 206.  | 0.7 | 15        |
| 148 | The CRADLE vital signs alert: qualitative evaluation of a novel device designed for use in pregnancy by healthcare workers in low-resource settings. <i>Reproductive Health</i> , 2018, 15, 5.   | 1.2 | 27        |
| 149 | Evaluation of a novel vital sign device to reduce maternal mortality and morbidity in low-resource settings: a mixed method feasibility study for the CRADLE-3 trial. <i>BMC Pregnancy and Childbirth</i> , 2018, 18, 115.   | 0.9 | 14        |
| 150 | Maternal and perinatal adverse outcomes in women with pre-eclampsia cared for at facility-level in South Africa: a prospective cohort study. <i>Journal of Global Health</i> , 2018, 8, 020401.  | 1.2 | 21        |
| 151 | Maternal and perinatal adverse outcomes in women with pre-eclampsia cared for at facility-level in South Africa: a prospective cohort study. <i>Journal of Global Health</i> , 2018, 8, .  | 1.2 | 31        |
| 152 | Fetal sex-specific differences in gestational age at delivery in pre-eclampsia: a meta-analysis. <i>International Journal of Epidemiology</i> , 2017, 46, dyw178.  | 0.9 | 46        |
| 153 | Maternal deaths in the UK: pre-eclampsia deaths are avoidable. <i>Lancet, The</i> , 2017, 389, 582-584.  | 6.3 | 35        |
| 154 | Impact of Antihypertensive Treatment on Maternal and Perinatal Outcomes in Pregnancy Complicated by Chronic Hypertension: A Systematic Review and Meta-Analysis. <i>Journal of the American Heart Association</i> , 2017, 6, .   | 1.6 | 67        |
| 155 | Preterm pre-eclampsia: What every neonatologist should know. <i>Early Human Development</i> , 2017, 114, 26-30.  | 0.8 | 20        |
| 156 | Labetalol Versus Nifedipine as Antihypertensive Treatment for Chronic Hypertension in Pregnancy. <i>Hypertension</i> , 2017, 70, 915-922.  | 1.3 | 61        |
| 157 | Implementation of guidelines for multidisciplinary team management of pregnancy in women with pre-existing diabetes or cardiac conditions: results from a UK national survey. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 434.   | 0.9 | 14        |
| 158 | External validation, update and development of prediction models for pre-eclampsia using an Individual Participant Data (IPD) meta-analysis: the International Prediction of Pregnancy Complication Network (IPPIC pre-eclampsia) protocol. <i>Diagnostic and Prognostic Research</i> , 2017, 1, 16. | 0.8 | 14        |
| 159 | Improving the Pipeline for Developing and Testing Pharmacological Treatments in Pregnancy. <i>PLoS Medicine</i> , 2016, 13, e1002161.  | 3.9 | 28        |
| 160 | Placental Growth Factor (PlGF) in Women with Suspected Pre-Eclampsia Prior to 35 Weeks <sup>™</sup> Gestation: A Budget Impact Analysis. <i>PLoS ONE</i> , 2016, 11, e0164276.   | 1.1 | 20        |
| 161 | Determination of Normal Ranges of Shock Index and Other Haemodynamic Variables in the Immediate Postpartum Period: A Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0168535.   | 1.1 | 36        |
| 162 | Diagnostic Biomarkers in Women With Suspected Preeclampsia in a Prospective Multicenter Study. <i>Obstetrics and Gynecology</i> , 2016, 128, 245-252.  | 1.2 | 26        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Prognostic and mechanistic potential of progesterone sulfates in intrahepatic cholestasis of pregnancy and pruritus gravidarum. <i>Hepatology</i> , 2016, 63, 1287-1298.   | 3.6 | 85        |
| 164 | Urinary congophilia in women with hypertensive disorders of pregnancy and preexisting proteinuria or hypertension. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 215, 464.e1-464.e7.  | 0.7 | 34        |
| 165 | Placental growth factor as a marker of fetal growth restriction caused by placental dysfunction. <i>Placenta</i> , 2016, 42, 1-8.  | 0.7 | 159       |
| 166 | Pregnancy outcomes in myeloproliferative neoplasms: <sc>UK</sc> prospective cohort study. <i>British Journal of Haematology</i> , 2016, 175, 31-36.  | 1.2 | 65        |
| 167 | Intrahepatic cholestasis of pregnancy. <i>The Obstetrician and Gynaecologist</i> , 2016, 18, 273-281.  | 0.2 | 21        |
| 168 | Oxidative stress in pregnancy and reproduction. <i>Obstetric Medicine</i> , 2016, 9, 113-116.  | 0.5 | 132       |
| 169 | Urinary congophilia in women with pre-eclampsia and chronic kidney disease. <i>Lancet, The</i> , 2016, 387, S72.   | 6.3 | 0         |
| 170 | Diagnostic and predictive biomarkers for pre-eclampsia in patients with established hypertension and chronic kidney disease. <i>Kidney International</i> , 2016, 89, 874-885.  | 2.6 | 124       |
| 171 | Adverse maternal and perinatal outcomes in pregnant women with sickle cell disease: systematic review and meta-analysis. <i>Blood</i> , 2015, 125, 3316-3325.  | 0.6 | 167       |
| 172 | Diagnostic accuracy of placental growth factor and ultrasound parameters to predict the small-for-gestational-age infant in women presenting with reduced symphysis-fundus height. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015, 46, 182-190. | 0.9 | 32        |
| 173 | Accuracy validation of the Microlife 3AS1-2 blood pressure device in a pregnant population with low blood pressure. <i>Blood Pressure Monitoring</i> , 2015, 20, 299-302.  | 0.4 | 32        |
| 174 | Learning about maternal death and grief in the profession: a pilot qualitative study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015, 94, 1346-1353.   | 1.3 | 22        |
| 175 | Chronic Hypertension and Pregnancy Outcomes. <i>Obstetric Anesthesia Digest</i> , 2015, 35, 6-7.   | 0.0 | 4         |
| 176 | Blood pressure measurement in pregnancy. <i>The Obstetrician and Gynaecologist</i> , 2015, 17, 91-98.  | 0.2 | 22        |
| 177 | An accurate semiautomated oscillometric blood pressure device for use in pregnancy (including) Tj ETQq1 1 0.784314 rgBT /Overlock<br>2015, 20, 52-55.  | 0.4 | 64        |
| 178 | Recurrence of hypertensive disorders of pregnancy: an individual patient data metaanalysis. <i>American Journal of Obstetrics and Gynecology</i> , 2015, 212, 624.e1-624.e17.  | 0.7 | 102       |
| 179 | Is early induction or expectant management more beneficial in women with late preterm pre-eclampsia?. <i>BMJ, The</i> , 2015, 350, h191-h191.  | 3.0 | 13        |
| 180 | Predicting pre-eclampsia. <i>BMJ, The</i> , 2015, 351, h6349.  | 3.0 | 1         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Association between maternal micronutrient status, oxidative stress, and common genetic variants in antioxidant enzymes at 15 weeks <sup>x3</sup> gestation in nulliparous women who subsequently develop preeclampsia. <i>Free Radical Biology and Medicine</i> , 2015, 78, 147-155. | 1.3 | 52        |
| 182 | Pregnancy Outcomes in Patients with Myeloproliferative Neoplasms in the United Kingdom. <i>Blood</i> , 2015, 126, 1601-1601.  | 0.6 | 5         |
| 183 | Associations between Intimate Partner Violence and Termination of Pregnancy: A Systematic Review and Meta-Analysis. <i>PLoS Medicine</i> , 2014, 11, e1001581.  | 3.9 | 101       |
| 184 | Short-term prediction of preeclampsia: how close are we?. <i>Biomarkers in Medicine</i> , 2014, 8, 455-458.   | 0.6 | 5         |
| 185 | Management of pregnant and postnatal women with pre-existing diabetes or cardiac disease using multi-disciplinary team models of care: a systematic review. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, 428.  | 0.9 | 22        |
| 186 | Exploration and Confirmation of Factors Associated With Uncomplicated Pregnancy in Nulliparous Women. <i>Obstetric Anesthesia Digest</i> , 2014, 34, 205-206.   | 0.0 | 0         |
| 187 | Association of severe intrahepatic cholestasis of pregnancy with adverse pregnancy outcomes: A prospective population-based case-control study. <i>Hepatology</i> , 2014, 59, 1482-1491.  | 3.6 | 347       |
| 188 | Chronic hypertension and pregnancy outcomes: systematic review and meta-analysis. <i>BMJ, The</i> , 2014, 348, g2301-g2301.   | 3.0 | 488       |
| 189 | How placental growth factor detection might improve diagnosis and management of pre-eclampsia. <i>Expert Review of Molecular Diagnostics</i> , 2014, 14, 403-406.   | 1.5 | 9         |
| 190 | The Reversed Feto-Maternal Bile Acid Gradient in Intrahepatic Cholestasis of Pregnancy Is Corrected by Ursodeoxycholic Acid. <i>PLoS ONE</i> , 2014, 9, e83828.   | 1.1 | 84        |
| 191 | Postpartum management of hypertension. <i>BMJ, The</i> , 2013, 346, f894-f894.  | 3.0 | 74        |
| 192 | Diagnostic Accuracy of Placental Growth Factor in Women With Suspected Preeclampsia. <i>Circulation</i> , 2013, 128, 2121-2131.   | 1.6 | 382       |
| 193 | Abnormal liver function tests in pregnancy. <i>BMJ, The</i> , 2013, 347, f6055-f6055.   | 3.0 | 47        |
| 194 | Third trimester amniocentesis for diagnosis of inherited bleeding disorders prior to delivery. <i>Haemophilia</i> , 2013, 19, 904-907.  | 1.0 | 20        |
| 195 | PP.53â€¦Domestic Violence and Termination of Pregnancy: A Systematic Review of the Literature. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2013, 98, A96.2-A96.   | 1.4 | 0         |
| 196 | Association of Proteinuria Threshold in Pre-Eclampsia with Maternal and Perinatal Outcomes: A Nested Case Control Cohort of High Risk Women. <i>PLoS ONE</i> , 2013, 8, e76083.   | 1.1 | 32        |
| 197 | Commentary on 'Preconception health care and congenital disorders: mathematical modelling of the impact of a preconception care programme on congenital disorders'. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013, 120, 566-7.                           | 1.1 | 0         |
| 198 | Ursodeoxycholic acid versus placebo, and early term delivery versus expectant management, in women with intrahepatic cholestasis of pregnancy: semifactorial randomised clinical trial. <i>BMJ, The</i> , 2012, 344, e3799-e3799.   | 3.0 | 142       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Vitamin supplementation in pregnancy. <i>The Obstetrician and Gynaecologist</i> , 2012, 14, 175-178.   | 0.2 | 7         |
| 200 | OS100. Plasma placental growth factor (PLGF) measurement in women presenting with suspected pre-eclampsia: the pelican study. <i>Pregnancy Hypertension</i> , 2012, 2, 233-234.  | 0.6 | 9         |
| 201 | 586: Risk profiles for normotensive and hypertensive small for gestational age (SGA) infants include different clinical and ultrasound indices - data from the SCOPE study. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 204, S233-S234. | 0.7 | 0         |
| 202 | Urinary Proteomics for Prediction of Preeclampsia. <i>Hypertension</i> , 2011, 57, 561-569.  | 1.3 | 129       |
| 203 | Pregnancy Outcome in Women with Chronic Kidney Disease: A Prospective Cohort Study. <i>Reproductive Sciences</i> , 2011, 18, 623-630.  | 1.1 | 47        |
| 204 | Operative delivery rates following induction of labour for obstetric cholestasis. <i>Obstetric Medicine</i> , 2011, 4, 66-69.  | 0.5 | 11        |
| 205 | Prediction of Preeclampsia and Delivery of Small for Gestational Age Babies Based on a Combination of Clinical Risk Factors in High-Risk Women. <i>Hypertension in Pregnancy</i> , 2011, 30, 58-73.  | 0.5 | 17        |
| 206 | Clinical and geographical variation in prophylactic and therapeutic treatments for pre-eclampsia in the UK. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2010, 117, 695-700.  | 1.1 | 11        |
| 207 | Risk factors for small-for-gestational-age infants by customised birthweight centiles: data from an international prospective cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2010, 117, 1599-1607.                  | 1.1 | 114       |
| 208 | Commentary: Complex medical conditions in pregnancy need appropriate multidisciplinary input. <i>BMJ: British Medical Journal</i> , 2009, 339, b5179-b5179.  | 2.4 | 0         |
| 209 | The non-invasive biopsy-will urinary proteomics make the renal tissue biopsy redundant?. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2009, 102, 523-538.   | 0.2 | 22        |
| 210 | Commentary: Controversies in Management of Diabetes From Preconception to the Postnatal Period. <i>Obstetric Anesthesia Digest</i> , 2009, 29, 115.  | 0.0 | 0         |
| 211 | Adverse Perinatal Outcomes and Risk Factors for Preeclampsia in Women With Chronic Hypertension. <i>Hypertension</i> , 2008, 51, 1002-1009.  | 1.3 | 311       |
| 212 | Commentary: Controversies in management of diabetes from preconception to the postnatal period. <i>BMJ: British Medical Journal</i> , 2008, 336, 717-718.  | 2.4 | 5         |
| 213 | OP05.14: Interstitial intrafetal laser for selective and non-selective reduction in complicated monochorionic multiple pregnancies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 28, 452-453.  | 0.9 | 0         |
| 214 | Association of raised titres of antibodies to <i>Chlamydia pneumoniae</i> with a history of pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2005, 112, 299-305.   | 1.1 | 25        |
| 215 | High Risk of Unexpected Late Fetal Death in Monochorionic Twins Despite Intensive Ultrasound Surveillance: A Cohort Study. <i>PLoS Medicine</i> , 2005, 2, e172.   | 3.9 | 138       |
| 216 | Recent Advances in Pre-Eclampsia and Eclampsia. <i>Tropical Doctor</i> , 2004, 34, 1-1.  | 0.2 | 4         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | A longitudinal study of biochemical variables in women at risk of preeclampsia. American Journal of Obstetrics and Gynecology, 2002, 187, 127-136.  | 0.7 | 304       |
| 218 | Vitamin C and E supplementation in women at risk of preeclampsia is associated with changes in indices of oxidative stress and placental function. American Journal of Obstetrics and Gynecology, 2002, 187, 777-784. | 0.7 | 186       |
| 219 | Is oxidative stress involved in the aetiology of pre-eclampsia?. Acta Paediatrica, International Journal of Paediatrics, 2001, 90, 3-5.   | 0.7 | 27        |
| 220 | Current Literature: Effect of Antioxidants on the Occurrence of Pre-eclampsia in Women at Increased Risk: A Randomised Trial. Nutrition in Clinical Practice, 2000, 15, 112-113.                                      | 1.1 | 1         |
| 221 | Effect of Antioxidants on the Occurrence of Pre-Eclampsia in Women at Increased Risk: A Randomised Trial. Obstetrical and Gynecological Survey, 2000, 55, 129-130.  | 0.2 | 10        |
| 222 | Lack of consistency in research papers over the definition of pre-eclampsia. BJOG: an International Journal of Obstetrics and Gynaecology, 1999, 106, 983-985.  | 1.1 | 30        |
| 223 | Effect of antioxidants on the occurrence of pre-eclampsia in women at increased risk: a randomised trial. Lancet, The, 1999, 354, 810-816.  | 6.3 | 635       |
| 224 | Pre-eclamptic toxemia: the role of uterine artery Doppler. BJOG: an International Journal of Obstetrics and Gynaecology, 1998, 105, 379-382.  | 1.1 | 36        |
| 225 | Is oxidative stress involved in the aetiology of pre-eclampsia?. , 0, 90, 3.  |     | 4         |
| 226 | T2* relaxometry to characterize normal placental development over gestation in-vivo at 3T. Wellcome Open Research, 0, 4, 166.   | 0.9 | 10        |