

Fiona M Walter

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5837397/publications.pdf>

Version: 2024-02-01

219
papers

11,129
citations

50566

48
h-index

43601

95
g-index

229
all docs

229
docs citations

229
times ranked

13315
citing authors

#	ARTICLE	IF	CITATIONS
1	Patient-centred outcomes of imaging tests: recommendations for patients, clinicians and researchers. <i>BMJ Quality and Safety</i> , 2023, 32, 536-545.	1.8	4
2	Identifying opportunities for timely diagnosis of bladder and renal cancer via abnormal blood tests: a longitudinal linked data study. <i>British Journal of General Practice</i> , 2022, 72, e19-e25.	0.7	12
3	Risk prediction models for symptomatic patients with bladder and kidney cancer: a systematic review. <i>British Journal of General Practice</i> , 2022, 72, e11-e18.	0.7	3
4	Comprehensive epithelial tubo-ovarian cancer risk prediction model incorporating genetic and epidemiological risk factors. <i>Journal of Medical Genetics</i> , 2022, 59, 632-643.	1.5	33
5	Role of primary care physician factors on diagnostic testing and referral decisions for symptoms of possible cancer: a systematic review. <i>BMJ Open</i> , 2022, 12, e053732.	0.8	4
6	Systematic review and meta-analysis of the diagnostic accuracy of prostate-specific antigen (PSA) for the detection of prostate cancer in symptomatic patients. <i>BMC Medicine</i> , 2022, 20, 54.	2.3	42
7	Timeliness of diagnosis of breast and cervical cancers and associated factors in low-income and middle-income countries: a scoping review. <i>BMJ Open</i> , 2022, 12, e057685.	0.8	10
8	Factors determining development of researchers within a research network on cancer diagnosis in primary care (CanTest): an interview study. <i>BMJ Open</i> , 2022, 12, e046321.	0.8	0
9	Patient-reported experiences and views on the Cytosponge test: a mixed-methods analysis from the BEST3 trial. <i>BMJ Open</i> , 2022, 12, e054258.	0.8	6
10	Pre-diagnostic clinical features and blood tests in patients with colorectal cancer: a retrospective linked-data study. <i>British Journal of General Practice</i> , 2022, 72, e556-e563.	0.7	9
11	Effectiveness of interventions for improving timely diagnosis of breast and cervical cancers in low-income and middle-income countries: a systematic review. <i>BMJ Open</i> , 2022, 12, e054501.	0.8	5
12	The SYMPTOMâ€œupper gastrointestinal study: A mixed methods study exploring symptom appraisal and helpâ€œseeking in Australian upper gastrointestinal cancer patients. <i>European Journal of Cancer Care</i> , 2022, , .	0.7	1
13	Detecting ovarian cancer in primary care: can we do better?. <i>British Journal of General Practice</i> , 2022, 72, 312-313.	0.7	1
14	Primary care genomic research: One eye on the future. <i>InnovAiT</i> , 2021, 14, 131-136.	0.0	0
15	Identifying Novel Biomarkers Ready for Evaluation in Low-Prevalence Populations for the Early Detection of Upper Gastrointestinal Cancers: A Systematic Review. <i>Advances in Therapy</i> , 2021, 38, 793-834.	1.3	10
16	Measuring patient experience of diagnostic care and acceptability of testing. <i>Diagnosis</i> , 2021, 8, 317-321.	1.2	5
17	Prolonged Diagnostic Intervals as Marker of Missed Diagnostic Opportunities in Bladder and Kidney Cancer Patients with Alarm Features: A Longitudinal Linked Data Study. <i>Cancers</i> , 2021, 13, 156.	1.7	11
18	Conceptual Framework to Guide Early Diagnosis Programs for Symptomatic Cancer as Part of Global Cancer Control. <i>JCO Global Oncology</i> , 2021, 7, 35-45.	0.8	20

#	ARTICLE	IF	CITATIONS
19	Diagnostic performance of a faecal immunochemical test for patients with low-risk symptoms of colorectal cancer in primary care: an evaluation in the South West of England. <i>British Journal of Cancer</i> , 2021, 124, 1231-1236.	2.9	41
20	CA125 test result, test-to-diagnosis interval, and stage in ovarian cancer at diagnosis: a retrospective cohort study using electronic health records. <i>British Journal of General Practice</i> , 2021, 71, e465-e472.	0.7	13
21	Symptom appraisal, help-seeking and perceived barriers to healthcare seeking in Uganda: an exploratory study among women with potential symptoms of breast and cervical cancer. <i>BMJ Open</i> , 2021, 11, e041365.	0.8	9
22	Artificial Intelligence Techniques That May Be Applied to Primary Care Data to Facilitate Earlier Diagnosis of Cancer: Systematic Review. <i>Journal of Medical Internet Research</i> , 2021, 23, e23483.	2.1	26
23	Electronic clinical decision support tool for assessing stomach symptoms in primary care (ECASS): a feasibility study. <i>BMJ Open</i> , 2021, 11, e041795.	0.8	5
24	Identifying Novel Biomarkers Ready for Evaluation in Low-Prevalence Populations for the Early Detection of Lower Gastrointestinal Cancers: A Systematic Review and Meta-Analysis. <i>Advances in Therapy</i> , 2021, 38, 3032-3065.	1.3	3
25	Recognising Colorectal Cancer in Primary Care. <i>Advances in Therapy</i> , 2021, 38, 2732-2746.	1.3	10
26	Experiences along the diagnostic pathway for patients with advanced lung cancer in the USA: a qualitative study. <i>BMJ Open</i> , 2021, 11, e045056.	0.8	12
27	Timeliness of diagnosis of breast and cervical cancers and associated factors in low-income and middle-income countries: a scoping review protocol. <i>BMJ Open</i> , 2021, 11, e044093.	0.8	5
28	Impact of the COVID-19 pandemic on cancer assessment in primary care: a qualitative study of GP views. <i>BJGP Open</i> , 2021, 5, BJGPO.2021.0056.	0.9	18
29	Primary care use by men with symptoms of possible prostate cancer: A multi-method study with an ethnically diverse sample in London. <i>European Journal of Cancer Care</i> , 2021, 30, e13482.	0.7	5
30	Could Ovarian Cancer Prediction Models Improve the Triage of Symptomatic Women in Primary Care? A Modelling Study Using Routinely Collected Data. <i>Cancers</i> , 2021, 13, 2886.	1.7	1
31	An RCT of a decision aid to support informed choices about taking aspirin to prevent colorectal cancer and other chronic diseases: a study protocol for the SITA (Should I Take Aspirin?) trial. <i>Trials</i> , 2021, 22, 452.	0.7	6
32	Do ethnic patients report longer lung cancer intervals than Anglo-Australian patients?: Findings from a prospective, observational cohort study. <i>European Journal of Cancer Care</i> , 2021, 30, e13492.	0.7	2
33	Patients' Experiences of Using Skin Self-monitoring Apps With People at Higher Risk of Melanoma: Qualitative Study. <i>JMIR Dermatology</i> , 2021, 4, e22583.	0.4	0
34	Incorporating a brief intervention for personalised cancer risk assessment to promote behaviour change into primary care: a multi-methods pilot study. <i>BMC Public Health</i> , 2021, 21, 205.	1.2	5
35	CanRisk Tool—A Web Interface for the Prediction of Breast and Ovarian Cancer Risk and the Likelihood of Carrying Genetic Pathogenic Variants. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 469-473.	1.1	98
36	Time from presentation to pre-diagnostic chest X-ray in patients with symptomatic lung cancer: a cohort study using electronic patient records from English primary care. <i>British Journal of General Practice</i> , 2021, 71, e273-e279.	0.7	4

#	ARTICLE	IF	CITATIONS
37	Achieving integrated self-directed Cancer aftercare (ASICA) for melanoma: how a digital intervention to support total skin self-examination was used by people treated for cutaneous melanoma. <i>BMC Cancer</i> , 2021, 21, 1217.	1.1	6
38	Patient-Centered Outcomes From Multiparametric MRI and MRI-Guided Biopsy for Prostate Cancer: A Systematic Review. <i>Journal of the American College of Radiology</i> , 2020, 17, 486-495.	0.9	7
39	Recognising Skin Cancer in Primary Care. <i>Advances in Therapy</i> , 2020, 37, 603-616.	1.3	49
40	Influence of doctor-patient conversations on behaviours of patients presenting to primary care with new or persistent symptoms: a video observation study. <i>BMJ Quality and Safety</i> , 2020, 29, 198-208.	1.8	32
41	Women's appraisal, interpretation and help-seeking for possible symptoms of breast and cervical cancer in South Africa: a qualitative study. <i>BMC Women's Health</i> , 2020, 20, 251.	0.8	11
42	Cytosponge-trefoil factor 3 versus usual care to identify Barrett's oesophagus in a primary care setting: a multicentre, pragmatic, randomised controlled trial. <i>Lancet</i> , The, 2020, 396, 333-344.	6.3	143
43	Cancer has not gone away: A primary care perspective to support a balanced approach for timely cancer diagnosis during COVID-19. <i>European Journal of Cancer Care</i> , 2020, 29, e13290.	0.7	54
44	Interventions to reduce the time to diagnosis of brain tumours. <i>The Cochrane Library</i> , 2020, 2020, CD013564.	1.5	2
45	Knowledge of cervical cancer risk factors and symptoms among women in a refugee settlement: a cross-sectional study in northern Uganda. <i>Conflict and Health</i> , 2020, 14, 85.	1.0	7
46	Identifying Ovarian Cancer in Symptomatic Women: A Systematic Review of Clinical Tools. <i>Cancers</i> , 2020, 12, 3686.	1.7	12
47	Interventions to reduce the time to diagnosis of brain tumours. <i>The Cochrane Library</i> , 2020, , .	1.5	0
48	Evaluating clinician acceptability of the prototype CanRisk tool for predicting risk of breast and ovarian cancer: A multi-methods study. <i>PLoS ONE</i> , 2020, 15, e0229999.	1.1	40
49	External Validation of Risk Prediction Models Incorporating Common Genetic Variants for Incident Colorectal Cancer Using UK Biobank. <i>Cancer Prevention Research</i> , 2020, 13, 509-520.	0.7	25
50	Faecal immunochemical test to triage patients with abdominal symptoms for suspected colorectal cancer in primary care: review of international use and guidelines. <i>Family Practice</i> , 2020, 37, 606-615.	0.8	20
51	Effect of a Skin Self-monitoring Smartphone Application on Time to Physician Consultation Among Patients With Possible Melanoma. <i>JAMA Network Open</i> , 2020, 3, e200001.	2.8	20
52	Knowledge of Potential Harms and Benefits of Tamoxifen among Women Considering Breast Cancer Preventive Therapy. <i>Cancer Prevention Research</i> , 2020, 13, 411-422.	0.7	12
53	Further evaluation is required for smartphone-aided diagnosis of skin cancer. <i>The Lancet Digital Health</i> , 2020, 2, e104-e105.	5.9	0
54	Imaging activity possibly signalling missed diagnostic opportunities in bladder and kidney cancer: A longitudinal data-linkage study using primary care electronic health records. <i>Cancer Epidemiology</i> , 2020, 66, 101703.	0.8	16

#	ARTICLE	IF	CITATIONS
55	Algorithm based smartphone apps to assess risk of skin cancer in adults: systematic review of diagnostic accuracy studies. <i>BMJ, The</i> , 2020, 368, m127.	3.0	140
56	Using an electronic self-completion tool to identify patients at increased risk of melanoma in Australian primary care. <i>Australasian Journal of Dermatology</i> , 2020, 61, 231-236.	0.4	4
57	The diagnostic performance of CA125 for the detection of ovarian and non-ovarian cancer in primary care: A population-based cohort study. <i>PLoS Medicine</i> , 2020, 17, e1003295.	3.9	73
58	Patient symptom experience prior to a diagnosis of oesophageal or gastric cancer: a multi-methods study. <i>BJGP Open</i> , 2020, 4, bjgpopen20X101001.	0.9	15
59	Effectiveness of interventions for improving timely diagnosis of breast and cervical cancers in low and middle-income countries: a systematic review protocol. <i>BMJ Open</i> , 2020, 10, e042788.	0.8	1
60	Title is missing!. , 2020, 17, e1003295.		0
61	Title is missing!. , 2020, 17, e1003295.		0
62	Title is missing!. , 2020, 17, e1003295.		0
63	Title is missing!. , 2020, 17, e1003295.		0
64	Title is missing!. , 2020, 17, e1003295.		0
65	Title is missing!. , 2020, 15, e0229999.		0
66	Title is missing!. , 2020, 15, e0229999.		0
67	Title is missing!. , 2020, 15, e0229999.		0
68	Title is missing!. , 2020, 15, e0229999.		0
69	Comorbid chronic diseases and cancer diagnosis: disease-specific effects and underlying mechanisms. <i>Nature Reviews Clinical Oncology</i> , 2019, 16, 746-761.	12.5	90
70	Risk Prediction Models for Colorectal Cancer Incorporating Common Genetic Variants: A Systematic Review. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1580-1593.	1.1	44
71	Improving the Timely Detection of Bladder and Kidney Cancer in Primary Care. <i>Advances in Therapy</i> , 2019, 36, 1778-1785.	1.3	12
72	Population risk factors for late-stage presentation of cervical cancer in sub-Saharan Africa. <i>Cancer Epidemiology</i> , 2019, 63, 101597.	0.8	14

#	ARTICLE	IF	CITATIONS
73	Variation in the initial assessment and investigation for ovarian cancer in symptomatic women: a systematic review of international guidelines. <i>BMC Cancer</i> , 2019, 19, 1028.	1.1	21
74	ECCO Essential Requirements for Quality Cancer Care: Primary care. <i>Critical Reviews in Oncology/Hematology</i> , 2019, 142, 187-199.	2.0	15
75	Evaluating diagnostic strategies for early detection of cancer: the CanTest framework. <i>BMC Cancer</i> , 2019, 19, 586.	1.1	34
76	“It was nothing that you would think was anything”: Qualitative analysis of appraisal and help seeking preceding brain cancer diagnosis. <i>PLoS ONE</i> , 2019, 14, e0213599.	1.1	8
77	Do cognitive heuristics underpin symptom appraisal for symptoms of cancer?: A secondary qualitative analysis across seven cancers. <i>Psycho-Oncology</i> , 2019, 28, 1041-1047.	1.0	16
78	Missed opportunities for diagnosing brain tumours in primary care: a qualitative study of patient experiences. <i>British Journal of General Practice</i> , 2019, 69, e224-e235.	0.7	27
79	Defining unmet clinical need across the pathway of brain tumor care: a patient and carer perspective. <i>Cancer Management and Research</i> , 2019, Volume 11, 2189-2202.	0.9	5
80	Incidence of second and higher order smoking-related primary cancers following lung cancer: a population-based cohort study. <i>Thorax</i> , 2019, 74, 466-472.	2.7	37
81	Quality of the diagnostic process in patients presenting with symptoms suggestive of bladder or kidney cancer: a systematic review. <i>BMJ Open</i> , 2019, 9, e029143.	0.8	13
82	Associations between general practice characteristics with use of urgent referrals for suspected cancer and endoscopies: a cross-sectional ecological study. <i>Family Practice</i> , 2019, 36, 573-580.	0.8	12
83	BOADICEA: a comprehensive breast cancer risk prediction model incorporating genetic and nongenetic risk factors. <i>Genetics in Medicine</i> , 2019, 21, 1708-1718.	1.1	415
84	The Chest Australia Trial: a randomised controlled trial of an intervention to increase consultation rates in smokers at risk of lung cancer. <i>Thorax</i> , 2019, 74, 362-370.	2.7	15
85	The influence of health literacy on the timely diagnosis of symptomatic cancer: A systematic review. <i>European Journal of Cancer Care</i> , 2019, 28, e12920.	0.7	26
86	Measures of psychosocial factors that may influence help-seeking behaviour in cancer: A systematic review of psychometric properties. <i>Journal of Health Psychology</i> , 2019, 24, 79-99.	1.3	7
87	Understanding implementation and usefulness of electronic clinical decision support (eCDS) for melanoma in English primary care: a qualitative investigation. <i>BJGP Open</i> , 2019, 3, bjgpopen18X101635.	0.9	11
88	Population risk factors for late-stage presentation of cervical cancer in sub-Saharan Africa. <i>Cancer Epidemiology</i> , 2018, 53, 81-92.	0.8	35
89	Reimagining the diagnostic pathway for gastrointestinal cancer. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2018, 15, 181-188.	8.2	16
90	Supporting prostate cancer survivors in primary care: Findings from a pilot trial of a nurse-led psycho-educational intervention (PROSPECTIV). <i>European Journal of Oncology Nursing</i> , 2018, 32, 73-81.	0.9	17

#	ARTICLE	IF	CITATIONS
91	Expert Elicitation of Multinomial Probabilities for Decision-Analytic Modeling: An Application to Rates of Disease Progression in Undiagnosed and Untreated Melanoma. <i>Value in Health</i> , 2018, 21, 669-676.	0.1	11
92	Symptom Signatures and Diagnostic Timeliness in Cancer Patients: A Review of Current Evidence. <i>Neoplasia</i> , 2018, 20, 165-174.	2.3	105
93	Associations between diagnostic activity and measures of patient experience in primary care: a cross-sectional ecological study of English general practices. <i>British Journal of General Practice</i> , 2018, 68, e9-e17.	0.7	10
94	pedigrejs: a web-based graphical pedigree editor. <i>Bioinformatics</i> , 2018, 34, 1069-1071.	1.8	9
95	Smartphone applications for triaging adults with skin lesions that are suspicious for melanoma. <i>The Cochrane Library</i> , 2018, 2018, CD013192.	1.5	76
96	Visual inspection for diagnosing cutaneous melanoma in adults. <i>The Cochrane Library</i> , 2018, 2018, CD013194.	1.5	32
97	Teledermatology for diagnosing skin cancer in adults. <i>The Cochrane Library</i> , 2018, 2018, CD013193.	1.5	74
98	Dermoscopy, with and without visual inspection, for diagnosing melanoma in adults. <i>The Cochrane Library</i> , 2018, 2018, CD011902.	1.5	89
99	Barrett's oesophagus trial 3 (BEST3): study protocol for a randomised controlled trial comparing the Cytosponge-TFF3 test with usual care to facilitate the diagnosis of oesophageal pre-cancer in primary care patients with chronic acid reflux. <i>BMC Cancer</i> , 2018, 18, 784.	1.1	37
100	The Aarhus statement on cancer diagnostic research: turning recommendations into new survey instruments. <i>BMC Health Services Research</i> , 2018, 18, 677.	0.9	26
101	Possible missed opportunities for diagnosing colorectal cancer in Dutch primary care: a multimethods approach. <i>British Journal of General Practice</i> , 2018, 68, e54-e62.	0.7	16
102	Reasons why people do not attend NHS Health Checks: a systematic review and qualitative synthesis. <i>British Journal of General Practice</i> , 2018, 68, e28-e35.	0.7	52
103	A Modeling Study of the Cost-Effectiveness of a Risk-Stratified Surveillance Program for Melanoma in the United Kingdom. <i>Value in Health</i> , 2018, 21, 658-668.	0.1	14
104	The use of a risk assessment and decision support tool (CRISP) compared with usual care in general practice to increase risk-stratified colorectal cancer screening: study protocol for a randomised controlled trial. <i>Trials</i> , 2018, 19, 397.	0.7	13
105	Adjuvant endocrine therapy after breast cancer: a qualitative study of factors associated with adherence. <i>Patient Preference and Adherence</i> , 2018, Volume 12, 291-300.	0.8	36
106	The LEAD study protocol: a mixed-method cohort study evaluating the lung cancer diagnostic and pre-treatment pathways of patients from Culturally and Linguistically Diverse (CALD) backgrounds compared to patients from Anglo-Australian backgrounds. <i>BMC Cancer</i> , 2018, 18, 754.	1.1	4
107	What are the implications for practice that arise from studies of medication taking? A systematic review of qualitative research. <i>PLoS ONE</i> , 2018, 13, e0195076.	1.1	7
108	Delivery and impact of the NHS Health Check in the first 8 years: a systematic review. <i>British Journal of General Practice</i> , 2018, 68, e449-e459.	0.7	37

#	ARTICLE	IF	CITATIONS
109	Development of an intervention to expedite cancer diagnosis through primary care: a protocol. BJCP Open, 2018, 2, bjgpopen18X101595.	0.9	4
110	Identifying people at higher risk of melanoma across the U.K.: a primary-care-based electronic survey. British Journal of Dermatology, 2017, 176, 939-948.	1.4	18
111	Acceptability of the Cytosponge procedure for detecting Barrett's oesophagus: a qualitative study. BMJ Open, 2017, 7, e013901.	0.8	32
112	Diagnosing adult primary brain tumours: can we do better?. British Journal of General Practice, 2017, 67, 278-279.	0.7	14
113	Understanding symptom appraisal and help-seeking in people with symptoms suggestive of pancreatic cancer: a qualitative study. BMJ Open, 2017, 7, e015682.	0.8	25
114	The Improving Rural Cancer Outcomes Trial: a cluster-randomised controlled trial of a complex intervention to reduce time to diagnosis in rural cancer patients in Western Australia. British Journal of Cancer, 2017, 117, 1459-1469.	2.9	27
115	The CRISP colorectal cancer risk prediction tool: an exploratory study using simulated consultations in Australian primary care. BMC Medical Informatics and Decision Making, 2017, 17, 13.	1.5	28
116	Cancer beliefs in ethnic minority populations: a review and meta-synthesis of qualitative studies. European Journal of Cancer Care, 2017, 26, e12556.	0.7	37
117	Diagnosis of cancer as an emergency: a critical review of current evidence. Nature Reviews Clinical Oncology, 2017, 14, 45-56.	12.5	142
118	Range of pathologies diagnosed using a minimally invasive capsule sponge to evaluate patients with reflux symptoms. Histopathology, 2017, 70, 203-210.	1.6	45
119	Psychometric properties of the Beliefs about Medicine Questionnaire—adjuvant endocrine therapy (BMQ-AET) for women taking AETs following early-stage breast cancer. Health Psychology Open, 2017, 4, 205510291774046.	0.7	10
120	Patient experience of NHS health checks: a systematic review and qualitative synthesis. BMJ Open, 2017, 7, e017169.	0.8	28
121	Views of commissioners, managers and healthcare professionals on the NHS Health Check programme: a systematic review. BMJ Open, 2017, 7, e018606.	0.8	14
122	Mitigating risk of cardiovascular disease in people living with and beyond cancer. Cancer Nursing Practice, 2017, 16, 18-23.	0.2	2
123	The researchers'™ role in knowledge translation: a realist evaluation of the development and implementation of diagnostic pathways for cancer in two United Kingdom localities. Health Research Policy and Systems, 2017, 15, 103.	1.1	3
124	Reducing barriers to consulting a General Practitioner in patients at increased risk of lung cancer: a qualitative evaluation of the CHEST Australia intervention. Family Practice, 2017, 34, 740-746.	0.8	15
125	Protocol for the melatools skin self-monitoring trial: a phase II randomised controlled trial of an intervention for primary care patients at higher risk of melanoma. BMJ Open, 2017, 7, e017934.	0.8	9
126	Concerns, perceived need and competing priorities: a qualitative exploration of decision-making and non-participation in a population-based flexible sigmoidoscopy screening programme to prevent colorectal cancer. BMJ Open, 2016, 6, e012304.	0.8	22

#	ARTICLE	IF	CITATIONS
127	Using willingness-to-pay to establish patient preferences for cancer testing in primary care. BMC Medical Informatics and Decision Making, 2016, 16, 105.	1.5	14
128	Understanding stroke survivors' and informal carers' experiences of and need for primary care and community health services—a systematic review of the qualitative literature: protocol: Table 1. BMJ Open, 2016, 6, e009244.	0.8	21
129	Increases in general practice workload in England. Lancet, The, 2016, 387, 2270-2272.	6.3	29
130	Symptoms and patient factors associated with diagnostic intervals for pancreatic cancer (SYMPTOM) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 298-306.	3.7	114
131	Member Checking. Qualitative Health Research, 2016, 26, 1802-1811.	1.0	1,719
132	Symptoms, unmet needs, psychological well-being and health status in survivors of prostate cancer: implications for redesigning follow-up. BJU International, 2016, 117, E10-9.	1.3	120
133	Symptoms and patient factors associated with longer time to diagnosis for colorectal cancer: results from a prospective cohort study. British Journal of Cancer, 2016, 115, 533-541.	2.9	69
134	Improving early diagnosis of symptomatic cancer. Nature Reviews Clinical Oncology, 2016, 13, 740-749.	12.5	102
135	Evaluating a computer aid for assessing stomach symptoms (ECASS): study protocol for a randomised controlled trial. Trials, 2016, 17, 184.	0.7	8
136	Predicting the Risk of Melanoma. JAMA Dermatology, 2016, 152, 875.	2.0	3
137	Risk prediction models for colorectal cancer in people with symptoms: a systematic review. BMC Gastroenterology, 2016, 16, 63.	0.8	54
138	What Are the Key Elements of Educational Interventions for Lay Carers of Patients With Advanced Disease? A Systematic Literature Search and Narrative Review of Structural Components, Processes and Modes of Delivery. Journal of Pain and Symptom Management, 2016, 52, 117-130.e27.	0.6	12
139	Symptoms of adult chronic and acute leukaemia before diagnosis: large primary care case-control studies using electronic records. British Journal of General Practice, 2016, 66, e182-e188.	0.7	24
140	Risk Prediction Models for Colorectal Cancer: A Systematic Review. Cancer Prevention Research, 2016, 9, 13-26.	0.7	142
141	The Discovery Programme and its impact on cancer diagnostics. British Journal of Hospital Medicine (London, England: 2005), 2015, 76, 558-559.	0.2	0
142	The pathway to diagnosis of type 1 diabetes in children: a questionnaire study. BMJ Open, 2015, 5, e006470-e006470.	0.8	20
143	Quantifying the risk of Hodgkin lymphoma in symptomatic primary care patients aged ≥ 40 years: a case-control study using electronic records. British Journal of General Practice, 2015, 65, e289-e294.	0.7	23
144	Caring for people living with, and beyond, cancer: an online survey of GPs in England. British Journal of General Practice, 2015, 65, e761-e768.	0.7	39

#	ARTICLE	IF	CITATIONS
145	Protocol for the CHEST Australia Trial: a phase II randomised controlled trial of an intervention to reduce time-to-consult with symptoms of lung cancer. <i>BMJ Open</i> , 2015, 5, e008046-e008046.	0.8	12
146	Quantifying the risk of non-Hodgkin lymphoma in symptomatic primary care patients aged >=40 years: a large case-control study using electronic records. <i>British Journal of General Practice</i> , 2015, 65, e281-e288.	0.7	25
147	The role of emotions in time to presentation for symptoms suggestive of cancer: a systematic literature review of quantitative studies. <i>Psycho-Oncology</i> , 2015, 24, 1594-1604.	1.0	38
148	Smartphone applications for melanoma detection by community, patient and generalist clinician users: a review. <i>British Journal of Dermatology</i> , 2015, 172, 1507-1518.	1.4	121
149	Risk prediction tools for cancer in primary care. <i>British Journal of Cancer</i> , 2015, 113, 1645-1650.	2.9	60
150	Symptomatic presentation with cervical cancer in Uganda: a qualitative study assessing the pathways to diagnosis in a low-income country. <i>BMC Women's Health</i> , 2015, 15, 15.	0.8	52
151	Seasonal variation in diagnosis of invasive cutaneous melanoma in Eastern England and Scotland. <i>Cancer Epidemiology</i> , 2015, 39, 554-561.	0.8	11
152	A Qualitative Evaluation of the Psychosocial Impact of Family History Screening in Australian Primary Care. <i>Journal of Genetic Counseling</i> , 2015, 24, 312-324.	0.9	5
153	Symptom appraisal and healthcare-seeking for symptoms suggestive of colorectal cancer: a qualitative study. <i>BMJ Open</i> , 2015, 5, e008448.	0.8	53
154	The expanding role of primary care in cancer control. <i>Lancet Oncology</i> , The, 2015, 16, 1231-1272.	5.1	399
155	Quantifying the risk of multiple myeloma from symptoms reported in primary care patients: a large case-control study using electronic records. <i>British Journal of General Practice</i> , 2015, 65, e106-e113.	0.7	48
156	Total skin self-examination at home for people treated for cutaneous melanoma: development and pilot of a digital intervention. <i>BMJ Open</i> , 2015, 5, e007993.	0.8	23
157	Risk Prediction Models for Melanoma: A Systematic Review. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 1450-1463.	1.1	107
158	Development and Validation of a Family History Screening Questionnaire in Australian Primary Care. <i>Annals of Family Medicine</i> , 2014, 12, 241-249.	0.9	23
159	PROSPECTIVâ€”a pilot trial of a nurse-led psychoeducational intervention delivered in primary care to prostate cancer survivors: study protocol for a randomised controlled trial: Table A1. <i>BMJ Open</i> , 2014, 4, e005186.	0.8	10
160	'This isn't what mine looked like': a qualitative study of symptom appraisal and help seeking in people recently diagnosed with melanoma. <i>BMJ Open</i> , 2014, 4, e005566-e005566.	0.8	62
161	The Improving Rural Cancer Outcomes (IRCO) Trial: a factorial cluster-randomised controlled trial of a complex intervention to reduce time to diagnosis in rural patients with cancer in Western Australia: a study protocol. <i>BMJ Open</i> , 2014, 4, e006156-e006156.	0.8	18
162	Responding to symptoms suggestive of lung cancer: a qualitative interview study. <i>BMJ Open Respiratory Research</i> , 2014, 1, e000067.	1.2	74

#	ARTICLE	IF	CITATIONS
163	Psychological impact of family history risk assessment in primary care: a mixed methods study. <i>Family Practice</i> , 2014, 31, 409-418.	0.8	7
164	Variation in promptness of presentation among 10,297 patients subsequently diagnosed with one of 18 cancers: Evidence from a National Audit of Cancer Diagnosis in Primary Care. <i>International Journal of Cancer</i> , 2014, 135, 1220-1228.	2.3	76
165	A qualitative exploration of the use of calendar landmarking instruments in cancer symptom research. <i>BMC Family Practice</i> , 2014, 15, 167.	2.9	8
166	Medication Taking in Coronary Artery Disease: A Systematic Review and Qualitative Synthesis. <i>Annals of Family Medicine</i> , 2014, 12, 224-232.	0.9	37
167	Preferences for cancer investigation: a vignette-based study of primary-care attendees. <i>Lancet Oncology</i> , The, 2014, 15, 232-240.	5.1	101
168	Achieving earlier diagnosis of symptomatic cervical cancer. <i>British Journal of General Practice</i> , 2014, 64, 495-496.	0.7	6
169	Chronic disease prevention in primary care: how and when will genomics impact?. <i>British Journal of General Practice</i> , 2014, 64, 331-332.	0.7	7
170	Research into practice: prompt diagnosis of cancer in primary care. <i>British Journal of General Practice</i> , 2014, 64, 428-430.	0.7	9
171	Increasing awareness of gynaecological cancer symptoms: a GP perspective. <i>British Journal of General Practice</i> , 2014, 64, e372-e380.	0.7	20
172	Decision making and referral from primary care for possible lung and colorectal cancer: a qualitative study of patients' experiences. <i>British Journal of General Practice</i> , 2014, 64, e775-e782.	0.7	20
173	The Model of Pathways to Treatment: Conceptualization and integration with existing theory. <i>British Journal of Health Psychology</i> , 2013, 18, 45-65.	1.9	232
174	The Cost-Effectiveness of a Novel SIAscopic Diagnostic Aid for the Management of Pigmented Skin Lesions in Primary Care: A Decision-Analytic Model. <i>Value in Health</i> , 2013, 16, 356-366.	0.1	22
175	Looking for the needle in the haystack™: a qualitative study of the pathway to diagnosis of type 1 diabetes in children. <i>BMJ Open</i> , 2013, 3, e004068.	0.8	17
176	Using the 7-point checklist as a diagnostic aid for pigmented skin lesions in general practice: a diagnostic validation study. <i>British Journal of General Practice</i> , 2013, 63, e345-e353.	0.7	58
177	Diagnosing cancer in the bush: a mixed methods study of GP and specialist diagnostic intervals in rural Western Australia. <i>Family Practice</i> , 2013, 30, 541-550.	0.8	32
178	Strategies to accelerate diagnosis of primary brain tumors at the primary-secondary care interface in children and adults. <i>CNS Oncology</i> , 2013, 2, 447-462.	1.2	10
179	The risk of oesophago-gastric cancer in symptomatic patients in primary care: a large case-control study using electronic records. <i>British Journal of Cancer</i> , 2013, 108, 25-31.	2.9	78
180	Diagnosing cancer in the bush: a mixed-methods study of symptom appraisal and help-seeking behaviour in people with cancer from rural Western Australia. <i>Family Practice</i> , 2013, 30, 294-301.	0.8	73

#	ARTICLE	IF	CITATIONS
181	Clinical features of kidney cancer in primary care: a case-control study using primary care records. <i>British Journal of General Practice</i> , 2013, 63, e250-e255.	0.7	46
182	Development and evaluation of a brief self-completed family history screening tool for common chronic disease prevention in primary care. <i>British Journal of General Practice</i> , 2013, 63, e393-e400.	0.7	24
183	The risk of pancreatic cancer in symptomatic patients in primary care: a large case-control study using electronic records. <i>British Journal of Cancer</i> , 2012, 106, 1940-1944.	2.9	122
184	The Aarhus statement: improving design and reporting of studies on early cancer diagnosis. <i>British Journal of Cancer</i> , 2012, 106, 1262-1267.	2.9	573
185	The Andersen Model of Total Patient Delay: A Systematic Review of Its Application in Cancer Diagnosis. <i>Journal of Health Services Research and Policy</i> , 2012, 17, 110-118.	0.8	355
186	Advanced stage diagnosis of cancer: who is at greater risk?. <i>Expert Review of Anticancer Therapy</i> , 2012, 12, 993-996.	1.1	7
187	Clinical features of bladder cancer in primary care. <i>British Journal of General Practice</i> , 2012, 62, e598-e604.	0.7	79
188	Effect of adding a diagnostic aid to best practice to manage suspicious pigmented lesions in primary care: randomised controlled trial. <i>BMJ</i> , 2012, 345, e4110-e4110.	3.0	61
189	Cancer detection in primary care. <i>Lancet Oncology</i> , 2012, 13, e325-e326.	5.1	5
190	Variation between countries in the frequency of diabetic ketoacidosis at first presentation of type 1 diabetes in children: a systematic review. <i>Diabetologia</i> , 2012, 55, 2878-2894.	2.9	182
191	Genetic advances in medicine: has the promise been fulfilled in general practice?. <i>British Journal of General Practice</i> , 2012, 62, 120-121.	0.7	15
192	Factors associated with the presence of diabetic ketoacidosis at diagnosis of diabetes in children and young adults: a systematic review. <i>BMJ: British Medical Journal</i> , 2011, 343, d4092-d4092.	2.4	226
193	Impact on Decisions to Start or Continue Medicines of Providing Information to Patients about Possible Benefits and/or Harms. <i>Medical Decision Making</i> , 2011, 31, 767-777.	1.2	7
194	Acceptability and accuracy of a non-endoscopic screening test for Barrett's oesophagus in primary care: cohort study. <i>BMJ: British Medical Journal</i> , 2010, 341, c4372-c4372.	2.4	271
195	Using family history information to promote healthy lifestyles and prevent diseases; a discussion of the evidence. <i>BMC Public Health</i> , 2010, 10, 248.	1.2	89
196	Studying Help-Seeking for Symptoms: The Challenges of Methods and Models. <i>Social and Personality Psychology Compass</i> , 2010, 4, 531-547.	2.0	63
197	Protocol for the MoleMate, UK Trial: a randomised controlled trial of the MoleMate system in the management of pigmented skin lesions in primary care [ISRCTN 79932379]. <i>BMC Family Practice</i> , 2010, 11, 36.	2.9	12
198	Patient understanding of moles and skin cancer, and factors influencing presentation in primary care: a qualitative study. <i>BMC Family Practice</i> , 2010, 11, 62.	2.9	23

#	ARTICLE	IF	CITATIONS
199	Accuracy of SIAscopy for pigmented skin lesions encountered in primary care: development and validation of a new diagnostic algorithm. <i>BMC Dermatology</i> , 2010, 10, 9.	2.1	45
200	Family history: the neglected risk factor in disease prevention. <i>Medical Journal of Australia</i> , 2010, 192, 677-678.	0.8	11
201	“Medication career” or “Moral career”? The two sides of managing Antidepressants: A meta-ethnography of patients' experience of antidepressants. <i>Social Science and Medicine</i> , 2009, 68, 154-168.	1.8	308
202	Learning a novel technique to identify possible melanomas: are Australian general practitioners better than their U.K. colleagues?. <i>Asia Pacific Family Medicine</i> , 2009, 8, 3.	0.4	5
203	Evaluation of the MoleMate™ training program for assessment of suspicious pigmented lesions in primary care. <i>Journal of Innovation in Health Informatics</i> , 2008, 16, 41-50.	0.9	13
204	Use of a spectrophotometric intracutaneous analysis device in the real-time diagnosis of melanoma. <i>British Journal of Dermatology</i> , 2007, 158, 420-422.	1.4	11
205	Psychological Impact of Genetic Counseling for Familial Cancer: A Systematic Review and Meta-Analysis. <i>Familial Cancer</i> , 2006, 5, 61-75.	0.9	91
206	Perceptions of family history across common diseases: a qualitative study in primary care. <i>Family Practice</i> , 2006, 23, 472-480.	0.8	82
207	'Coming Down the Line' – Patients' Understanding of Their Family History of Common Chronic Disease. <i>Annals of Family Medicine</i> , 2005, 3, 405-414.	0.9	106
208	Lay Understanding of Familial Risk of Common Chronic Diseases: A Systematic Review and Synthesis of Qualitative Research. <i>Annals of Family Medicine</i> , 2004, 2, 583-594.	0.9	236
209	Psychological Impact of Genetic Counseling for Familial Cancer: A Systematic Review and Meta-analysis. <i>Journal of the National Cancer Institute</i> , 2004, 96, 122-133.	3.0	168
210	What happens next?: Evaluation of a scheme to support primary care practitioners with a fledgling interest in research. <i>Family Practice</i> , 2004, 21, 83-86.	0.8	15
211	Women's views of optimal risk communication and decision making in general practice consultations about the menopause and hormone replacement therapy. <i>Patient Education and Counseling</i> , 2004, 53, 121-128.	1.0	40
212	Patients' understanding of risk: a qualitative study of decision-making about the menopause and hormone replacement therapy in general practice. <i>Family Practice</i> , 2002, 19, 579-586.	0.8	30
213	Women's views of consultations about familial risk of breast cancer in primary care. <i>Patient Education and Counseling</i> , 2002, 48, 275-282.	1.0	19
214	General practitioners' and patients' models of obesity: whose problem is it?. <i>Patient Education and Counseling</i> , 2001, 44, 227-233.	1.0	103
215	Experiences and expectations of the new genetics in relation to familial risk of breast cancer: a comparison of the views of GPs and practice nurses. <i>Family Practice</i> , 2001, 18, 491-494.	0.8	21
216	Tests to assist in the diagnosis of cutaneous melanoma in adults: a generic protocol. <i>The Cochrane Library</i> , 0, , .	1.5	19

#	ARTICLE	IF	CITATIONS
217	Symptom awareness measures for breast and cervical cancer in sub-Saharan Africa: A scoping review. South African Journal of Oncology, 0, 3, .	0.1	1
218	Cytology for the diagnosis of endometrial cancer in symptomatic women. The Cochrane Library, 0, , .	1.5	0
219	The Achieving Self-Directed Integrated Cancer Aftercare (ASICA) intervention for detection of recurrent and second primary melanoma in melanoma survivors: A randomised controlled pilot trial (Preprint). JMIR Cancer, 0, , .	0.9	4