

Bo Lundbäck

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5839601/publications.pdf>

Version: 2024-02-01

145
papers

6,218
citations

53794

45
h-index

82547

72
g-index

145
all docs

145
docs citations

145
times ranked

7112
citing authors

#	ARTICLE	IF	CITATIONS
1	Respiratory health and disease in Europe: the new European Lung White Book. <i>European Respiratory Journal</i> , 2013, 42, 559-563.	6.7	320
2	SmokeHaz. <i>Chest</i> , 2016, 150, 164-179.	0.8	180
3	Health impacts of anthropogenic biomass burning in the developed world. <i>European Respiratory Journal</i> , 2015, 46, 1577-1588.	6.7	179
4	Increased prevalence of allergic asthma from 1996 to 2006 and further to 2016—results from three population surveys. <i>Clinical and Experimental Allergy</i> , 2017, 47, 1426-1435.	2.9	176
5	Relevance of allergens from cats and dogs to asthma in the northernmost province of Sweden: Schools as a major site of exposure. <i>Journal of Allergy and Clinical Immunology</i> , 1999, 103, 1018-1024.	2.9	163
6	Costs of COPD in Sweden According to Disease Severity. <i>Chest</i> , 2002, 122, 1994-2002.	0.8	161
7	Prevalence of Chronic Obstructive Pulmonary Disease according to BTS, ERS, GOLD and ATS Criteria in Relation to Doctor's Diagnosis, Symptoms, Age, Gender, and Smoking Habits. <i>Respiration</i> , 2005, 72, 471-479.	2.6	147
8	Ten-Year Cumulative Incidence of COPD and Risk Factors for Incident Disease in a Symptomatic Cohort. <i>Chest</i> , 2005, 127, 1544-1552.	0.8	134
9	Is asthma prevalence still increasing?. <i>Expert Review of Respiratory Medicine</i> , 2016, 10, 39-51.	2.5	134
10	West Sweden Asthma Study: Prevalence trends over the last 18 years argues no recent increase in asthma. <i>Respiratory Research</i> , 2009, 10, 94.	3.6	133
11	Large scale questionnaire survey on respiratory health in Sweden: Effects of late- and non-response. <i>Respiratory Medicine</i> , 2009, 103, 1807-1815.	2.9	128
12	Environmental Tobacco Smoke Exposure During Childhood Is Associated With Increased Prevalence of Asthma in Adults. <i>Chest</i> , 2001, 120, 711-717.	0.8	125
13	Age-specific incidence of allergic and non-allergic asthma. <i>BMC Pulmonary Medicine</i> , 2020, 20, 9.	2.0	109
14	Increased Prevalence of Symptoms of Rhinitis but Not of Asthma between 1990 and 2008 in Swedish Adults: Comparisons of the ECRHS and GA2LEN Surveys. <i>PLoS ONE</i> , 2011, 6, e16082.	2.5	99
15	Exosomes in the nose induce immune cell trafficking and harbour an altered protein cargo in chronic airway inflammation. <i>Journal of Translational Medicine</i> , 2016, 14, 181.	4.4	97
16	Does non-responder bias have a significant effect on the results in a postal questionnaire study?. <i>European Journal of Epidemiology</i> , 2001, 17, 809-817.	5.7	95
17	Seven-Year Cumulative Incidence of COPD in an Age-Stratified General Population Sample. <i>Chest</i> , 2006, 129, 879-885.	0.8	94
18	Remission and Persistence of Asthma Followed From 7 to 19 Years of Age. <i>Pediatrics</i> , 2013, 132, e435-e442.	2.1	94

#	ARTICLE	IF	CITATIONS
19	Prevalence trends in respiratory symptoms and asthma in relation to smoking - two cross-sectional studies ten years apart among adults in northern Sweden. <i>World Allergy Organization Journal</i> , 2014, 7, 1.	3.5	91
20	Passive Smoking Exposure Is Associated With Increased Risk of COPD in Never Smokers. <i>Chest</i> , 2014, 145, 1298-1304.	0.8	88
21	Non-responders to a postal questionnaire on respiratory symptoms and diseases. <i>European Journal of Epidemiology</i> , 1999, 15, 293-299.	5.7	87
22	Smoking, Respiratory Symptoms, and Diseases. <i>Chest</i> , 2001, 119, 852-861.	0.8	87
23	Contribution of dust mite and cat specific IgE to total IgE: Relevance to asthma prevalence. <i>Journal of Allergy and Clinical Immunology</i> , 2007, 119, 359-365.	2.9	85
24	A Computer Simulation Model of the Natural History and Economic Impact of Chronic Obstructive Pulmonary Disease. <i>Value in Health</i> , 2004, 7, 153-167.	0.3	80
25	Effect of inhaled fluticasone with and without salmeterol on airway inflammation in asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2003, 112, 72-78.	2.9	79
26	Outcome and severity of adult onset asthma—Report from the obstructive lung disease in northern Sweden studies (OLIN). <i>Respiratory Medicine</i> , 2007, 101, 2370-2377.	2.9	78
27	Low incidence and high remission of allergic sensitization among adults. <i>Journal of Allergy and Clinical Immunology</i> , 2012, 129, 136-142.	2.9	76
28	Menopausal hormone therapy and women's health: An umbrella review. <i>PLoS Medicine</i> , 2021, 18, e1003731.	8.4	74
29	Severe asthma—A population study perspective. <i>Clinical and Experimental Allergy</i> , 2019, 49, 819-828.	2.9	70
30	Family History of Asthma and Atopy: In-depth Analyses of the Impact on Asthma and Wheeze in 7- to 8-Year-Old Children. <i>Pediatrics</i> , 2007, 120, 741-748.	2.1	68
31	Galactose-1,3-Galactose—Specific IgE Is Associated with Anaphylaxis but Not Asthma. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2012, 185, 723-730.	5.6	68
32	Different sensitization profile for asthma, rhinitis, and eczema among 7-year-old children: Report from the Obstructive Lung Disease in Northern Sweden studies. <i>Pediatric Allergy and Immunology</i> , 2003, 14, 91-99.	2.6	66
33	Evaluation of the global lung function initiative 2012 reference values for spirometry in a Swedish population sample. <i>BMC Pulmonary Medicine</i> , 2015, 15, 26.	2.0	66
34	Up-to-date on mortality in COPD - report from the OLIN COPD study. <i>BMC Pulmonary Medicine</i> , 2012, 12, 1.	2.0	64
35	Chronic Obstructive Pulmonary Disease in Finland: Prevalence and Risk Factors. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2005, 2, 331-339.	1.6	63
36	Allergic sensitization is age-dependently associated with rhinitis, but less so with asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2015, 136, 1559-1565.e2.	2.9	56

#	ARTICLE	IF	CITATIONS
37	Lung Function Abnormalities in Smokers with Ischemic Heart Disease. American Journal of Respiratory and Critical Care Medicine, 2016, 194, 568-576.	5.6	53
38	Restrictive spirometric pattern in the general adult population: Methods of defining the condition and consequences on prevalence. Respiratory Medicine, 2016, 120, 116-123.	2.9	52
39	Decreased prevalence of moderate to severe COPD over 15 years in northern Sweden. Respiratory Medicine, 2016, 114, 103-110.	2.9	51
40	Estimated prevalences of respiratory symptoms, asthma and chronic obstructive pulmonary disease related to detection rate in primary health care. Scandinavian Journal of Primary Health Care, 2001, 19, 54-57.	1.5	50
41	Association of heart diseases with COPD and restrictive lung function – Results from a population survey. Respiratory Medicine, 2013, 107, 98-106.	2.9	50
42	Increase in sensitization to common airborne allergens among adults – two population-based studies 15 years apart. Allergy, Asthma and Clinical Immunology, 2013, 9, 20.	2.0	49
43	Relevance of specific IgE antibody titer to the prevalence, severity, and persistence of asthma among 19-year-olds in northern Sweden. Journal of Allergy and Clinical Immunology, 2016, 138, 1582-1590.	2.9	48
44	Increase in asthma and a high prevalence of bronchitis: Results from a population study among adults in urban and rural Vietnam. Respiratory Medicine, 2011, 105, 177-185.	2.9	47
45	No further increase of incidence of asthma: Incidence, remission and relapse of adult asthma in Sweden. Respiratory Medicine, 2008, 102, 1730-1736.	2.9	46
46	Asthma in late adolescence - farm childhood is protective and the prevalence increase has levelled off. Pediatric Allergy and Immunology, 2010, 21, 806-813.	2.6	45
47	Adult-onset asthma in west Sweden – Incidence, sex differences and impact of occupational exposures. Respiratory Medicine, 2011, 105, 1622-1628.	2.9	45
48	Co-morbidity in Mild-to-Moderate COPD: Comparison to Normal and Restrictive Lung Function. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2011, 8, 421-428.	1.6	45
49	Changes in the prevalence of asthma and respiratory symptoms in western Sweden between 2008 and 2016. Allergy: European Journal of Allergy and Clinical Immunology, 2019, 74, 1703-1715.	5.7	45
50	FEV1 Response to Bronchodilation in an Adult Urban Population. Chest, 2008, 134, 387-393.	0.8	44
51	Conventional epidemiology underestimates the incidence of asthma and wheeze – a longitudinal population-based study among teenagers. Clinical and Translational Allergy, 2012, 2, 1.	3.2	42
52	Update of prevalence of self-reported allergic rhinitis and chronic nasal symptoms among adults in Sweden. Clinical Respiratory Journal, 2012, 6, 159-168.	1.6	42
53	Prevalence and risk factors of COPD among never-smokers in two areas of Sweden – Occupational exposure to gas, dust or fumes is an important risk factor. Respiratory Medicine, 2015, 109, 1439-1445.	2.9	42
54	Age- and gender-specific incidence of new asthma diagnosis from childhood to late adulthood. Respiratory Medicine, 2019, 154, 56-62.	2.9	42

#	ARTICLE	IF	CITATIONS
55	A Strong Synergism of Low Birth Weight and Prenatal Smoking on Asthma in Schoolchildren. <i>Pediatrics</i> , 2011, 127, e905-e912.	2.1	41
56	Nordic consensus statement on the systematic assessment and management of possible severe asthma in adults. <i>European Clinical Respiratory Journal</i> , 2018, 5, 1440868.	1.5	40
57	Decline in FEV ₁ in Relation to Incident Chronic Obstructive Pulmonary Disease in a Cohort with Respiratory Symptoms. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2007, 4, 5-13.	1.6	38
58	The function of medication beliefs as mediators between personality traits and adherence behavior in people with asthma. <i>Patient Preference and Adherence</i> , 2013, 7, 1101.	1.8	38
59	Subjects with COPD and productive cough have an increased risk for exacerbations and death. <i>Respiratory Medicine</i> , 2015, 109, 88-95.	2.9	38
60	Occupational exposure to chemicals drives the increased risk of asthma and rhinitis observed for exposure to vapours, gas, dust and fumes: a cross-sectional population-based study. <i>Occupational and Environmental Medicine</i> , 2016, 73, 663-669.	2.8	36
61	Increase in Allergic Sensitization in Schoolchildren: Two Cohorts Compared 10 Years Apart. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2017, 5, 457-463.e1.	3.8	35
62	Dose-dependent association of smoking and bronchial hyperresponsiveness. <i>European Respiratory Journal</i> , 2013, 42, 1503-1512.	6.7	33
63	Different risk factor patterns for adult asthma, rhinitis and eczema: results from West Sweden Asthma Study. <i>Clinical and Translational Allergy</i> , 2016, 6, 28.	3.2	33
64	Smoking activates cytotoxic CD8+ T cells and causes survivin release in rheumatoid arthritis. <i>Journal of Autoimmunity</i> , 2017, 78, 101-110.	6.5	33
65	Asthma control over 3years in a real-life study. <i>Respiratory Medicine</i> , 2009, 103, 348-355.	2.9	32
66	Prevalence of Chronic Nasal Symptoms in West Sweden: Risk Factors and Relation to Self-Reported Allergic Rhinitis and Lower Respiratory Symptoms. <i>International Archives of Allergy and Immunology</i> , 2011, 154, 155-163.	2.1	32
67	Reference values for spirometry " report from the Obstructive Lung Disease in Northern Sweden studies. <i>European Clinical Respiratory Journal</i> , 2015, 2, 26375.	1.5	30
68	A 20-Year Follow-Up of a Population Study-Based COPD Cohort-Report from the Obstructive Lung Disease in Northern Sweden Studies. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2009, 6, 263-271.	1.6	29
69	Questionnaire layout and wording influence prevalence and risk estimates of respiratory symptoms in a population cohort. <i>Clinical Respiratory Journal</i> , 2013, 7, 53-63.	1.6	28
70	High prevalence of severe asthma in a large random population study. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, 2256-2264.e2.	2.9	28
71	Characterization of sensitization to furry animal allergen components in an adult population. <i>Clinical and Experimental Allergy</i> , 2019, 49, 495-505.	2.9	28
72	The clinical expression of asthma in schoolchildren has changed between 1996 and 2006. <i>Pediatric Allergy and Immunology</i> , 2010, 21, 859-866.	2.6	27

#	ARTICLE	IF	CITATIONS
73	Does living in a cold climate or recreational skiing increase the risk for obstructive respiratory diseases or symptoms?. International Journal of Circumpolar Health, 2003, 62, 142-157.	1.2	26
74	Cohort profile: the West Sweden Asthma Study (WSAS): a multidisciplinary population-based longitudinal study of asthma, allergy and respiratory conditions in adults. BMJ Open, 2019, 9, e027808.	1.9	26
75	Furry Animal Allergen Component Sensitization and Clinical Outcomes in Adult Asthma and Rhinitis. Journal of Allergy and Clinical Immunology: in Practice, 2019, 7, 1230-1238.e4.	3.8	26
76	Severe Asthma in a General Population Study: Prevalence and Clinical Characteristics. Journal of Asthma and Allergy, 2021, Volume 14, 1105-1115.	3.4	26
77	Decreased COPD prevalence in Sweden after decades of decrease in smoking. Respiratory Research, 2020, 21, 283.	3.6	24
78	Five-fold increase in use of inhaled corticosteroids over 18 years in the general adult population in West Sweden. Respiratory Medicine, 2014, 108, 685-693.	2.9	23
79	Asthma Remission by Age at Diagnosis and Gender in a Population-Based Study. Journal of Allergy and Clinical Immunology: in Practice, 2021, 9, 1950-1959.e4.	3.8	23
80	Immunophenotyping of Circulating T Helper Cells Argues for Multiple Functions and Plasticity of T Cells In Vivo in Humans - Possible Role in Asthma. PLoS ONE, 2012, 7, e40012.	2.5	23
81	Allergic Sensitization to Common Airborne Allergens among Adults in Estonia. International Archives of Allergy and Immunology, 2007, 142, 247-254.	2.1	22
82	A population-based cohort of adults with asthma: mortality and participation in a long-term follow-up. European Clinical Respiratory Journal, 2017, 4, 1334508.	1.5	22
83	The impact of comorbidities on mortality among men and women with COPD: report from the OLIN COPD study. Therapeutic Advances in Respiratory Disease, 2019, 13, 175346661986005.	2.6	22
84	Respiratory symptoms and obstructive lung diseases in iron ore miners: Report from the obstructive lung disease in northern Sweden studies. European Journal of Epidemiology, 2004, 19, 953-958.	5.7	21
85	High risk of adult asthma following severe wheezing in early life. Pediatric Pulmonology, 2015, 50, 789-797.	2.0	21
86	Prevalence of COPD by Disease Severity in Men and Women in Northern Vietnam. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2014, 11, 575-581.	1.6	20
87	Incidence and prevalence of adult asthma is associated with low socio-economic status. Clinical Respiratory Journal, 2010, 4, 147-156.	1.6	19
88	Only severe COPD is associated with being underweight results from a population survey. ERJ Open Research, 2016, 2, 00051-2015.	2.6	19
89	Smoking Is Associated With Low Levels of Soluble PD-L1 in Rheumatoid Arthritis. Frontiers in Immunology, 2018, 9, 1677.	4.8	19
90	Prevalence of food hypersensitivity in relation to IgE sensitisation to common food allergens among the general adult population in West Sweden. Clinical and Translational Allergy, 2019, 9, 22.	3.2	19

#	ARTICLE	IF	CITATIONS
91	Severe asthma is related to high societal costs and decreased health related quality of life. <i>Respiratory Medicine</i> , 2020, 162, 105860.	2.9	19
92	FEV1 decline in relation to blood eosinophils and neutrophils in a population-based asthma cohort. <i>World Allergy Organization Journal</i> , 2020, 13, 100110.	3.5	19
93	Large underreporting of COPD as cause of death-results from a population-based cohort study. <i>Respiratory Medicine</i> , 2021, 186, 106518.	2.9	19
94	Changes in lung function in European adults born between 1884 and 1996 and implications for the diagnosis of lung disease: a cross-sectional analysis of ten population-based studies. <i>Lancet Respiratory Medicine</i> , 2022, 10, 83-94.	10.7	19
95	Respiratory Symptoms and Respiratory-Related Absence from Work among Health Care Workers in Sweden. <i>Journal of Asthma</i> , 2013, 50, 174-179.	1.7	18
96	Higher Risk of Wheeze in Female than Male Smokers. Results from the Swedish GA2LEN Study. <i>PLoS ONE</i> , 2013, 8, e54137.	2.5	18
97	The Significance of Asthma Follow-Up Consultations for Adherence to Asthma Medication, Asthma Medication Beliefs, and Asthma Control. <i>Nursing Research and Practice</i> , 2015, 2015, 1-7.	1.0	18
98	Remission of adult-onset asthma is rare: a 15-year follow-up study. <i>ERJ Open Research</i> , 2020, 6, 00620-2020.	2.6	18
99	Factors affecting chronic obstructive pulmonary disease (COPD)-related costs: a multivariate analysis of a Swedish COPD cohort. <i>European Journal of Health Economics</i> , 2009, 10, 217-226.	2.8	17
100	Hospitalization Due to Co-Morbid Conditions is the Main Cost Driver Among Subjects With COPD—A Report From the Population-Based OLIN COPD Study. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2015, 12, 381-389.	1.6	17
101	Chronic bronchitis in West Sweden — a matter of smoking and social class. <i>European Clinical Respiratory Journal</i> , 2016, 3, 30319.	1.5	16
102	Cost Differences for COPD With and Without Physician-Diagnosis. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2005, 2, 427-434.	1.6	15
103	Survivin controls biogenesis of microRNA in smokers: A link to pathogenesis of rheumatoid arthritis. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2017, 1863, 663-673.	3.8	15
104	Low socioeconomic status relates to asthma and wheeze, especially in women. <i>ERJ Open Research</i> , 2020, 6, 00258-2019.	2.6	15
105	Multimorbidity in asthma, association with allergy, inflammatory markers and symptom burden, results from the Swedish GA ² LEN study. <i>Clinical and Experimental Allergy</i> , 2021, 51, 262-272.	2.9	14
106	Postal survey on asthma, chronic bronchitis and respiratory symptoms among adult Estonians and non-Estonians (FinEsS-study). <i>European Journal of Public Health</i> , 2004, 14, 114-119.	0.3	13
107	Bronchial hyperresponsiveness in an adult population in Helsinki: decreased FEV ₁ , the main determinant. <i>Clinical Respiratory Journal</i> , 2013, 7, 34-44.	1.6	12
108	Personality and unachieved treatment goals related to poor adherence to asthma medication in a newly developed adherence questionnaire — a population-based study. <i>Multidisciplinary Respiratory Medicine</i> , 2016, 11, 42.	1.5	12

#	ARTICLE	IF	CITATIONS
109	Targeted high-throughput sequencing of candidate genes for chronic obstructive pulmonary disease. BMC Pulmonary Medicine, 2016, 16, 146.	2.0	12
110	The future of combining inhaled drugs for COPD. Current Opinion in Pharmacology, 2012, 12, 252-255.	3.5	11
111	Pre- and post-bronchodilator airway obstruction are associated with similar clinical characteristics but different prognosis – report from a population-based study. International Journal of COPD, 2017, Volume 12, 1269-1277.	2.3	11
112	COVID-19â€™a very visible pandemic. Lancet, The, 2020, 396, e15.	13.7	11
113	Level of education and asthma control in adult-onset asthma. Journal of Asthma, 2022, 59, 840-849.	1.7	11
114	Bronchial hyperresponsiveness in a population of north Finland with no previous diagnosis of asthma or chronic bronchitis assessed with histamine and methacholine tests. International Journal of Circumpolar Health, 2008, 67, 308-317.	1.2	10
115	Alarming high prevalence of smoking and symptoms of bronchitis in young women in Sweden: a population-based questionnaire study. Primary Care Respiratory Journal: Journal of the General Practice Airways Group, 2013, 22, 214-220.	2.3	9
116	The up-rise in e-cigarette use â€™ friend or foe?. Respiratory Research, 2016, 17, 52.	3.6	9
117	The Majority of Children Sensitized Before School-Age Develop Allergic Disease Before Adulthood: A Longitudinal Population-Based Study. Journal of Allergy and Clinical Immunology: in Practice, 2022, 10, 577-585.e3.	3.8	9
118	The negative health effects of having a combination of snoring and insomnia. Journal of Clinical Sleep Medicine, 2022, 18, 973-981.	2.6	8
119	Storage mites are the main sensitizers among adults in northern Vietnam: Results from a population survey. Allergy: European Journal of Allergy and Clinical Immunology, 2011, 66, 1620-1621.	5.7	7
120	Pattern of Cardiovascular Comorbidity in COPD in a Country with Low-smoking Prevalence: Results from Two-population-based Cohorts from Sweden. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2018, 15, 454-463.	1.6	7
121	Ischemic heart disease among subjects with and without chronic obstructive pulmonary disease â€™ ECG-findings in a population-based cohort study. BMC Pulmonary Medicine, 2015, 15, 156.	2.0	6
122	Dyspnea has an association with lifestyle: differences between Swedish and Finnish speaking persons in Western Finland. European Clinical Respiratory Journal, 2021, 8, 1855702.	1.5	6
123	Multimorbidity in Finnish and Swedish speaking Finns; association with daily habits and socioeconomic status â€™ Nordic EpiLung cross-sectional study. Preventive Medicine Reports, 2021, 22, 101338.	1.8	6
124	Influence of Childhood Exposure to a Farming Environment on Age at Asthma Diagnosis in a Population-Based Study. Journal of Asthma and Allergy, 2021, Volume 14, 1081-1091.	3.4	6
125	Chronic Obstructive Pulmonary Disease (COPD) During the Two Last Years of Life â€™ A Retrospective Study of Decedents. PLoS ONE, 2013, 8, e84110.	2.5	5
126	Lung Function through the PRISm. Spreading Light or Creating Confusion?. American Journal of Respiratory and Critical Care Medicine, 2018, 198, 1358-1360.	5.6	5

#	ARTICLE	IF	CITATIONS
127	High but stable incidence of adult-onset asthma in northern Sweden over the last decades. ERJ Open Research, 2021, 7, 00262-2021.	2.6	5
128	NSAID-exacerbated respiratory disease: a population study. ERJ Open Research, 2022, 8, 00462-2021.	2.6	5
129	Recommendations for epidemiological studies on COPD. European Respiratory Journal, 2012, 39, 1278-1279.	6.7	3
130	Occupation, socioeconomic status and chronic obstructive respiratory diseases – The EpiLung study in Finland, Estonia and Sweden. Respiratory Medicine, 2022, 191, 106403.	2.9	3
131	Parallel gradients in FENO and in the prevalences of asthma and atopy in adult general populations of Sweden, Finland and Estonia – A Nordic EpiLung study. Respiratory Medicine, 2020, 173, 106160.	2.9	2
132	Snoring and environmental exposure: results from the Swedish GA2LEN study. BMJ Open, 2021, 11, e044911.	1.9	2
133	COPD in women – New results presented. Respiratory Medicine, 2021, 176, 106238.	2.9	1
134	Letter from Sweden. Respirology, 2021, 26, 818-819.	2.3	1
135	Among respiratory symptoms, wheeze associates most strongly with impaired lung function in adults with asthma: a long-term prospective cohort study. BMJ Open Respiratory Research, 2021, 8, e000981.	3.0	1
136	Reply: Breast-feeding and allergy. Food Nutrition Research, 2006, 50, 98-98.	0.3	0
137	Circulating eosinophil progenitors express major trafficking related molecules and are more activated compared to mature eosinophils in patients with asthma. Clinical and Translational Allergy, 2013, 3, P7.	3.2	0
138	Determinants of health outcome in individuals with asthma. Clinical and Translational Allergy, 2013, 3, P19.	3.2	0
139	Toll-like receptor expression in severe asthma with chronic rhinosinusitis. Clinical and Translational Allergy, 2013, 3, O2.	3.2	0
140	High risk of adult asthma following severe wheeze in early life. Clinical and Translational Allergy, 2013, 3, O8.	3.2	0
141	Multi-symptom asthma as an indication of disease severity in epidemiology. Clinical and Translational Allergy, 2013, 3, P6.	3.2	0
142	Inhaled corticosteroids and pneumonia risk – Revised knowledge. Respiratory Medicine, 2017, 131, 247-248.	2.9	0
143	The impact of exacerbations among subjects with COPD, what can we learn from 'big data'?. Respiratory Medicine, 2018, 145, 226-227.	2.9	0
144	Longitudinal studies based on the general population – Important studies becoming rare nowadays. Respiratory Medicine, 2019, 158, 114-115.	2.9	0

#	ARTICLE	IF	CITATIONS
145	Bronchial hyperresponsiveness is common in Hanoi, Vietnam: Asthma probably underdiagnosed. Respiratory Medicine, 2021, 186, 106513.	2.9	0