

Sang-Woo Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5839680/publications.pdf>

Version: 2024-02-01

98
papers

2,479
citations

236925

25
h-index

233421

45
g-index

102
all docs

102
docs citations

102
times ranked

3823
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Incidence rate and factors associated with the development of secondary cancers after radioiodine therapy in differentiated thyroid cancer: a multicenter retrospective study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 1661-1670. | 6.4 | 8 |
| 2 | Patients presenting high fever with lymphadenopathy after COVID-19 vaccination were diagnosed with hemophagocytic lymphohistiocytosis. <i>Infectious Diseases</i> , 2022, 54, 303-307. | 2.8 | 16 |
| 3 | Reliability of Alkaline Phosphatase for Differentiating Flare Phenomenon from Disease Progression with Bone Scintigraphy. <i>Cancers</i> , 2022, 14, 254. | 3.7 | 5 |
| 4 | Selective neurodegeneration of the hippocampus caused by chronic cerebral hypoperfusion: F-18 FDG PET study in rats. <i>PLoS ONE</i> , 2022, 17, e0262224. | 2.5 | 4 |
| 5 | Tunicamycin as a Novel Redifferentiation Agent in Radioiodine Therapy for Anaplastic Thyroid Cancer. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1077. | 4.1 | 6 |
| 6 | Diagnostic values of F-18 FDG PET or PET/CT, CT, and US for Preoperative Lymph Node Staging in Thyroid Cancer: A Network Meta-Analysis. <i>British Journal of Radiology</i> , 2021, 94, 20201076. | 2.2 | 9 |
| 7 | Direct comparison of F-18 FDG PET/CT and MRI to predict pathologic response to neoadjuvant treatment in locally advanced rectal cancer: a meta-analysis. <i>Annals of Nuclear Medicine</i> , 2021, 35, 1038-1047. | 2.2 | 5 |
| 8 | Clinical impact of radioactive iodine dose selection based on the number of metastatic lymph nodes in patients with papillary thyroid carcinoma: A multicenter retrospective cohort study. <i>Clinical Endocrinology</i> , 2021, 95, 901-908. | 2.4 | 1 |
| 9 | Prediction Model for Tumor Budding Status Using the Radiomic Features of F-18 Fluorodeoxyglucose Positron Emission Tomography/Computed Tomography in Cervical Cancer. <i>Diagnostics</i> , 2021, 11, 1517. | 2.6 | 6 |
| 10 | Direct Comparison of Preoperative Imaging Modalities for Localization of Primary Hyperparathyroidism. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2021, 147, 692. | 2.2 | 22 |
| 11 | On the Potential Benefit of Shunt Surgery in Idiopathic Normal-Pressure Hydrocephalus Patients with Alzheimer's Disease Pathology. <i>Dementia and Neurocognitive Disorders</i> , 2021, 20, 108. | 1.4 | 1 |
| 12 | White blood cell labeling with Technetium-99m (99mTc) using red blood cell extracellular vesicles-mimetics. <i>Blood Cells, Molecules, and Diseases</i> , 2020, 80, 102375. | 1.4 | 15 |
| 13 | Clinicopathologic risk factors of radioactive iodine therapy based on response assessment in patients with differentiated thyroid cancer: a multicenter retrospective cohort study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 561-571. | 6.4 | 12 |
| 14 | Utility of 18F-FDG PET/CT for predicting pathologic complete response in hormone receptor-positive, HER2-negative breast cancer patients receiving neoadjuvant chemotherapy. <i>BMC Cancer</i> , 2020, 20, 1106. | 2.6 | 11 |
| 15 | Abnormal cortical thickening and thinning in idiopathic normal-pressure hydrocephalus. <i>Scientific Reports</i> , 2020, 10, 21213. | 3.3 | 11 |
| 16 | Assessment of beta-amyloid deposition using gray matter delineation by early-phase F-18 florbetaben PET in patients with brain atrophy. <i>Alzheimer's and Dementia</i> , 2020, 16, e038717. | 0.8 | 0 |
| 17 | Abnormal thickening and thinning of the cerebral cortex in idiopathic normal-pressure hydrocephalus. <i>Alzheimer's and Dementia</i> , 2020, 16, e042212. | 0.8 | 0 |
| 18 | Extracellular vesicles derived from macrophage promote angiogenesis In vitro and accelerate new vasculature formation In vivo. <i>Experimental Cell Research</i> , 2020, 394, 112146. | 2.6 | 28 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Improving the Prognostic Performance of SUVmax in 18F-Fluorodeoxyglucose Positron-Emission Tomography/Computed Tomography Using Tumor-to-Liver and Tumor-to-Blood Standard Uptake Ratio for Locally Advanced Cervical Cancer Treated with Concurrent Chemoradiotherapy. <i>Journal of Clinical Medicine</i> , 2020, 9, 1878. | 2.4 | 2 |
| 20 | A new tyrosine kinase inhibitor K905-0266 inhibits proliferation and sphere formation of glioblastoma cancer cells. <i>Journal of Drug Targeting</i> , 2020, 28, 933-938. | 4.4 | 1 |
| 21 | Comparison of 5 Different PET Radiopharmaceuticals for the Detection of Recurrent Medullary Thyroid Carcinoma. <i>Clinical Nuclear Medicine</i> , 2020, 45, 341-348. | 1.3 | 36 |
| 22 | Prognosis-Predicting Model Based on [18F]fluorodeoxyglucose PET Metabolic Parameters in Locally Advanced Cervical Cancer Patients Treated with Concurrent Chemoradiotherapy: Multi-Center Retrospective Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 427. | 2.4 | 10 |
| 23 | A Novel Tyrosine Kinase Inhibitor Can Augment Radioactive Iodine Uptake Through Endogenous Sodium/Iodide Symporter Expression in Anaplastic Thyroid Cancer. <i>Thyroid</i> , 2020, 30, 501-518. | 4.5 | 18 |
| 24 | Macrophage-Derived Extracellular Vesicle Promotes Hair Growth. <i>Cells</i> , 2020, 9, 856. | 4.1 | 60 |
| 25 | F-18 FDG PET for assessment of disease activity of large vessel vasculitis: A systematic review and meta-analysis. <i>Journal of Nuclear Cardiology</i> , 2019, 26, 59-67. | 2.1 | 31 |
| 26 | The effect of chronic cerebral hypoperfusion on the pathology of Alzheimer's disease: A positron emission tomography study in rats. <i>Scientific Reports</i> , 2019, 9, 14102. | 3.3 | 60 |
| 27 | Restaging the axilla after neo-adjuvant chemotherapy for breast cancer: Predictive factors for residual metastatic lymph node disease with negative imaging findings. <i>Breast Journal</i> , 2019, 25, 196-201. | 1.0 | 4 |
| 28 | Enhancing prognosis prediction using pre-treatment nodal SUVmax and HPV status in cervical squamous cell carcinoma. <i>Cancer Imaging</i> , 2019, 19, 43. | 2.8 | 8 |
| 29 | Crushed Gold Shell Nanoparticles Labeled with Radioactive Iodine as a Theranostic Nanoplatform for Macrophage-Mediated Photothermal Therapy. <i>Nano-Micro Letters</i> , 2019, 11, 36. | 27.0 | 27 |
| 30 | A Novel Orally Active Inverse Agonist of Estrogen-related Receptor Gamma (ERR γ), DN200434, A Booster of NIS in Anaplastic Thyroid Cancer. <i>Clinical Cancer Research</i> , 2019, 25, 5069-5081. | 7.0 | 24 |
| 31 | Clinical outcomes of patients with T4 or N1b well-differentiated thyroid cancer after different strategies of adjuvant radioiodine therapy. <i>Scientific Reports</i> , 2019, 9, 5570. | 3.3 | 12 |
| 32 | Combination Treatment with the BRAF ^{V600E} Inhibitor Vemurafenib and the BH3 Mimetic Navitoclax for BRAF-Mutant Thyroid Carcinoma. <i>Thyroid</i> , 2019, 29, 540-548. | 4.5 | 13 |
| 33 | A systematic review and meta-analysis of 18F-fluorodeoxyglucose positron emission tomography or positron emission tomography/computed tomography for detection of infected prosthetic vascular grafts. <i>Journal of Vascular Surgery</i> , 2019, 70, 307-313. | 1.1 | 24 |
| 34 | The ability of whole-body SUVmax in F-18 FDG PET/CT to predict suboptimal cytoreduction during primary debulking surgery for advanced ovarian cancer. <i>Journal of Ovarian Research</i> , 2019, 12, 12. | 3.0 | 15 |
| 35 | The Preventive Effect of Parotid Gland Massage on Salivary Gland Dysfunction During High-Dose Radioactive Iodine Therapy for Differentiated Thyroid Cancer. <i>Clinical Nuclear Medicine</i> , 2019, 44, 625-633. | 1.3 | 18 |
| 36 | Serum thyroglobulin elevation after needle aspiration of the lymph nodes: the predictive value for detecting metastasis in papillary thyroid cancer patients – a pilot study. <i>Medicine (United States)</i> , 2019, 98, e16461. | 1.0 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Enhancement of antitumor potency of extracellular vesicles derived from natural killer cells by IL-15 priming. <i>Biomaterials</i> , 2019, 190-191, 38-50. | 11.4 | 87 |
| 38 | Prediction of Advanced Axillary Lymph Node Metastases (ypN2-3) Using Breast MR imaging and PET/CT after Neoadjuvant Chemotherapy in Invasive Ductal Carcinoma Patients. <i>Scientific Reports</i> , 2018, 8, 3181. | 3.3 | 9 |
| 39 | Amyloid Deposits and Idiopathic Normal-Pressure Hydrocephalus: An 18F-Florbetaben Study. <i>European Neurology</i> , 2018, 79, 192-199. | 1.4 | 5 |
| 40 | Antigen-Free Radionuclide-Embedded Gold Nanoparticles for Dendritic Cell Maturation, Tracking, and Strong Antitumor Immunity. <i>Advanced Healthcare Materials</i> , 2018, 7, e1701369. | 7.6 | 20 |
| 41 | PEGylated crushed gold shell-radiolabeled core nanoballs for in vivo tumor imaging with dual positron emission tomography and Cerenkov luminescent imaging. <i>Journal of Nanobiotechnology</i> , 2018, 16, 41. | 9.1 | 27 |
| 42 | Diagnostic performance of PET in thyroid cancer with elevated anti-Tg Ab. <i>Endocrine-Related Cancer</i> , 2018, 25, 643-652. | 3.1 | 21 |
| 43 | Prognostic value of 18F-fluorodeoxyglucose bone marrow uptake in patients with solid tumors. <i>Medicine (United States)</i> , 2018, 97, e12859. | 1.0 | 8 |
| 44 | New Optical Imaging Reporter-labeled Anaplastic Thyroid Cancer-Derived Extracellular Vesicles as a Platform for In Vivo Tumor Targeting in a Mouse Model. <i>Scientific Reports</i> , 2018, 8, 13509. | 3.3 | 17 |
| 45 | A New Approach for Loading Anticancer Drugs Into Mesenchymal Stem Cell-Derived Exosome Mimetics for Cancer Therapy. <i>Frontiers in Pharmacology</i> , 2018, 9, 1116. | 3.5 | 179 |
| 46 | Diagnostic performance of HMGA2 gene expression for differentiation of malignant thyroid nodules: A systematic review and meta-analysis. <i>Clinical Endocrinology</i> , 2018, 89, 856-862. | 2.4 | 1 |
| 47 | Migration of mesenchymal stem cells to tumor xenograft models and <i>in vitro</i> drug delivery by doxorubicin. <i>International Journal of Medical Sciences</i> , 2018, 15, 1051-1061. | 2.5 | 45 |
| 48 | Regulated Mesenchymal Stem Cells Mediated Colon Cancer Therapy Assessed by Reporter Gene Based Optical Imaging. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1002. | 4.1 | 16 |
| 49 | Prevalence and Risk Factors of Atypical Femoral Fracture Bone Scintigraphic Feature in Patients Experiencing Bisphosphonate-Related Osteonecrosis of the Jaw. <i>Nuclear Medicine and Molecular Imaging</i> , 2018, 52, 311-317. | 1.0 | 2 |
| 50 | Prognostic Value of Baseline ¹⁸ F-Fluorodeoxyglucose PET/CT in Patients with Multiple Myeloma: A Multicenter Cohort Study. <i>Korean Journal of Radiology</i> , 2018, 19, 481. | 3.4 | 12 |
| 51 | Targeting and Therapy of Glioblastoma in a Mouse Model Using Exosomes Derived From Natural Killer Cells. <i>Frontiers in Immunology</i> , 2018, 9, 824. | 4.8 | 77 |
| 52 | Risk factors for radioactive iodine-avid metastatic lymph nodes on post I-131 ablation SPECT/CT in low- or intermediate-risk groups of papillary thyroid cancer. <i>PLoS ONE</i> , 2018, 13, e0202644. | 2.5 | 8 |
| 53 | In vivo Non-invasive Imaging of Radio-Labeled Exosome-Mimetics Derived From Red Blood Cells in Mice. <i>Frontiers in Pharmacology</i> , 2018, 9, 817. | 3.5 | 72 |
| 54 | Novel alternatives to extracellular vesicle-based immunotherapy – exosome mimetics derived from natural killer cells. <i>Artificial Cells, Nanomedicine and Biotechnology</i> , 2018, 46, 166-179. | 2.8 | 74 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Multimodality Imaging of Bone Marrowâ€Derived Dendritic Cell Migration and Antitumor Immunity. <i>Translational Oncology</i> , 2017, 10, 262-270. | 3.7 | 14 |
| 56 | SPECT/CT in the Treatment of Differentiated Thyroid Cancer. <i>Nuclear Medicine and Molecular Imaging</i> , 2017, 51, 297-303. | 1.0 | 21 |
| 57 | Clinical outcomes of low-dose and high-dose postoperative radioiodine therapy in patients with intermediate-risk differentiated thyroid cancer. <i>Nuclear Medicine Communications</i> , 2017, 38, 228-233. | 1.1 | 27 |
| 58 | Development of an athyroid mouse model using ¹³¹ I ablation after preparation with a low-iodine diet. <i>Scientific Reports</i> , 2017, 7, 13284. | 3.3 | 7 |
| 59 | I-131 biokinetics of remnant normal thyroid tissue and residual thyroid cancer in patients with differentiated thyroid cancer: comparison between recombinant human TSH administration and thyroid hormone withdrawal. <i>Annals of Nuclear Medicine</i> , 2017, 31, 582-589. | 2.2 | 15 |
| 60 | Non-invasive visualization of mast cell recruitment and its effects in lung cancer by optical reporter gene imaging and glucose metabolism monitoring. <i>Biomaterials</i> , 2017, 112, 192-203. | 11.4 | 5 |
| 61 | Clinical impact of ¹⁸ F-FDG positron emission tomography/CT on adenoid cystic carcinoma of the head and neck. <i>Head and Neck</i> , 2017, 39, 447-455. | 2.0 | 17 |
| 62 | Visualization of Macrophage Recruitment to Inflammation Lesions using Highly Sensitive and Stable Radionuclide-Embedded Gold Nanoparticles as a Nuclear Bio-Imaging Platform. <i>Theranostics</i> , 2017, 7, 926-934. | 10.0 | 29 |
| 63 | Exosomes Derived From Natural Killer Cells Exert Therapeutic Effect in Melanoma. <i>Theranostics</i> , 2017, 7, 2732-2745. | 10.0 | 328 |
| 64 | Natural Killer Cell (NK-92MI)-Based Therapy for Pulmonary Metastasis of Anaplastic Thyroid Cancer in a Nude Mouse Model. <i>Frontiers in Immunology</i> , 2017, 8, 816. | 4.8 | 44 |
| 65 | Prognostic value of intratumoral metabolic heterogeneity on F-18 fluorodeoxyglucose positron emission tomography/computed tomography in locally advanced cervical cancer patients treated with concurrent chemoradiotherapy. <i>Oncotarget</i> , 2017, 8, 90402-90412. | 1.8 | 21 |
| 66 | Pathological N1b Node Metastasis Itself Can Be Still a Valid Prognostic Factor in PTC after High Dose RAI Therapy. <i>International Journal of Thyroidology</i> , 2016, 9, 159. | 0.1 | 2 |
| 67 | Role of pulmonary macrophages in initiation of lung metastasis in anaplastic thyroid cancer. <i>International Journal of Cancer</i> , 2016, 139, 2583-2592. | 5.1 | 23 |
| 68 | Combined Positron Emission Tomography and Cerenkov Luminescence Imaging of Sentinel Lymph Nodes Using PEGylated Radionuclide-Embedded Gold Nanoparticles. <i>Small</i> , 2016, 12, 4894-4901. | 10.0 | 34 |
| 69 | In Vivo therapeutic potential of mesenchymal stem cell-derived extracellular vesicles with optical imaging reporter in tumor mice model. <i>Scientific Reports</i> , 2016, 6, 30418. | 3.3 | 61 |
| 70 | Radionuclide-embedded gold nanoparticles for enhanced dendritic cell-based cancer immunotherapy, sensitive and quantitative tracking of dendritic cells with PET and Cerenkov luminescence. <i>NPG Asia Materials</i> , 2016, 8, e281-e281. | 7.9 | 51 |
| 71 | Granulomatous Prostatitis After Intravesical Bacillus Calmette-GuÃ©rin Instillation Therapy: A Potential Cause of Incidental F-18 FDG Uptake in the Prostate Gland on F-18 FDG PET/CT in Patients with Bladder Cancer. <i>Nuclear Medicine and Molecular Imaging</i> , 2016, 50, 31-37. | 1.0 | 15 |
| 72 | Tracking of dendritic cell migration into lymph nodes using molecular imaging with sodium iodide symporter and enhanced firefly luciferase genes. <i>Scientific Reports</i> , 2015, 5, 9865. | 3.3 | 43 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Biological Production of an Integrin α v β 3 Targeting Imaging Probe and Functional Verification. <i>BioMed Research International</i> , 2015, 2015, 1-8. | 1.9 | 6 |
| 74 | Potential Therapeutic Effect of Natural Killer Cells on Doxorubicin-Resistant Breast Cancer Cells In Vitro. <i>PLoS ONE</i> , 2015, 10, e0136209. | 2.5 | 11 |
| 75 | Inverse Agonist of Estrogen-Related Receptor β Enhances Sodium Iodide Symporter Function Through Mitogen-Activated Protein Kinase Signaling in Anaplastic Thyroid Cancer Cells. <i>Journal of Nuclear Medicine</i> , 2015, 56, 1690-1696. | 5.0 | 38 |
| 76 | Size measurement of the thyroid gland on a magnified pinhole thyroid scan using an ultrasonic device measuring distance from the pinhole to the thyroid gland. <i>Annals of Nuclear Medicine</i> , 2015, 29, 111-117. | 2.2 | 0 |
| 77 | Combined Fluorescence and Magnetic Resonance Imaging of Primary Macrophage Migration to Sites of Acute Inflammation Using Near-Infrared Fluorescent Magnetic Nanoparticles. <i>Molecular Imaging and Biology</i> , 2015, 17, 643-651. | 2.6 | 14 |
| 78 | Radioiodine Scan Index: A Simplified, Quantitative Treatment Response Parameter for Metastatic Thyroid Carcinoma. <i>Nuclear Medicine and Molecular Imaging</i> , 2015, 49, 174-181. | 1.0 | 8 |
| 79 | Clinical Value of Visually Identifiable ^{18}F -fluorodeoxyglucose Uptake in Primary Papillary Thyroid Microcarcinoma. <i>Otolaryngology - Head and Neck Surgery</i> , 2014, 151, 415-420. | 1.9 | 6 |
| 80 | Clinical applications of ^{18}F -FDG PET/CT after first ^{131}I ablation in patients with differentiated thyroid cancer. <i>Clinical Endocrinology</i> , 2014, 81, 445-451. | 2.4 | 31 |
| 81 | Recurrence of a functional adrenocortical oncocytoma of borderline malignant potential showing high FDG uptake on ^{18}F -FDG PET/CT. <i>Annals of Nuclear Medicine</i> , 2014, 28, 69-73. | 2.2 | 13 |
| 82 | Difference of Clinical and Radiological Characteristics According to Radioiodine Avidity in Pulmonary Metastases of Differentiated Thyroid Cancer. <i>Nuclear Medicine and Molecular Imaging</i> , 2014, 48, 55-62. | 1.0 | 16 |
| 83 | Incidental detection of increased ^{18}F -FDG uptake and its follow-up in patients with granulomatous prostatitis after BCG treatment for urinary bladder cancer. <i>Hellenic Journal of Nuclear Medicine</i> , 2014, 17, 204-7. | 0.3 | 3 |
| 84 | Biliary Flow in Septate Gallbladder on Hepatobiliary Scintigraphy with SPECT/CT. <i>Nuclear Medicine and Molecular Imaging</i> , 2013, 47, 220-221. | 1.0 | 0 |
| 85 | Salivary Gland Function 5 Years After Radioactive Iodine Ablation in Patients with Differentiated Thyroid Cancer: Direct Comparison of Pre- and Postablation Scintigraphies and Their Relation to Xerostomia Symptoms. <i>Thyroid</i> , 2013, 23, 609-616. | 4.5 | 117 |
| 86 | Combined Categorical Reporting Systems of US and Cytology Findings for Thyroid Nodules: Guidance on Repeat Fine-Needle Aspiration Cytology. <i>Radiology</i> , 2013, 266, 956-963. | 7.3 | 26 |
| 87 | Estimation of True Serum Thyroglobulin Concentration Using Simultaneous Measurement of Serum Antithyroglobulin Antibody. <i>International Journal of Endocrinology</i> , 2013, 2013, 1-7. | 1.5 | 12 |
| 88 | ^{18}F -FDG Uptake by Metastatic Axillary Lymph Nodes on Pretreatment PET/CT as a Prognostic Factor for Recurrence in Patients with Invasive Ductal Breast Cancer. <i>Journal of Nuclear Medicine</i> , 2012, 53, 1337-1344. | 5.0 | 76 |
| 89 | Implications of Three-Phase Bone Scintigraphy for the Diagnosis of Bisphosphonate-Related Osteonecrosis of the Jaw. <i>Nuclear Medicine and Molecular Imaging</i> , 2012, 46, 162-168. | 1.0 | 20 |
| 90 | Neurolymphomatosis on ^{18}F -FDG PET/CT and MRI Findings: A Case Report. <i>Nuclear Medicine and Molecular Imaging</i> , 2011, 45, 76-78. | 1.0 | 23 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 91 | Prognostic Value of Primary Tumor Uptake on F-18 FDG PET/CT in Patients with Invasive Ductal Breast Cancer. <i>Nuclear Medicine and Molecular Imaging</i> , 2011, 45, 117-124. | 1.0 | 44 |
| 92 | False-Positive Axillary Lymph Node on F-18 FDG PET/CT due to Moxibustion Therapy. <i>Nuclear Medicine and Molecular Imaging</i> , 2010, 44, 307-308. | 1.0 | 0 |
| 93 | Enhanced antitumor effects by combination gene therapy using MDR1 gene shRNA and HSV1-tk in a xenograft mouse model. <i>Cancer Letters</i> , 2010, 291, 83-89. | 7.2 | 14 |
| 94 | Enhanced anti-tumor effects of combined MDR1 RNA interference and human sodium/iodide symporter (NIS) radioiodine gene therapy using an adenoviral system in a colon cancer model. <i>Nature Precedings</i> , 2009, , . | 0.1 | 0 |
| 95 | InÂvitro antiproliferative characteristics of flavonoids and diazepam on SNU-C4 colorectal adenocarcinoma cells. <i>Journal of Natural Medicines</i> , 2009, 63, 124-129. | 2.3 | 15 |
| 96 | Paradoxical exacerbation of preexisting Graves' disease induced by insufficient radioiodine treatment: a report of five patients. <i>Nuclear Medicine Communications</i> , 2009, 30, 275-280. | 1.1 | 6 |
| 97 | Enhanced Scintigraphic Visualization of Thyroglossal Duct Remnant during Hypothyroidism after Total Thyroidectomy: Prevalence and Clinical Implication in Patients with Differentiated Thyroid Cancer. <i>Thyroid</i> , 2007, 17, 341-346. | 4.5 | 13 |
| 98 | Evaluation of hepatic function with ^{99m} Tc-galactosylated serum albumin scintigraphy in patients with malaria: Comparison with ^{99m} Tc-colloid scintigraphy and liver ultrasonography. <i>Nuclear Medicine Communications</i> , 2007, 28, 95-99. | 1.1 | 3 |