

# Ossi Rahkonen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5842459/publications.pdf>

Version: 2024-02-01

320  
papers

8,836  
citations

34105

52  
h-index

66911

78  
g-index

322  
all docs

322  
docs citations

322  
times ranked

9424  
citing authors

#	ARTICLE	IF	CITATIONS
1	Life-course socioeconomic circumstances in acute, chronic and disabling pain among young employees: a double suffering. <i>Scandinavian Journal of Public Health</i> , 2023, 51, 257-267.	2.3	2
2	Contributions of childhood adversities to chronic pain among mid-life employees. <i>Scandinavian Journal of Public Health</i> , 2022, 50, 333-339.	2.3	7
3	Physical working conditions and subsequent sickness absence: a record linkage follow-up study among 19-39-year-old municipal employees. <i>International Archives of Occupational and Environmental Health</i> , 2022, 95, 489-497.	2.3	10
4	Food insecurity among Finnish private service sector workers: validity, prevalence and determinants. <i>Public Health Nutrition</i> , 2022, 25, 829-840.	2.2	8
5	Development of office-hours use of primary health centers in the early years of the 21st century: a 13-year longitudinal follow-up study. <i>International Journal of Circumpolar Health</i> , 2022, 81, 2033405.	1.2	1
6	Pairwise association of key lifestyle factors and risk of colorectal cancer: a prospective pooled multicohort study. <i>Cancer Reports</i> , 2022, 5, e1612.	1.4	4
7	The emergence of international comparisons of health inequalities as reflected in the <i>Scandinavian Journal of Public Health</i> during its five decades. <i>Scandinavian Journal of Public Health</i> , 2022, , 140349482210790.	2.3	0
8	Commercialization challenges open science. <i>European Journal of Public Health</i> , 2022, , .	0.3	0
9	Joint association of socioeconomic circumstances and minor mental health problems with antidepressant medication. <i>European Journal of Public Health</i> , 2022, 32, 535-541.	0.3	1
10	Trajectories of Insomnia Symptoms Among Aging Employees and Their Associations With Memory, Learning Ability, and Concentration After Retirement - A Prospective Cohort Study (2000-2017). <i>Journal of Aging and Health</i> , 2022, 34, 916-928.	1.7	2
11	Associations between low parental education, childhood adversities and sickness absence in midlife public sector employees. <i>Scandinavian Journal of Public Health</i> , 2022, , 140349482210879.	2.3	0
12	Changes in alcohol purchases from grocery stores after authorising the sale of stronger beverages: The case of the Finnish alcohol legislation reform in 2018. <i>NAD Nordic Studies on Alcohol and Drugs</i> , 2022, 39, 589-604.	1.3	4
13	Sosioekonomisten tekijöiden yhteydet ruokatottumuksiin vanhuuseläkkeelle siirtymisen jälkeen: Helsinki Health Study. <i>Sosiaalilaaketieteellinen Aikakauslehti</i> , 2022, 59, .	0.1	0
14	Association of alcohol use with years lived without major chronic diseases: A multicohort study from the IPD-Work consortium and UK Biobank. <i>Lancet Regional Health - Europe, The</i> , 2022, 19, 100417.	5.6	4
15	Development of the use of primary health care emergency departments after interventions aimed at decreasing overcrowding: a longitudinal follow-up study. <i>BMC Emergency Medicine</i> , 2022, 22, .	1.9	0
16	Associations of childhood and adult socioeconomic circumstances with recommended food habits among young and midlife Finnish employees. <i>BMC Nutrition</i> , 2022, 8, .	1.6	2
17	Ageing shift workers' sleep and working hour characteristics after implementing ergonomic shift scheduling rules. <i>Journal of Sleep Research</i> , 2021, 30, e13227.	3.2	12
18	Predictors of working days lost due to sickness absence and disability pension. <i>International Archives of Occupational and Environmental Health</i> , 2021, 94, 843-854.	2.3	10

#	ARTICLE	IF	CITATIONS
19	OUP accepted manuscript. European Journal of Public Health, 2021, , .	0.3	2
20	Associations of Sleep and Health Functioning with Premature Exit from Work: A Cohort Study with a Methodological Emphasis. International Journal of Environmental Research and Public Health, 2021, 18, 1725.	2.6	0
21	Pain in Multiple Sites and Clusters of Cause-Specific Work Disability Development among Midlife Municipal Employees. International Journal of Environmental Research and Public Health, 2021, 18, 3375.	2.6	1
22	Association between educational level and smoking cessation in an 11-year follow-up study of a national health survey. Scandinavian Journal of Public Health, 2021, 49, 951-960.	2.3	11
23	Intergenerational social mobility and body mass index trajectories – A follow-up study from Finland. SSM - Population Health, 2021, 13, 100723.	2.7	6
24	The influence of electronic reminders on recording diagnoses in a primary health care emergency department: a register-based study in a Finnish town. Scandinavian Journal of Primary Health Care, 2021, 39, 113-122.	1.5	1
25	Frequent short sickness absence, occupational health service utilisation and long-term sickness absence due to mental disorders among young employees. International Archives of Occupational and Environmental Health, 2021, 94, 1549-1558.	2.3	3
26	Cognitive stimulation in the workplace, plasma proteins, and risk of dementia: three analyses of population cohort studies. BMJ, The, 2021, 374, n1804.	6.0	28
27	Seeing an occupational health psychologist reduces sickness absence due to mental disorders: A quasi-experimental study. Preventive Medicine, 2021, 149, 106611.	3.4	0
28	Incidence trends and risk factors of lung cancer in never smokers: Pooled analyses of seven cohorts. International Journal of Cancer, 2021, 149, 2010-2019.	5.1	8
29	Multiple Socioeconomic Circumstances and Initiation of Cardiovascular Medication among Ageing Employees. International Journal of Environmental Research and Public Health, 2021, 18, 10148.	2.6	2
30	Working conditions and antidepressant medication use: A prospective study among 18 to 39-year-old municipal employees. Psychiatry Research, 2021, 305, 114213.	3.3	5
31	Do electronic reminders alter recorded diagnoses in primary care office-hours practices of health centers: A register-based study in a Finnish city. SAGE Open Medicine, 2021, 9, 205031212110361.	1.8	1
32	The contribution of physical working conditions to sickness absence of varying length among employees with and without common mental disorders. Scandinavian Journal of Public Health, 2021, 49, 141-148.	2.3	4
33	A longitudinal study of changes in interactional justice and subsequent short-term sickness absence among municipal employees. Scandinavian Journal of Work, Environment and Health, 2021, 47, 136-144.	3.4	0
34	Intervention targeted at physicians' treatment of musculoskeletal disorders and sickness certification: an interrupted time series analysis. BMJ Open, 2021, 11, e047018.	1.9	1
35	A longitudinal study of changes in interactional justice and subsequent short-term sickness absence among municipal employees. Scandinavian Journal of Work, Environment and Health, 2021, 47, 136-144.	3.4	1
36	Weight change among normal weight, overweight and obese employees and subsequent diagnosis-specific sickness absence: A register-linked follow-up study. Scandinavian Journal of Public Health, 2020, 48, 155-163.	2.3	7

#	ARTICLE	IF	CITATIONS
37	Class and health in changing societies: the need for novel approaches. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, 1-2.	3.7	8
38	Associations of changes in diet and leisure-time physical activity with employer's direct cost of short-term sickness absence. <i>European Journal of Sport Science</i> , 2020, 20, 240-248.	2.7	3
39	Favourable changes in physical working conditions and the risk of all-cause sickness absence: a pseudo-experiment. <i>European Journal of Public Health</i> , 2020, 30, 253-259.	0.3	2
40	Trajectories of multisite musculoskeletal pain in midlife: Associations with common mental disorders. <i>European Journal of Pain</i> , 2020, 24, 364-373.	2.8	10
41	Physical working conditions and subsequent disability retirement due to any cause, mental disorders and musculoskeletal diseases: does the risk vary by common mental disorders?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 1021-1029.	3.1	16
42	Recurrent pain and work disability: a record linkage study. <i>International Archives of Occupational and Environmental Health</i> , 2020, 93, 421-432.	2.3	11
43	Long working hours and change in body weight: analysis of individual-participant data from 19 cohort studies. <i>International Journal of Obesity</i> , 2020, 44, 1368-1375.	3.4	29
44	Timing of Entry into Paid Employment, Adverse Physical Work Exposures and Health: The Young Helsinki Health Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7854.	2.6	2
45	Job Strain as a Risk Factor for Peripheral Artery Disease: A Multi-Cohort Study. <i>Journal of the American Heart Association</i> , 2020, 9, e013538.	3.7	13
46	Excess Body Mass and Leisure Time Physical Activity in the Incidence and Persistence of Chronic Pain. <i>Pain Medicine</i> , 2020, 21, 3094-3101.	1.9	7
47	Who maintains good health functioning? The contribution of social, work-related and behavioural factors to mental and physical health functioning trajectories in ageing employees. <i>Occupational and Environmental Medicine</i> , 2020, 77, 478-487.	2.8	5
48	Body Mass Index Trajectory-Specific Changes in Economic Circumstances: A Person-Oriented Approach Among Midlife and Ageing Finns. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3668.	2.6	6
49	Grocery purchase data in the study of alcohol use - A validity study. <i>Drug and Alcohol Dependence</i> , 2020, 214, 108145.	3.2	12
50	Changes in fruit, vegetable and fish consumption after statutory retirement: a prospective cohort study. <i>British Journal of Nutrition</i> , 2020, 123, 1390-1395.	2.3	16
51	Diagnosis-Specific Sickness Absence and Subsequent Common Mental Disorders: A Register-Linkage Cohort Study among Finnish Public Sector Employees. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 782.	2.6	1
52	Factors associated with health survey response among young employees: a register-based study using online, mailed and telephone interview data collection methods. <i>BMC Public Health</i> , 2020, 20, 184.	2.9	53
53	Association of Healthy Lifestyle With Years Lived Without Major Chronic Diseases. <i>JAMA Internal Medicine</i> , 2020, 180, 760.	5.1	140
54	Socioeconomic Differences in Occupational Health Service Utilization and Sickness Absence Due to Mental Disorders: A Register-Based Retrospective Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2064.	2.6	11

#	ARTICLE	IF	CITATIONS
55	Alcohol purchases from a large Finnish retail chain before and after a change in alcohol legislation. <i>European Journal of Public Health</i> , 2020, 30, .	0.3	0
56	Does seeing a psychologist reduce sickness absence due to mental disorders? A quasi-experiment. <i>European Journal of Public Health</i> , 2020, 30, .	0.3	0
57	Food insecurity among Finnish private sector service workers and food pantry clients. <i>European Journal of Public Health</i> , 2020, 30, .	0.3	2
58	Childhood adversities, parental education and disability retirement among Finnish municipal employees. <i>PLoS ONE</i> , 2019, 14, e0219421.	2.5	4
59	Work participation trajectories among 1,098,748 Finns: reasons for premature labour market exit and the incidence of sickness absence due to mental disorders and musculoskeletal diseases. <i>BMC Public Health</i> , 2019, 19, 1418.	2.9	13
60	Variations in older people's use of general practitioner consultations and the relationship with mortality rate in Vantaa, Finland in 2003–2014. <i>Scandinavian Journal of Primary Health Care</i> , 2019, 37, 452-458.	1.5	2
61	36-year trends in educational inequalities in self-rated health among Finnish adults. <i>SSM - Population Health</i> , 2019, 9, 100504.	2.7	11
62	Associations between Childhood Disadvantage and Adult Body Mass Index Trajectories: A Follow-Up Study among Midlife Finnish Municipal Employees. <i>Obesity Facts</i> , 2019, 12, 564-574.	3.4	10
63	Joint contribution of rotation of the back and repetitive movements to disability pension using job exposure matrix data. <i>European Journal of Public Health</i> , 2019, 29, 1079-1084.	0.3	2
64	Occupational Class Differences in Long-Term Sickness Absence Due to Breast Cancer during 2005–2013: A Population-Based Study among Finnish Women. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3477.	2.6	1
65	Long-term exposure to heavy physical work, disability pension due to musculoskeletal disorders and all-cause mortality: 20-year follow-up—introducing Helsinki Health Study job exposure matrix. <i>International Archives of Occupational and Environmental Health</i> , 2019, 92, 337-345.	2.3	36
66	Alcohol expenditure in grocery stores and their associations with tobacco and food expenditures. <i>BMC Public Health</i> , 2019, 19, 787.	2.9	10
67	Intergenerational social mobility, smoking and smokeless tobacco (snus) use among adolescents during 2008–2017. <i>Addictive Behaviors</i> , 2019, 98, 106022.	3.0	11
68	Thirty-eight-year trends of educational differences in smoking in Finland. <i>International Journal of Public Health</i> , 2019, 64, 853-860.	2.3	21
69	Within-individual analysis of pain and sickness absence among employees from low and high occupational classes: a record linkage study. <i>BMJ Open</i> , 2019, 9, e026994.	1.9	6
70	Association between socioeconomic position and occupational health service utilisation trajectories among young municipal employees in Finland. <i>BMJ Open</i> , 2019, 9, e028742.	1.9	6
71	Socioeconomic differences in paid sickness allowances in Finland. <i>European Journal of Public Health</i> , 2019, 29, .	0.3	0
72	Work participation trajectories in 1098748 Finns: determinants and the incidence of sickness absence. <i>European Journal of Public Health</i> , 2019, 29, .	0.3	0

#	ARTICLE	IF	CITATIONS
73	Healthy behaviours and risk of all-cause mortality. <i>European Journal of Public Health</i> , 2019, 29, .	0.3	0
74	Joint associations of fruit and vegetable consumption and physical activity with mortality risk. <i>European Journal of Public Health</i> , 2019, 29, .	0.3	0
75	Monitoring inequalities in self-rated health over 36 years among Finnish women and men. <i>European Journal of Public Health</i> , 2019, 29, .	0.3	1
76	Childhood adversities and chronic pain among midlife employees. <i>European Journal of Public Health</i> , 2019, 29, .	0.3	0
77	Trajectories of musculoskeletal pain among midlife employees. <i>European Journal of Public Health</i> , 2019, 29, .	0.3	0
78	Occupational social class trajectories in physical functioning among employed women from midlife to retirement. <i>BMC Public Health</i> , 2019, 19, 1525.	2.9	12
79	Common mental disorders and trajectories of work disability among midlife public sector employees – A 10-year follow-up study. <i>Journal of Affective Disorders</i> , 2019, 247, 66-72.	4.1	13
80	The joint contribution of physical activity, insomnia symptoms, and smoking to the cost of short-term sickness absence. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2019, 29, 440-449.	2.9	11
81	Lifestyle and cancer – a joint pairwise association of lifestyle habits with subsequent cancer diagnosis. <i>European Journal of Public Health</i> , 2019, 29, 340-345.	0.3	2
82	Changes in common mental disorders and diagnosis-specific sickness absence: a register-linkage follow-up study among Finnish municipal employees. <i>Occupational and Environmental Medicine</i> , 2019, 76, 230-235.	2.8	9
83	Effectiveness of internet-delivered cognitive behavioural therapy in reducing sickness absence among young employees with depressive symptoms: study protocol for a large-scale pragmatic randomised controlled trial. <i>BMJ Open</i> , 2019, 9, e032119.	1.9	1
84	Common Mental Disorders and Sickness Absence. <i>Journal of Occupational and Environmental Medicine</i> , 2018, 60, 569-575.	1.7	17
85	Sickness absence due to different musculoskeletal diagnoses by occupational class: a register-based study among 1.2 million Finnish employees. <i>Occupational and Environmental Medicine</i> , 2018, 75, 296-302.	2.8	25
86	Changes in physical and mental health functioning during retirement transition: a register-linkage follow-up study. <i>European Journal of Public Health</i> , 2018, 28, 805-809.	0.3	16
87	Occupational class inequalities in disability retirement after hospitalisation. <i>Scandinavian Journal of Public Health</i> , 2018, 46, 331-339.	2.3	5
88	Joint Association of Overweight and Common Mental Disorders With Diagnosis-Specific Disability Retirement. <i>Journal of Occupational and Environmental Medicine</i> , 2018, 60, 979-984.	1.7	4
89	Interactions of smoking, alcohol use, overweight and physical inactivity as predictors of cancer. <i>European Journal of Public Health</i> , 2018, 28, .	0.3	1
90	Childhood conditions and midlife disability retirement due to mental disorders. <i>European Journal of Public Health</i> , 2018, 28, .	0.3	0

#	ARTICLE	IF	CITATIONS
91	Obesity and loss of disease-free years owing to major non-communicable diseases: a multicohort study. <i>Lancet Public Health</i> , The, 2018, 3, e490-e497.	10.0	241
92	Unhealthy lifestyle and sleep problems as risk factors for increased direct employers' cost of short-term sickness absence. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 192-201.	3.4	14
93	Long working hours and depressive symptoms: systematic review and meta-analysis of published studies and unpublished individual participant data. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 239-250.	3.4	135
94	Socioeconomic differences in smoking declining? Result from population-based surveys in 1978 - 2016 in Finland. <i>Tobacco Induced Diseases</i> , 2018, 16, .	0.6	0
95	Changes in alcohol drinking before and after the statutory retirement: a longitudinal cohort study. <i>European Journal of Public Health</i> , 2018, 28, .	0.3	0
96	Joint association of overweight and common mental disorders with disability retirement in Finland. <i>European Journal of Public Health</i> , 2018, 28, .	0.3	0
97	Sickness absence due to breast cancer by occupational class among Finnish women during 2005-2013. <i>European Journal of Public Health</i> , 2018, 28, .	0.3	0
98	Sleep, functioning and premature exit from labour market: repeated measures latent class analysis. <i>European Journal of Public Health</i> , 2018, 28, .	0.3	0
99	What's in a shopping basket? Alcohol and grocery purchases among Finnish loyalty-card holders. <i>European Journal of Public Health</i> , 2018, 28, .	0.3	0
100	Joint association of overweight and common mental disorders with disability retirement in Finland. <i>European Journal of Public Health</i> , 2018, 28, .	0.3	0
101	Leisure-time physical activity and direct cost of short-term sickness absence among Finnish municipal employees. <i>Archives of Environmental and Occupational Health</i> , 2017, 72, 93-98.	1.4	11
102	The joint contribution of cardiovascular disease and socioeconomic status to disability retirement: A register linkage study. <i>International Journal of Cardiology</i> , 2017, 230, 222-227.	1.7	22
103	Socioeconomic differences in health check-ups and medically certified sickness absence: a 10-year follow-up among middle-aged municipal employees in Finland. <i>Journal of Epidemiology and Community Health</i> , 2017, 71, 390-395.	3.7	5
104	Bidirectional longitudinal relationship between leisure-time physical activity and psychotropic medication usage: A register linked follow-up study. <i>Psychiatry Research</i> , 2017, 247, 208-213.	3.3	12
105	Changes in psychosocial and physical working conditions and psychotropic medication in ageing public sector employees: a record-linkage follow-up study. <i>BMJ Open</i> , 2017, 7, e015573.	1.9	12
106	Physical and mental health functioning after all-cause and diagnosis-specific sickness absence: a register-linkage follow-up study among ageing employees. <i>BMC Public Health</i> , 2017, 17, 114.	2.9	9
107	Statutory retirement and changes in self-reported leisure-time physical activity: a follow-up study with three time-points. <i>BMC Public Health</i> , 2017, 17, 528.	2.9	17
108	Changes in leisure-time physical activity and subsequent common mental disorders among ageing employees. <i>European Journal of Public Health</i> , 2017, 27, 765-767.	0.3	2

#	ARTICLE	IF	CITATIONS
109	Changes in leisure-time physical activity and physical and mental health functioning: a follow-up study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2017, 27, 1785-1792.	2.9	17
110	Pathways from poor family relationships in adolescence to economic adversity in mid-adulthood. <i>Advances in Life Course Research</i> , 2017, 32, 65-78.	1.4	14
111	10-year trends of educational differences in long sickness absence due to mental disorders. <i>Journal of Occupational Health</i> , 2017, 59, 352-355.	2.1	5
112	Occupational class differences in long sickness absence: a register-based study of 2.1 million Finnish women and men in 1996-2013. <i>BMJ Open</i> , 2017, 7, e014325.	1.9	22
113	The association between alcohol drinking and self-reported mental and physical functioning: a prospective cohort study among City of Helsinki employees. <i>BMJ Open</i> , 2017, 7, e014368.	1.9	14
114	Gender differences in diagnosis-specific sickness absence in middle-aged Finnish working population. <i>European Journal of Public Health</i> , 2017, 27, .	0.3	0
115	Weight gain and subsequent diagnosis-specific sickness absence: A register-linked follow-up study. <i>European Journal of Public Health</i> , 2017, 27, .	0.3	0
116	Healthy behaviours and health functioning: a follow-up study among middle-aged employees. <i>European Journal of Public Health</i> , 2017, 27, .	0.3	0
117	The Magnitude of Occupational Class Differences in Sickness Absence: 15-Year Trends among Young and Middle-Aged Municipal Employees. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 625.	2.6	11
118	Occupational Class Differences in Trajectories of Working Conditions in Women. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 790.	2.6	5
119	Short sickness absence and subsequent sickness absence due to mental disorders - a follow-up study among municipal employees. <i>BMC Public Health</i> , 2017, 17, 15.	2.9	21
120	Occupational class differences in diagnostic-specific sickness absence: a register-based study in the Finnish population, 2005-2014. <i>BMC Public Health</i> , 2017, 17, 670.	2.9	37
121	Obesity, change of body mass index and subsequent physical and mental health functioning: a 12-year follow-up study among ageing employees. <i>BMC Public Health</i> , 2017, 17, 744.	2.9	13
122	The joint associations of smoking and obesity with subsequent short and long sickness absence: a five year follow-up study with register-linkage. <i>BMC Public Health</i> , 2017, 17, 978.	2.9	7
123	Sickness absence due to musculoskeletal diagnoses by occupational class in Finland: a register study. <i>European Journal of Public Health</i> , 2017, 27, .	0.3	0
124	Common mental disorders and sickness absence: a register-linkage study among Finnish employees. <i>European Journal of Public Health</i> , 2017, 27, .	0.3	0
125	36-year trends in socioeconomic differences in self-rated health among Finnish adults. <i>European Journal of Public Health</i> , 2017, 27, .	0.3	0
126	Lifestyle Risk Factors Increase the Risk of Hospitalization for Sciatica: Findings of Four Prospective Cohort Studies. <i>American Journal of Medicine</i> , 2017, 130, 1408-1414.e6.	1.5	13



#	ARTICLE	IF	CITATIONS
127	Pathways from problems in adolescent family relationships to midlife mental health via early adulthood disadvantages â€” a 26-year longitudinal study. PLoS ONE, 2017, 12, e0178136.	2.5	19
128	Changes in working conditions and major weight gain among normal- and overweight midlife employees. Scandinavian Journal of Work, Environment and Health, 2017, 43, 587-594.	3.4	5
129	Short sickness absence spells and long mental sickness absence in 10-year follow-up. European Journal of Public Health, 2016, 26, .	0.3	0
130	Obesity and psychotropic medication: a prospective register linkage study among midlife women and men. BMC Psychiatry, 2016, 16, 185.	2.6	3
131	Occupational class differences in sickness absence: a register study of 2.3 million Finns, 1995-2013. European Journal of Public Health, 2016, 26, .	0.3	0
132	Occupational class trajectories in physical health functioning among ageing female employees. European Journal of Public Health, 2016, 26, .	0.3	0
133	Changes in educational differences in leisure-time physical activity â€” A 12 year follow-up study. European Journal of Public Health, 2016, 26, .	0.3	0
134	Drinking habits and subsequent antidepressant medication among middle-aged employees. European Journal of Public Health, 2016, 26, .	0.3	0
135	Socio-economic position, surgical operations, and disability pension due to musculoskeletal disease. European Journal of Public Health, 2016, 26, .	0.3	0
136	Separate and combined associations of pain and emotional exhaustion with sickness absence. Pain, 2016, 157, 186-193.	4.2	8
137	The contribution of smoking to mortality during working age at different levels of leisure-time physical activity. European Journal of Public Health, 2016, 26, 826-830.	0.3	8
138	Joint associations between smoking and obesity as determinants of premature mortality among midlife employees. European Journal of Public Health, 2016, 27, ckw111.	0.3	8
139	Insomnia symptoms and mortality: a registerâ€”linked study among women and men from Finland, Norway and Lithuania. Journal of Sleep Research, 2016, 25, 96-103.	3.2	38
140	Changes in Leisure-Time Physical Activity and Subsequent Sickness Absence Due to Any Cause, Musculoskeletal, and Mental Causes. Journal of Physical Activity and Health, 2016, 13, 867-873.	2.0	7
141	Educational differences in sickness absence trends among young employees from 2002 to 2013 in Helsinki, Finland. BMJ Open, 2016, 6, e008550.	1.9	14
142	Changes in leisure time physical activity and subsequent disability retirement: A register-linked cohort study. International Journal of Behavioral Nutrition and Physical Activity, 2016, 13, 99.	4.6	16
143	Mental symptoms and cause-specific mortality among midlife employees. BMC Public Health, 2016, 16, 1142.	2.9	4
144	Educational differences in disability retirement among young employees in Helsinki, Finland. European Journal of Public Health, 2016, 26, 318-322.	0.3	13

#	ARTICLE	IF	CITATIONS
145	Changes Over Time in Absolute and Relative Socioeconomic Differences in Smoking: A Comparison of Cohort Studies From Britain, Finland, and Japan. <i>Nicotine and Tobacco Research</i> , 2016, 18, 1697-1704.	2.6	23
146	Changes in psychosocial and physical working conditions and common mental disorders. <i>European Journal of Public Health</i> , 2016, 26, 458-463.	0.3	14
147	Socio-demographic and behavioral variation in barriers to leisure-time physical activity. <i>Scandinavian Journal of Public Health</i> , 2016, 44, 62-69.	2.3	60
148	Pre-retirement physical working conditions and changes in physical health functioning during retirement transition process. <i>Scandinavian Journal of Work, Environment and Health</i> , 2016, 42, 405-412.	3.4	12
149	Sickness absence among young employees: trends from 2002 to 2013. <i>Journal of Occupational Health</i> , 2015, 57, 474-481.	2.1	17
150	Changes in working conditions and physical functioning in ageing employees in Finland. <i>European Journal of Public Health</i> , 2015, 25, .	0.3	0
151	Changes in physical activity and subsequent changes in health related functioning. <i>European Journal of Public Health</i> , 2015, 25, .	0.3	0
152	Changes in physical activity and subsequent mental disorders among aging Finnish employees 2000â€“2012. <i>European Journal of Public Health</i> , 2015, 25, .	0.3	0
153	Interrelationships between education, occupational class and income as determinants of sickness absence among young employees in 2002â€“2007 and 2008â€“2013. <i>BMC Public Health</i> , 2015, 15, 332.	2.9	29
154	Weight change and sickness absence--a prospective study among middle-aged employees. <i>European Journal of Public Health</i> , 2015, 25, 263-267.	0.3	19
155	Joint associations of smoking and physical activity with disability retirement: a register-linked cohort study. <i>BMJ Open</i> , 2015, 5, e006988.	1.9	26
156	School performance, school segregation, and stress-related symptoms: comparing Helsinki and Stockholm. <i>School Effectiveness and School Improvement</i> , 2015, 26, 467-486.	2.9	16
157	Social class inequalities in health among occupational cohorts from Finland, Britain and Japan: A follow up study. <i>Health and Place</i> , 2015, 31, 173-179.	3.3	12
158	Common mental disorders and cause-specific disability retirement. <i>Occupational and Environmental Medicine</i> , 2015, 72, 181-187.	2.8	36
159	Changes in alcohol drinking and subsequent sickness absence. <i>Scandinavian Journal of Public Health</i> , 2015, 43, 364-372.	2.3	12
160	Economic difficulties and subsequent disability retirement. <i>Scandinavian Journal of Public Health</i> , 2015, 43, 169-175.	2.3	6
161	Secular trends and educational differences in the incidence of type 2 diabetes in Finland, 1972â€“2007. <i>European Journal of Epidemiology</i> , 2015, 30, 649-659.	5.7	16
162	Explaining educational differences in sickness absence: a population-based follow-up study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015, 41, 338-346.	3.4	22

#	ARTICLE	IF	CITATIONS
163	Changes in working conditions and physical health functioning among midlife and ageing employees. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015, 41, 511-518.	3.4	19
164	Childhood Adversities and Socioeconomic Position as Predictors of Leisure-Time Physical Inactivity in Early Adulthood. <i>Journal of Physical Activity and Health</i> , 2015, 12, 193-199.	2.0	0
165	Leisure-Time Physical Activity and All-Cause Mortality. <i>PLoS ONE</i> , 2014, 9, e101548.	2.5	43
166	Joint associations of smoking and physical activity with disability retirement. <i>European Journal of Public Health</i> , 2014, 24, .	0.3	0
167	The effect of changes in household income on subsequent sickness over different time lags “ tests with panel data of 18 repeated measurements. <i>European Journal of Public Health</i> , 2014, 24, .	0.3	0
168	Joint associations of smoking and physical activity with all-cause mortality among employees of the City of Helsinki in 2000-2012. <i>European Journal of Public Health</i> , 2014, 24, .	0.3	0
169	Trends in sickness absence among young municipal employees 2002-2013. <i>European Journal of Public Health</i> , 2014, 24, .	0.3	0
170	Changes in physical activity and subsequent long-term sickness absence. <i>European Journal of Public Health</i> , 2014, 24, .	0.3	0
171	Changes in leisure-time physical activity and subsequent disability retirement. <i>European Journal of Public Health</i> , 2014, 24, .	0.3	0
172	Working conditions and subsequent drinking habits. <i>European Journal of Public Health</i> , 2014, 24, .	0.3	0
173	Conflicts Between Work and Family Life and Subsequent Sleep Problems Among Employees from Finland, Britain, and Japan. <i>International Journal of Behavioral Medicine</i> , 2014, 21, 310-318.	1.7	21
174	Sleep and Sickness Absence: A Nationally Representative Register-Based Follow-Up Study. <i>Sleep</i> , 2014, 37, 1413-1425.	1.1	68
175	Insomnia symptoms and subsequent psychotropic medication: a register-linked study with 5-year follow-up. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1993-2002.	3.1	7
176	Household income and health problems during a period of labour-market change and widening income inequalities “ A study among the Finnish population between 1987 and 2007. <i>Social Science and Medicine</i> , 2014, 100, 84-92.	3.8	6
177	Changes in working conditions and subsequent sickness absence. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014, 40, 82-88.	3.4	30
178	Multiple socioeconomic determinants of weight gain: the Helsinki Health Study. <i>BMC Public Health</i> , 2013, 13, 259.	2.9	19
179	Working Conditions and Major Weight Gain“ A Prospective Cohort Study. <i>Archives of Environmental and Occupational Health</i> , 2013, 68, 166-172.	1.4	28
180	Bidirectional associations between insomnia symptoms and unhealthy behaviours. <i>Journal of Sleep Research</i> , 2013, 22, 89-95.	3.2	114

#	ARTICLE	IF	CITATIONS
181	Leisure-time physical activity and psychotropic medication: A prospective cohort study. Preventive Medicine, 2013, 57, 173-177.	3.4	25
182	Changes in economic difficulties and subsequent sickness absence: a prospective register-linkage study. BMJ Open, 2013, 3, e002212.	1.9	8
183	A 26-Year Follow-Up Study of Heavy Drinking Trajectories from Adolescence to Mid-Adulthood and Adult Disadvantage. Alcohol and Alcoholism, 2013, 48, 452-457.	1.6	43
184	Joint associations of sleep duration and insomnia symptoms with subsequent sickness absence: The Helsinki Health Study. Scandinavian Journal of Public Health, 2013, 41, 516-523.	2.3	36
185	Cohort Profile: The Helsinki Health Study. International Journal of Epidemiology, 2013, 42, 722-730.	1.9	133
186	Different measures of body weight as predictors of sickness absence. Scandinavian Journal of Public Health, 2013, 41, 25-31.	2.3	28
187	Occupational Class Differences in Body Mass Index and Weight Gain in Japan and Finland. Journal of Epidemiology, 2013, 23, 443-450.	2.4	14
188	Leisure-Time Physical Activity and Disability Retirement: A Prospective Cohort Study. Journal of Physical Activity and Health, 2013, 10, 669-675.	2.0	21
189	Leisure-time physical activity and mortality. European Journal of Public Health, 2013, 23, .	0.3	0
190	Occupational Class Inequalities in Sickness Absence after Hospitalization. European Journal of Public Health, 2013, 23, .	0.3	0
191	Three decades of work ability and its main determinants. European Journal of Public Health, 2013, 23, .	0.3	0
192	A Finnish 26-year follow-up study of different pathways from family conditions in adolescence to mental health and economic situation in mid-adulthood. European Journal of Public Health, 2013, 23, .	0.3	0
193	The associations among psychosocial working conditions and change in common mental disorders: a follow up study. European Journal of Public Health, 2013, 23, .	0.3	0
194	A follow-up study of physical activity and changes in health functioning among middle-aged Finnish, British and Japanese women and men. European Journal of Public Health, 2013, 23, .	0.3	0
195	Associations between alcohol drinking and mental health – a prospective study among ageing employees. European Journal of Public Health, 2013, 23, .	0.3	0
196	Common mental disorders and subsequent disability retirement. European Journal of Public Health, 2013, 23, .	0.3	0
197	Insomnia symptoms and mortality. European Journal of Public Health, 2013, 23, .	0.3	0
198	The association of weight change with subsequent insomnia symptoms among middle-aged Finnish employees in 2000–2007. European Journal of Public Health, 2013, 23, .	0.3	0

#	ARTICLE	IF	CITATIONS
199	Relative weight and disability retirement: a prospective cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2013, 39, 259-267.	3.4	37
200	Workplace bullying and common mental disorders: a follow-up study. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, e3-e3.	3.7	56
201	Sex differences in child and adolescent mortality by parental education in the Nordic countries. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, 57-63.	3.7	10
202	Changes of occupational class differences in physical functioning: a panel study among employees (2000-2007). <i>Journal of Epidemiology and Community Health</i> , 2012, 66, 265-270.	3.7	11
203	Past and present socioeconomic circumstances and psychotropic medication: a register-linkage study. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, 1143-1151.	3.7	16
204	Changes in healthy food habits after transition to old age retirement. <i>European Journal of Public Health</i> , 2012, 22, 582-586.	0.3	31
205	Drinking habits and disability retirement. <i>Addiction</i> , 2012, 107, 2128-2136.	3.3	37
206	Changes in leisure-time physical activity and subsequent sickness absence: A prospective cohort study among middle-aged employees. <i>Preventive Medicine</i> , 2012, 55, 618-622.	3.4	26
207	Associations of relative weight with subsequent changes over time in insomnia symptoms: A follow-up study among middle-aged women and men. <i>Sleep Medicine</i> , 2012, 13, 1271-1279.	1.6	23
208	Value orientations among late modern youth - a cross-cultural study. <i>Journal of Youth Studies</i> , 2012, 15, 33-52.	2.3	7
209	Economic difficulties and subsequent sleep problems: Evidence from British and Finnish occupational cohorts. <i>Sleep Medicine</i> , 2012, 13, 680-685.	1.6	34
210	Household economic resources, labour-market advantage and health problems - A study on causal relationships using prospective register data. <i>Social Science and Medicine</i> , 2012, 75, 1303-1310.	3.8	37
211	Working conditions as risk factors for disability retirement: a longitudinal register linkage study. <i>BMC Public Health</i> , 2012, 12, 309.	2.9	109
212	Sociodemographic and socioeconomic differences in sleep duration and insomnia-related symptoms in Finnish adults. <i>BMC Public Health</i> , 2012, 12, 565.	2.9	111
213	Changes in leisure-time physical activity and subsequent sickness absence. <i>Journal of Science and Medicine in Sport</i> , 2012, 15, S237-S238.	1.3	0
214	Risk factors of chronic neck pain: A prospective study among middle-aged employees. <i>European Journal of Pain</i> , 2012, 16, 911-920.	2.8	75
215	Explaining educational differences in leisure-time physical activity in Europe: the contribution of work-related factors. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2012, 22, 439-447.	2.9	36
216	Pain and disability retirement: A prospective cohort study. <i>Pain</i> , 2012, 153, 526-531.	4.2	47

#	ARTICLE	IF	CITATIONS
217	Sleep problems and sickness absence among middle-aged employees. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012, 38, 47-55.	3.4	38
218	The joint association of sleep duration and insomnia symptoms with disability retirement – a longitudinal, register-linked study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012, 38, 427-435.	3.4	28
219	Changes in occupational class differences in leisure-time physical activity: a follow-up study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011, 8, 14.	4.6	44
220	Self-Rated Health as a Predictor of Disability Retirement – The Contribution of Ill-Health and Working Conditions. <i>PLoS ONE</i> , 2011, 6, e25004.	2.5	69
221	The Association between Social Determinants and Drunken Driving: A 15-Year Register-based Study of 81,125 Suspects. <i>Alcohol and Alcoholism</i> , 2011, 46, 721-728.	1.6	21
222	Subjective social status and health in young people. <i>Sociology of Health and Illness</i> , 2011, 33, 372-383.	2.1	61
223	Socio-economic determinants of drugged driving – a register-based study. <i>Addiction</i> , 2011, 106, 1448-1459.	3.3	14
224	Association of sleep duration with weight and weight gain: a prospective follow-up study. <i>Journal of Sleep Research</i> , 2011, 20, 298-302.	3.2	63
225	Sleep problems and major weight gain: a follow-up study. <i>International Journal of Obesity</i> , 2011, 35, 109-114.	3.4	49
226	Sex inequalities in physical and mental functioning of British, Finnish, and Japanese civil servants: Role of job demand, control and work hours. <i>Social Science and Medicine</i> , 2011, 73, 595-603.	3.8	46
227	Risk factors of sciatic pain: A prospective study among middle-aged employees. <i>European Journal of Pain</i> , 2011, 15, 584-590.	2.8	26
228	Sleep Problems and Disability Retirement: A Register-based Follow-up Study. <i>American Journal of Epidemiology</i> , 2011, 173, 871-881.	3.4	49
229	Changes in socio-economic differences in food habits over time. <i>Public Health Nutrition</i> , 2011, 14, 1919-1926.	2.2	18
230	Workplace bullying and subsequent sleep problems – the Helsinki Health Study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2011, 37, 204-212.	3.4	73
231	Occupational social class and disability retirement among municipal employees – the contribution of health behaviors and working conditions. <i>Scandinavian Journal of Work, Environment and Health</i> , 2011, 37, 464-472.	3.4	87
232	The impact of physical activity on sickness absence. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2010, 20, 191-199.	2.9	64
233	The associations of household wealth and income with self-rated health – A study on economic advantage in middle-aged Finnish men and women. <i>Social Science and Medicine</i> , 2010, 71, 1018-1026.	3.8	49
234	Social class differences in health behaviours among employees from Britain, Finland and Japan: The influence of psychosocial factors. <i>Health and Place</i> , 2010, 16, 61-70.	3.3	35

#	ARTICLE	IF	CITATIONS
235	Sleep complaints in middle-aged women and men: the contribution of working conditions and work-family conflicts. <i>Journal of Sleep Research</i> , 2010, 19, 466-477.	3.2	100
236	The association of income with fresh fruit and vegetable consumption at different levels of education. <i>European Journal of Clinical Nutrition</i> , 2010, 64, 324-327.	2.9	55
237	Explaining occupational class differences in sickness absence: results from middle-aged municipal employees. <i>Journal of Epidemiology and Community Health</i> , 2010, 64, 802-807.	3.7	46
238	Interrelationships between education, occupational class, income and sickness absence. <i>European Journal of Public Health</i> , 2010, 20, 276-280.	0.3	87
239	High mortality among people suspected of drunk-driving. An 18-year register-based follow-up. <i>Drug and Alcohol Dependence</i> , 2010, 110, 80-84.	3.2	21
240	Complaints of insomnia among midlife employed people: The contribution of childhood and present socioeconomic circumstances. <i>Sleep Medicine</i> , 2010, 11, 828-836.	1.6	32
241	The impact of physical activity on physical health functioning – A prospective study among middle-aged employees. <i>Preventive Medicine</i> , 2010, 50, 246-250.	3.4	37
242	Work Arrangements, Physical Working Conditions, and Psychosocial Working Conditions as Risk Factors for Sickness Absence: Bayesian Analysis of Prospective Data. <i>Annals of Epidemiology</i> , 2010, 20, 332-338.	1.9	93
243	Mortality and causes of death among drugged drivers. <i>Journal of Epidemiology and Community Health</i> , 2010, 64, 506-512.	3.7	20
244	Gender differences in sickness absence – the contribution of occupation and workplace. <i>Scandinavian Journal of Work, Environment and Health</i> , 2010, 36, 394-403.	3.4	104
245	Drinking habits and sickness absence: The contribution of working conditions. <i>Scandinavian Journal of Public Health</i> , 2009, 37, 846-854.	2.3	52
246	Physical and psychosocial working conditions as explanations for occupational class inequalities in self-rated health. <i>European Journal of Public Health</i> , 2009, 19, 458-463.	0.3	70
247	Health-related behaviours and sickness absence from work. <i>Occupational and Environmental Medicine</i> , 2009, 66, 840-847.	2.8	74
248	Ten year trends in health inequalities among older people, 1993-2003. <i>Age and Ageing</i> , 2009, 38, 613-617.	1.6	9
249	Intentions to retire, life dissatisfaction and the subsequent risk of disability retirement. <i>Scandinavian Journal of Public Health</i> , 2009, 37, 252-259.	2.3	26
250	Trends in socioeconomic differences in Finnish perinatal health 1991-2006. <i>Journal of Epidemiology and Community Health</i> , 2009, 63, 420-425.	3.7	62
251	Job strain and symptoms of angina pectoris among British and Finnish middle-aged employees. <i>Journal of Epidemiology and Community Health</i> , 2009, 63, 980-985.	3.7	6
252	The effect of trust and change in trust on self-rated health: A longitudinal study among aging people. <i>Archives of Gerontology and Geriatrics</i> , 2009, 49, 339-342.	3.0	18

#	ARTICLE	IF	CITATIONS
253	Economic difficulties and common mental disorders among Finnish and British white-collar employees: the contribution of social and behavioural factors. <i>Journal of Epidemiology and Community Health</i> , 2009, 63, 439-446.	3.7	39
254	Job decision latitude as a potential modifier of the contribution of physical workload to poor functioning in middle-aged employees. <i>International Archives of Occupational and Environmental Health</i> , 2008, 81, 975-982.	2.3	3
255	Trends of socioeconomic differences in daily vegetable consumption, 1979-2002. <i>European Journal of Clinical Nutrition</i> , 2008, 62, 823-833.	2.9	54
256	Smoking in context - a multilevel approach to smoking among females in Helsinki. <i>BMC Public Health</i> , 2008, 8, 134.	2.9	21
257	Social participation, trust and self-rated health: A study among ageing people in urban, semi-urban and rural settings. <i>Health and Place</i> , 2008, 14, 243-253.	3.3	79
258	Associations of job strain and working overtime with adverse health behaviors and obesity: Evidence from the Whitehall II Study, Helsinki Health Study, and the Japanese Civil Servants Study. <i>Social Science and Medicine</i> , 2008, 66, 1681-1698.	3.8	150
259	Register-based study among employees showed small nonparticipation bias in health surveys and check-ups. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 900-906.	5.0	142
260	Associations of multiple socio-economic circumstances with physical functioning among Finnish and British employees. <i>European Journal of Public Health</i> , 2008, 19, 38-45.	0.3	18
261	Home ownership and mortality: a register-based follow-up study of 300 000 Finns. <i>Journal of Epidemiology and Community Health</i> , 2008, 62, 293-297.	3.7	42
262	Explanations for gender differences in sickness absence: evidence from middle-aged municipal employees from Finland. <i>Occupational and Environmental Medicine</i> , 2008, 65, 325-330.	2.8	89
263	Health behaviours as explanations for educational level differences in cardiovascular and all-cause mortality: a follow-up of 60 000 men and women over 23 years. <i>European Journal of Public Health</i> , 2008, 18, 38-43.	0.3	228
264	The contribution of musculoskeletal disorders and physical workload to socioeconomic inequalities in health. <i>European Journal of Public Health</i> , 2007, 17, 145-150.	0.3	41
265	Trends in socioeconomic differences in sickness absence among Finnish municipal employees 1990-99. <i>Scandinavian Journal of Public Health</i> , 2007, 35, 348-355.	2.3	28
266	All in the Family? The Structure and Meaning of Family Life among Young People. <i>Journal of Youth Studies</i> , 2007, 10, 477-493.	2.3	30
267	The Effects of Childhood Circumstances, Adult Socioeconomic Status, and Material Circumstances on Physical and Mental Functioning: A Structural Equation Modelling Approach. <i>Annals of Epidemiology</i> , 2007, 17, 431-439.	1.9	26
268	Socioeconomic circumstances and common mental disorders among Finnish and British public sector employees: evidence from the Helsinki Health Study and the Whitehall II Study. <i>International Journal of Epidemiology</i> , 2007, 36, 776-786.	1.9	101
269	Association of smoking status with obesity and diabetes among elderly people. <i>Archives of Gerontology and Geriatrics</i> , 2007, 45, 159-167.	3.0	10
270	Multiple socio-economic circumstances and healthy food habits. <i>European Journal of Clinical Nutrition</i> , 2007, 61, 701-710.	2.9	171



#	ARTICLE	IF	CITATIONS
271	Does social support affect the relationship between socioeconomic status and depression? A longitudinal study from adolescence to adulthood. <i>Journal of Affective Disorders</i> , 2007, 100, 55-64.	4.1	93
272	Work-family conflicts and drinking behaviours among employed women and men. <i>Drug and Alcohol Dependence</i> , 2006, 83, 49-56.	3.2	57
273	Smoking and SF-36 health functioning. <i>Preventive Medicine</i> , 2006, 42, 206-209.	3.4	65
274	Work-family conflicts and self-rated health among middle-aged municipal employees in Finland. <i>International Journal of Behavioral Medicine</i> , 2006, 13, 276-285.	1.7	49
275	Associations of psychosocial working conditions with self-rated general health and mental health among municipal employees. <i>International Archives of Occupational and Environmental Health</i> , 2006, 79, 205-212.	2.3	65
276	Associations of childhood circumstances with physical and mental functioning in adulthood. <i>Social Science and Medicine</i> , 2006, 62, 1831-1839.	3.8	48
277	Multiple measures of socioeconomic circumstances and common mental disorders. <i>Social Science and Medicine</i> , 2006, 63, 1383-1399.	3.8	106
278	Influence of parental education, childhood adversities, and current living conditions on daily smoking in early adulthood. <i>European Journal of Public Health</i> , 2006, 16, 617-626.	0.3	71
279	Trends and educational disparities in functional capacity among people aged 65-84 years. <i>International Journal of Epidemiology</i> , 2006, 35, 1255-1261.	1.9	57
280	Associations of SF-36 mental health functioning and work and family related factors with intentions to retire early among employees. <i>Occupational and Environmental Medicine</i> , 2006, 63, 558-563.	2.8	45
281	Health, lifestyle, family and school factors in adolescence: predicting adult educational level. <i>Educational Research</i> , 2006, 48, 41-53.	1.8	54
282	Job control, job demands, or social class? The impact of working conditions on the relation between social class and health. <i>Journal of Epidemiology and Community Health</i> , 2006, 60, 50-54.	3.7	69
283	Determinants of health in early adulthood: what is the role of parental education, childhood adversities and own education?. <i>European Journal of Public Health</i> , 2006, 16, 305-314.	0.3	61
284	Socioeconomic Position and Self-Rated Health: The Contribution of Childhood Socioeconomic Circumstances, Adult Socioeconomic Status, and Material Resources. <i>American Journal of Public Health</i> , 2005, 95, 1403-1409.	2.7	150
285	Associations of functional ability with health-related behavior and body mass index among the elderly. <i>Archives of Gerontology and Geriatrics</i> , 2005, 40, 185-199.	3.0	46
286	The contribution of lone parenthood and economic difficulties to smoking. <i>Social Science and Medicine</i> , 2005, 61, 211-216.	3.8	36
287	Socioeconomic status as a cause and consequence of psychosomatic symptoms from adolescence to adulthood. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 580-587.	3.1	55
288	Influence of material and behavioural factors on occupational class differences in health. <i>Journal of Epidemiology and Community Health</i> , 2005, 59, 163-169.	3.7	49

#	ARTICLE	IF	CITATIONS
289	Socioeconomic status and smoking. <i>European Journal of Public Health</i> , 2005, 15, 262-269.	0.3	271
290	Occupational class inequalities across key domains of health: Results from the Helsinki Health Study. <i>European Journal of Public Health</i> , 2005, 15, 504-510.	0.3	127
291	Eighteen-year trends in obesity among the elderly. <i>Age and Ageing</i> , 2004, 33, 632-635.	1.6	9
292	Implications of integrated nature conservation for human reproductive health: a case study from Ranomafana National Park, Madagascar. <i>Development Southern Africa</i> , 2004, 21, 603-621.	2.0	6
293	Lifestyles, social background and eating patterns of 15-year-old boys and girls in Finland. <i>Journal of Youth Studies</i> , 2004, 7, 331-349.	2.3	14
294	Working conditions and health behaviours among employed women and men: the Helsinki Health Study. <i>Preventive Medicine</i> , 2004, 38, 48-56.	3.4	116
295	Smoking and alcohol consumption among the elderly: trends and associations, 1985-2001. <i>Preventive Medicine</i> , 2004, 39, 413-418.	3.4	35
296	Well-being and health behaviour by parental socioeconomic status. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003, 38, 249-255.	3.1	126
297	Changes and associations in healthy diet among the Finnish elderly, 1985-2001. <i>Age and Ageing</i> , 2003, 32, 394-400.	1.6	10
298	Determinants of health inequalities by income from the 1980s to the 1990s in Finland. <i>Journal of Epidemiology and Community Health</i> , 2002, 56, 442-443.	3.7	13
299	The Myth of Gender Differences in Health: Social Structural Determinants across Adult Ages in Britain and Finland. <i>Current Sociology</i> , 2001, 49, 31-54.	1.4	18
300	Lifestyle, Social Class and Health-Related Behaviour: A Cross-Cultural Comparison of 15 Year Olds in Glasgow and Helsinki. <i>Journal of Youth Studies</i> , 2001, 4, 393-413.	2.3	20
301	Widening or narrowing inequalities in health? Comparing Britain and Finland from the 1980s to the 1990s. <i>Sociology of Health and Illness</i> , 2000, 22, 110-136.	2.1	32
302	Understanding Income Inequalities in Health among Men and Women in Britain and Finland. <i>International Journal of Health Services</i> , 2000, 30, 27-47.	2.5	75
303	Can children's health be predicted by perinatal health?. <i>International Journal of Epidemiology</i> , 1999, 28, 276-280.	1.9	19
304	Social background, adult body-height and health. <i>International Journal of Epidemiology</i> , 1999, 28, 911-918.	1.9	118
305	Smoking Status and Relative Weight by Educational Level in Finland, 1978-1995. <i>Preventive Medicine</i> , 1998, 27, 431-437.	3.4	40
306	Social Class Differences in Health and Functional Disability among Older Men and Women. <i>International Journal of Health Services</i> , 1998, 28, 511-524.	2.5	25

#	ARTICLE	IF	CITATIONS
307	Body mass and social class: a comparison of Finland and Sweden in the 1990s. <i>Journal of Public Health Policy</i> , 1998, 19, 88-105.	2.0	4
308	Health-related social mobility. <i>Scandinavian Journal of Public Health</i> , 1997, 25, 83-92.	0.6	24
309	Past or present? Childhood living conditions and current socioeconomic status as determinants of adult health. <i>Social Science and Medicine</i> , 1997, 44, 327-336.	3.8	146
310	Introduction. <i>Social Science and Medicine</i> , 1997, 44, 721-722.	3.8	22
311	Relationship between educational status, gender and smoking in Finland, 1978â€“1992. <i>Health Promotion International</i> , 1995, 10, 115-120.	1.8	19
312	Drinking, Self-Reported Health and Strenuous Life-Style among Young People in Finland. <i>Addiction Research</i> , 1993, 1, 169-176.	0.6	3
313	Persisting health inequalities: social class differentials in illness in the Scandinavian countries. <i>Journal of Public Health Policy</i> , 1993, 14, 66-81.	2.0	6
314	Mother's Education and Perinatal Problems in Finland. <i>International Journal of Epidemiology</i> , 1992, 21, 720-724.	1.9	34
315	Mother's Social Class and Perinatal Problems in a Low-Problem Area. <i>International Journal of Epidemiology</i> , 1990, 19, 983-990.	1.9	25
316	Trends in Drinking Habits Among Finnish Youth from 1973 to 1987. <i>Addiction</i> , 1989, 84, 1075-1083.	3.3	26
317	Consumption patterns of some sugar-containing foods among Finnish adolescents in 1981â€“1985. <i>Nutrition Research</i> , 1988, 8, 3-11.	2.9	3
318	SELECTION TO COFFEE DRINKING BY HEALTHâ€”WHO BECOMES AN ADOLESCENT COFFEE DRINKER?1. <i>American Journal of Epidemiology</i> , 1988, 127, 1088-1090.	3.4	1
319	The Place of Medical Sociology. <i>Scandinavian Journal of Public Health</i> , 1988, 16, 283-285.	0.6	3
320	Consumption patterns of critical fat sources among adolescents in 1977â€“1985. <i>Nutrition Research</i> , 1986, 6, 485-498.	2.9	17