Jan Scott

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5843242/publications.pdf

Version: 2024-02-01

431 23,519 76 139
papers citations h-index g-index

453 453 453 16574 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	The HCL-32: Towards a self-assessment tool for hypomanic symptoms in outpatients. Journal of Affective Disorders, 2005, 88, 217-233.	4.1	593
2	A Randomized Controlled Trial of Cognitive-Behavioral Therapy for Persistent Symptoms in Schizophrenia Resistant to Medication. Archives of General Psychiatry, 2000, 57, 165.	12.3	586
3	Cognitive–behavioural therapy for severe and recurrent bipolar disorders. British Journal of Psychiatry, 2006, 188, 313-320.	2.8	541
4	Evidence-based guidelines for the pharmacological treatment of anxiety disorders: recommendations from the British Association for Psychopharmacology. Journal of Psychopharmacology, 2005, 19, 567-596.	4.0	537
5	Evidence-based guidelines for treating depressive disorders with antidepressants: A revision of the 2008 British Association for Psychopharmacology guidelines. Journal of Psychopharmacology, 2015, 29, 459-525.	4.0	528
6	Treatment nonâ€adherence in affective disorders. Acta Psychiatrica Scandinavica, 2002, 105, 164-172.	4 . 5	524
7	Evidence-based pharmacological treatment of anxiety disorders, post-traumatic stress disorder and obsessive-compulsive disorder: A revision of the 2005 guidelines from the British Association for Psychopharmacology. Journal of Psychopharmacology, 2014, 28, 403-439.	4.0	511
8	Evidence-based guidelines for treating bipolar disorder: revised second edition—recommendations from the British Association for Psychopharmacology. Journal of Psychopharmacology, 2009, 23, 346-388.	4.0	451
9	Prevention of Relapse in Residual Depression by Cognitive Therapy. Archives of General Psychiatry, 1999, 56, 829.	12.3	442
10	Evidence-based guidelines for treating depressive disorders with antidepressants: A revision of the 2000 British Association for Psychopharmacology guidelines. Journal of Psychopharmacology, 2008, 22, 343-396.	4.0	437
11	Nonadherence with antipsychotic medication in schizophrenia: challenges and management strategies. Patient Related Outcome Measures, 2014, 5, 43.	1.2	396
12	Autobiographical Memory in Depression: State or Trait Marker?. British Journal of Psychiatry, 1993, 162, 118-121.	2.8	390
13	Neuropsychological function in euthymic patients with bipolar disorder. British Journal of Psychiatry, 1999, 175, 246-251.	2.8	390
14	Autobiographical memory in depression. Psychological Medicine, 1988, 18, 689-695.	4. 5	378
15	Can bipolar disorder be viewed as a multi-system inflammatory disease?. Journal of Affective Disorders, 2012, 141, 1-10.	4.1	369
16	A systematic review of manic and depressive prodromes. Journal of Affective Disorders, 2003, 74, 209-217.	4.1	347
17	Rumination-focused cognitive–behavioural therapy for residual depression: phase II randomised controlled trial. British Journal of Psychiatry, 2011, 199, 317-322.	2.8	307
18	The California Verbal Learning Test $\hat{a} \in ``second edition: Test-retest reliability, practice effects, and reliable change indices for the standard and alternate forms. Archives of Clinical Neuropsychology, 2006, 21, 413-420.$	0.5	305

#	Article	IF	CITATIONS
19	Neural Responses to Sad Facial Expressions in Major Depression Following Cognitive Behavioral Therapy. Biological Psychiatry, 2008, 64, 505-512.	1.3	297
20	Rumination-focused cognitive behaviour therapy for residual depression: A case series. Behaviour Research and Therapy, 2007, 45, 2144-2154.	3.1	265
21	Cognitive vulnerability in patients with bipolar disorder. Psychological Medicine, 2000, 30, 467-472.	4.5	262
22	Nonadherence With Mood Stabilizers. Journal of Clinical Psychiatry, 2002, 63, 384-390.	2.2	261
23	A pilot study of cognitive therapy in bipolar disorders. Psychological Medicine, 2001, 31, 459-467.	4.5	229
24	How does cognitive therapy prevent relapse in residual depression? Evidence from a controlled trial Journal of Consulting and Clinical Psychology, 2001, 69, 347-357.	2.0	212
25	Homelessness and Mental Illness. British Journal of Psychiatry, 1993, 162, 314-324.	2.8	208
26	Clinical staging in psychiatry: a cross-cutting model of diagnosis with heuristic and practical value. British Journal of Psychiatry, 2013, 202, 243-245.	2.8	204
27	Chronic Depression. British Journal of Psychiatry, 1988, 153, 287-297.	2.8	181
28	Randomized controlled trial of brief cognitive behaviour therapy versus treatment as usual in recurrent deliberate self-harm: the POPMACT study. Psychological Medicine, 2003, 33, 969-976.	4.5	181
29	Duration of untreated bipolar disorder: missed opportunities on the long road to optimal treatment. Acta Psychiatrica Scandinavica, 2013, 127, 136-144.	4.5	181
30	Self-Reported Adherence to Treatment With Mood Stabilizers, Plasma Levels, and Psychiatric Hospitalization. American Journal of Psychiatry, 2002, 159, 1927-1929.	7.2	180
31	A meta-analysis of relapse rates with adjunctive psychological therapies compared to usual psychiatric treatment for bipolar disorders. International Journal of Neuropsychopharmacology, 2007, 10, 123.	2.1	176
32	Staging systems in bipolar disorder: an <scp>I</scp> nternational <scp>S</scp> ociety for <scp>B</scp> ipolar <scp>D</scp> isorders <scp>T</scp> ask <scp>F</scp> orce <scp>R</scp> eport. Acta Psychiatrica Scandinavica, 2014, 130, 354-363.	4.5	175
33	Bipolar disorder. BMJ, The, 2012, 345, e8508-e8508.	6.0	173
34	Predicting medication adherence in severe mental disorders. Acta Psychiatrica Scandinavica, 2000, 101, 119-124.	4.5	171
35	Sleep in patients with remitted bipolar disorders: a meta-analysis of actigraphy studies. Acta Psychiatrica Scandinavica, 2015, 131, 89-99.	4.5	168
36	Identifying and improving non-adherence in bipolar disorders. Bipolar Disorders, 2005, 7, 24-31.	1.9	164

#	Article	IF	CITATIONS
37	Seasonality and bipolar disorder: A systematic review, from admission rates to seasonality of symptoms. Journal of Affective Disorders, 2014, 168, 210-223.	4.1	164
38	Bipolar Mixed States: An International Society for Bipolar Disorders Task Force Report of Symptom Structure, Course of Illness, and Diagnosis. American Journal of Psychiatry, 2013, 170, 31-42.	7.2	162
39	Neural basis of the emotional Stroop interference effect in major depression. Psychological Medicine, 2008, 38, 247-256.	4.5	158
40	Psychosocial treatments for bipolar disorder: costâ€effectiveness, mediating mechanisms, and future directions. Bipolar Disorders, 2009, 11, 110-122.	1.9	156
41	The sleep of remitted bipolar outpatients: a controlled naturalistic study using actigraphy. Journal of Affective Disorders, 2004, 80, 145-153.	4.1	153
42	Transdiagnostic clinical staging in youth mental health: a first international consensus statement. World Psychiatry, 2020, 19, 233-242.	10.4	153
43	Weight gain in bipolar disorder: pharmacological treatment as a contributing factor. Acta Psychiatrica Scandinavica, 2008, 118, 4-18.	4.5	151
44	Strategies for Addressing Adherence Problems in Patients with Serious and Persistent Mental Illness: Recommendations From the Expert Consensus Guidelines. Journal of Psychiatric Practice, 2010, 16, 306-324.	0.7	147
45	Sub-syndromal and syndromal symptoms in the longitudinal course of bipolar disorder. British Journal of Psychiatry, 2006, 189, 118-123.	2.8	146
46	Activation in Bipolar Disorders. JAMA Psychiatry, 2017, 74, 189.	11.0	138
46	Activation in Bipolar Disorders. JAMA Psychiatry, 2017, 74, 189. Can We Predict the Persistence of Depression?. British Journal of Psychiatry, 1992, 161, 633-637.	11.0	138
47	Can We Predict the Persistence of Depression?. British Journal of Psychiatry, 1992, 161, 633-637. A meta-analysis of neuropsychological functioning in first-episode bipolar disorders. Journal of	2.8	137
47	Can We Predict the Persistence of Depression?. British Journal of Psychiatry, 1992, 161, 633-637. A meta-analysis of neuropsychological functioning in first-episode bipolar disorders. Journal of Psychiatric Research, 2014, 57, 1-11. Effects of cognitive therapy on psychological symptoms and social functioning in residual	2.8	137
48	Can We Predict the Persistence of Depression?. British Journal of Psychiatry, 1992, 161, 633-637. A meta-analysis of neuropsychological functioning in first-episode bipolar disorders. Journal of Psychiatric Research, 2014, 57, 1-11. Effects of cognitive therapy on psychological symptoms and social functioning in residual depression. British Journal of Psychiatry, 2000, 177, 440-446. A systematic review of cognitive remediation for schizo-affective and affective disorders. Journal of	2.8 3.1 2.8	137 135 133
47 48 49 50	Can We Predict the Persistence of Depression?. British Journal of Psychiatry, 1992, 161, 633-637. A meta-analysis of neuropsychological functioning in first-episode bipolar disorders. Journal of Psychiatric Research, 2014, 57, 1-11. Effects of cognitive therapy on psychological symptoms and social functioning in residual depression. British Journal of Psychiatry, 2000, 177, 440-446. A systematic review of cognitive remediation for schizo-affective and affective disorders. Journal of Affective Disorders, 2012, 142, 13-21. Effectiveness of brief training in cognitive behaviour therapy techniques for palliative care	2.8 3.1 2.8 4.1	137 135 133
47 48 49 50	Can We Predict the Persistence of Depression?. British Journal of Psychiatry, 1992, 161, 633-637. A meta-analysis of neuropsychological functioning in first-episode bipolar disorders. Journal of Psychiatric Research, 2014, 57, 1-11. Effects of cognitive therapy on psychological symptoms and social functioning in residual depression. British Journal of Psychiatry, 2000, 177, 440-446. A systematic review of cognitive remediation for schizo-affective and affective disorders. Journal of Affective Disorders, 2012, 142, 13-21. Effectiveness of brief training in cognitive behaviour therapy techniques for palliative care practitioners. Palliative Medicine, 2006, 20, 579-584.	2.8 3.1 2.8 4.1	137 135 133 130

#	Article	IF	Citations
55	Duration of relapse prevention after cognitive therapy in residual depression: follow-up of controlled trial. Psychological Medicine, 2005, 35, 59-68.	4.5	120
56	Adjunctive Psychotherapy for Bipolar Disorder. JAMA Psychiatry, 2021, 78, 141.	11.0	115
57	Neuropsychological and functional outcomes in recent-onset major depression, bipolar disorder and schizophrenia-spectrum disorders: a longitudinal cohort study. Translational Psychiatry, 2015, 5, e555-e555.	4.8	114
58	The chronotherapeutic treatment of bipolar disorders: A systematic review and practice recommendations from the ISBD task force on chronotherapy and chronobiology. Bipolar Disorders, 2019, 21, 741-773.	1.9	113
59	Subtle metabolic and liver gene transcriptional changes underlie diet-induced fatty liver susceptibility in insulin-resistant mice. Diabetologia, 2007, 50, 1867-1879.	6.3	108
60	Treatment Nonadherence and Neurocognitive Impairment in Bipolar Disorder. Journal of Clinical Psychiatry, 2009, 70, 1017-1023.	2.2	108
61	CHoice of Outcome In Cbt for psychosEs (CHOICE): The Development of a New Service User–Led Outcome Measure of CBT for Psychosis. Schizophrenia Bulletin, 2010, 36, 126-135.	4.3	107
62	Clinical Stage Transitions in Persons Aged 12 to 25 Years Presenting to Early Intervention Mental Health Services With Anxiety, Mood, and Psychotic Disorders. JAMA Psychiatry, 2019, 76, 1167.	11.0	105
63	Use of cognitive therapy for relapse prevention in chronic depression. British Journal of Psychiatry, 2003, 182, 221-227.	2.8	104
64	Assessment of Adherence Problems in Patients with Serious and Persistent Mental Illness: Recommendations from the Expert Consensus Guidelines. Journal of Psychiatric Practice, 2010, 16 , $34-45$.	0.7	103
65	Cognitive styles in individuals with bipolar disorders. Psychological Medicine, 2003, 33, 1081-1088.	4.5	102
66	A randomized controlled trial of cognitive-behavior therapy for persistent symptoms in schizophrenia: A five-year follow-up. Schizophrenia Research, 2008, 98, 1-7.	2.0	100
67	Association between provision of mental illness beds and rate of involuntary admissions in the NHS in England 1988-2008: ecological study. BMJ: British Medical Journal, 2011, 343, d3736-d3736.	2.3	100
68	Sleep in remitted bipolar disorder: A naturalistic case-control study using actigraphy. Journal of Affective Disorders, 2014, 158, 1-7.	4.1	98
69	Understanding medication non-adherence in bipolar disorders using a Necessity-Concerns Framework. Journal of Affective Disorders, 2009, 116, 51-55.	4.1	97
70	Long-Term Mental Health Resource Utilization and Cost of Care Following Group Psychoeducation or Unstructured Group Support for Bipolar Disorders. Journal of Clinical Psychiatry, 2009, 70, 378-386.	2,2	96
71	A first national survey of knowledge, attitudes and behaviours towards schizophrenia, bipolar disorders and autism in France. BMC Psychiatry, 2012, 12, 128.	2.6	95
72	Stabilizing the stabilizer: group psychoeducation enhances the stability of serum lithium levels. Bipolar Disorders, 2005, 7, 32-36.	1.9	90

#	Article	IF	CITATIONS
73	A systematic review and metaâ€analysis of prospective transition from major depression to bipolar disorder. Acta Psychiatrica Scandinavica, 2017, 135, 273-284.	4.5	90
74	Cognitive style in bipolar disorder. British Journal of Psychiatry, 2005, 187, 431-437.	2.8	89
75	Right care, first time: a highly personalised and measurementâ€based care model to manage youth mental health. Medical Journal of Australia, 2019, 211, S3-S46.	1.7	88
76	Subregional hippocampal deformations in major depressive disorder. Journal of Affective Disorders, 2010, 126, 272-277.	4.1	87
77	Exposure to obstetric complications and subsequent development of bipolar disorder. British Journal of Psychiatry, 2006, 189, 3-11.	2.8	82
78	Circadian rhythm sleep–wake disturbances and depression in young people: implications for prevention and early intervention. Lancet Psychiatry,the, 2021, 8, 813-823.	7.4	81
79	Cognitive therapy of affective disorders: a review. Journal of Affective Disorders, 1996, 37, 1-11.	4.1	80
80	A pilot study of concordance therapy for individuals with bipolar disorders who are non-adherent with lithium prophylaxis. Bipolar Disorders, 2002, 4, 386-392.	1.9	80
81	Psychoeducation for bipolar II disorder: An exploratory, 5-year outcome subanalysis. Journal of Affective Disorders, 2009, 112, 30-35.	4.1	78
82	Reconsideration of bipolar disorder as a developmental disorder: Importance of the time of onset. Journal of Physiology (Paris), 2013, 107, 278-285.	2.1	77
83	How does cognitive therapy prevent relapse in residual depression? Evidence from a controlled trial Journal of Consulting and Clinical Psychology, 2001, 69, 347-357.	2.0	76
84	Sleep- and circadian rhythm–associated pathways as therapeutic targets in bipolar disorder. Expert Opinion on Therapeutic Targets, 2015, 19, 747-763.	3.4	75
85	What factors predict discrepancies between self and observer ratings of depression?. Journal of Affective Disorders, 1994, 31, 253-259.	4.1	74
86	Do clinicians understand why individuals stop taking lithium?. Journal of Affective Disorders, 2003, 74, 287-291.	4.1	74
87	Determinants of social functioning in bipolar disorder. Bipolar Disorders, 2007, 9, 38-44.	1.9	74
88	The nature and treatment of depression in bipolar disorder: A review and implications for future psychological investigation. Clinical Psychology Review, 2005, 25, 1076-1100.	11.4	73
89	Preventing Depression in Final Year Secondary Students: School-Based Randomized Controlled Trial. Journal of Medical Internet Research, 2017, 19, e369.	4.3	72
90	Valproate for acute mood episodes in bipolar disorder. The Cochrane Library, 2003, , CD004052.	2.8	70

#	Article	IF	Citations
91	Variation in compulsory psychiatric inpatient admission in England: a cross-classified, multilevel analysis. Lancet Psychiatry,the, 2017, 4, 619-626.	7.4	69
92	The relationship between premorbid neuroticism, cognitive dysfunction and persistence of depression: a 1-year follow-up. Journal of Affective Disorders, 1995, 33, 167-172.	4.1	68
93	Psychosocial Treatments for Bipolar Disorders. Psychiatric Clinics of North America, 2005, 28, 371-384.	1.3	68
94	A French network of bipolar expert centres: A model to close the gap between evidence-based medicine and routine practice. Journal of Affective Disorders, 2011, 131, 358-363.	4.1	68
95	Clinical classification in mental health at the cross-roads: which direction next?. BMC Medicine, 2013, 11, 125.	5.5	68
96	An evidence map of psychosocial interventions for the earliest stages of bipolar disorder. Lancet Psychiatry,the, 2015, 2, 548-563.	7.4	68
97	Patterns of attentional deficits and emotional bias in bipolar and major depressive disorder. British Journal of Clinical Psychology, 2005, 44, 343-356.	3.5	67
98	A cross-sectional exploration of the clinical characteristics of disengaged (NEET) young people in primary mental healthcare. BMJ Open, 2014, 4, e006378.	1.9	67
99	Neurocognitive Dysfunctions in Euthymic Bipolar Patients With and Without Prior History of Alcohol Use. Journal of Clinical Psychiatry, 2009, 70, 1120-1127.	2.2	67
100	The current status of psychological treatments in bipolar disorders: a systematic review of relapse prevention. Bipolar Disorders, 2004, 6, 498-503.	1.9	66
101	Cognitive Biases Questionnaire for Psychosis. Schizophrenia Bulletin, 2014, 40, 300-313.	4.3	66
102	Sleep disturbances and first onset of major mental disorders in adolescence and early adulthood: A systematic review and meta-analysis. Sleep Medicine Reviews, 2021, 57, 101429.	8.5	64
103	Retrospective analysis of hospital episode statistics, involuntary admissions under the Mental Health Act 1983, and number of psychiatric beds in England 1996-2006. BMJ: British Medical Journal, 2008, 337, a1837-a1837.	2.3	63
104	Effects of digital cognitive behavioural therapy for insomnia on insomnia severity: a large-scale randomised controlled trial. The Lancet Digital Health, 2020, 2, e397-e406.	12.3	63
105	Partial remission in depressive disorders. Acta Psychiatrica Scandinavica, 1997, 95, 265-271.	4.5	62
106	Aspirin reduces lipopolysaccharide-induced pulmonary inflammation in human models of ARDS. Thorax, 2017, 72, 971-980.	5.6	60
107	Gaps and Limitations of Psychological Interventions for Bipolar Disorders. Psychotherapy and Psychosomatics, 2008, 77, 4-11.	8.8	59
108	Age at onset in bipolar I affective disorder in the USA and Europe. World Journal of Biological Psychiatry, 2014, 15, 369-376.	2.6	59

#	Article	IF	Citations
109	Adolescents and young adults who are not in employment, education, or training. BMJ, The, 2013, 347, f5270-f5270.	6.0	57
110	The Newcastle Chronic Depression Study. British Journal of Psychiatry, 1988, 152, 28-33.	2.8	56
111	A critical update on psychological interventions for bipolar disorders. Current Psychiatry Reports, 2009, 11, 494-502.	4.5	56
112	Patterns of treatment resistance in bipolar affective disorder. Acta Psychiatrica Scandinavica, 1993, 88, 121-123.	4.5	54
113	Cognitive therapy as an adjunct to medication in bipolar disorder. British Journal of Psychiatry, 2001, 178, s164-s168.	2.8	54
114	Using homework in therapy for depression. Journal of Clinical Psychology, 2002, 58, 489-498.	1.9	53
115	Sleep problems in bipolar disorders: more than just insomnia. Acta Psychiatrica Scandinavica, 2016, 133, 368-377.	4.5	53
116	The symptom structure of bipolar acute episodes: In search for the mixing link. Journal of Affective Disorders, 2013, 149, 56-66.	4.1	52
117	Chronic Depression: Can Cognitive Therapy Succeed When Other Treatments Fail?. Behavioural Psychotherapy, 1992, 20, 25-36.	0.5	51
118	The influence of cognitive variables on recovery in depressed inpatients. Journal of Affective Disorders, 1997, 43, 207-212.	4.1	51
119	Bipolar Disorder with Seasonal Pattern: Clinical Characteristics and Gender Influences. Chronobiology International, 2013, 30, 1101-1107.	2.0	51
120	The Newcastle Chronic Depression Study: Results of a Treatment Regime. International Clinical Psychopharmacology, 1987, 2, 261-272.	1.7	50
121	Global burden of depression: The intersection of culture and medicine. British Journal of Psychiatry, 2003, 183, 92-94.	2.8	50
122	Psychotherapy for bipolar disorders - efficacy and effectiveness. Journal of Psychopharmacology, 2006, 20, 46-50.	4.0	50
123	Circadian depression: A mood disorder phenotype. Neuroscience and Biobehavioral Reviews, 2021, 126, 79-101.	6.1	50
124	Cognitive therapy for depression. British Medical Bulletin, 2001, 57, 101-113.	6.9	49
125	Therapist competence and clinical outcome in the Prevention of Parasuicide by Manual Assisted Cognitive Behaviour Therapy Trial: the POPMACT study. Psychological Medicine, 2004, 34, 855-863.	4.5	49
126	Functional impairment in adolescents and young adults with emerging mood disorders. British Journal of Psychiatry, 2014, 205, 362-368.	2.8	49

#	Article	IF	Citations
127	Measuring circadian function in bipolar disorders: Empirical and conceptual review of physiological, actigraphic, and selfâ€report approaches. Bipolar Disorders, 2020, 22, 693-710.	1.9	49
128	The prognostic role of perceived criticism, medication adherence and family knowledge in bipolar disorders. Journal of Affective Disorders, 2012, 142, 72-76.	4.1	47
129	Clinical staging for mental disorders: a new development in diagnostic practice in mental health. Medical Journal of Australia, 2013, 198, 461-462.	1.7	47
130	Measuring health-related quality of life in bipolar disorder: Relationship of the EuroQol (EQ-5D) to condition-specific measures. Quality of Life Research, 2006, 15, 1271-1280.	3.1	46
131	Impulsivity, personality and bipolar disorder. European Psychiatry, 2009, 24, 464-469.	0.2	46
132	Mood, neuropsychological function and cognitions in premenstrual dysphoric disorder. Psychological Medicine, 1999, 29, 727-733.	4.5	45
133	Clinical factors associated with lithium response in bipolar disorders. Australian and New Zealand Journal of Psychiatry, 2017, 51, 524-530.	2.3	45
134	Rates of voluntary and compulsory psychiatric in-patient treatment in England: An ecological study investigating associations with deprivation and demographics. British Journal of Psychiatry, 2016, 209, 157-161.	2.8	44
135	Circadian rhythmicity in emerging mood disorders: state or trait marker?. International Journal of Bipolar Disorders, 2016, 4, 3.	2.2	44
136	Delayed sleep phase: An important circadian subtype of sleep disturbance in bipolar disorders. Journal of Affective Disorders, 2016, 191, 156-163.	4.1	44
137	The role of rumination in illness trajectories in youth: linking trans-diagnostic processes with clinical staging models. Psychological Medicine, 2016, 46, 2467-2484.	4.5	43
138	Bipolar At-Risk Criteria: An Examination of Which Clinical Features Have Optimal Utility for Identifying Youth at Risk of Early Transition From Depression to Bipolar Disorders. Schizophrenia Bulletin, 2017, 43, 737-744.	4.3	42
139	Managing anxiety and depression in alcohol and drug dependence. Addictive Behaviors, 1998, 23, 919-931.	3.0	41
140	Cognitive-behavioural therapy for severe mental disorders: Back to the future?. British Journal of Psychiatry, 2008, 192, 401-403.	2.8	41
141	Appraisals, psychotic symptoms and affect in daily life. Psychological Medicine, 2012, 42, 1013-1023.	4.5	41
142	Prospective cohort study of early biosignatures of response to lithium in bipolar-I-disorders: overview of the H2020-funded R-LiNK initiative. International Journal of Bipolar Disorders, 2019, 7, 20.	2.2	41
143	Treatment of Chronic Depression. New England Journal of Medicine, 2000, 342, 1518-1520.	27.0	40
144	Psychotherapies should be assessed for both benefit and harm. British Journal of Psychiatry, 2016, 208, 208-209.	2.8	40

#	Article	IF	Citations
145	Predicting medication non-adherence in severe affective disorders. Acta Neuropsychiatrica, 2000, 12, 128-130.	2.1	39
146	Using Health Belief Models to Understand the Efficacy-Effectiveness Gap for Mood Stabilizer Treatments. Neuropsychobiology, 2002, 46, 13-15.	1.9	39
147	Is processing speed a valid cognitive endophenotype for bipolar disorder?. Journal of Affective Disorders, 2012, 139, 98-101.	4.1	39
148	Evaluating differential developmental trajectories to adolescent-onset mood and psychotic disorders. BMC Psychiatry, 2013, 13, 303.	2.6	39
149	Predicting early transition from sub-syndromal presentations to major mental disorders. BJPsych Open, 2017, 3, 223-227.	0.7	38
150	Psychological Treatments for Depression <i>An Update</i> . British Journal of Psychiatry, 1995, 167, 289-292.	2.8	37
151	Depressive and manic symptoms are not opposite poles in bipolar disorder. Acta Psychiatrica Scandinavica, 2011, 123, 206-210.	4.5	37
152	The evening light environment in hospitals can be designed to produce less disruptive effects on the circadian system and improve sleep. Sleep, 2021, 44, .	1.1	37
153	Hostility, hopelessness and deliberate selfâ€harm: a prospective followâ€up study. Acta Psychiatrica Scandinavica, 1990, 81, 280-283.	4.5	36
154	Polarity Index of Psychological Interventions in Maintenance Treatment of Bipolar Disorder. Psychotherapy and Psychosomatics, 2013, 82, 292-298.	8.8	36
155	Neurobiological and behavioral mechanisms of circadian rhythm disruption in bipolar disorder: A critical multiâ€disciplinary literature review and agenda for future research from the ISBD task force on chronobiology. Bipolar Disorders, 2022, 24, 232-263.	1.9	36
156	From †obstetric complications' to a maternal†foetal origin hypothesis of mood disorder. British Journal of Psychiatry, 2005, 186, 367-368.	2.8	35
157	Depression should be managed like a chronic disease. BMJ: British Medical Journal, 2006, 332, 985-986.	2.3	35
158	Evidence-based research on the efficacy of psychologic interventions in bipolar disorders: A critical review. Current Psychiatry Reports, 2005, 7, 449-455.	4.5	34
159	Clinical parameters of circadian rhythms in affective disorders. European Neuropsychopharmacology, 2011, 21, S671-S675.	0.7	34
160	A pilot study to determine whether combinations of objectively measured activity parameters can be used to differentiate between mixed states, mania, and bipolar depression. International Journal of Bipolar Disorders, 2017, 5, 5.	2.2	33
161	Biomarkers of bipolar disorder specific or shared with schizophrenia. Frontiers in Bioscience - Elite, 2013, E5, 845-863.	1.8	33
162	Burden of care, psychological distress and satisfaction with services in the relatives of acutely mentally disordered adults. Social Psychiatry and Psychiatric Epidemiology, 1996, 31, 345-348.	3.1	32

#	Article	IF	CITATIONS
163	Cognitive-behavioural therapy for bipolar disorder. British Journal of Psychiatry, 2006, 188, 488-489.	2.8	31
164	A systematic review of genderâ€specific rates of unipolar and bipolar disorders in community studies of preâ€pubertal children. Bipolar Disorders, 2014, 16, 5-15.	1.9	31
165	Psychiatric comorbidities in bipolar disorders: An examination of the prevalence and chronology of onset according to sex and bipolar subtype. Journal of Affective Disorders, 2020, 267, 258-263.	4.1	31
166	Social adjustment based on reported behaviour in bipolar affective disorder. Bipolar Disorders, 2007, 9, 53-62.	1.9	30
167	Cognitive style, personality and vulnerability to postnatal depression. British Journal of Psychiatry, 2010, 196, 200-205.	2.8	30
168	Treatment strategies according to clinical features in a naturalistic cohort study of bipolar patients: A principal component analysis of lifetime pharmacological and biophysic treatment options. European Neuropsychopharmacology, 2013, 23, 263-275.	0.7	29
169	A prospective cohort study of depression course, functional disability, and NEET status in help-seeking young adults. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 1395-1404.	3.1	29
170	Quality improvement report: Effect of a multifaceted approach to detecting and managing depression in primary care. BMJ: British Medical Journal, 2002, 325, 951-954.	2.3	28
171	Consequences of delayed diagnosis of bipolar disorders. L'Encephale, 2011, 37, S173-S175.	0.9	27
172	A transdiagnostic study of education, employment, and training outcomes in young people with mental illness. Psychological Medicine, 2017, 47, 2061-2070.	4.5	27
173	Variability of activity patterns across mood disorders and time of day. BMC Psychiatry, 2017, 17, 404.	2.6	27
174	Binge eating behaviours in bipolar disorders. Journal of Affective Disorders, 2018, 225, 482-488.	4.1	27
175	Consensus on nomenclature for clinical staging models in bipolar disorder: A narrative review from the International Society for Bipolar Disorders (ISBD) Staging Task Force. Bipolar Disorders, 2021, 23, 659-678.	1.9	27
176	Links between sleep and body mass index in bipolar disorders: An exploratory study. European Psychiatry, 2015, 30, 89-93.	0.2	26
177	Decoding rumination: A machine learning approach to a transdiagnostic sample of outpatients with anxiety, mood and psychotic disorders. Journal of Psychiatric Research, 2020, 121, 207-213.	3.1	26
178	A randomized controlled trial of the use of self-help materials in addition to standard general practice treatment of depression compared to standard treatment alone. Psychological Medicine, 2006, 36, 325-333.	4.5	25
179	DSM-5 and ICD-11 criteria for bipolar disorder: Implications for the prevalence of bipolar disorder and validity of the diagnosis – A narrative review from the ECNP bipolar disorders network. European Neuropsychopharmacology, 2021, 47, 54-61.	0.7	25
180	Psychological treatment for bipolar disorders. European Archives of Psychiatry and Clinical Neuroscience, 2004, 254, 92-98.	3.2	24

#	Article	IF	CITATIONS
181	Sleep–wake cycle phenotypes in young people with familial and nonâ€familial mood disorders. Bipolar Disorders, 2016, 18, 642-649.	1.9	24
182	Prodrome or risk syndrome: what's in a name?. International Journal of Bipolar Disorders, 2017, 5, 7.	2,2	24
183	An examination of the quality and performance of the Alda scale for classifying lithium response phenotypes. Bipolar Disorders, 2020, 22, 255-265.	1.9	24
184	Neural effects of cognitive–behavioural therapy on dysfunctional attitudes in depression. Psychological Medicine, 2015, 45, 1425-1433.	4.5	23
185	Differential impact of current diagnosis and clinical stage on attendance at a youth mental health service. Microbial Biotechnology, 2017, 11, 255-262.	1.7	23
186	Can an Integrated Science Approach to Precision Medicine Research Improve Lithium Treatment in Bipolar Disorders?. Frontiers in Psychiatry, 2018, 9, 360.	2.6	23
187	Individual risk factors for early repetition of deliberate selfâ€harm. The British Journal of Medical Psychology, 1997, 70, 387-393.	0.5	22
188	Methodological aspects of randomized controlled trials of psychotherapy in primary care. Psychological Medicine, 2003, 33, 191-196.	4.5	22
189	Clinical staging models: From general medicine to mental disorders. BJ Psych Advances, 2017, 23, 292-299.	0.7	22
190	Psychopathological outcomes of adolescent borderline personality disorder symptoms. Australian and New Zealand Journal of Psychiatry, 2020, 54, 308-317.	2.3	22
191	Cohort profile: the Brain and Mind Centre <i>Optymise</i> cohort: tracking multidimensional outcomes in young people presenting for mental healthcare. BMJ Open, 2020, 10, e030985.	1.9	22
192	The impact of training in problem-based interviewing on the detection and management of psychological problems presenting in primary care. British Journal of General Practice, 1999, 49, 441-5.	1.4	22
193	Cognitive therapy for clients with bipolar disorder. Cognitive and Behavioral Practice, 1996, 3, 29-51.	1.5	21
194	Referrals to a psychogeriatic consultation-liaison service. International Journal of Geriatric Psychiatry, 1988, 3, 131-135.	2.7	20
195	The pathogenesis of atherosclerosis and new opportunities for treatment and prevention., 2002,, 1-17.		20
196	Do patients with bipolar disorder drink alcohol for different reasons when depressed, manic or euthymic?. Journal of Affective Disorders, 2012, 136, 926-932.	4.1	20
197	A review of self-rating instruments to identify young people at risk of bipolar spectrum disorders. Journal of Affective Disorders, 2014, 160, 113-121.	4.1	20
198	A systematic review of the frequency and severity of manic symptoms reported in studies that compare phenomenology across children, adolescents and adults with bipolar disorders. International Journal of Bipolar Disorders, 2017, 5, 4.	2.2	20

#	Article	IF	CITATIONS
199	Treatment, Prediction of Relapse and Prognosis of Chronic Primary Major Depression. International Clinical Psychopharmacology, 1991, 6, 3-10.	1.7	19
200	Befriending patients with medication-resistant schizophrenia: Can psychotic symptoms predict treatment response?. Psychology and Psychotherapy: Theory, Research and Practice, 2007, 80, 97-106.	2.5	19
201	Bipolar disorder: from early identification to personalized treatment. Microbial Biotechnology, 2011, 5, 89-90.	1.7	19
202	Actigraphy as an objective intra-individual marker of activity patterns in acute-phase bipolar disorder: a case series. International Journal of Bipolar Disorders, 2018, 6, 8.	2.2	19
203	Nineteen and Up study (19Up): understanding pathways to mental health disorders in young Australian twins. BMJ Open, 2018, 8, e018959.	1.9	19
204	A study of the real-world effectiveness of group psychoeducation for bipolar disorders: Is change in illness perception a key mediator of benefit?. Journal of Affective Disorders, 2018, 227, 713-720.	4.1	19
205	Clinical, neurocognitive and demographic factors associated with functional impairment in the Australian Brain and Mind Youth Cohort Study (2008–2016). BMJ Open, 2018, 8, e022659.	1.9	19
206	Twenty-Five and Up (25Up) Study: A New Wave of the Brisbane Longitudinal Twin Study. Twin Research and Human Genetics, 2019, 22, 154-163.	0.6	19
207	Mode of delivery of Cognitive Behavioral Therapy for Insomnia: a randomized controlled non-inferiority trial of digital and face-to-face therapy. Sleep, 2021, 44, .	1.1	19
208	Cognitive and behavioural approaches to medication adherence. Advances in Psychiatric Treatment, 1999, 5, 338-345.	0.5	18
209	Symptom-specific self-referential cognitive processes in bipolar disorder: a longitudinal analysis. Psychological Medicine, 2013, 43, 1895-1907.	4.5	18
210	Cross-validation of clinical characteristics and treatment patterns associated with phenotypes for lithium response defined by the Alda scale. Journal of Affective Disorders, 2017, 208, 62-67.	4.1	18
211	A. I. F. Scott & C. P. L. Freeman's "Edinburgh Primary Care Depression Study― British Journal of Psychiatry, 1994, 164, 410-415.	2.8	17
212	Clinical characteristics of familial and non-familial bipolar disorder. Bipolar Disorders, 2000, 2, 136-139.	1.9	17
213	European Network of Bipolar Research Expert Centre (ENBREC): a network to foster research and promote innovative care. International Journal of Bipolar Disorders, 2013, 1, 2.	2.2	17
214	Translating big data to better treatment in bipolar disorder - a manifesto for coordinated action. European Neuropsychopharmacology, 2020, 36, 121-136.	0.7	17
215	Variation in compulsory psychiatric inpatient admission in England: a cross-sectional, multilevel analysis. Health Services and Delivery Research, 2014, 2, 1-90.	1.4	17
216	A Preliminary Study of the Relationship Among Personality, Cognitive Vulnerability, Symptom Profile, and Outcome in Major Depressive Disorder. Journal of Nervous and Mental Disease, 1996, 184, 503-504.	1.0	16

#	Article	IF	Citations
217	Trial for the Prevention of Depression (TriPoD) in final-year secondary students: study protocol for a cluster randomised controlled trial. Trials, 2015, 16, 451.	1.6	16
218	Overcoming insomnia: protocol for a large-scale randomised controlled trial of online cognitive behaviour therapy for insomnia compared with online patient education about sleep. BMJ Open, 2018, 8, e025152.	1.9	16
219	Affective instability in those with and without mental disorders: A case control study. Journal of Affective Disorders, 2018, 241, 492-498.	4.1	16
220	Can consumer grade activity devices replace research grade actiwatches in youth mental health settings?. Sleep and Biological Rhythms, 2019, 17, 223-232.	1.0	16
221	Transdiagnostic neurocognitive subgroups and functional course in young people with emerging mental disorders: a cohort study. BJPsych Open, 2020, 6, e31.	0.7	16
222	Can network analysis of selfâ€reported psychopathology shed light on the core phenomenology of bipolar disorders in adolescents and young adults?. Bipolar Disorders, 2021, 23, 584-594.	1.9	16
223	The Role of Cognitive Behaviour Therapy in Bipolar Disorder. Behavioural and Cognitive Psychotherapy, 1996, 24, 195-208.	1.2	15
224	Prospects for early intervention in bipolar disorders. Microbial Biotechnology, 2007, 1, 111-113.	1.7	15
225	Pre-emptive psychiatric treatments: pipe dream or a realistic outcome of clinical staging models?. Neuropsychiatry, 2012, 2, 263-266.	0.4	15
226	Distress and disability in young adults presenting to clinical services with mood disorders. International Journal of Bipolar Disorders, 2013, 1, 23.	2.2	15
227	Differential effects of depression and mania symptoms on social adjustment: prospective study in bipolar disorder. Bipolar Disorders, 2013, 15, 80-91.	1.9	15
228	Neurocognitive performance as an endophenotype for bipolar disorder. Frontiers in Bioscience - Elite, 2014, E6, 89-103.	1.8	15
229	The long-term outcomes of an effectiveness trial of group versus individual psychoeducation for bipolar disorders. Journal of Affective Disorders, 2016, 202, 32-38.	4.1	15
230	A reâ€examination of antidepressant treatmentâ€emergent mania in bipolar disorders: evidence of gender differences. Acta Psychiatrica Scandinavica, 2017, 135, 479-488.	4.5	15
231	An immunological age index in bipolar disorder: A confirmatory factor analysis of putative immunosenescence markers and associations with clinical characteristics. International Journal of Methods in Psychiatric Research, 2018, 27, e1614.	2.1	15
232	Pathways to depression by age 16 years: Examining trajectories for self-reported psychological and somatic phenotypes across adolescence. Journal of Affective Disorders, 2018, 230, 1-6.	4.1	15
233	Predictive validity of objective measures of physical fitness for the new onset of mental disorders in adolescents and young adults. Microbial Biotechnology, 2019, 13, 1310-1318.	1.7	15
234	Socio-demographic and clinical predictors of outcome to long-term treatment with lithium in bipolar disorders: a systematic review of the contemporary literature and recommendations from the ISBD/IGSLI Task Force on treatment with lithium. International Journal of Bipolar Disorders, 2020, 8, 40.	2,2	15

#	Article	IF	Citations
235	A bipolar II cohort (ABC): The association of functional disability with gender and rapid cycling. Journal of Affective Disorders, 2015, 185, 204-208.	4.1	14
236	Collective approaches for the control of depression in England. Social Psychiatry and Psychiatric Epidemiology, 2001, 36, 423-428.	3.1	13
237	Affect intensity measure in bipolar disorders: A multidimensional approach. Journal of Affective Disorders, 2014, 157, 8-13.	4.1	13
238	Feasibility and Acceptability of the  HABIT' Group Programme for Comorbid Bipolar and Alcohol and Substance use Disorders. Clinical Psychology and Psychotherapy, 2017, 24, 887-898.	2.7	13
239	Physical and mental health burden in cases of bipolar disorder classified as current, former, or non-tobacco smokers. Journal of Affective Disorders, 2017, 208, 406-413.	4.1	13
240	Which actigraphic variables optimally characterize the sleepâ€wake cycle of individuals with bipolar disorders?. Acta Psychiatrica Scandinavica, 2019, 139, 269-279.	4.5	13
241	Can network analysis shed light on predictors of lithium response in bipolar I disorder?. Acta Psychiatrica Scandinavica, 2020, 141, 522-533.	4.5	13
242	An evidence map of actigraphy studies exploring longitudinal associations between rest-activity rhythms and course and outcome of bipolar disorders. International Journal of Bipolar Disorders, 2020, 8, 37.	2.2	13
243	A systematic review and meta-analysis of sleep and circadian rhythms disturbances in individuals at high-risk of developing or with early onset of bipolar disorders. Neuroscience and Biobehavioral Reviews, 2022, 135, 104585.	6.1	13
244	Bone marrow irradiation chimeras in the BB rat: evidence suggesting two defects leading to diabetes and lymphopoenia. Diabetologia, 1987, 30, 774-81.	6.3	12
245	Epidemiology, Demography and Definitions. International Clinical Psychopharmacology, 1991, 6, 1-12.	1.7	12
246	A pilot study of the relationship between problem-solving skills and outcome in major depressive disorder. The British Journal of Medical Psychology, 2000, 73, 303-309.	0.5	12
247	Does therapists' competence matter in delivering psychological therapy?. Psychiatric Bulletin, 2009, 33, 121-123.	0.3	12
248	Modelling associations between neurocognition and functional course in young people with emerging mental disorders: a longitudinal cohort study. Translational Psychiatry, 2020, 10, 22.	4.8	12
249	Prevalence of selfâ€reported subthreshold phenotypes of major mental disorders and their association with functional impairment, treatment and fullâ€threshold syndromes in a communityâ€residing cohort of young adults. Microbial Biotechnology, 2021, 15, 306-313.	1.7	12
250	What the papers say. Psychiatric Bulletin, 1994, 18, 489-491.	0.3	12
251	DEVELOPMENT AND PILOTING OF THE PREGNANCY RELATED BELIEFS QUESTIONNAIRE (PRBQ). Behavioural and Cognitive Psychotherapy, 2003, 31, 207-213.	1.2	11
252	Group-based trajectory modeling: A novel approach to examining symptom trajectories in acute bipolar episodes. Journal of Affective Disorders, 2013, 145, 36-41.	4.1	11

#	Article	IF	Citations
253	Activation Levels, Cardiovascular Risk, and Functional Impairment in Remitted Bipolar Patients: Clinical Relevance of a Dimensional Approach. Psychotherapy and Psychosomatics, 2019, 88, 45-47.	8.8	11
254	An ecological study of objective rest–activity markers of lithium response in bipolar-l-disorder. Psychological Medicine, 2020, , 1-9.	4.5	11
255	Brief psychotherapies for depression: current status. Current Opinion in Psychiatry, 2004, 17, 3-7.	6.3	10
256	Sleep Problems in Euthymic Bipolar Disorders: A Review of Clinical Studies. Current Psychiatry Reviews, 2015, 11, 235-243.	0.9	10
257	Challenges and developments in research of the early stages of bipolar disorder. Revista Brasileira De Psiquiatria, 2016, 38, 329-337.	1.7	10
258	Should we intervene at stage 0? A qualitative study of attitudes of asymptomatic youth at increased risk of developing bipolar disorders and parents with established disease. Microbial Biotechnology, 2018, 12, 1112-1119.	1.7	10
259	Chronotypes and circadian rest–activity rhythms in bipolar disorders: a metaâ€analysis of self―and observer rating scales. Bipolar Disorders, 2022, 24, 286-297.	1.9	10
260	PROBLEMS IN MEASURING PROBLEMâ€SOLVING: THE SUITABILITY OF THE MEANS – ENDS PROBLEM SOLVING (MEPS) PROCEDURE. International Journal of Methods in Psychiatric Research, 1996, 6, 243-251.	2.1	10
261	Misperception of sleep in bipolar disorder: an exploratory study using questionnaire versus actigraphy. International Journal of Bipolar Disorders, 2020, 8, 34.	2.2	10
262	Abbreviated Cognitive Therapy for Depression: A Pilot Study in Primary Care. Behavioural and Cognitive Psychotherapy, 1994, 22, 57-64.	1.2	9
263	Beliefs about Depression in Patients and Their Partners. Behavioural and Cognitive Psychotherapy, 2005, 33, 131-138.	1.2	9
264	Reply: Sleep in Patients with Remitted Bipolar Disorders: Analyses stratified on actigraphy devices, age and gender. Acta Psychiatrica Scandinavica, 2015, 131, 400-400.	4.5	9
265	Which clinical practice guidelines for depression? An overview for busy practitioners. British Journal of General Practice, 2000, 50, 908-11.	1.4	9
266	Digital cognitive behaviour therapy for insomnia (dCBTâ€): Chronotype moderation on intervention outcomes. Journal of Sleep Research, 2022, 31, e13572.	3.2	9
267	Prediction, Treatment and Prognosis of Chronic Primary Major Depression. International Clinical Psychopharmacology, 1991, 6, 41-50.	1.7	8
268	What is the role for psychotherapy in bipolar disorders?. Bipolar Disorders, 2002, 4, 105-105.	1.9	8
269	Attentional deficits and emotional bias in bipolar disorders: comparison at different stages of the disease. European Archives of Psychiatry and Clinical Neuroscience, 2014, 264, 743-745.	3.2	8
270	Youth Early-intervention Study (YES) – group interventions targeting social participation and physical well-being as an adjunct to treatment as usual: study protocol for a randomized controlled trial. Trials, 2015, 16, 333.	1.6	8

#	Article	IF	Citations
271	Using admixture analysis to examine birthâ€cohort effects on age at onset of bipolar disorder. Acta Psychiatrica Scandinavica, 2016, 133, 205-213.	4.5	8
272	Can actigraphy be used to define lithium response dimensions in bipolar disorders?. Journal of Affective Disorders, 2021, 283, 402-409.	4.1	8
273	Serial homicide. BMJ: British Medical Journal, 1996, 312, 2-3.	2.3	8
274	Associations between circadian misalignment and telomere length in BD: an actigraphy study. International Journal of Bipolar Disorders, 2022, 10, .	2.2	8
275	Evaluating the quality of educational materials about schizophrenia. Psychiatric Bulletin, 2002, 26, 96-98.	0.3	7
276	Association between childhood dimensions of attention deficit hyperactivity disorder and adulthood clinical severity of bipolar disorders. Australian and New Zealand Journal of Psychiatry, 2017, 51, 382-392.	2.3	7
277	Bipolar II disorder: The need for clearer definition and improved management. Australian and New Zealand Journal of Psychiatry, 2018, 52, 598-599.	2.3	7
278	Can youth at high risk of illness progression be identified by measures of rumination and sleepâ€wake disturbance. Microbial Biotechnology, 2019, 13, 1214-1219.	1.7	7
279	Managing the infodemic about COVIDâ€19: Strategies for clinicians and researchers. Acta Psychiatrica Scandinavica, 2021, 143, 377-379.	4.5	7
280	Training Implications of the Shift to Community-Orientated Psychiatric Services. Collegiate Trainees' Committee Working Party Report. Bulletin of the Royal College of Psychiatrists, 1988, 12, 151-153.	0.0	7
281	Concepts and misconceptions regarding clinical staging models. Journal of Psychiatry and Neuroscience, 2016, 41, E83-E84.	2.4	7
282	A study of the use of log books in the training of psychiatrists. Psychiatric Bulletin, 1991, 15, 214-216.	0.3	6
283	Group psychoeducation reduces recurrence and hospital admission in people with bipolar disorder. Evidence-Based Mental Health, 2003, 6, 115-115.	4.5	6
284	The Obstacle is the Path: Overcoming Blocks to Homework Assignments in a Complex Presentation of Depression. Cognitive and Behavioral Practice, 2007, 14, 278-288.	1.5	6
285	Anticonvulsants and suicide attempts in bipolar I disorders. Acta Psychiatrica Scandinavica, 2017, 135, 470-478.	4.5	6
286	Does stage of illness influence recovery-focused outcomes after psychological treatment in bipolar disorder? A systematic review protocol. Systematic Reviews, 2019, 8, 125.	5. 3	6
287	Predicting the emergence of full-threshold bipolar I, bipolar II and psychotic disorders in young people presenting to early intervention mental health services. Psychological Medicine, 2022, 52, 1990-2000.	4.5	6
288	Let there be blue-depleted light: in-patient dark therapy, circadian rhythms and length of stay. BJ Psych Advances, 2021, 27, 73-84.	0.7	6

#	Article	IF	Citations
289	Intraindividual variability in sleep among people with insomnia and its relationship with sleep, health and lifestyle factors: an exploratory study. Sleep Medicine, 2022, 89, 132-140.	1.6	6
290	Cognitive Behavioural Therapy for Mood Disorders. Behavioural and Cognitive Psychotherapy, 2008, 36, 685-693.	1.2	5
291	Medication adherence in crisis?. Journal of Mental Health, 2010, 19, 470-474.	1.9	5
292	A rising tide: the increasing age and psychiatric length of stay for individuals with mild intellectual disabilities. Journal of Intellectual Disability Research, 2013, 57, 783-790.	2.0	5
293	Hospital Stay and Engagement in Outpatient Followâ€Up After Alcohol Emergency Detox: A 1â€Year Comparison Study. Alcoholism: Clinical and Experimental Research, 2016, 40, 418-421.	2.4	5
294	Secular trends in the age at onset of bipolar I disorder â€" Support for birth cohort effects from interational, multi-centre clinical observational studies. European Psychiatry, 2018, 52, 61-67.	0.2	5
295	The effect of sleep–wake intraindividual variability in digital cognitive behavioral therapy for insomnia: a mediation analysis of a large-scale RCT. Sleep, 2021, 44, .	1.1	5
296	Digital cognitiveâ€"behavioural therapy for insomnia compared with digital patient education about insomnia in individuals referred to secondary mental health services in Norway: protocol for a multicentre randomised controlled trial. BMJ Open, 2021, 11, e050661.	1.9	5
297	Early expressions of psychopathology and risk associated with trans-diagnostic transition to mood and psychotic disorders in adolescents and young adults. PLoS ONE, 2021, 16, e0252550.	2.5	5
298	Outcomes associated with different vaccines in individuals with bipolar disorder and impact on the current COVID-19 pandemic- a systematic review. European Neuropsychopharmacology, 2022, 54, 90-99.	0.7	5
299	A comparative study of strategies for identifying credible sources of mental health information online: Can clinical services deliver a youthâ€specific internet prescription?. Microbial Biotechnology, 2022, 16, 643-650.	1.7	5
300	Event-Related Potentials and Cognitive Processing of Affectively Toned Words in Depression. Journal of Psychophysiology, 2002, 16, 56-66.	0.7	5
301	Methylomic Biomarkers of Lithium Response in Bipolar Disorder: A Proof of Transferability Study. Pharmaceuticals, 2022, 15, 133.	3.8	5
302	Using network intervention analysis to explore associations between participant expectations of and difficulties with cognitive behavioural therapy for insomnia and clinical outcome: A proof of principle study. Journal of Psychiatric Research, 2022, 148, 73-83.	3.1	5
303	Dealing with persisting abnormalities of mood. International Review of Psychiatry, 1991, 3, 19-33.	2.8	4
304	Cognitive therapy of depressive disorders. Current Opinion in Psychiatry, 1994, 7, 233-236.	6.3	4
305	Evaluation of an emergency response service. Psychiatric Bulletin, 2003, 27, 130-133.	0.3	4
306	The need for specialist services for serious and recurrent mood disorders. Australian and New Zealand Journal of Psychiatry, 2013, 47, 815-818.	2.3	4

#	Article	IF	Citations
307	What can we learn from offspring studies in bipolar disorder?. BJ Psych Advances, 2016, 22, 176-185.	0.7	4
308	Anxiety disorders are associated with early onset of heroin use and rapid transition to dependence in methadone maintained patients. Psychiatry Research, 2016, 245, 423-426.	3.3	4
309	Experiences of Mental Healthcare Reported by Individuals Diagnosed with Bipolar Disorder: An Italian Qualitative Study. Community Mental Health Journal, 2019, 55, 129-136.	2.0	4
310	A pragmatic effectiveness randomized controlled trial of the duration of psychiatric hospitalization in a trans-diagnostic sample of patients with acute mental illness admitted to a ward with either blue-depleted evening lighting or normal lighting conditions. Trials, 2019, 20, 472.	1.6	4
311	Is there an association between cardiorespiratory fitness and stage of illness in psychotic disorders? A systematic review and metaâ€analysis. Acta Psychiatrica Scandinavica, 2020, 141, 190-205.	4.5	4
312	Early intervention, prevention, and prediction in mood disorders: Tracking multidimensional outcomes in young people presenting for mental health care., 2020,, 39-62.		4
313	The influence of stage of illness on functional outcomes after psychological treatment in bipolar disorder: A systematic review. Bipolar Disorders, 2020, 22, 666-692.	1.9	4
314	Using density of antecedent events and trajectory path analysis to investigate family-correlated patterns of onset of bipolar I disorder: a comparison of cohorts from Europe and USA. International Journal of Bipolar Disorders, 2021, 9, 29.	2.2	4
315	Cognitive therapy as an adjunct to medication in bipolar disorder. British Journal of Psychiatry, 2001, 178, S164-8.	2.8	4
316	The effects of digital CBT-I on work productivity and activity levels and the mediational role of insomnia symptoms: Data from a randomized controlled trial with 6-month follow-up. Behaviour Research and Therapy, 2022, 153, 104083.	3.1	4
317	Cognitive therapy in bipolar disorder. Expert Review of Neurotherapeutics, 2002, 2, 573-581.	2.8	3
318	A survey of opinions on the management of individuals who express suicidal ideation while intoxicated with alcohol. Psychiatric Bulletin, 2002, 26, 332-334.	0.3	3
319	A 16-Year Longitudinal Study of Hearing in Very Old Australians. Audiology Research, 2011, 1, e2.	1.8	3
320	No effects of eye movements on the encoding of the visuospatial sketchpad and the phonological loop in healthy participants: Possible implications for eye movement desensitization and reprocessing therapy. Personality and Individual Differences, 2013, 55, 983-988.	2.9	3
321	The science and practice of psychotherapy: the critical need for quality assurance and vigilance to monitor the ratio of benefits to risks of therapies. Acta Psychiatrica Scandinavica, 2017, 136, 233-235.	4.5	3
322	Using School-Based Interventions for Depression Education and Prevention. , 2019, , 1-32.		3
323	Short communication: Self-reported sleep-wake disturbances preceding onset of full-threshold mood and/or psychotic syndromes in community residing adolescents and young adults. Journal of Affective Disorders, 2020, 277, 592-595.	4.1	3
324	Chronobiologically informed inpatient milieu in psychiatric institutions. Lancet Psychiatry, the, 2020, 7, 1013-1014.	7.4	3

#	Article	IF	Citations
325	Brief Research Report: A Pilot Study of Cognitive Behavioral Regulation Therapy (CBT-REG) for Young People at High Risk of Early Transition to Bipolar Disorders. Frontiers in Psychiatry, 2020, 11, 616829.	2.6	3
326	Advances in cognitive therapy. Current Opinion in Psychiatry, 1997, 10, 256-260.	6.3	3
327	Cognitive therapy training for psychiatrists. Advances in Psychiatric Treatment, 1998, 4, 3-9.	0.5	3
328	Three months in the life of a community mental health team. Psychiatric Bulletin, 1994, 18, 615-617.	0.3	3
329	Cognitive Therapy for Depression in Women. Psychiatric Annals, 2002, 32, 465-476.	0.1	3
330	Do selfâ€ratings of the Pittsburgh Sleep Quality Index reflect actigraphy recordings of sleep quality or variability? An exploratory study of bipolar disorders versus healthy controls. Journal of Sleep Research, 2022, 31, e13507.	3.2	3
331	Reducing Risks for Mental Disorders: Frontiers for Preventive Intervention Research. Edited By P. J. Mrazek and R. J. Haggerty. Washington DC: National Academy Press. 1994. 605 pp. £40.05 British Journal of Psychiatry, 1995, 167, 275-276.	2.8	3
332	Research to Clinical Practiceâ€"Youth seeking mental health information online and its impact on the first steps in the patient journey. Acta Psychiatrica Scandinavica, 2022, 145, 301-314.	4.5	3
333	Evaluation of a partial hospitalisation programme: good news and bad. Psychiatric Bulletin, 2004, 28, 244-247.	0.3	2
334	A brief adherence therapy: training issues and patients' satisfaction. Irish Journal of Psychological Medicine, 2004, 21, 91-94.	1.0	2
335	Cognitive behavioural therapy. , 0, , 636-651.		2
336	Are rating scales for bipolar disorders fit for purpose?. British Journal of Psychiatry, 2018, 213, 627-629.	2.8	2
337	Does childhood experience of attention-deficit hyperactivity disorder symptoms increase sleep/wake cycle disturbances as measured with actigraphy in adult patients with bipolar disorder?. Chronobiology International, 2019, 36, 1124-1130.	2.0	2
338	Modelling change in neurocognition, symptoms and functioning in young people with emerging mental disorders. Journal of Psychiatric Research, 2020, 131, 22-30.	3.1	2
339	A taxonomy of clinical response to mood stabilizers. Bipolar Disorders, 2021, 23, 24-32.	1.9	2
340	Days out of role and somatic, anxious-depressive, hypo-manic, and psychotic-like symptom dimensions in a community sample of young adults. Translational Psychiatry, 2021, 11, 285.	4.8	2
341	An epidemiological study of externally determined and self-identified mental and physical disability across the spectrum of bipolar disorders. Journal of Affective Disorders, 2021, 294, 597-604.	4.1	2
342	A Comparison of Different Approaches to Clinical Phenotyping of Lithium Response: A Proof of Principle Study Employing Genetic Variants of Three Candidate Circadian Genes. Pharmaceuticals, 2021, 14, 1072.	3.8	2

#	Article	IF	CITATIONS
343	Which Actigraphy Dimensions Predict Longitudinal Outcomes in Bipolar Disorders?. Journal of Clinical Medicine, 2022, 11 , 2204.	2.4	2
344	Dynamic networks of psychological symptoms, impairment, substance use, and social support: The evolution of psychopathology among emerging adults. European Psychiatry, 2022, 65, .	0.2	2
345	Cognitive Therapy. British Journal of Psychiatry, 1994, 165, 126-130.	2.8	1
346	Characteristics of homeless women living in London hostels. Psychiatric Services, 1996, 47, 196-198.	2.0	1
347	Cogntive therapy for major depression in partial remission: Preliminary findings. European Psychiatry, 1998, 13, 166s-166s.	0.2	1
348	FACTORS ASSOCIATED WITH PARTIAL REMISSION IN DEPRESSION. Behavioural and Cognitive Psychotherapy, 1999, 27, 215-222.	1.2	1
349	Thérapie cognitive des troubles mentaux graves et persistants. Sante Mentale Au Quebec, 1999, 24, 89-100.	0.1	1
350	Chapter 21 Homelessness and mental health. Principles of Medical Biology, 2000, 14, 487-498.	0.1	1
351	Cognitive theory and therapy of bipolar disorders. , 2003, , 40-59.		1
352	Effects of Cognitive Therapy on Psychological Symptoms and Social Functioning in Residual Depression. Focus (American Psychiatric Publishing), 2005, 3, 122-130.	0.8	1
353	Early detection of new episodes. , 0, , 156-162.		1
354	Which psychosocial interventions in bipolar depression?. L'Encephale, 2011, 37, S214-S217.	0.9	1
355	Improving the understanding of medication non-adherence among mental health professionals: Findings from a series of UK training workshops. Journal of Mental Health, 2012, 21, 600-607.	1.9	1
356	Beyond psychosis: The challenge of early intervention in bipolar disorders. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2012, 5, 1-4.	0.3	1
357	Depression course, functional disability, and NEET status in young adults with mental health problems. European Psychiatry, 2016, 33, S176-S177.	0.2	1
358	T5â€Complement protein c5a induces prolonged neutrophil dysfunction in a clinically relevant model of human bacteraemia., 2017, , .		1
359	Make lithium great again – Precisely!. Bipolar Disorders, 2021, 23, 209-210.	1.9	1
360	Neurobiology Youth Follow-up Study: protocol to establish a longitudinal and prospective research database using multimodal assessments for current and past mental health treatment-seeking young people within an early intervention service. BMJ Open, 2021, 11, e044731.	1,9	1

#	Article	IF	Citations
361	Integrated Mental Health Care: A Comprehensive Community-Based Approach. By Ian R. Falloon & Grainne Fadden. Cambridge: Cambridge University Press. 1993. Pp. 335. £45.00 (hb) Psychiatric Bulletin, 1993, 17, 510-510.	0.3	1
362	Is specialist registrar training in cognitive therapy effective?. Psychiatric Bulletin, 1999, 23, 603-607.	0.3	1
363	All you need is cognitive behaviour therapy? Critical appraisal of evidence base must be understood and respected. BMJ, The, 2002, 324, 1522.	6.0	1
364	Time to put a spotlight on out-patient chronotherapy for depression. BJPsych Open, 2021, 7, e219.	0.7	1
365	Cognitive therapy as an adjunct to medication in bipolar disorder. The British Journal of Psychiatry Supplement, 2001, 41, s164-8.	0.1	1
366	Is cognitive behaviour therapy applicable to individuals diagnosed with bipolar depression or suboptimal mood stabilizer treatment: a secondary analysis of a large pragmatic effectiveness trial. International Journal of Bipolar Disorders, 2022, 10, 13.	2.2	1
367	Sleep and work functioning in nurses undertaking inpatient shifts in a blue-depleted light environment. BMC Nursing, 2022, 21, .	2.5	1
368	Bipolar disorders through history. , 0, , 4-5.		0
369	Awareness of the disorder. , 0, , 53-56.		0
370	Presentation and rules of the group., 0,, 57-63.		0
371	Risks associated with treatment withdrawal. , 0, , 140-146.		0
372	Bodily Communication: 2nd Edition. By Michael Argyle. Madison: International Universities Press Inc. 1990.363 pp. \$45.00 British Journal of Psychiatry, 1991, 159, 461-461.	2.8	0
373	Psychosocial Processes in Health: a Reader. Edited by Andrew Steptoe & Jane Wardle. 1994. Pp 525. Cambridge: Cambridge University Press. Hb (ISBN 0521416108) £60.00. Pb (ISBN 0521426189) £24.95. Psychiatric Bulletin, 1995, 19, 587-587.	0.3	0
374	L-16 Predictors of course and treatment response in bipolar affective disorder. European Neuropsychopharmacology, 1996, 6, S9.	0.7	0
375	Tertiary prevention in depression: cognitive therapy and other psychological treatments. , 1996, , 294-310.		0
376	Cognitive Therapy for Bipolar Disorder: A Therapist's Guide to Concepts, Methods and Practice By Dominic H. Lam, Steven H. Jones, Peter Hayward & Jenifer A. Bright. Chichester: John Wiley & Sons. 1999. 306 pp. £19.95 (pb). ISBN 0-471-97945-7. British Journal of Psychiatry, 2000, 176, 601-601.	2.8	0
377	Cognitive therapy and psychosocial interventions in chronic and treatmentresistant mood disorders. , 2001, , 252-270.		0
378	Systemic Couples Therapy and Depression Elsa Jones & Eia Asen. London: Karnac. 2000. 132 pp. \$14.95 (pb). ISBN 1 85575221 2. British Journal of Psychiatry, 2002, 180, 384-385.	2.8	0

#	Article	IF	CITATIONS
379	Mood Disorders-Bipolar Disorder., 2005,, 250-253.		O
380	Psychological therapies and schizoaffective disorders. , 2006, , 264-276.		O
381	Diagnosis and classification. , 0, , 6-13.		0
382	Psychological interventions in bipolar disorders. , 0, , 14-22.		0
383	Psychological treatment and bipolar disorders: why psychoeducate?., 0,, 25-29.		O
384	Mechanisms of action of psychoeducation. , 0, , 30-33.		0
385	Integrating psychoeducation in clinical practice. , 0, , 34-39.		O
386	When to introduce psychoeducation?., 0,, 40-44.		0
387	Formal aspects of the psychoeducation program. , 0, , 45-50.		O
388	What is bipolar disorder?., 0,, 64-72.		0
389	Etiological and triggering factors. , 0, , 73-77.		O
390	Symptoms I:Mania and hypomania. , 0, , 78-84.		0
391	Symptoms II: Depression and mixed episodes. , 0, , 85-92.		O
392	Evolution and prognosis., 0,, 93-103.		0
393	Drug adherence. , 0, , 104-110.		O
394	Treatment I: Mood stabilizers., 0,, 111-116.		0
395	Treatment II: Antimanic drugs. , 0, , 117-121.		0
396	Treatment III: Antidepressants. , 0, , 122-125.		0

#	Article	IF	CITATIONS
397	Plasma levels of mood stabilizers. , 0, , 126-129.		0
398	Pregnancy and genetic counseling., 0,, 130-134.		0
399	Psycho-pharmacology vs. alternative therapies. , 0, , 135-139.		0
400	Avoiding substance abuse., 0,, 147-148.		0
401	Psychoactive substances: risks in bipolar disorders. , 0, , 149-155.		0
402	Early detection of mania and hypomanic episodes., 0,, 163-168.		0
403	Early detection of depressive and mixed episodes. , 0, , 169-172.		0
404	What to do when a new phase is detected?., 0,, 173-179.		0
405	Regular habits and stress management. , 0, , 180-181.		0
406	Regularity of habits., 0,, 182-187.		0
407	Stress-control techniques. , 0, , 188-191.		0
408	Problem-solving strategies., 0,, 192-196.		0
409	Final note: Is psychoeducation efficacious?. , 0, , 201-204.		0
410	Psychological management of mood disorders. Psychiatry (Abingdon, England), 2006, 5, 185-188.	0.2	0
411	Managing the aftermath of mania - Newcastle, 2 September 2005: Consensus Meeting Statement. Journal of Psychopharmacology, 2006, 20, 51-54.	4.0	0
412	Strategies for promoting engagement and treatment adherence., 0,, 165-176.		0
413	Psychological management of mood disorders. Psychiatry (Abingdon, England), 2009, 8, 108-112.	0.2	0
414	S.01.05 Is psychological treatment effective in bipolar disorders?. European Neuropsychopharmacology, 2009, 19, S176.	0.7	0

#	Article	IF	Citations
415	Does prescribing depot medication really improve medication adherence?. European Psychiatry, 2011, 26, 1269-1269.	0.2	O
416	Authors' reply. British Journal of Psychiatry, 2016, 209, 528-529.	2.8	0
417	Donâ∈™t throw the baby out with the bathwater: A case for bipolar II. Australian and New Zealand Journal of Psychiatry, 2018, 52, 1095-1096.	2.3	0
418	Size and clustering of ethnic groups and rates of psychiatric admission in England. BJPsych Bulletin, 2018, 42, 141-145.	1.1	0
419	S.15.01 Barriers to optimising benefits of lithium treatment reliability and utility of response scales, and clinical strategies to close the efficacy-effectiveness gap. European Neuropsychopharmacology, 2019, 29, S22-S23.	0.7	0
420	Effects of ethnic density on the risk of compulsory psychiatric admission for individuals attending secondary care mental health services: evidence from a large-scale study in England. Psychological Medicine, 2021, , 1-10.	4.5	0
421	Mood Disorders in Women Edited By Meir Steiner, Kimberly Yonkers & Elias Eriksson. London: Martin Dunitz. 2000. 368 pp. £65.00 (hb). ISBN I 85307 545 5. British Journal of Psychiatry, 2001, 179, 280-280.	2.8	0
422	Evaluation of an emergency response service. Psychiatric Bulletin, 2003, 27, 130-133.	0.3	0
423	Preventing Mental Illness: Mental Health Promotion in Primary Care. Edited by R. Jenkins & Edited Bedirhan Ustun. 1998. Chichester: John Wiley & Edited pp. £60. 00. ISBN 0-471-97562-1. British Journal of Psychiatry, 1998, 173, 544-544.	2.8	0
424	Lithium in Acute and Maintenance Treatment of Bipolar Disorders. , 2017, , 211-222.		0
425	S87â€Bronchiectasis relevant molecules promote NETosis and citrullination in human peripheral blood neutrophils. , 2018, , .		0
426	S89 $\hat{a}\in$ Interleukin 8 secretion but not superoxide anion production is different between healthy and bronchiectasis patients neutrophils. , 2018, , .		0
427	A pilot study of new approaches to exploring illness trajectories and patterns of comorbidity in major mental disorders. Microbial Biotechnology, 2021, , .	1.7	0
428	Short communication: Do clinical guidelines for bipolar disorders adequately address sleep, circadian rhythm, activity and lifestyle problems?. Journal of Affective Disorders, 2022, 301, 433-436.	4.1	0
429	A network analysis of rest-activity rhythms in young people with emerging bipolar disorders. Journal of Affective Disorders, 2022, 305, 220-226.	4.1	0
430	Secretion and Retention of Z AAT in Response to SARS-CoV-2 Infection and Similar Stimuli., 2022, , .		0
431	Aaron Temkin Beck – an appreciation – Reflection. British Journal of Psychiatry, 2022, 221, 373-373.	2.8	0