

Ivan Izquierdo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5845333/publications.pdf>

Version: 2024-02-01

286
papers

19,292
citations

10986

71
h-index

15732

125
g-index

288
all docs

288
docs citations

288
times ranked

13938
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Memory Formation: The Sequence of Biochemical Events in the Hippocampus and Its Connection to Activity in Other Brain Structures. <i>Neurobiology of Learning and Memory</i> , 1997, 68, 285-316. | 1.9 | 814 |
| 2 | BDNF is essential to promote persistence of long-term memory storage. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 2711-2716. | 7.1 | 559 |
| 3 | Persistence of Long-Term Memory Storage Requires a Late Protein Synthesis- and BDNF- Dependent Phase in the Hippocampus. <i>Neuron</i> , 2007, 53, 261-277. | 8.1 | 550 |
| 4 | Physiology of the Prion Protein. <i>Physiological Reviews</i> , 2008, 88, 673-728. | 28.8 | 523 |
| 5 | Different molecular cascades in different sites of the brain control memory consolidation. <i>Trends in Neurosciences</i> , 2006, 29, 496-505. | 8.6 | 404 |
| 6 | Dopamine Controls Persistence of Long-Term Memory Storage. <i>Science</i> , 2009, 325, 1017-1020. | 12.6 | 384 |
| 7 | Neurotransmitter receptors involved in post-training memory processing by the amygdala, medial septum, and hippocampus of the rat. <i>Behavioral and Neural Biology</i> , 1992, 58, 16-26. | 2.2 | 358 |
| 8 | Fear Memory. <i>Physiological Reviews</i> , 2016, 96, 695-750. | 28.8 | 331 |
| 9 | BDNF-triggered events in the rat hippocampus are required for both short- and long-term memory formation. <i>Hippocampus</i> , 2002, 12, 551-560. | 1.9 | 298 |
| 10 | Two Time Periods of Hippocampal mRNA Synthesis Are Required for Memory Consolidation of Fear-Motivated Learning. <i>Journal of Neuroscience</i> , 2002, 22, 6781-6789. | 3.6 | 292 |
| 11 | Cellular prion protein binds laminin and mediates neuritogenesis. <i>Molecular Brain Research</i> , 2000, 76, 85-92. | 2.3 | 279 |
| 12 | Learning-associated activation of nuclear MAPK, CREB and Elk-1, along with Fos production, in the rat hippocampus after a one-trial avoidance learning: abolition by NMDA receptor blockade. <i>Molecular Brain Research</i> , 2000, 76, 36-46. | 2.3 | 265 |
| 13 | Reviews: BDNF and Memory Formation and Storage. <i>Neuroscientist</i> , 2008, 14, 147-156. | 3.5 | 260 |
| 14 | Effect of naloxone and morphine on various forms of memory in the rat: Possible role of endogenous opiate mechanisms in memory consolidation. <i>Psychopharmacology</i> , 1979, 66, 199-203. | 3.1 | 251 |
| 15 | Mechanisms for memory types differ. <i>Nature</i> , 1998, 393, 635-636. | 27.8 | 243 |
| 16 | Role of Hippocampal Signaling Pathways in Long-Term Memory Formation of a Nonassociative Learning Task in the Rat. <i>Learning and Memory</i> , 2000, 7, 333-340. | 1.3 | 242 |
| 17 | On the role of hippocampal protein synthesis in the consolidation and reconsolidation of object recognition memory. <i>Learning and Memory</i> , 2007, 14, 36-46. | 1.3 | 235 |
| 18 | BDNF Activates mTOR to Regulate GluR1 Expression Required for Memory Formation. <i>PLoS ONE</i> , 2009, 4, e6007. | 2.5 | 230 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Separate mechanisms for short- and long-term memory. Behavioural Brain Research, 1999, 103, 1-11. | 2.2 | 220 |
| 20 | Plastic modifications induced by object recognition memory processing. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 2652-2657. | 7.1 | 220 |
| 21 | Mice Deficient for the Vesicular Acetylcholine Transporter Are Myasthenic and Have Deficits in Object and Social Recognition. Neuron, 2006, 51, 601-612. | 8.1 | 208 |
| 22 | The role of NMDA glutamate receptors, PKA, MAPK, and CAMKII in the hippocampus in extinction of conditioned fear. Hippocampus, 2003, 13, 53-58. | 1.9 | 206 |
| 23 | The ubiquitin-proteasome cascade is required for mammalian long-term memory formation. European Journal of Neuroscience, 2001, 14, 1820-1826. | 2.6 | 203 |
| 24 | Molecular pharmacological dissection of short- and long-term memory. Cellular and Molecular Neurobiology, 2002, 22, 269-287. | 3.3 | 176 |
| 25 | Amnesia by post-training infusion of glutamate receptor antagonists into the amygdala, hippocampus, and entorhinal cortex. Behavioral and Neural Biology, 1992, 58, 76-80. | 2.2 | 171 |
| 26 | Increased Sensitivity to Seizures in Mice Lacking Cellular Prion Protein. Epilepsia, 1999, 40, 1679-1682. | 5.1 | 170 |
| 27 | mTOR signaling in the hippocampus is necessary for memory formation. Neurobiology of Learning and Memory, 2007, 87, 303-307. | 1.9 | 163 |
| 28 | Two Time Windows of Anisomycin-Induced Amnesia for Inhibitory Avoidance Training in Rats: Protection from Amnesia by Pretraining but not Pre-exposure to the Task Apparatus. Learning and Memory, 1999, 6, 600-607. | 1.3 | 162 |
| 29 | GABAA receptor modulation of memory: the role of endogenous benzodiazepines. Trends in Pharmacological Sciences, 1991, 12, 260-265. | 8.7 | 160 |
| 30 | Hippocampal cGMP and cAMP are differentially involved in memory processing of inhibitory avoidance learning. NeuroReport, 1996, 7, 585-588. | 1.2 | 155 |
| 31 | Different forms of post-training memory processing. Behavioral and Neural Biology, 1989, 51, 171-202. | 2.2 | 142 |
| 32 | Short- and Long-Term Memory Are Differentially Regulated by Monoaminergic Systems in the Rat Brain. Neurobiology of Learning and Memory, 1998, 69, 219-224. | 1.9 | 139 |
| 33 | The contribution of pharmacology to research on the mechanisms of memory formation. Trends in Pharmacological Sciences, 2000, 21, 208-210. | 8.7 | 138 |
| 34 | Different hippocampal molecular requirements for short- and long-term retrieval of one-trial avoidance learning. Behavioural Brain Research, 2000, 111, 93-98. | 2.2 | 132 |
| 35 | Behavioral and genoprotective effects of Vaccinium berries intake in mice. Pharmacology Biochemistry and Behavior, 2006, 84, 229-234. | 2.9 | 131 |
| 36 | Molecular signalling pathways in the cerebral cortex are required for retrieval of one-trial avoidance learning in rats. Behavioural Brain Research, 2000, 114, 183-192. | 2.2 | 124 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Cellular prion protein: on the road for functions. FEBS Letters, 2002, 512, 25-28. | 2.8 | 123 |
| 38 | Learning-specific, time-dependent increases in hippocampal Ca ²⁺ /calmodulin-dependent protein kinase II activity and AMPA GluR1 subunit immunoreactivity. European Journal of Neuroscience, 1998, 10, 2669-2676. | 2.6 | 121 |
| 39 | Simultaneous modulation of retrieval by dopaminergic D1, β -noradrenergic, serotonergic-1A and cholinergic muscarinic receptors in cortical structures of the rat. Behavioural Brain Research, 2001, 124, 1-7. | 2.2 | 115 |
| 40 | Endogenous BDNF is required for long-term memory formation in the rat parietal cortex. Learning and Memory, 2005, 12, 504-510. | 1.3 | 112 |
| 41 | Effect of lyophilised berries on memory, anxiety and locomotion in adult rats. Pharmacological Research, 2005, 52, 457-462. | 7.1 | 112 |
| 42 | Modulation of the extinction of two different fear-motivated tasks in three distinct brain areas. Behavioural Brain Research, 2012, 232, 210-216. | 2.2 | 111 |
| 43 | Further evidence for the involvement of a hippocampal cGMP/cGMP-dependent protein kinase cascade in memory consolidation. NeuroReport, 1997, 8, 2221-2224. | 1.2 | 109 |
| 44 | The Nucleus of the Solitary Tractâ†’Nucleus Paragigantocellularisâ†’Locus Coeruleusâ†’CA1 region of dorsal hippocampus pathway is important for consolidation of object recognition memory. Neurobiology of Learning and Memory, 2013, 100, 56-63. | 1.9 | 109 |
| 45 | Phosphorylated cAMP Response Element-Binding Protein as a Molecular Marker of Memory Processing in Rat Hippocampus: Effect of Novelty. Journal of Neuroscience, 2000, 20, RC112-RC112. | 3.6 | 106 |
| 46 | The Vesicular Acetylcholine Transporter Is Required for Neuromuscular Development and Function. Molecular and Cellular Biology, 2009, 29, 5238-5250. | 2.3 | 105 |
| 47 | The learning of fear extinction. Neuroscience and Biobehavioral Reviews, 2014, 47, 670-683. | 6.1 | 105 |
| 48 | Retrieval Does Not Induce Reconsolidation of Inhibitory Avoidance Memory. Learning and Memory, 2004, 11, 572-578. | 1.3 | 104 |
| 49 | On the participation of mTOR in recognition memory. Neurobiology of Learning and Memory, 2008, 89, 338-351. | 1.9 | 103 |
| 50 | Signaling mechanisms mediating BDNF modulation of memory formation in vivo in the hippocampus. Cellular and Molecular Neurobiology, 2002, 22, 663-674. | 3.3 | 98 |
| 51 | Inhibition of hippocampal Jun N-terminal kinase enhances short-term memory but blocks long-term memory formation and retrieval of an inhibitory avoidance task. European Journal of Neuroscience, 2003, 17, 897-902. | 2.6 | 98 |
| 52 | Retrieval induces hippocampal-dependent reconsolidation of spatial memory. Learning and Memory, 2006, 13, 431-440. | 1.3 | 98 |
| 53 | Behavioral tagging of extinction learning. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 1071-1076. | 7.1 | 97 |
| 54 | The Amygdala Is Involved in the Modulation of Long-Term Memory, but Not in Working or Short-Term Memory. Neurobiology of Learning and Memory, 1999, 71, 127-131. | 1.9 | 95 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Time-Dependent Impairment of Inhibitory Avoidance Retention in Rats by Posttraining Infusion of a Mitogen-Activated Protein Kinase Kinase Inhibitor into Cortical and Limbic Structures. <i>Neurobiology of Learning and Memory</i> , 2000, 73, 11-20. | 1.9 | 93 |
| 56 | Chronically administered guanosine is anticonvulsant, amnesic and anxiolytic in mice. <i>Brain Research</i> , 2003, 977, 97-102. | 2.2 | 93 |
| 57 | Time-dependent behavioral recovery after sepsis in rats. <i>Intensive Care Medicine</i> , 2008, 34, 1724-1731. | 8.2 | 93 |
| 58 | Hippocampal molecular mechanisms involved in the enhancement of fear extinction caused by exposure to novelty. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 4572-4577. | 7.1 | 88 |
| 59 | Normal inhibitory avoidance learning and anxiety, but increased locomotor activity in mice devoid of PrPC. <i>Molecular Brain Research</i> , 1999, 71, 349-353. | 2.3 | 85 |
| 60 | Role of hippocampal NO in the acquisition and consolidation of inhibitory avoidance learning. <i>NeuroReport</i> , 1995, 6, 1498-1500. | 1.2 | 81 |
| 61 | Posttraining activation of CB1 cannabinoid receptors in the CA1 region of the dorsal hippocampus impairs object recognition long-term memory. <i>Neurobiology of Learning and Memory</i> , 2008, 90, 374-381. | 1.9 | 81 |
| 62 | Inhibition of mRNA and Protein Synthesis in the CA1 Region of the Dorsal Hippocampus Blocks Reinstallment of an Extinguished Conditioned Fear Response. <i>Journal of Neuroscience</i> , 2003, 23, 737-741. | 3.6 | 80 |
| 63 | Angiotensin II blocks memory consolidation through an AT2 receptor-dependent mechanism. <i>Psychopharmacology</i> , 2005, 179, 529-535. | 3.1 | 79 |
| 64 | Preventing adolescent stress-induced cognitive and microbiome changes by diet. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 9644-9651. | 7.1 | 79 |
| 65 | Retrograde memory enhancement by diazepam: its relation to anterograde amnesia, and some clinical implications. <i>Psychopharmacology</i> , 1986, 90, 554-6. | 3.1 | 78 |
| 66 | Memory extinction requires gene expression in rat hippocampus. <i>Neurobiology of Learning and Memory</i> , 2003, 79, 199-203. | 1.9 | 78 |
| 67 | Short-term memory formation and long-term memory consolidation are enhanced by cellular prion association to stress-inducible protein 1. <i>Neurobiology of Disease</i> , 2007, 26, 282-290. | 4.4 | 77 |
| 68 | Differential effects of emotional arousal in short- and long-term memory in healthy adults. <i>Neurobiology of Learning and Memory</i> , 2003, 79, 132-135. | 1.9 | 76 |
| 69 | Persistence of Long-Term Memory Storage: New Insights into its Molecular Signatures in the Hippocampus and Related Structures. <i>Neurotoxicity Research</i> , 2010, 18, 377-385. | 2.7 | 76 |
| 70 | Anxiolytic-, antidepressant- and anticonvulsant-like effects of the alkaloid montanine isolated from <i>Hippeastrum vittatum</i> . <i>Pharmacology Biochemistry and Behavior</i> , 2006, 85, 148-154. | 2.9 | 74 |
| 71 | Effect of various behavioral training and testing procedures on brain $\hat{1}^2$ -endorphin-like immunoreactivity and the possible role of $\hat{1}^2$ -endorphin in behavioral regulation. <i>Psychoneuroendocrinology</i> , 1984, 9, 381-389. | 2.7 | 73 |
| 72 | Angiotensin II disrupts inhibitory avoidance memory retrieval. <i>Hormones and Behavior</i> , 2006, 50, 308-313. | 2.1 | 73 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Intrahippocampal or intraamygdala infusion of KN62, a specific inhibitor of calcium/calmodulin-dependent protein kinase II, causes retrograde amnesia in the rat. Behavioral and Neural Biology, 1994, 61, 203-205. | 2.2 | 72 |
| 74 | Environmental enrichment and exercise are better than social enrichment to reduce memory deficits in amyloid beta neurotoxicity. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E2403-E2409. | 7.1 | 72 |
| 75 | Early postnatal maternal deprivation in rats induces memory deficits in adult life that can be reversed by donepezil and galantamine. International Journal of Developmental Neuroscience, 2009, 27, 59-64. | 1.6 | 71 |
| 76 | Differential effect of posttraining naloxone, $\hat{1}^2$ -endorphin, leu-enkephalin and electroconvulsive shock administration upon memory of an open-field habituation and of a water-finding task. Psychoneuroendocrinology, 1986, 11, 437-446. | 2.7 | 70 |
| 77 | Protein synthesis, PKA, and MAP kinase are differentially involved in short- and long-term memory in rats. Behavioural Brain Research, 2004, 154, 339-343. | 2.2 | 69 |
| 78 | Role of γ -Endorphin in Behavioral Regulation. Annals of the New York Academy of Sciences, 1985, 444, 162-177. | 3.8 | 68 |
| 79 | Post-training intrahippocampal infusion of protein kinase C inhibitors causes amnesia in rats. Behavioral and Neural Biology, 1994, 61, 107-109. | 2.2 | 67 |
| 80 | Major neurotransmitter systems in dorsal hippocampus and basolateral amygdala control social recognition memory. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, E4914-9. | 7.1 | 67 |
| 81 | The interaction between prion protein and laminin modulates memory consolidation. European Journal of Neuroscience, 2006, 24, 3255-3264. | 2.6 | 66 |
| 82 | Short- and Long-Term Memory Are Differentially Affected by Metabolic Inhibitors Given into Hippocampus and Entorhinal Cortex. Neurobiology of Learning and Memory, 2000, 73, 141-149. | 1.9 | 64 |
| 83 | Cellular prion protein ablation impairs behavior as a function of age. NeuroReport, 2003, 14, 1375-1379. | 1.2 | 64 |
| 84 | Physical exercise can reverse the deficit in fear memory induced by maternal deprivation. Neurobiology of Learning and Memory, 2009, 92, 364-369. | 1.9 | 64 |
| 85 | Facilitation of fear extinction by novelty depends on dopamine acting on D1-subtype dopamine receptors in hippocampus. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, E1652-8. | 7.1 | 63 |
| 86 | Aversive Experiences Are Associated with a Rapid and Transient Activation of ERKs in the Rat Hippocampus.. Neurobiology of Learning and Memory, 2002, 77, 119-124. | 1.9 | 62 |
| 87 | Retrograde Amnesia Induced by Drugs Acting on Different Molecular Systems.. Behavioral Neuroscience, 2004, 118, 563-568. | 1.2 | 61 |
| 88 | Histamine enhances inhibitory avoidance memory consolidation through a H2 receptor-dependent mechanism. Neurobiology of Learning and Memory, 2006, 86, 100-106. | 1.9 | 61 |
| 89 | Retrograde amnesia caused by Met- Leu- and des-Tyr-Met-enkephalin in the rat and its reversal by naloxone. Neuroscience Letters, 1981, 22, 189-193. | 2.1 | 60 |
| 90 | The connection between the hippocampal and the striatal memory systems of the brain: A review of recent findings. Neurotoxicity Research, 2006, 10, 113-121. | 2.7 | 60 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Memory expression is blocked by the infusion of CNQX into the hippocampus and/or the amygdala up to 20 days after training. Behavioral and Neural Biology, 1993, 59, 83-86. | 2.2 | 59 |
| 92 | Molecular mechanisms of memory retrieval. Neurochemical Research, 2002, 27, 1491-1498. | 3.3 | 59 |
| 93 | Bombesin/gastrin-releasing peptide receptors in the basolateral amygdala regulate memory consolidation. European Journal of Neuroscience, 2004, 19, 1041-1045. | 2.6 | 59 |
| 94 | Early Activation of Extracellular Signal-Regulated Kinase Signaling Pathway in the Hippocampus is Required for Short-Term Memory Formation of a Fear-Motivated Learning. Cellular and Molecular Neurobiology, 2006, 26, 81-6. | 3.3 | 59 |
| 95 | Adrenergic receptors link NO/sGC/PKG signaling to BDNF expression during the consolidation of object recognition long-term memory. Hippocampus, 2010, 20, 672-683. | 1.9 | 59 |
| 96 | Activation of adenosine receptors in the posterior cingulate cortex impairs memory retrieval in the rat. Neurobiology of Learning and Memory, 2005, 83, 217-223. | 1.9 | 58 |
| 97 | Do memories consolidate to persist or do they persist to consolidate?. Behavioural Brain Research, 2008, 192, 61-69. | 2.2 | 58 |
| 98 | Neonatal iron exposure induces oxidative stress in adult Wistar rat. Developmental Brain Research, 2001, 130, 109-114. | 1.7 | 57 |
| 99 | Elimination of the vesicular acetylcholine transporter in the forebrain causes hyperactivity and deficits in spatial memory and long-term potentiation. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 17651-17656. | 7.1 | 57 |
| 100 | B-50/GAP-43 phosphorylation and PKC activity are increased in rat hippocampal synaptosomal membranes after an inhibitory avoidance training. Neurochemical Research, 1997, 22, 499-505. | 3.3 | 56 |
| 101 | Participation of CaMKII in neuronal plasticity and memory formation. Cellular and Molecular Neurobiology, 2002, 22, 259-267. | 3.3 | 56 |
| 102 | Effects of acute and chronic physical exercise and stress on different types of memory in rats. Anais Da Academia Brasileira De Ciencias, 2008, 80, 301-309. | 0.8 | 56 |
| 103 | Hippocampal noradrenergic activation is necessary for object recognition memory consolidation and can promote BDNF increase and memory persistence. Neurobiology of Learning and Memory, 2016, 127, 84-92. | 1.9 | 56 |
| 104 | Inhibitory Avoidance Training Induces Rapid and Selective Changes in ³ [H]AMPA Receptor Binding in the Rat Hippocampal Formation. Neurobiology of Learning and Memory, 1995, 64, 257-264. | 1.9 | 54 |
| 105 | Role of the Hippocampus and Amygdala in the Extinction of Fear- Motivated Learning. Current Neurovascular Research, 2004, 1, 55-60. | 1.1 | 54 |
| 106 | Both the dorsal hippocampus and the dorsolateral striatum are needed for rat navigation in the Morris water maze. Behavioural Brain Research, 2012, 226, 171-178. | 2.2 | 54 |
| 107 | Effect of a novel experience prior to training or testing on retention of an inhibitory avoidance response in mice: Involvement of an opioid system. Behavioral and Neural Biology, 1985, 44, 228-238. | 2.2 | 53 |
| 108 | Retrieval and the Extinction of Memory. Cellular and Molecular Neurobiology, 2005, 25, 465-474. | 3.3 | 53 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 109 | Memory deficits and oxidative stress in cerebral ischemiaâ€“reperfusion: Neuroprotective role of physical exercise and green tea supplementation. <i>Neurobiology of Learning and Memory</i> , 2014, 114, 242-250. | 1.9 | 53 |
| 110 | Dose-dependent impairment of inhibitory avoidance retention in rats by immediate post-training infusion of a mitogen-activated protein kinase kinase inhibitor into cortical structures. <i>Behavioural Brain Research</i> , 1999, 105, 219-223. | 2.2 | 52 |
| 111 | Rapid and transient learning-associated increase in NMDA NR1 subunit in the rat hippocampus. <i>Neurochemical Research</i> , 2000, 25, 567-572. | 3.3 | 52 |
| 112 | Effects of chronic administered guanosine on behavioral parameters and brain glutamate uptake in rats. <i>Journal of Neuroscience Research</i> , 2005, 79, 248-253. | 2.9 | 52 |
| 113 | Duration of environmental enrichment influences the magnitude and persistence of its behavioral effects on mice. <i>Physiology and Behavior</i> , 2008, 93, 388-394. | 2.1 | 52 |
| 114 | One-trial aversive learning induces late changes in hippocampal CaMKII β , Homer 1a, Syntaxin 1a and ERK2 protein levels. <i>Molecular Brain Research</i> , 2004, 132, 1-12. | 2.3 | 51 |
| 115 | Inhibition of mRNA synthesis in the hippocampus impairs consolidation and reconsolidation of spatial memory. <i>Hippocampus</i> , 2008, 18, 29-39. | 1.9 | 50 |
| 116 | Memory as a state dependent phenomenon: Role of ACTH and epinephrine. <i>Behavioral and Neural Biology</i> , 1983, 38, 144-149. | 2.2 | 49 |
| 117 | Involvement of hippocampal PKC δ isoform in the early phase of memory formation of an inhibitory avoidance learning. <i>Brain Research</i> , 2000, 855, 199-205. | 2.2 | 49 |
| 118 | Modulation of working, short- and long-term memory by nicotinic receptors in the basolateral amygdala in rats. <i>Neurobiology of Learning and Memory</i> , 2005, 83, 113-118. | 1.9 | 49 |
| 119 | On how passive is inhibitory avoidance. <i>Behavioral and Neural Biology</i> , 1985, 43, 327-330. | 2.2 | 48 |
| 120 | The effect of cannabidiol on maximal electroshock seizures in rats. <i>Journal of Pharmacy and Pharmacology</i> , 2011, 25, 916-917. | 2.4 | 48 |
| 121 | Memory reconsolidation and its maintenance depend on L-voltage-dependent calcium channels and CaMKII functions regulating protein turnover in the hippocampus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 6566-6570. | 7.1 | 48 |
| 122 | Learning-specific, time-dependent increase in [3H]phorbol dibutyrate binding to protein kinase C in selected regions of the rat brain. <i>Brain Research</i> , 1995, 685, 163-168. | 2.2 | 47 |
| 123 | NEUROSCIENCE: Zif and the Survival of Memory. <i>Science</i> , 2004, 304, 829-830. | 12.6 | 47 |
| 124 | Parallel memory processing by the CA1 region of the dorsal hippocampus and the basolateral amygdala. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 10279-10284. | 7.1 | 47 |
| 125 | The role of histamine receptors in the consolidation of object recognition memory. <i>Neurobiology of Learning and Memory</i> , 2013, 103, 64-71. | 1.9 | 47 |
| 126 | Differential role of hippocampal cAMP-dependent protein kinase in short- and long-term memory. <i>Neurochemical Research</i> , 2000, 25, 621-626. | 3.3 | 46 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Different time course for the memory facilitating effect of bicuculline in hippocampus, entorhinal cortex, and posterior parietal cortex of rats. <i>Neurobiology of Learning and Memory</i> , 2004, 82, 52-56. | 1.9 | 46 |
| 128 | A link between role of two prefrontal areas in immediate memory and in long-term memory consolidation. <i>Neurobiology of Learning and Memory</i> , 2007, 88, 160-166. | 1.9 | 46 |
| 129 | Altered behavioural response to acute stress in mice lacking cellular prion protein. <i>Behavioural Brain Research</i> , 2005, 162, 173-181. | 2.2 | 43 |
| 130 | The entorhinal cortex plays a role in extinction. <i>Neurobiology of Learning and Memory</i> , 2006, 85, 192-197. | 1.9 | 43 |
| 131 | Pharmacological Findings on the Biochemical Bases of Memory Processes: A General View. <i>Neural Plasticity</i> , 2004, 11, 159-189. | 2.2 | 42 |
| 132 | Retinol induces the ERK1/2-dependent phosphorylation of CREB through a pathway involving the generation of reactive oxygen species in cultured Sertoli cells. <i>Cellular Signalling</i> , 2006, 18, 1685-1694. | 3.6 | 42 |
| 133 | Relationship between short- and long-term memory and short- and long-term extinction. <i>Neurobiology of Learning and Memory</i> , 2005, 84, 25-32. | 1.9 | 41 |
| 134 | Histamine facilitates consolidation of fear extinction. <i>International Journal of Neuropsychopharmacology</i> , 2011, 14, 1209-1217. | 2.1 | 41 |
| 135 | Histamine in the basolateral amygdala promotes inhibitory avoidance learning independently of hippocampus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E2536-42. | 7.1 | 41 |
| 136 | Blockade of adenosine A1 receptors in the posterior cingulate cortex facilitates memory in rats. <i>European Journal of Pharmacology</i> , 2002, 437, 151-154. | 3.5 | 40 |
| 137 | Effects of Gabapentin on Anxiety Induced by Simulated Public Speaking. <i>Journal of Psychopharmacology</i> , 2003, 17, 184-188. | 4.0 | 40 |
| 138 | Different Brain Areas Are Involved in Memory Expression at Different Times from Training. <i>Neurobiology of Learning and Memory</i> , 1996, 66, 97-101. | 1.9 | 39 |
| 139 | Temporary inactivation of the dorsal hippocampus induces a transient impairment in retrieval of aversive memory. <i>Behavioural Brain Research</i> , 2007, 180, 113-118. | 2.2 | 39 |
| 140 | Infusion of protein synthesis inhibitors in the entorhinal cortex blocks consolidation but not reconsolidation of object recognition memory. <i>Neurobiology of Learning and Memory</i> , 2009, 91, 466-472. | 1.9 | 39 |
| 141 | Cellular prion protein ablation impairs behavior as a function of age. <i>NeuroReport</i> , 2003, 14, 1375-1379. | 1.2 | 38 |
| 142 | Extinction learning, which consists of the inhibition of retrieval, can be learned without retrieval. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E230-3. | 7.1 | 38 |
| 143 | Interaction between consecutive learnings: inhibitory avoidance and habituation. <i>Behavioral and Neural Biology</i> , 1985, 44, 515-520. | 2.2 | 37 |
| 144 | Reversible Changes in Hippocampal 3H-AMPA Binding Following Inhibitory Avoidance Training in the Rat. <i>Neurobiology of Learning and Memory</i> , 1996, 66, 85-88. | 1.9 | 37 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Modulation of the extinction of fear learning. Brain Research Bulletin, 2014, 105, 61-69. | 3.0 | 37 |
| 146 | Effect of novel experiences on retention of inhibitory avoidance behavior in mice: The influence of previous exposure to the same or another experience. Behavioral and Neural Biology, 1987, 47, 109-115. | 2.2 | 36 |
| 147 | Guanosine impairs inhibitory avoidance performance in rats. NeuroReport, 2000, 11, 2537-2540. | 1.2 | 36 |
| 148 | Role of cellular prion protein on LTP expression in aged mice. Brain Research, 2006, 1097, 11-18. | 2.2 | 36 |
| 149 | Retrieval induces reconsolidation of fear extinction memory. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 21801-21805. | 7.1 | 36 |
| 150 | Brain histamine modulates recognition memory: possible implications in major cognitive disorders. British Journal of Pharmacology, 2020, 177, 539-556. | 5.4 | 36 |
| 151 | Effect of the intraperitoneal and intracerebroventricular administration of ACTH, epinephrine, or β^2 -endorphin on retrieval of an inhibitory avoidance task in rats. Behavioral and Neural Biology, 1984, 40, 119-122. | 2.2 | 35 |
| 152 | On brain lesions, the milkman and Sigmunda. Trends in Neurosciences, 1998, 21, 423-426. | 8.6 | 35 |
| 153 | Stimulators of the cAMP Cascade Reverse Amnesia Induced by Intra-amygdala but Not Intrahippocampal KN-62 Administration. Neurobiology of Learning and Memory, 1999, 71, 94-103. | 1.9 | 35 |
| 154 | ERK1/2 and CaMKII-mediated events in memory formation: Is 5HT regulation involved?. Behavioural Brain Research, 2008, 195, 120-128. | 2.2 | 35 |
| 155 | Pharmacological Findings Contribute to the Understanding of the Main Physiological Mechanisms of Memory Retrieval. CNS and Neurological Disorders, 2003, 2, 81-94. | 4.3 | 35 |
| 156 | The inhibition of acquired fear. Neurotoxicity Research, 2004, 6, 175-188. | 2.7 | 34 |
| 157 | Gene expression during memory formation. Neurotoxicity Research, 2004, 6, 189-203. | 2.7 | 34 |
| 158 | Oral administration of guanosine impairs inhibitory avoidance performance in rats and mice. Neurobiology of Learning and Memory, 2004, 81, 137-143. | 1.9 | 34 |
| 159 | Extinction and reacquisition of a fear-motivated memory require activity of the Src family of tyrosine kinases in the CA1 region of the hippocampus. Pharmacology Biochemistry and Behavior, 2005, 81, 139-145. | 2.9 | 34 |
| 160 | The molecular cascades of long-term potentiation underlie memory consolidation of one-trial avoidance in the CA1 region of the dorsal hippocampus, but not in the basolateral amygdala or the neocortex. Neurotoxicity Research, 2008, 14, 273-294. | 2.7 | 34 |
| 161 | Memory retrieval of inhibitory avoidance requires histamine H ₁ receptor activation in the hippocampus. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, E2714-20. | 7.1 | 34 |
| 162 | Short- and long-term memory: differential involvement of neurotransmitter systems and signal transduction cascades. Anais Da Academia Brasileira De Ciencias, 2000, 72, 353-364. | 0.8 | 33 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Novelty enhances retrieval of one-trial avoidance learning in rats 1 or 31 days after training unless the hippocampus is inactivated by different receptor antagonists and enzyme inhibitors. Behavioural Brain Research, 2000, 117, 215-220. | 2.2 | 33 |
| 164 | No evidence for oxidative damage in the hippocampus after acute and chronic electroshock in rats. Brain Research, 2004, 1014, 177-183. | 2.2 | 33 |
| 165 | The evidence for hippocampal long-term potentiation as a basis of memory for simple tasks. Anais Da Academia Brasileira De Ciencias, 2008, 80, 115-127. | 0.8 | 33 |
| 166 | Modulation of the storage of social recognition memory by neurotransmitter systems in the insular cortex. Behavioural Brain Research, 2017, 334, 129-134. | 2.2 | 33 |
| 167 | The role of carbonic anhydrases in extinction of contextual fear memory. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 16000-16008. | 7.1 | 33 |
| 168 | Effects of cannabidiol and of diphenylhydantoin on the hippocampus and on learning. Psychopharmacology, 1973, 31, 167-175. | 3.1 | 32 |
| 169 | Behavioural effects of acute tryptophan depletion in healthy male volunteers. Journal of Psychopharmacology, 2000, 14, 157-163. | 4.0 | 32 |
| 170 | Exposure to novelty enhances retrieval of very remote memory in rats. Neurobiology of Learning and Memory, 2003, 79, 51-56. | 1.9 | 32 |
| 171 | Three main factors in rat shuttle behavior: Their pharmacology and sequential entry in operation during a two-way avoidance session. Psychopharmacology, 1976, 49, 145-157. | 3.1 | 31 |
| 172 | Experience-dependent increase in cAMP-responsive element binding protein in synaptic and nonsynaptic mitochondria of the rat hippocampus. European Journal of Neuroscience, 1999, 11, 3753-3756. | 2.6 | 31 |
| 173 | Learning-specific decrease in synaptosomal ATP diphosphohydrolase activity from hippocampus and entorhinal cortex of adult rats. Brain Research, 2000, 854, 253-256. | 2.2 | 31 |
| 174 | Memory formation requires p38MAPK activity in the rat hippocampus. NeuroReport, 2003, 14, 1989-1992. | 1.2 | 30 |
| 175 | Learning twice is different from learning once and from learning more. Neuroscience, 2005, 132, 273-279. | 2.3 | 30 |
| 176 | Age-dependent and age-independent human memory persistence is enhanced by delayed posttraining methylphenidate administration. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 19504-19507. | 7.1 | 30 |
| 177 | Effects of green tea and physical exercise on memory impairments associated with aging. Neurochemistry International, 2014, 78, 53-60. | 3.8 | 30 |
| 178 | Systemic Administration of ACTH or Vasopressin Reverses the Amnestic Effect of Posttraining $\hat{1}^2$ -Endorphin or Electroconvulsive Shock but Not That of Intrahippocampal Infusion of Protein Kinase Inhibitors. Neurobiology of Learning and Memory, 1997, 68, 197-202. | 1.9 | 29 |
| 179 | Differential neurobehavioral deficits induced by apomorphine and its oxidation product, 8-oxo-apomorphine-semiquinone, in rats. European Journal of Pharmacology, 2002, 443, 105-111. | 3.5 | 29 |
| 180 | A link between the hippocampal and the striatal memory systems of the brain. Anais Da Academia Brasileira De Ciencias, 2006, 78, 515-523. | 0.8 | 29 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Fear extinction can be made state-dependent on peripheral epinephrine: Role of norepinephrine in the nucleus tractus solitarius. <i>Neurobiology of Learning and Memory</i> , 2014, 113, 55-61. | 1.9 | 29 |
| 182 | The extinction of conditioned fear: structural and molecular basis and therapeutic use. <i>Revista Brasileira De Psiquiatria</i> , 2007, 29, 80-85. | 1.7 | 29 |
| 183 | Early Activation of Extracellular Signal-Regulated Kinase Signaling Pathway in the Hippocampus is Required for Short-Term Memory Formation of a Fear-Motivated Learning. <i>Cellular and Molecular Neurobiology</i> , 2006, 26, 987-1000. | 3.3 | 28 |
| 184 | Histamine infused into basolateral amygdala enhances memory consolidation of inhibitory avoidance. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 1539-1545. | 2.1 | 28 |
| 185 | The relationship between protein synthesis and protein degradation in object recognition memory. <i>Behavioural Brain Research</i> , 2015, 294, 17-24. | 2.2 | 28 |
| 186 | Field potentials in rat hippocampus: Monosynaptic nature and heterosynaptic post-tetanic potentiation. <i>Experimental Neurology</i> , 1968, 21, 133-146. | 4.1 | 27 |
| 187 | Behavioural effects of acute phenylalanine and tyrosine depletion in healthy male volunteers. <i>Journal of Psychopharmacology</i> , 2002, 16, 51-55. | 4.0 | 27 |
| 188 | Response of the rat brain $\hat{1}^2$ -endorphin system to novelty: Importance of the fornix connection. <i>Behavioral and Neural Biology</i> , 1985, 43, 37-46. | 2.2 | 26 |
| 189 | Memory expression of habituation and of inhibitory avoidance is blocked by CNQX infused into the entorhinal cortex. <i>Behavioral and Neural Biology</i> , 1993, 60, 5-8. | 2.2 | 26 |
| 190 | Two different properties of short- and long-term memory. <i>Behavioural Brain Research</i> , 1999, 103, 119-121. | 2.2 | 26 |
| 191 | Interactions between anandamide-induced anterograde amnesia and post-training memory modulatory systems. <i>Brain Research</i> , 2004, 1016, 66-71. | 2.2 | 26 |
| 192 | Emotional memory in bipolar disorder. <i>British Journal of Psychiatry</i> , 2008, 192, 458-463. | 2.8 | 26 |
| 193 | Decreased acetylcholine release delays the consolidation of object recognition memory. <i>Behavioural Brain Research</i> , 2013, 238, 62-68. | 2.2 | 26 |
| 194 | One-single physical exercise session after object recognition learning promotes memory persistence through hippocampal noradrenergic mechanisms. <i>Behavioural Brain Research</i> , 2017, 329, 120-126. | 2.2 | 26 |
| 195 | Extinction memory is facilitated by methylphenidate and regulated by dopamine and noradrenaline receptors. <i>Behavioural Brain Research</i> , 2017, 326, 303-306. | 2.2 | 26 |
| 196 | Inhibition of PKC in basolateral amygdala and posterior parietal cortex impairs consolidation of inhibitory avoidance memory. <i>Pharmacology Biochemistry and Behavior</i> , 2005, 80, 63-67. | 2.9 | 24 |
| 197 | Involvement of medial prefrontal cortex NMDA and AMPA/kainate glutamate receptors in social recognition memory consolidation. <i>Neurobiology of Learning and Memory</i> , 2020, 168, 107153. | 1.9 | 24 |
| 198 | Time-dependent enhancement of inhibitory avoidance retention and MAPK activation by post-training infusion of nerve growth factor into CA1 region of hippocampus of adult rats. <i>European Journal of Neuroscience</i> , 2000, 12, 2185-2189. | 2.6 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Effects of inhibitory avoidance training and/or isolated foot-shock on ectonucleotidase activities in synaptosomes of the anterior and posterior cingulate cortex and the medial precentral area of adult rats. Behavioural Brain Research, 2002, 128, 121-127. | 2.2 | 23 |
| 200 | A role for hippocampal gastrin-releasing peptide receptors in extinction of aversive memory. NeuroReport, 2006, 17, 935-939. | 1.2 | 23 |
| 201 | Imipramine reverses the depressive symptoms in sepsis survivor rats. Intensive Care Medicine, 2007, 33, 2165-2167. | 8.2 | 23 |
| 202 | Acetylcholine release is modulated by different opioid receptor types in different brain regions and species. Trends in Pharmacological Sciences, 1990, 11, 179-180. | 8.7 | 22 |
| 203 | Different Effect of High Fat Diet and Physical Exercise in the Hippocampal Signaling. Neurochemical Research, 2008, 33, 880-885. | 3.3 | 22 |
| 204 | Neuronal histamine and the memory of emotionally salient events. British Journal of Pharmacology, 2020, 177, 557-569. | 5.4 | 22 |
| 205 | Histamine reverses a memory deficit induced in rats by early postnatal maternal deprivation. Neurobiology of Learning and Memory, 2012, 97, 54-58. | 1.9 | 21 |
| 206 | Facilitation and inhibition of retrieval in two aversive tasks in rats by intrahippocampal infusion of agonists of specific glutamate metabotropic receptor subtypes. Psychopharmacology, 2001, 156, 397-401. | 3.1 | 20 |
| 207 | Memory retrieval and its lasting consequences. Neurotoxicity Research, 2002, 4, 573-593. | 2.7 | 20 |
| 208 | Posterior parietal cortex and long-term memory: some data from laboratory animals. Frontiers in Integrative Neuroscience, 2012, 6, 8. | 2.1 | 20 |
| 209 | Chronic exposure to low mercury chloride concentration induces object recognition and aversive memories deficits in rats. International Journal of Developmental Neuroscience, 2013, 31, 468-472. | 1.6 | 20 |
| 210 | Molecular mechanisms in hippocampus and basolateral amygdala but not in parietal or cingulate cortex are involved in extinction of one-trial avoidance learning. Neurobiology of Learning and Memory, 2010, 94, 285-291. | 1.9 | 19 |
| 211 | Molecular Mechanisms in Hippocampus Involved on Object Recognition Memory Consolidation and Reconsolidation. Neuroscience, 2020, 435, 112-123. | 2.3 | 19 |
| 212 | Factors that influence test session performance measured 0, 3, or 6 h after inhibitory avoidance training. Behavioral and Neural Biology, 1985, 43, 260-273. | 2.2 | 18 |
| 213 | Changes in cortical and hippocampal ectonucleotidase activities in mice lacking cellular prion protein. Neuroscience Letters, 2001, 301, 72-74. | 2.1 | 18 |
| 214 | On the requirement of nitric oxide signaling in the amygdala for consolidation of inhibitory avoidance memory. Neurobiology of Learning and Memory, 2009, 91, 266-272. | 1.9 | 18 |
| 215 | Histamine regulates memory consolidation. Neurobiology of Learning and Memory, 2017, 145, 1-6. | 1.9 | 18 |
| 216 | Retention enhancement by pre-test $\hat{1}^2$ -endorphin and oxotremorine and its reversal by scopolamine. Behavioral and Neural Biology, 1988, 50, 251-254. | 2.2 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | The transition from memory retrieval to extinction. <i>Anais Da Academia Brasileira De Ciencias</i> , 2004, 76, 573-582. | 0.8 | 17 |
| 218 | Habituation to an open field alters ecto-nucleotidase activities in rat hippocampal synaptosomes. <i>Neuroscience Letters</i> , 2007, 413, 21-24. | 2.1 | 17 |
| 219 | Memory-enhancing treatments reverse the impairment of inhibitory avoidance retention in sepsis-surviving rats. <i>Critical Care</i> , 2008, 12, R133. | 5.8 | 17 |
| 220 | Strength training and running elicit different neuroprotective outcomes in a β 2-amyloid peptide-mediated Alzheimer's disease model. <i>Physiology and Behavior</i> , 2019, 206, 206-212. | 2.1 | 17 |
| 221 | Intrahippocampal, but not intra-amygdala, infusion of an inhibitor of heme oxygenase causes retrograde amnesia in the rat. <i>European Journal of Pharmacology</i> , 1994, 271, 227-229. | 3.5 | 16 |
| 222 | Decreased hyperlocomotion induced by MK-801, but not amphetamine and caffeine in mice lacking cellular prion protein (PrPC). <i>Molecular Brain Research</i> , 2002, 107, 190-194. | 2.3 | 16 |
| 223 | Effects of Thyroid Hormones on Memory and on Na ⁺ , K ⁺ -ATPase Activity in Rat Brain. <i>Current Neurovascular Research</i> , 2007, 4, 184-193. | 1.1 | 16 |
| 224 | The Role of the Entorhinal Cortex in Extinction: Influences of Aging. <i>Neural Plasticity</i> , 2008, 2008, 1-8. | 2.2 | 16 |
| 225 | The effect of conditioning and pseudoconditioning on RNA metabolism of rat hippocampus and neocortex. <i>Behavioral Biology</i> , 1974, 12, 67-80. | 2.2 | 15 |
| 226 | Diazepam prevents post-training drug effects related to state dependency, but not post-training memory facilitation by epinephrine. <i>Behavioral and Neural Biology</i> , 1989, 51, 73-79. | 2.2 | 15 |
| 227 | Inhibition of c-Jun N-terminal kinase in the CA1 region of the dorsal hippocampus blocks extinction of inhibitory avoidance memory. <i>Behavioural Pharmacology</i> , 2007, 18, 483-489. | 1.7 | 15 |
| 228 | Inhibitory Avoidance Task Reveals Differences in Ectonucleotidase Activities between Male and Female Rats. <i>Neurochemical Research</i> , 2004, 29, 2231-2237. | 3.3 | 14 |
| 229 | Pretraining but not Preexposure to the Task Apparatus Prevents the Memory Impairment Induced by Blockade of Protein Synthesis, PKA or MAP Kinase in Rats. <i>Neurochemical Research</i> , 2005, 30, 61-67. | 3.3 | 14 |
| 230 | The blockade of the serotonergic receptors 5-HT _{5A} , 5-HT ₆ and 5-HT ₇ in the basolateral amygdala, but not in the hippocampus facilitate the extinction of fear memory. <i>Behavioural Brain Research</i> , 2019, 372, 112055. | 2.2 | 14 |
| 231 | Acute treatment with the antidepressants bupropion and sertraline do not influence memory retrieval in man. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2006, 256, 320-325. | 3.2 | 13 |
| 232 | Reconsolidation and the fate of consolidated memories. <i>Neurotoxicity Research</i> , 2008, 14, 353-358. | 2.7 | 13 |
| 233 | Treatment of fear memories: interactions between extinction and reconsolidation. <i>Anais Da Academia Brasileira De Ciencias</i> , 2011, 83, 1363-1372. | 0.8 | 13 |
| 234 | The influence of stimulus pairing and of the shuttle-shock contingency in the performance of shuttle responses to a buzzer by weanling rats. <i>Behavioral Biology</i> , 1976, 17, 119-122. | 2.2 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | Post-Training Memory Processing in Amygdala, Septum and Hippocampus: Role of Benzodiazepine/GABAA Receptors, and their Interaction with other Neurotransmitter Systems. Reviews in the Neurosciences, 1992, 3, 11-24. | 2.9 | 12 |
| 236 | Modulation of Carbonic Anhydrases Activity in the Hippocampus or Prefrontal Cortex Differentially Affects Social Recognition Memory in Rats. Neuroscience, 2022, 497, 184-195. | 2.3 | 12 |
| 237 | The effect of non-factual post-training negative comment on the recall of verbal information. Journal of Psychiatric Research, 1988, 22, 165-169. | 3.1 | 11 |
| 238 | Experience-dependent decrease in synaptically localized Fra-1. Molecular Brain Research, 2000, 78, 120-130. | 2.3 | 11 |
| 239 | Social support favors extinction and impairs acquisition of both short- and long-term contextual fear conditioning memory. Neuroscience Letters, 2019, 712, 134505. | 2.1 | 11 |
| 240 | A arte de esquecer. Estudos Avancados, 2006, 20, 289-296. | 0.5 | 11 |
| 241 | Intrahippocampal infusion of ebselen impairs retention of an inhibitory avoidance task in rats. European Journal of Pharmacology, 2002, 451, 165-169. | 3.5 | 10 |
| 242 | New frontiers in the study of memory mechanisms. Revista Brasileira De Psiquiatria, 2013, 35, 173-177. | 1.7 | 10 |
| 243 | Catecholaminergic hippocampal activation is necessary for object recognition memory persistence induced by one-single physical exercise session. Behavioural Brain Research, 2020, 379, 112356. | 2.2 | 10 |
| 244 | Short- and Long-term Memory are Differentially Modulated by Hippocampal Nerve Growth Factor and Fibroblast Growth Factor. Neurochemical Research, 2005, 30, 185-190. | 3.3 | 9 |
| 245 | Histamine acting on the basolateral amygdala reverts the impairment of aversive memory of rats submitted to neonatal maternal deprivation. Behavioural Brain Research, 2015, 278, 83-89. | 2.2 | 9 |
| 246 | Extinction learning with social support depends on protein synthesis in prefrontal cortex but not hippocampus. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 1765-1769. | 7.1 | 9 |
| 247 | Strength training or green tea prevent memory deficits in a β 2-amyloid peptide-mediated Alzheimer's disease model. Experimental Gerontology, 2021, 143, 111186. | 2.8 | 9 |
| 248 | Behavioral drug actions and brain lateralization. Trends in Pharmacological Sciences, 1989, 10, 344-345. | 8.7 | 8 |
| 249 | Lithium activates brain phospholipase A2 and improves memory in rats: implications for Alzheimer's disease. European Archives of Psychiatry and Clinical Neuroscience, 2016, 266, 607-618. | 3.2 | 8 |
| 250 | Noradrenergic and dopaminergic involvement in novelty modulation of aversive memory generalization of adult rats. Behavioural Brain Research, 2019, 371, 111991. | 2.2 | 8 |
| 251 | TREM2, Frontotemporal Dementia "Like Disease, Nasu-Hakola Disease, and Alzheimer Dementia: A Chicken and Egg Problem?. JAMA Neurology, 2013, 70, 805. | 9.0 | 7 |
| 252 | The effect of an exposure to novel and non-novel video taped material on retrieval in two memory tests. Neuropsychologia, 1987, 25, 995-998. | 1.6 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 253 | Clozapine and Olanzapine but not Risperidone Impair the Pre-Frontal Striatal System in relation to Egocentric Spatial Orientation in a Y-Maze. <i>Current Neurovascular Research</i> , 2007, 4, 235-239. | 1.1 | 6 |
| 254 | Effects of an Acute Treatment with L-Thyroxine on Memory, Habituation, Danger Avoidance, and on Na ⁺ , K ⁺ -ATPase activity in Rat Brain. <i>Current Neurovascular Research</i> , 2007, 4, 259-267. | 1.1 | 6 |
| 255 | Methylphenidate induces state-dependency of social recognition learning: Central components. <i>Neurobiology of Learning and Memory</i> , 2018, 149, 77-83. | 1.9 | 6 |
| 256 | Development and application of the mania rating guide (MRG). <i>Revista Brasileira De Psiquiatria</i> , 2003, 25, 91-95. | 1.7 | 5 |
| 257 | Topiramate diminishes fear memory consolidation and extinguishes conditioned fear in rats. <i>Journal of Psychiatry and Neuroscience</i> , 2011, 36, 250-255. | 2.4 | 5 |
| 258 | Methylprednisolone as a memory enhancer in rats: Effects on aversive memory, long-term potentiation and calcium influx. <i>Brain Research</i> , 2017, 1670, 44-51. | 2.2 | 5 |
| 259 | Can an aversive, extinction-resistant memory trigger impairments in walking adaptability? An experimental study using adult rats. <i>Neuroscience Letters</i> , 2018, 665, 224-228. | 2.1 | 5 |
| 260 | Pharmacological Studies of the Molecular Basis of Memory Extinction. <i>Current Neuropharmacology</i> , 2003, 1, 89-98. | 2.9 | 5 |
| 261 | Involvement of medial prefrontal cortex canonical Wnt/ β -catenin and non-canonical Wnt/Ca ²⁺ signaling pathways in contextual fear memory in male rats. <i>Behavioural Brain Research</i> , 2022, 430, 113948. | 2.2 | 5 |
| 262 | Pretest β -endorphin and epinephrine, but not oxotremorine, reverse retrograde interference of a conditioned emotional response in mice. <i>Pharmacology Biochemistry and Behavior</i> , 1989, 33, 545-548. | 2.9 | 4 |
| 263 | Extinction learning: neurological features, therapeutic applications and the effect of aging. <i>Future Neurology</i> , 2008, 3, 133-140. | 0.5 | 4 |
| 264 | Inhibition of PACAP/PAC1/VPAC2 signaling impairs the consolidation of social recognition memory and nitric oxide prevents this deficit. <i>Neurobiology of Learning and Memory</i> , 2021, 180, 107423. | 1.9 | 4 |
| 265 | Repetition of memories lost or never acquired. <i>Trends in Neurosciences</i> , 2002, 25, 77-78. | 8.6 | 3 |
| 266 | Novelty exposure hinders aversive memory generalization and depends on hippocampal protein synthesis. <i>Behavioural Brain Research</i> , 2019, 359, 89-94. | 2.2 | 3 |
| 267 | Differential effects of acute diazepam on emotional and neutral memory tasks in acutely hospitalized depressed patients. <i>Neuropsychiatric Disease and Treatment</i> , 2005, 1, 269-75. | 2.2 | 3 |
| 268 | PKM θ Maintains Remote Contextual Fear Memory by Inhibiting GluA2-Dependent AMPA Receptor Endocytosis in the Prelimbic Cortex. <i>Neuroscience</i> , 2021, , . | 2.3 | 3 |
| 269 | Participation of Hippocampal 5-HT _{5A} , 5-HT ₆ and 5-HT ₇ Serotonin Receptors on the Consolidation of Social Recognition Memory. <i>Neuroscience</i> , 2022, 497, 171-183. | 2.3 | 3 |
| 270 | Effects of intrahippocampal administration of the phosphatase inhibitor okadaic acid: Dual effects on memory formation. <i>Dementia E Neuropsychologia</i> , 2010, 4, 23-27. | 0.8 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | Brain interactions between processes triggered by memory retrieval and their use in the treatment of fear memories. <i>Future Neurology</i> , 2011, 6, 307-309. | 0.5 | 2 |
| 272 | The Art of Forgetting. , 2015, , 7-60. | | 2 |
| 273 | Freud e a neurobiologia da memÃ³ria. <i>Revista De Psiquiatria Do Rio Grande Do Sul</i> , 2006, 28, 243-244. | 0.3 | 2 |
| 274 | A new spatial orientation memory test: Evaluation in patients with mild Alzheimer's disease and in patients with operated and unoperated mesial temporal lobe epilepsy. <i>European Journal of Psychiatry</i> , 2007, 21, . | 1.3 | 2 |
| 275 | Effect of Radicol Infusion on the Src Tyrosine Kinase Activity of Rat Hippocampus before and after Training in an Inhibitory Avoidance Task. <i>Neurochemical Research</i> , 2007, 32, 1150-1155. | 3.3 | 1 |
| 276 | Brain Interactions between Extinction and Reconsolidation in the Treatment of Fear Memories. <i>Neuroscience and Medicine</i> , 2011, 02, 232-238. | 0.2 | 1 |
| 277 | Participation of CaMKII in Neuronal Plasticity and Memory Formation. <i>ChemInform</i> , 2003, 34, no. | 0.0 | 0 |
| 278 | Desenvolvimento da versÃ£o em portuguÃs da Escala de AvaliaÃ£o de Mania de Bech-Rafaelsen (EAM-BR). <i>Revista De Psiquiatria Do Rio Grande Do Sul</i> , 2004, 26, 30-38. | 0.3 | 0 |
| 279 | Long-term memory persistence. <i>Future Neurology</i> , 2010, 5, 911-917. | 0.5 | 0 |
| 280 | Behaviorally Induced Synaptic Tagging. , 2017, , 611-619. | | 0 |
| 281 | Persistence of Long-Term Memory Storage: New Insights into its Molecular Signatures in the Hippocampus and Related Structures. , 2012, , 205-213. | | 0 |
| 282 | Memory Persistence. , 2012, , 2172-2173. | | 0 |
| 283 | Persistence of Long-Term Memory Storage: New Insights into its Molecular Signatures in the Hippocampus and Related Structures. , 2013, , 239-247. | | 0 |
| 284 | Protein Synthesis and Memory. , 2013, , 1-4. | | 0 |
| 285 | Modulation of Memory Consolidation, Retrieval and Extinction by Brain Histamine. <i>Receptors</i> , 2016, , 327-340. | 0.2 | 0 |
| 286 | The effect of intentionality on verbal memory assessment over days. <i>Dementia E Neuropsychologia</i> , 2020, 14, 366-371. | 0.8 | 0 |