

Ulrik WislÅ,ff

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5846933/publications.pdf>

Version: 2024-02-01

270
papers

22,746
citations

11608

70
h-index

9553

142
g-index

271
all docs

271
docs citations

271
times ranked

20061
citing authors

#	ARTICLE	IF	CITATIONS
1	Superior Cardiovascular Effect of Aerobic Interval Training Versus Moderate Continuous Training in Heart Failure Patients. <i>Circulation</i> , 2007, 115, 3086-3094.	1.6	1,640
2	Physiology of Soccer. <i>Sports Medicine</i> , 2005, 35, 501-536.	3.1	1,469
3	Importance of Assessing Cardiorespiratory Fitness in Clinical Practice: A Case for Fitness as a Clinical Vital Sign: A Scientific Statement From the American Heart Association. <i>Circulation</i> , 2016, 134, e653-e699.	1.6	1,423
4	Aerobic Interval Training Versus Continuous Moderate Exercise as a Treatment for the Metabolic Syndrome. <i>Circulation</i> , 2008, 118, 346-354.	1.6	912
5	High-intensity interval training in patients with lifestyle-induced cardiometabolic disease: a systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2014, 48, 1227-1234.	3.1	909
6	Strong correlation of maximal squat strength with sprint performance and vertical jump height in elite soccer players. <i>British Journal of Sports Medicine</i> , 2004, 38, 285-288.	3.1	756
7	Cardiovascular Risk Factors Emerge After Artificial Selection for Low Aerobic Capacity. <i>Science</i> , 2005, 307, 418-420.	6.0	559
8	Technical performance during soccer matches of the Italian Serie A league: Effect of fatigue and competitive level. <i>Journal of Science and Medicine in Sport</i> , 2009, 12, 227-233.	0.6	526
9	Cardiovascular Risk of High- Versus Moderate-Intensity Aerobic Exercise in Coronary Heart Disease Patients. <i>Circulation</i> , 2012, 126, 1436-1440.	1.6	385
10	Exercise induces cerebral VEGF and angiogenesis via the lactate receptor HCAR1. <i>Nature Communications</i> , 2017, 8, 15557.	5.8	321
11	Effect of 2 Soccer Matches in a Week on Physical Performance and Injury Rate. <i>American Journal of Sports Medicine</i> , 2010, 38, 1752-1758.	1.9	317
12	Soccer specific aerobic endurance training. <i>British Journal of Sports Medicine</i> , 2002, 36, 218-221.	3.1	310
13	Strength and endurance of elite soccer players. <i>Medicine and Science in Sports and Exercise</i> , 1998, 30, 462-467.	0.2	299
14	Accuracy of Heart Rate Watches: Implications for Weight Management. <i>PLoS ONE</i> , 2016, 11, e0154420.	1.1	277
15	Aerobic interval training reduces cardiovascular risk factors more than a multitreatment approach in overweight adolescents. <i>Clinical Science</i> , 2009, 116, 317-326.	1.8	260
16	Both aerobic endurance and strength training programmes improve cardiovascular health in obese adults. <i>Clinical Science</i> , 2008, 115, 283-293.	1.8	238
17	Aerobic interval training versus continuous moderate exercise after coronary artery bypass surgery: A randomized study of cardiovascular effects and quality of life. <i>American Heart Journal</i> , 2009, 158, 1031-1037.	1.2	234
18	Intensity-controlled treadmill running in mice: cardiac and skeletal muscle hypertrophy. <i>Journal of Applied Physiology</i> , 2002, 93, 1301-1309.	1.2	229

#	ARTICLE	IF	CITATIONS
19	Peak Oxygen Uptake and Cardiovascular Risk Factors in 4631 Healthy Women and Men. <i>Medicine and Science in Sports and Exercise</i> , 2011, 43, 1465-1473.	0.2	228
20	Running speed and maximal oxygen uptake in rats and mice: practical implications for exercise training. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007, 14, 753-760.	3.1	224
21	Intensity-controlled treadmill running in rats: $\dot{V}E_{\text{max}}$ and cardiac hypertrophy. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2001, 280, H1301-H1310.	1.5	223
22	High-Intensity Interval Training to Maximize Cardiac Benefits of Exercise Training?. <i>Exercise and Sport Sciences Reviews</i> , 2009, 37, 139-146.	1.6	217
23	Moderate vs. high exercise intensity: Differential effects on aerobic fitness, cardiomyocyte contractility, and endothelial function. <i>Cardiovascular Research</i> , 2005, 67, 161-172.	1.8	211
24	Player Load, Acceleration, and Deceleration During Forty-Five Competitive Matches of Elite Soccer. <i>Journal of Strength and Conditioning Research</i> , 2016, 30, 351-359.	1.0	203
25	Age-predicted maximal heart rate in healthy subjects: The HUNT Fitness Study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2013, 23, 697-704.	1.3	201
26	Aerobic exercise reduces cardiomyocyte hypertrophy and increases contractility, Ca ²⁺ sensitivity and SERCA-2 in rat after myocardial infarction. <i>Cardiovascular Research</i> , 2002, 54, 162-174.	1.8	192
27	Role of RyR2 Phosphorylation at S2814 During Heart Failure Progression. <i>Circulation Research</i> , 2012, 110, 1474-1483.	2.0	187
28	Interval Training Normalizes Cardiomyocyte Function, Diastolic Ca ²⁺ Control, and SR Ca ²⁺ Release Synchronicity in a Mouse Model of Diabetic Cardiomyopathy. <i>Circulation Research</i> , 2009, 105, 527-536.	2.0	173
29	Strength training versus aerobic interval training to modify risk factors of metabolic syndrome. <i>Journal of Applied Physiology</i> , 2010, 108, 804-810.	1.2	166
30	Increased contractility and calcium sensitivity in cardiac myocytes isolated from endurance trained rats. <i>Cardiovascular Research</i> , 2001, 50, 495-508.	1.8	159
31	Aerobic interval training vs. continuous moderate exercise in the metabolic syndrome of rats artificially selected for low aerobic capacity. <i>Cardiovascular Research</i> , 2008, 81, 723-732.	1.8	159
32	Estimating $\dot{V}E_{\text{O2peak}}$ from a Nonexercise Prediction Model. <i>Medicine and Science in Sports and Exercise</i> , 2011, 43, 2024-2030.	0.2	159
33	Field and laboratory testing in young elite soccer players. <i>British Journal of Sports Medicine</i> , 2004, 38, 191-196.	3.1	155
34	Temporal Changes in Resting Heart Rate and Deaths From Ischemic Heart Disease. <i>JAMA - Journal of the American Medical Association</i> , 2011, 306, 2579.	3.8	153
35	Aerobic Capacity Reference Data in 3816 Healthy Men and Women 20-90 Years. <i>PLoS ONE</i> , 2013, 8, e64319.	1.1	151
36	Effect of Match-Related Fatigue on Short-Passing Ability in Young Soccer Players. <i>Medicine and Science in Sports and Exercise</i> , 2008, 40, 934-942.	0.2	149

#	ARTICLE	IF	CITATIONS
37	Aerobic interval training increases peak oxygen uptake more than usual care exercise training in myocardial infarction patients: a randomized controlled study. <i>Clinical Rehabilitation</i> , 2012, 26, 33-44.	1.0	145
38	Intrinsic Aerobic Capacity Sets a Divide for Aging and Longevity. <i>Circulation Research</i> , 2011, 109, 1162-1172.	2.0	144
39	Effect of High-Intensity Interval Training, Moderate Continuous Training, or Guideline-Based Physical Activity Advice on Peak Oxygen Consumption in Patients With Heart Failure With Preserved Ejection Fraction. <i>JAMA - Journal of the American Medical Association</i> , 2021, 325, 542.	3.8	144
40	Endothelial Dysfunction Induced by Post-Prandial Lipemia. <i>Journal of the American College of Cardiology</i> , 2009, 53, 200-206.	1.2	137
41	Maximal strength training improves work economy in trained female cross-country skiers. <i>Medicine and Science in Sports and Exercise</i> , 1999, 31, 870-877.	0.2	129
42	Circulating MicroRNAs and Aerobic Fitness – The HUNT-Study. <i>PLoS ONE</i> , 2013, 8, e57496.	1.1	128
43	Exercise Training Prevents Oxidative Stress and Ubiquitin-Proteasome System Overactivity and Reverse Skeletal Muscle Atrophy in Heart Failure. <i>PLoS ONE</i> , 2012, 7, e41701.	1.1	123
44	Heart failure with preserved ejection fraction induces molecular, mitochondrial, histological, and functional alterations in rat respiratory and limb skeletal muscle. <i>European Journal of Heart Failure</i> , 2015, 17, 263-272.	2.9	123
45	Relationship Between Anthropometric and Physiological Characteristics in Youth Soccer Players. <i>Journal of Strength and Conditioning Research</i> , 2009, 23, 1204-1210.	1.0	120
46	Guidelines for the delivery and monitoring of high intensity interval training in clinical populations. <i>Progress in Cardiovascular Diseases</i> , 2019, 62, 140-146.	1.6	119
47	A single weekly bout of exercise may reduce cardiovascular mortality: how little pain for cardiac gain? – The HUNT study, Norway –™. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006, 13, 798-804.	3.1	118
48	Low- and High-Volume of Intensive Endurance Training Significantly Improves Maximal Oxygen Uptake after 10-Weeks of Training in Healthy Men. <i>PLoS ONE</i> , 2013, 8, e65382.	1.1	118
49	High-Intensity Aerobic Exercise Training Improves the Heart in Health and Disease. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2010, 30, 2-11.	1.2	116
50	MicroRNAs as Important Regulators of Exercise Adaptation. <i>Progress in Cardiovascular Diseases</i> , 2017, 60, 130-151.	1.6	114
51	A Simple Nonexercise Model of Cardiorespiratory Fitness Predicts Long-Term Mortality. <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 1159-1165.	0.2	111
52	Effects of preterm birth and fetal growth retardation on cardiovascular risk factors in young adulthood. <i>Early Human Development</i> , 2009, 85, 239-245.	0.8	109
53	Circulating microRNAs predict future fatal myocardial infarction in healthy individuals – The HUNT study. <i>Journal of Molecular and Cellular Cardiology</i> , 2016, 97, 162-168.	0.9	109
54	High-Intensity Interval Exercise Effectively Improves Cardiac Function in Patients With Type 2 Diabetes Mellitus and Diastolic Dysfunction. <i>Journal of the American College of Cardiology</i> , 2014, 64, 1758-1760.	1.2	107

#	ARTICLE	IF	CITATIONS
55	Aerobic interval training enhances cardiomyocyte contractility and Ca ²⁺ cycling by phosphorylation of CaMKII and Thr-17 of phospholamban. <i>Journal of Molecular and Cellular Cardiology</i> , 2007, 43, 354-361.	0.9	106
56	Aerobic Fitness Is Associated With Cardiomyocyte Contractile Capacity and Endothelial Function in Exercise Training and Detraining. <i>Circulation</i> , 2004, 109, 2897-2904.	1.6	105
57	Dietary Nitrate Does Not Enhance Running Performance in Elite Cross-Country Skiers. <i>Medicine and Science in Sports and Exercise</i> , 2012, 44, 2213-2219.	0.2	105
58	Time-course of endothelial adaptation following acute and regular exercise. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006, 13, 585-591.	3.1	100
59	Remote Ischemic Preconditioning Preserves Mitochondrial Function and Influences Myocardial MicroRNA Expression in Atrial Myocardium During Coronary Bypass Surgery. <i>Circulation Research</i> , 2014, 114, 851-859.	2.0	97
60	Age and gender differences of endothelial function in 4739 healthy adults: the HUNT3 Fitness Study. <i>European Journal of Preventive Cardiology</i> , 2013, 20, 531-540.	0.8	95
61	Physical activity and mortality in men and women with coronary heart disease: a prospective population-based cohort study in Norway (the HUNT study). <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008, 15, 639-645.	3.1	94
62	Telomere Length and Long-Term Endurance Exercise: Does Exercise Training Affect Biological Age? A Pilot Study. <i>PLoS ONE</i> , 2012, 7, e52769.	1.1	93
63	Acceleration and sprint profiles of a professional elite football team in match play. <i>European Journal of Sport Science</i> , 2015, 15, 101-110.	1.4	92
64	HIITing the brain with exercise: mechanisms, consequences and practical recommendations. <i>Journal of Physiology</i> , 2020, 598, 2513-2530.	1.3	92
65	Endothelial Function in Highly Endurance-Trained Men: Effects of Acute Exercise. <i>Journal of Strength and Conditioning Research</i> , 2008, 22, 535-542.	1.0	85
66	High intensity interval training alters substrate utilization and reduces oxygen consumption in the heart. <i>Journal of Applied Physiology</i> , 2011, 111, 1235-1241.	1.2	78
67	High- versus moderate-intensity aerobic exercise training effects on skeletal muscle of infarcted rats. <i>Journal of Applied Physiology</i> , 2013, 114, 1029-1041.	1.2	78
68	Effects of 12-Week On-Field Combined Strength and Power Training on Physical Performance Among U-14 Young Soccer Players. <i>Journal of Strength and Conditioning Research</i> , 2010, 24, 644-652.	1.0	76
69	Targeting miR-423-5p Reverses Exercise Training-Induced HCN4 Channel Remodeling and Sinus Bradycardia. <i>Circulation Research</i> , 2017, 121, 1058-1068.	2.0	76
70	Are the neuroprotective effects of exercise training systemically mediated?. <i>Progress in Cardiovascular Diseases</i> , 2019, 62, 94-101.	1.6	76
71	A Rat Model System to Study Complex Disease Risks, Fitness, Aging, and Longevity. <i>Trends in Cardiovascular Medicine</i> , 2012, 22, 29-34.	2.3	75
72	Personalized Activity Intelligence (PAI) for Prevention of Cardiovascular Disease and Promotion of Physical Activity. <i>American Journal of Medicine</i> , 2017, 130, 328-336.	0.6	74

#	ARTICLE	IF	CITATIONS
73	Higher plantar pressure on the medial side in four soccer-related movements. <i>British Journal of Sports Medicine</i> , 2007, 41, 93-100.	3.1	73
74	Prediction of Cardiovascular Mortality by Estimated Cardiorespiratory Fitness Independent of Traditional Risk Factors: The HUNT Study. <i>Mayo Clinic Proceedings</i> , 2017, 92, 218-227.	1.4	72
75	Effect of exercise training for five years on all cause mortality in older adults—the Generation 100 study: randomised controlled trial. <i>BMJ</i> , The, 2020, 371, m3485.	3.0	72
76	Exercise and nitric oxide prevent bubble formation: a novel approach to the prevention of decompression sickness?. <i>Journal of Physiology</i> , 2004, 555, 825-829.	1.3	71
77	Regional expression of endothelin-1, ANP, IGF-1, and LV wall stress in the infarcted rat heart. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2001, 280, H2902-H2910.	1.5	68
78	Aerobic exercise before diving reduces venous gas bubble formation in humans. <i>Journal of Physiology</i> , 2004, 555, 637-642.	1.3	68
79	Mechanisms of exercise-induced improvements in the contractile apparatus of the mammalian myocardium. <i>Acta Physiologica</i> , 2010, 199, 425-439.	1.8	68
80	The effects of acute oral antioxidants on diving-induced alterations in human cardiovascular function. <i>Journal of Physiology</i> , 2007, 578, 859-870.	1.3	66
81	Comparison of Three Popular Exercise Modalities on $\dot{V}\dot{E}^{\text{TM}}\text{O}_2\text{max}$ in Overweight and Obese. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 491-498.	0.2	66
82	Home-Based Aerobic Interval Training Improves Peak Oxygen Uptake Equal to Residential Cardiac Rehabilitation: A Randomized, Controlled Trial. <i>PLoS ONE</i> , 2012, 7, e41199.	1.1	65
83	Aerobic endurance training reduces bubble formation and increases survival in rats exposed to hyperbaric pressure. <i>Journal of Physiology</i> , 2001, 537, 607-611.	1.3	61
84	Nos inhibition increases bubble formation and reduces survival in sedentary but not exercised rats. <i>Journal of Physiology</i> , 2003, 546, 577-582.	1.3	61
85	Optimising exercise training in prevention and treatment of diastolic heart failure (OptimEx-CLIN): rationale and design of a prospective, randomised, controlled trial. <i>European Journal of Preventive Cardiology</i> , 2014, 21, 18-25.	0.8	61
86	Difference in plantar pressure between the preferred and non-preferred feet in four soccer-related movements. <i>British Journal of Sports Medicine</i> , 2007, 41, 84-92.	3.1	60
87	Swim training suppresses tumor growth in mice. <i>Journal of Applied Physiology</i> , 2009, 107, 261-265.	1.2	59
88	Exercise and cardiac health: physiological and molecular insights. <i>Nature Metabolism</i> , 2020, 2, 829-839.	5.1	59
89	Insomnia Symptoms and Cardiorespiratory Fitness in Healthy Individuals: The Nord-Trøndelag Health Study (HUNT). <i>Sleep</i> , 2013, 36, 99-108.	0.6	58
90	Effect of Exercise Training on Inflammation Status Among People with Metabolic Syndrome. <i>Metabolic Syndrome and Related Disorders</i> , 2012, 10, 267-272.	0.5	57

#	ARTICLE	IF	CITATIONS
91	Physical activity, cardiorespiratory fitness, and cardiovascular outcomes in individuals with atrial fibrillation: the HUNT study. <i>European Heart Journal</i> , 2020, 41, 1467-1475.	1.0	57
92	Peak oxygen uptake and incident coronary heart disease in a healthy population: the HUNT Fitness Study. <i>European Heart Journal</i> , 2019, 40, 1633-1639.	1.0	56
93	Effects of aerobic training on the exercise-induced decline in short-passing ability in junior soccer players. <i>Applied Physiology, Nutrition and Metabolism</i> , 2008, 33, 1192-1198.	0.9	55
94	Long-term follow-up after cardiac rehabilitation. <i>International Journal of Cardiology</i> , 2011, 152, 388-390.	0.8	55
95	Coronary Atheroma Regression and Plaque Characteristics Assessed by Grayscale and Radiofrequency Intravascular Ultrasound After Aerobic Exercise. <i>American Journal of Cardiology</i> , 2014, 114, 1504-1511.	0.7	54
96	Do weather changes influence physical activity level among older adults? â€œ The Generation 100 study. <i>PLoS ONE</i> , 2018, 13, e0199463.	1.1	52
97	Temporal changes in cardiorespiratory fitness and risk of dementia incidence and mortality: a population-based prospective cohort study. <i>Lancet Public Health</i> , The, 2019, 4, e565-e574.	4.7	52
98	High-intensity knee extensor training restores skeletal muscle function in COPD patients. <i>European Respiratory Journal</i> , 2012, 40, 1130-1136.	3.1	51
99	Cardio-Respiratory Reference Data in 4631 Healthy Men and Women 20-90 Years: The HUNT 3 Fitness Study. <i>PLoS ONE</i> , 2014, 9, e113884.	1.1	50
100	Exogenous Nitric Oxide and Bubble Formation in Divers. <i>Medicine and Science in Sports and Exercise</i> , 2006, 38, 1432-1435.	0.2	49
101	A randomised controlled study of the long-term effects of exercise training on mortality in elderly people: study protocol for the Generation 100 study. <i>BMJ Open</i> , 2015, 5, e007519-e007519.	0.8	47
102	Autophagy Signaling in Skeletal Muscle of Infarcted Rats. <i>PLoS ONE</i> , 2014, 9, e85820.	1.1	47
103	Aerobic exercise training rescues cardiac protein quality control and blunts endoplasmic reticulum stress in heart failure rats. <i>Journal of Cellular and Molecular Medicine</i> , 2016, 20, 2208-2212.	1.6	45
104	Time Course of Endothelial Adaptation After Acute and Chronic Exercise in Patients With Metabolic Syndrome. <i>Journal of Strength and Conditioning Research</i> , 2011, 25, 2552-2558.	1.0	44
105	Acute dietary nitrate supplementation improves arterial endothelial function at high altitude: A double-blinded randomized controlled cross over study. <i>Nitric Oxide - Biology and Chemistry</i> , 2015, 50, 58-64.	1.2	44
106	Current physical activity guidelines for health are insufficient to mitigate long-term weight gain: more data in the fitness versus fatness debate (The HUNT study, Norway). <i>British Journal of Sports Medicine</i> , 2014, 48, 1489-1496.	3.1	43
107	Deletion of mouse <i>Alkbh7</i> leads to obesity. <i>Journal of Molecular Cell Biology</i> , 2013, 5, 194-203.	1.5	40
108	Personal Activity Intelligence (PAI), Sedentary Behavior and Cardiovascular Risk Factor Clustering â€œ the HUNT Study. <i>Progress in Cardiovascular Diseases</i> , 2017, 60, 89-95.	1.6	40

#	ARTICLE	IF	CITATIONS
109	High-intensity interval training attenuates endothelial dysfunction in a Dahl salt-sensitive rat model of heart failure with preserved ejection fraction. <i>Journal of Applied Physiology</i> , 2015, 119, 745-752.	1.2	39
110	Differences in Acceleration and High-Intensity Activities Between Small-Sided Games and Peak Periods of Official Matches in Elite Soccer Players. <i>Journal of Strength and Conditioning Research</i> , 2021, 35, 2018-2024.	1.0	39
111	Aerobic capacity-dependent differences in cardiac gene expression. <i>Physiological Genomics</i> , 2008, 33, 100-109.	1.0	37
112	Even low level of physical activity is associated with reduced mortality among people with metabolic syndrome, a population based study (the HUNT 2 study, Norway). <i>BMC Medicine</i> , 2011, 9, 109.	2.3	37
113	Remote ischemic preconditioning preserves mitochondrial function and activates pro-survival protein kinase Akt in the left ventricle during cardiac surgery: A randomized trial. <i>International Journal of Cardiology</i> , 2014, 177, 409-417.	0.8	37
114	Effects of Cariporide and Losartan on Hypertrophy, Calcium Transients, Contractility, and Gene Expression in Congestive Heart Failure. <i>Circulation</i> , 2002, 105, 1380-1386.	1.6	35
115	Effect of a short-acting NO donor on bubble formation from a saturation dive in pigs. <i>Journal of Applied Physiology</i> , 2006, 101, 1541-1545.	1.2	35
116	Caloric Restriction Reverses Hepatic Insulin Resistance and Steatosis in Rats with Low Aerobic Capacity. <i>Endocrinology</i> , 2010, 151, 5157-5164.	1.4	35
117	Prognostic Value of Circulating MicroRNA-210 Levels in Patients with Moderate to Severe Aortic Stenosis. <i>PLoS ONE</i> , 2014, 9, e91812.	1.1	35
118	Mitochondrial respiration and microRNA expression in right and left atrium of patients with atrial fibrillation. <i>Physiological Genomics</i> , 2014, 46, 505-511.	1.0	35
119	Left Ventricular Mechanics During Exercise: A Doppler and Tissue Doppler Study. <i>European Journal of Echocardiography</i> , 2003, 4, 286-291.	2.3	34
120	Exercise Patterns and Peak Oxygen Uptake in a Healthy Population. <i>Medicine and Science in Sports and Exercise</i> , 2012, 44, 1881-1889.	0.2	34
121	A randomised trial comparing weight loss with aerobic exercise in overweight individuals with coronary artery disease: The CUT-IT trial. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 1009-1017.	0.8	34
122	Global Fitness Levels: Findings From a Web-Based Surveillance Report. <i>Progress in Cardiovascular Diseases</i> , 2017, 60, 78-88.	1.6	33
123	Atrioventricular Plane Displacement in Untrained and Trained Females. <i>Medicine and Science in Sports and Exercise</i> , 2004, 36, 1871-1875.	0.2	32
124	Gene expression profiling of skeletal muscle in exercise-trained and sedentary rats with inborn high and low $\dot{V}O_{2\max}$. <i>Physiological Genomics</i> , 2008, 35, 213-221.	1.0	32
125	Protective Effect of Regular Physical Activity on Depression After Myocardial Infarction: The HUNT Study. <i>American Journal of Medicine</i> , 2016, 129, 82-88.e1.	0.6	32
126	Cardiorespiratory Reference Data in Older Adults. <i>Medicine and Science in Sports and Exercise</i> , 2017, 49, 2206-2215.	0.2	32

#	ARTICLE	IF	CITATIONS
127	Human cardiomyocyte calcium handling and transverse tubules in mid-stage of post-myocardial infarction heart failure. <i>ESC Heart Failure</i> , 2018, 5, 332-342.	1.4	32
128	Cardiorespiratory Fitness, Sedentary Time, and Cardiovascular Risk Factor Clustering. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 625-632.	0.2	31
129	Personal Activity Intelligence (PAI): A new standard in activity tracking for obtaining a healthy cardiorespiratory fitness level and low cardiovascular risk. <i>Progress in Cardiovascular Diseases</i> , 2019, 62, 179-185.	1.6	31
130	Effect of 24 Sessions of High-Intensity Aerobic Interval Training Carried out at Either High or Moderate Frequency, a Randomized Trial. <i>PLoS ONE</i> , 2014, 9, e88375.	1.1	31
131	Physical Activity as a Long-Term Predictor of Peak Oxygen Uptake. <i>Medicine and Science in Sports and Exercise</i> , 2011, 43, 1675-1679.	0.2	30
132	Development of Global Reference Standards for Directly Measured Cardiorespiratory Fitness: A Report From the Fitness Registry and Importance of Exercise National Database (FRIEND). <i>Mayo Clinic Proceedings</i> , 2020, 95, 255-264.	1.4	30
133	Combined effect of resting heart rate and physical activity on ischaemic heart disease: mortality follow-up in a population study (the HUNT study, Norway). <i>Journal of Epidemiology and Community Health</i> , 2010, 64, 175-181.	2.0	29
134	Predicting VO ₂ peak from Submaximal- and Peak Exercise Models: The HUNT 3 Fitness Study, Norway. <i>PLoS ONE</i> , 2016, 11, e0144873.	1.1	29
135	Expression of perilipins in human skeletal muscle in vitro and in vivo in relation to diet, exercise and energy balance. <i>Archives of Physiology and Biochemistry</i> , 2012, 118, 22-30.	1.0	28
136	A Prospective Population Study of Resting Heart Rate and Peak Oxygen Uptake (the HUNT Study). <i>Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50</i>	1.1	28
137	Physical activity modifies the risk of atrial fibrillation in obese individuals: The HUNT3 study. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 1646-1652.	0.8	28
138	A small molecule activator of AKT does not reduce ischemic injury of the rat heart. <i>Journal of Translational Medicine</i> , 2015, 13, 76.	1.8	27
139	Powerful extreme phenotype sampling designs and score tests for genetic association studies. <i>Statistics in Medicine</i> , 2018, 37, 4234-4251.	0.8	27
140	The Marked Reduction in Mixed Venous Oxygen Saturation During Early Mobilization After Cardiac Surgery: The Effect of Posture or Exercise?. <i>Anesthesia and Analgesia</i> , 2006, 102, 1609-1616.	1.1	26
141	Pathological and physiological hypertrophies are regulated by distinct gene programs. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2009, 16, 690-697.	3.1	25
142	Increasing Physical Activity of High Intensity to Reduce the Prevalence of Chronic Diseases and Improve Public Health. <i>Open Cardiovascular Medicine Journal</i> , 2013, 7, 1-8.	0.6	25
143	Age-related change in peak oxygen uptake and change of cardiovascular risk factors. The HUNT Study. <i>Progress in Cardiovascular Diseases</i> , 2020, 63, 730-737.	1.6	24
144	Carbon Monoxide Levels Experienced by Heavy Smokers Impair Aerobic Capacity and Cardiac Contractility and Induce Pathological Hypertrophy. <i>Inhalation Toxicology</i> , 2008, 20, 635-646.	0.8	23

#	ARTICLE	IF	CITATIONS
145	The association of metabolic clustering and physical activity with cardiovascular mortality: the HUNT study in Norway. <i>Journal of Epidemiology and Community Health</i> , 2010, 64, 690-695.	2.0	23
146	Serum Levels of Choline-Containing Compounds Are Associated with Aerobic Fitness Level: The HUNT-Study. <i>PLoS ONE</i> , 2012, 7, e42330.	1.1	23
147	Peak Oxygen Uptake and Physical Activity in 13- to 18-Year-Olds. <i>Medicine and Science in Sports and Exercise</i> , 2013, 45, 304-313.	0.2	23
148	CrossTalk proposal: High intensity interval training does have a role in risk reduction or treatment of disease. <i>Journal of Physiology</i> , 2015, 593, 5215-5217.	1.3	23
149	Association between pulmonary function and peak oxygen uptake in elderly: the Generation 100 study. <i>Respiratory Research</i> , 2015, 16, 156.	1.4	23
150	Headache and peak oxygen uptake: The HUNT3 study. <i>Cephalalgia</i> , 2016, 36, 437-444.	1.8	23
151	The Combined Association of Skeletal Muscle Strength and Physical Activity on Mortality in Older Women: The HUNT2 Study. <i>Mayo Clinic Proceedings</i> , 2017, 92, 710-718.	1.4	23
152	Exercise patterns in older adults instructed to follow moderate- or high-intensity exercise protocol â€” the generation 100 study. <i>BMC Geriatrics</i> , 2018, 18, 208.	1.1	23
153	Can exercise training teach us how to treat Alzheimerâ€™s disease?. <i>Ageing Research Reviews</i> , 2022, 75, 101559.	5.0	23
154	New relative intensity ambulatory accelerometer thresholds for elderly men and women: the Generation 100 study. <i>BMC Geriatrics</i> , 2015, 15, 97.	1.1	22
155	EX-MET study: exercise in prevention on of metabolic syndrome â€” a randomized multicenter trial: rational and design. <i>BMC Public Health</i> , 2018, 18, 437.	1.2	22
156	Cardiomyocyte contractility and calcium handling partially recover after early deterioration during post-infarction failure in rat. <i>Acta Physiologica Scandinavica</i> , 2002, 176, 17-26.	2.3	21
157	Aerobic interval training reduces inducible ventricular arrhythmias in diabetic mice after myocardial infarction. <i>Basic Research in Cardiology</i> , 2015, 110, 44.	2.5	21
158	Personal Activity Intelligence and Mortality in Patients with Cardiovascular Disease: The HUNT Study. <i>Mayo Clinic Proceedings</i> , 2018, 93, 1191-1201.	1.4	21
159	Inflammation Is Strongly Associated With Cardiorespiratory Fitness, Sex, BMI, and the Metabolic Syndrome in a Self-reported Healthy Population: HUNT3 Fitness Study. <i>Mayo Clinic Proceedings</i> , 2019, 94, 803-810.	1.4	21
160	Temporal Changes in a Novel Metric of Physical Activity Tracking (Personal Activity Intelligence) and Mortality: The HUNT Study, Norway. <i>Progress in Cardiovascular Diseases</i> , 2019, 62, 186-192.	1.6	21
161	Identification of novel genetic variants associated with cardiorespiratory fitness. <i>Progress in Cardiovascular Diseases</i> , 2020, 63, 341-349.	1.6	21
162	Aerobic Interval Training Partly Reverse Contractile Dysfunction and Impaired Ca ²⁺ Handling in Atrial Myocytes from Rats with Post Infarction Heart Failure. <i>PLoS ONE</i> , 2013, 8, e66288.	1.1	21

#	ARTICLE	IF	CITATIONS
163	Validity of the Yo-Yo intermittent endurance test in young soccer players. <i>European Journal of Sport Science</i> , 2011, 11, 309-315.	1.4	20
164	Cardiorespiratory Fitness and the Risk of First Acute Myocardial Infarction: The HUNT Study. <i>Journal of the American Heart Association</i> , 2019, 8, e010293.	1.6	20
165	Evaluation of a new upper body ergometer for cross-country skiers. <i>Medicine and Science in Sports and Exercise</i> , 1998, 30, 1314-1320.	0.2	20
166	Nitric oxide synthase type-1 modulates cardiomyocyte contractility and calcium handling: association with low intrinsic aerobic capacity. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007, 14, 319-325.	3.1	19
167	Chronic CaMKII inhibition blunts the cardiac contractile response to exercise training. <i>European Journal of Applied Physiology</i> , 2012, 112, 579-588.	1.2	19
168	Endoplasmic reticulum stress impairs cardiomyocyte contractility through JNK-dependent upregulation of BNIP3. <i>International Journal of Cardiology</i> , 2018, 272, 194-201.	0.8	19
169	Predictors of Dropout in Exercise Trials in Older Adults: The Generation 100 Study. <i>Medicine and Science in Sports and Exercise</i> , 2019, 51, 49-55.	0.2	19
170	Accelerations – a new approach to quantify physical performance decline in male elite soccer?. <i>European Journal of Sport Science</i> , 2019, 19, 1015-1023.	1.4	19
171	Exercise Reveals Proline Dehydrogenase as a Potential Target in Heart Failure. <i>Progress in Cardiovascular Diseases</i> , 2019, 62, 193-202.	1.6	19
172	Nitric oxide synthase type-1 modulates cardiomyocyte contractility and calcium handling: association with low intrinsic aerobic capacity. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007, 14, 319-325.	3.1	19
173	The exercise-induced long noncoding RNA <i>CYTOR</i> promotes fast-twitch myogenesis in aging. <i>Science Translational Medicine</i> , 2021, 13, eabc7367.	5.8	19
174	Comparison of left versus right atrial myocardium in patients with sinus rhythm or atrial fibrillation - an assessment of mitochondrial function and microRNA expression. <i>Physiological Reports</i> , 2014, 2, e12124.	0.7	18
175	Correlates of Objectively Measured Physical Activity Among Norwegian Older Adults: The Generation 100 Study. <i>Journal of Aging and Physical Activity</i> , 2016, 24, 369-375.	0.5	18
176	Sedentary Time, Cardiorespiratory Fitness, and Cardiovascular Risk Factor Clustering in Older Adults—the Generation 100 Study. <i>Mayo Clinic Proceedings</i> , 2016, 91, 1525-1534.	1.4	18
177	Differential regulation of cysteine oxidative post-translational modifications in high and low aerobic capacity. <i>Scientific Reports</i> , 2018, 8, 17772.	1.6	18
178	Skeletal muscle heme oxygenase-1 activity regulates aerobic capacity. <i>Cell Reports</i> , 2021, 35, 109018.	2.9	18
179	Cardiovascular Risk Factors Have Larger Impact on Endothelial Function in Self-Reported Healthy Women than Men in the HUNT3 Fitness Study. <i>PLoS ONE</i> , 2014, 9, e101371.	1.1	18
180	Are Older Adults Physically Active Enough – A Matter of Assessment Method? The Generation 100 Study. <i>PLoS ONE</i> , 2016, 11, e0167012.	1.1	18

#	ARTICLE	IF	CITATIONS
181	Disturbed adiponectin AMPK system in skeletal muscle of patients with metabolic syndrome. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 203-205.	0.8	17
182	Effect of 5 Years of Exercise Intervention at Different Intensities on Brain Structure in Older Adults from the General Population: A Generation 100 Substudy. <i>Clinical Interventions in Aging</i> , 2021, Volume 16, 1485-1501.	1.3	17
183	Effect of 5 years of exercise training on the cardiovascular risk profile of older adults: the Generation 100 randomized trial. <i>European Heart Journal</i> , 2022, 43, 2065-2075.	1.0	17
184	Three Days of Static Stretching Within a Warm-Up Does Not Affect Repeated-Sprint Ability in Youth Soccer Players. <i>Journal of Strength and Conditioning Research</i> , 2011, 25, 838-845.	1.0	16
185	Cardiorespiratory fitness in patients with rheumatoid arthritis is associated with the patient global assessment but not with objective measurements of disease activity. <i>RMD Open</i> , 2019, 5, e000912.	1.8	16
186	Left Atrial Volume, Cardiorespiratory Fitness, and Diastolic Function in Healthy Individuals: The HUNT Study, Norway. <i>Journal of the American Heart Association</i> , 2020, 9, e014682.	1.6	16
187	Copenhagen study of overweight patients with coronary artery disease undergoing low energy diet or interval training: the randomized CUT-IT trial protocol. <i>BMC Cardiovascular Disorders</i> , 2013, 13, 106.	0.7	15
188	Migraine and endothelial function: The HUNT3 Study. <i>Cephalalgia</i> , 2016, 36, 1341-1349.	1.8	15
189	Long-term Changes in Depressive Symptoms and Estimated Cardiorespiratory Fitness and Risk of All-Cause Mortality: The Nord-Trøndelag Health Study. <i>Mayo Clinic Proceedings</i> , 2018, 93, 1054-1064.	1.4	15
190	The role of fibroblast Cardiomyocyte interaction for atrial dysfunction in HFpEF and hypertensive heart disease. <i>Journal of Molecular and Cellular Cardiology</i> , 2019, 131, 53-65.	0.9	15
191	Ubiquitin-proteasome system and enzymes of energy metabolism in skeletal muscle of patients with HFpEF and HFrEF. <i>ESC Heart Failure</i> , 2021, 8, 2556-2568.	1.4	15
192	Exercise training reverses myocardial dysfunction induced by CaMKII α overexpression by restoring Ca ²⁺ homeostasis. <i>Journal of Applied Physiology</i> , 2016, 121, 212-220.	1.2	14
193	miR-181c level predicts response to exercise training in patients with heart failure and preserved ejection fraction: an analysis of the OptimEx-Clin trial. <i>European Journal of Preventive Cardiology</i> , 2021, 28, 1722-1733.	0.8	14
194	Venous gas embolism as a predictive tool for improving CNS decompression safety. <i>European Journal of Applied Physiology</i> , 2012, 112, 401-409.	1.2	13
195	Extreme Physical Activity and Coronary Artery Calcification Running Heavily and Safely With Hearts of Stone. <i>JAMA Cardiology</i> , 2019, 4, 182.	3.0	12
196	Atherogenic lipidomics profile in healthy individuals with low cardiorespiratory fitness: The HUNT3 fitness study. <i>Atherosclerosis</i> , 2022, 343, 51-57.	0.4	12
197	Transcriptional changes in blood after aerobic interval training in patients with the metabolic syndrome. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2009, 16, 47-52.	3.1	11
198	A valid and reproducible protocol for testing maximal oxygen uptake in rabbits. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010, 17, 83-88.	3.1	11

#	ARTICLE	IF	CITATIONS
199	Exercise training and losartan improve endothelial function in heart failure rats by different mechanisms. <i>Scandinavian Cardiovascular Journal</i> , 2013, 47, 160-167.	0.4	11
200	Reduced aerobic capacity causes leaky ryanodine receptors that trigger arrhythmia in a rat strain artificially selected and bred for low aerobic running capacity. <i>Acta Physiologica</i> , 2014, 210, 854-864.	1.8	11
201	Blunted Cardiomyocyte Remodeling Response in Exercise-Resistant Rats. <i>Journal of the American College of Cardiology</i> , 2015, 65, 1378-1380.	1.2	11
202	Estimated Cardiorespiratory Fitness and Risk of Atrial Fibrillation: The Nord-Trøndelag Health Study. <i>Medicine and Science in Sports and Exercise</i> , 2019, 51, 2491-2497.	0.2	11
203	5 Years of Exercise Intervention Did Not Benefit Cognition Compared to the Physical Activity Guidelines in Older Adults, but Higher Cardiorespiratory Fitness Did. A Generation 100 Substudy. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 742587.	1.7	11
204	Effects of 5 Years Aerobic Exercise on Cognition in Older Adults: The Generation 100 Study: A Randomized Controlled Trial. <i>Sports Medicine</i> , 2022, 52, 1689-1699.	3.1	11
205	Atrial Myocyte Function and Ca ²⁺ Handling Is Associated with Inborn Aerobic Capacity. <i>PLoS ONE</i> , 2013, 8, e76568.	1.1	10
206	Role of KATP Channels in Beneficial Effects of Exercise in Ischemic Heart Failure. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 2504-2512.	0.2	10
207	Exercise Training Normalizes Timing of Left Ventricular Untwist Rate, but Not Peak Untwist Rate, in Individuals with Type 2 Diabetes and Diastolic Dysfunction: A Pilot Study. <i>Journal of the American Society of Echocardiography</i> , 2016, 29, 421-430.e2.	1.2	10
208	Combined Association of Cardiorespiratory Fitness and Body Fatness With Cardiometabolic Risk Factors in Older Norwegian Adults: The Generation 100 Study. <i>Mayo Clinic Proceedings Innovations, Quality & Outcomes</i> , 2017, 1, 67-77.	1.2	10
209	Personal activity intelligence and mortality “ Data from the Aerobics Center Longitudinal Study. <i>Progress in Cardiovascular Diseases</i> , 2021, 64, 121-126.	1.6	10
210	High-Intensity Interval Training in Patients with Pulmonary Embolism: A Randomized Controlled Trial. <i>Medicine and Science in Sports and Exercise</i> , 2021, 53, 2037-2044.	0.2	10
211	Variability of echocardiographic measures of left ventricular diastolic function. The HUNT study. <i>Echocardiography</i> , 2021, 38, 901-908.	0.3	10
212	Insomnia and Endothelial Function “ The HUNT 3 Fitness Study. <i>PLoS ONE</i> , 2012, 7, e50933.	1.1	10
213	Longitudinal study of the effect of a 5-year exercise intervention on structural brain complexity in older adults. A Generation 100 substudy. <i>NeuroImage</i> , 2022, 256, 119226.	2.1	10
214	Association of Telomere Length With Myocardial Infarction: A Prospective Cohort From the Population Based HUNT 2 Study. <i>Progress in Cardiovascular Diseases</i> , 2017, 59, 649-655.	1.6	9
215	Absolute and relative accelerometer thresholds for determining the association between physical activity and metabolic syndrome in the older adults: The Generation-100 study. <i>BMC Geriatrics</i> , 2017, 17, 109.	1.1	9
216	Exercise in medicine. <i>Progress in Cardiovascular Diseases</i> , 2019, 62, 85.	1.6	9

#	ARTICLE	IF	CITATIONS
217	Exercise training reveals micro-RNAs associated with improved cardiac function and electrophysiology in rats with heart failure after myocardial infarction. <i>Journal of Molecular and Cellular Cardiology</i> , 2020, 148, 106-119.	0.9	9
218	An Estimation Model for Cardiorespiratory Fitness in Adults with Rheumatoid Arthritis. <i>Medicine and Science in Sports and Exercise</i> , 2020, 52, 1248-1255.	0.2	9
219	Blood Volume, Hemoglobin Mass, and Peak Oxygen Uptake in Older Adults: The Generation 100 Study. <i>Frontiers in Sports and Active Living</i> , 2021, 3, 638139.	0.9	8
220	Effect of Change in VO ₂ max on Daily Total Energy Expenditure in a Cohort of Norwegian Men: A Randomized Pilot Study. <i>Open Cardiovascular Medicine Journal</i> , 2015, 9, 50-57.	0.6	8
221	Exercise-induced myofibrillar disruption with sarcolemmal integrity prior to simulated diving has no effect on vascular bubble formation in rats. <i>European Journal of Applied Physiology</i> , 2013, 113, 1189-1198.	1.2	7
222	High inborn aerobic capacity does not protect the heart following myocardial infarction. <i>Journal of Applied Physiology</i> , 2013, 115, 1788-1795.	1.2	7
223	Association between Personal Activity Intelligence (PAI) and body weight in a population free from cardiovascular disease – The HUNT study. <i>Lancet Regional Health - Europe</i> , The, 2021, 5, 100091.	3.0	7
224	Iron Deficiency Impacts Diastolic Function, Aerobic Exercise Capacity, and Patient Phenotyping in Heart Failure With Preserved Ejection Fraction: A Subanalysis of the OptimEx-Clin Study. <i>Frontiers in Physiology</i> , 2021, 12, 757268.	1.3	7
225	CENIT (Impact of Cardiac Exercise Training on Lipid Content in Coronary Atheromatous Plaques) Tj ETQq1 1 0.784314 rgBT /Overlock Association, 2022, 11, e024705.	1.6	7
226	Response to Letter Regarding Article, “Cardiovascular Risk of High- Versus Moderate-Intensity Aerobic Exercise in Coronary Heart Disease Patients” • <i>Circulation</i> , 2013, 127, e638.	1.6	6
227	Skeletal muscle metabolism in rats with low and high intrinsic aerobic capacity: Effect of aging and exercise training. <i>PLoS ONE</i> , 2018, 13, e0208703.	1.1	6
228	The Effect of Exercise Intensity and Volume on Metabolic Phenotype in Patients with Metabolic Syndrome: A Randomized Controlled Trial. <i>Metabolic Syndrome and Related Disorders</i> , 2021, 19, 107-114.	0.5	6
229	Faster age-related decline in cardiorespiratory fitness in rheumatoid arthritis patients: an observational study in the Trøndelag Health Study. <i>Rheumatology International</i> , 2021, 41, 369-379.	1.5	6
230	Association Between Personal Activity Intelligence and Mortality: Population-Based China Kadoorie Biobank Study. <i>Mayo Clinic Proceedings</i> , 2022, 97, 668-681.	1.4	6
231	Post-dive bubble formation in rats: effects of exercise 24 h ahead repeated 30 min before the dive. <i>Aviation, Space, and Environmental Medicine</i> , 2006, 77, 905-8.	0.6	6
232	Endothelium and Diving., 2007, , 497-505.		5
233	Response to Letter Regarding Article, “Aerobic Interval Training Versus Continuous Moderate Exercise as a Treatment for the Metabolic Syndrome: A Pilot Study” • <i>Circulation</i> , 2009, 119, .	1.6	5
234	Fast food increases postprandial cardiac workload in type 2 diabetes independent of pre-exercise: A pilot study. <i>Nutrition Journal</i> , 2015, 14, 79.	1.5	5

#	ARTICLE	IF	CITATIONS
235	Acute exercise is not cardioprotective and may induce apoptotic signalling in heart surgery: a randomized controlled trial. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2018, 27, 95-101.	0.5	5
236	Temporal changes in personal activity intelligence and mortality: Data from the aerobics center longitudinal study. <i>Progress in Cardiovascular Diseases</i> , 2021, 64, 127-134.	1.6	5
237	Effects of different exercise modalities on cardiac dysfunction in heart failure with preserved ejection fraction. <i>ESC Heart Failure</i> , 2021, 8, 1806-1818.	1.4	5
238	Five years of exercise intervention at different intensities and development of white matter hyperintensities in community dwelling older adults, a Generation 100 sub-study. <i>Aging</i> , 2022, 14, 596-622.	1.4	5
239	Cardiorespiratory fitness and the incidence of coronary surgery and postoperative mortality: the HUNT study. <i>European Journal of Cardio-thoracic Surgery</i> , 2022, 62, .	0.6	5
240	Surgical manipulation, but not moderate exercise, is associated with increased cytokine mRNA expression in the rat soleus muscle. <i>Acta Physiologica Scandinavica</i> , 2002, 175, 219-226.	2.3	4
241	A reliable and valid protocol for measuring maximal oxygen uptake in pigs. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2009, 16, 628-632.	3.1	4
242	Letter by WislÄff et al Regarding Article, "High-Intensity Interval Training in Patients With Heart Failure With Reduced Ejection Fraction". <i>Circulation</i> , 2017, 136, 607-608.	1.6	4
243	Exercising immune cells: The immunomodulatory role of exercise on atrial fibrillation. <i>Progress in Cardiovascular Diseases</i> , 2021, 68, 52-59.	1.6	4
244	Effects of a 5-Year Exercise Intervention on White Matter Microstructural Organization in Older Adults. A Generation 100 Substudy. <i>Frontiers in Aging Neuroscience</i> , 0, 14, .	1.7	4
245	Use of heart rate monitoring for an individualized and time-variant decompression model. <i>European Journal of Applied Physiology</i> , 2010, 110, 885-892.	1.2	3
246	Predictors of Beneficial Coronary Plaque Changes after Aerobic Exercise. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 2251-2256.	0.2	3
247	Upper arm venous compliance and fitness in stable coronary artery disease patients and healthy controls. <i>Clinical Physiology and Functional Imaging</i> , 2017, 37, 498-506.	0.5	3
248	Lung function parameters improve prediction of VO ₂ peak in an elderly population: The Generation 100 study. <i>PLoS ONE</i> , 2017, 12, e0174058.	1.1	3
249	Safety and efficacy of high intensity interval training in a patient with acute pulmonary embolism. <i>Progress in Cardiovascular Diseases</i> , 2020, 63, 393-394.	1.6	3
250	Circulating MicroRNA-210 Concentrations in Patients with Acute Heart Failure: Data from the Akershus Cardiac Examination 2 Study. <i>Clinical Chemistry</i> , 2021, 67, 889-898.	1.5	3
251	Exercise ending 30 min pre-dive has no effect on bubble formation in the rat. <i>Aviation, Space, and Environmental Medicine</i> , 2005, 76, 326-8.	0.6	3
252	Impact of different training modalities on high-density lipoprotein function in HFpEF patients: a substudy of the OptimEx trial. <i>ESC Heart Failure</i> , 2022, 9, 3019-3030.	1.4	3

#	ARTICLE	IF	CITATIONS
253	Immersion before dry simulated dive reduces cardiomyocyte function and increases mortality after decompression. <i>Journal of Applied Physiology</i> , 2010, 109, 752-757.	1.2	2
254	Relationship Between Anthropometric and Physiological Characteristics in Youth Soccer Players. <i>Journal of Strength and Conditioning Research</i> , 2011, 25, 1-2.	1.0	2
255	Computationally efficient familywise error rate control in genome-wide association studies using score tests for generalized linear models. <i>Scandinavian Journal of Statistics</i> , 2020, 47, 1090-1113.	0.9	2
256	Circulating microRNAs May Serve as Biomarkers for Hypertensive Emergency End-Organ Injuries and Address Underlying Pathways in an Animal Model. <i>Frontiers in Cardiovascular Medicine</i> , 2020, 7, 626699.	1.1	2
257	The Long-term Effect of Different Exercise Intensities on High-Density Lipoprotein Cholesterol in Older Men and Women Using the Per Protocol Approach: The Generation 100 Study. <i>Mayo Clinic Proceedings Innovations, Quality & Outcomes</i> , 2021, 5, 859-871.	1.2	2
258	Exercise and the Endothelium. , 0, , 506-515.		1
259	Left ventricular apical rotation is related to ambulatory blood pressure and body mass in healthy elderly females. <i>Blood Pressure</i> , 2008, 17, 147-155.	0.7	1
260	Rebuttal from Ulrik Wisläff, Jeff Coombes and Åivind Rognmo. <i>Journal of Physiology</i> , 2015, 593, 5223-5223.	1.3	1
261	Benefit of Exercise in Atrial Fibrillation. <i>Journal of the American College of Cardiology</i> , 2016, 67, 1257-1258.	1.2	1
262	The association of change in peak oxygen uptake with use of psychotropics in community-dwelling older adults - The Generation 100 study. <i>BMC Geriatrics</i> , 2022, 22, .	1.1	1
263	Genetic Vs. Acquired Fitness: Cardiomyocyte Adaptations. , 2007, , 61-81.		0
264	Comparing Cardiorespiratory Fitness Across Populations. <i>Chest</i> , 2014, 146, e30.	0.4	0
265	Post-exercise breast milk: the new polypill?. <i>Nature Metabolism</i> , 2020, 2, 653-654.	5.1	0
266	Can a single bout of exercise prevent decompression sickness?. , 2004, , 16-17.		0
267	Working out aerobic fitness. , 2006, , 18-19.		0
268	Dynamic changes in cardiovascular function during diving and decompression at different core temperatures. <i>FASEB Journal</i> , 2011, 25, lb560.	0.2	0
269	Abstract 420: Characterization of Dahl Salt-Sensitive Rat Model for Heart Failure with Preserved Ejection Fraction Research: Defining Diagnostic Criteria. <i>Hypertension</i> , 2014, 64, .	1.3	0
270	Abstract 553: High-Intensity Interval Training Partly Restores Thrombotic Microangiopathy in an Experimental Model of Hypertensive Renal Injury. <i>Hypertension</i> , 2014, 64, .	1.3	0