

# Anne Kricker

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5850575/publications.pdf>

Version: 2024-02-01

65  
papers

6,501  
citations

94433

37  
h-index

138484

58  
g-index

65  
all docs

65  
docs citations

65  
times ranked

8542  
citing authors

#	ARTICLE	IF	CITATIONS
1	B-Cell NHL Subtype Risk Associated with Autoimmune Conditions and PRS. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 1103-1110.	2.5	4
2	Differences in Melanoma Between Canada and New South Wales, Australia: A Population-Based Genes, Environment, and Melanoma (GEM) Study. <i>JID Innovations</i> , 2021, 1, 100002.	2.4	1
3	Disease-Associated Risk Variants in <i>ANRIL</i> Are Associated with Tumor-Infiltrating Lymphocyte Presence in Primary Melanomas in the Population-Based GEM Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 2309-2316.	2.5	2
4	Association of Melanoma-Risk Variants with Primary Melanoma Tumor Prognostic Characteristics and Melanoma-Specific Survival in the GEM Study. <i>Current Oncology</i> , 2021, 28, 4756-4771.	2.2	1
5	Cutaneous $\hat{I}^2$ HPVs, Sun Exposure, and Risk of Squamous and Basal Cell Skin Cancers in Australia. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, , .	2.5	5
6	Inherited Melanoma Risk Variants Associated with Histopathologically Amelanotic Melanoma. <i>Journal of Investigative Dermatology</i> , 2020, 140, 918-922.e7.	0.7	1
7	Post-treatment levels of plasma 25- and 1,25-dihydroxy vitamin D and mortality in men with aggressive prostate cancer. <i>Scientific Reports</i> , 2020, 10, 7736.	3.3	11
8	High Ambient Solar UV Correlates with Greater Beta HPV Seropositivity in New South Wales, Australia. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 49-56.	2.5	3
9	Relationship of Chromosome Arm 10q Variants to Occurrence of Multiple Primary Melanoma in the Population-Based Genes, Environment, and Melanoma (GEM) Study. <i>Journal of Investigative Dermatology</i> , 2019, 139, 1410-1412.	0.7	0
10	Inherited Genetic Variants Associated with Melanoma BRAF/NRAS Subtypes. <i>Journal of Investigative Dermatology</i> , 2018, 138, 2398-2404.	0.7	9
11	HLA Class I and II Diversity Contributes to the Etiologic Heterogeneity of Non-Hodgkin Lymphoma Subtypes. <i>Cancer Research</i> , 2018, 78, 4086-4096.	0.9	34
12	Associations of MC1R Genotype and Patient Phenotypes with BRAF and NRAS Mutations in Melanoma. <i>Journal of Investigative Dermatology</i> , 2017, 137, 2588-2598.	0.7	11
13	Early Life $\langle scp \rangle UV \langle /scp \rangle$ and Risk of Basal and Squamous Cell Carcinoma in New South Wales, Australia. <i>Photochemistry and Photobiology</i> , 2017, 93, 1483-1491.	2.5	43
14	Association of Incident Amelanotic Melanoma With Phenotypic Characteristics, <i>MC1R</i> Status, and Prior Amelanotic Melanoma. <i>JAMA Dermatology</i> , 2017, 153, 1026.	4.1	19
15	Lupus-related single nucleotide polymorphisms and risk of diffuse large B-cell lymphoma. <i>Lupus Science and Medicine</i> , 2017, 4, e000187.	2.7	15
16	Meta-analysis of genome-wide association studies discovers multiple loci for chronic lymphocytic leukemia. <i>Nature Communications</i> , 2016, 7, 10933.	12.8	94
17	Association of Interferon Regulatory Factor-4 Polymorphism rs12203592 With Divergent Melanoma Pathways. <i>Journal of the National Cancer Institute</i> , 2016, 108, djw004.	6.3	28
18	Vitamin D receptor polymorphisms and survival in patients with cutaneous melanoma: a population-based study. <i>Carcinogenesis</i> , 2016, 37, 30-38.	2.8	54

#	ARTICLE	IF	CITATIONS
19	Analysis of Heritability and Shared Heritability Based on Genome-Wide Association Studies for Thirteen Cancer Types. <i>Journal of the National Cancer Institute</i> , 2015, 107, djv279.	6.3	152
20	A genome-wide association study of marginal zone lymphoma shows association to the HLA region. <i>Nature Communications</i> , 2015, 6, 5751.	12.8	58
21	Association Between <i>NRAS</i> and <i>BRAF</i> Mutational Status and Melanoma-Specific Survival Among Patients With Higher-Risk Primary Melanoma. <i>JAMA Oncology</i> , 2015, 1, 359.	7.1	164
22	Associations of Non-Hodgkin Lymphoma (NHL) Risk With Autoimmune Conditions According to Putative NHL Loci. <i>American Journal of Epidemiology</i> , 2015, 181, 406-421.	3.4	54
23	Inherited Genetic Variants Associated with Occurrence of Multiple Primary Melanoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 992-997.	2.5	36
24	A Phase 3 Randomized Trial of Nicotinamide for Skin-Cancer Chemoprevention. <i>New England Journal of Medicine</i> , 2015, 373, 1618-1626.	27.0	469
25	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Diffuse Large B-Cell Lymphoma: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 15-25.	2.1	98
26	Rationale and Design of the International Lymphoma Epidemiology Consortium (InterLymph) Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 1-14.	2.1	52
27	Comparison of Clinicopathologic Features and Survival of Histopathologically Amelanotic and Pigmented Melanomas. <i>JAMA Dermatology</i> , 2014, 150, 1306.	4.1	142
28	Etiologic Heterogeneity Among Non-Hodgkin Lymphoma Subtypes: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 130-144.	2.1	265
29	Genome-wide association study identifies multiple susceptibility loci for diffuse large B cell lymphoma. <i>Nature Genetics</i> , 2014, 46, 1233-1238.	21.4	147
30	Genome-wide Association Study Identifies Five Susceptibility Loci for Follicular Lymphoma outside the HLA Region. <i>American Journal of Human Genetics</i> , 2014, 95, 462-471.	6.2	96
31	Basal cell carcinoma and squamous cell carcinoma growth rates and determinants of size in community patients. <i>Journal of the American Academy of Dermatology</i> , 2014, 70, 456-464.	1.2	37
32	Cervical screening, high-grade squamous lesions, and cervical cancer in illicit drug users. <i>Cancer Causes and Control</i> , 2013, 24, 1449-1457.	1.8	12
33	Tumor-Infiltrating Lymphocyte Grade in Primary Melanomas Is Independently Associated With Melanoma-Specific Survival in the Population-Based Genes, Environment and Melanoma Study. <i>Journal of Clinical Oncology</i> , 2013, 31, 4252-4259.	1.6	232
34	Genome-wide association study identifies multiple risk loci for chronic lymphocytic leukemia. <i>Nature Genetics</i> , 2013, 45, 868-876.	21.4	179
35	Survival for Patients With Single and Multiple Primary Melanomas. <i>JAMA Dermatology</i> , 2013, 149, 921.	4.1	33
36	Clinicopathologic Features of Incident and Subsequent Tumors in Patients with Multiple Primary Cutaneous Melanomas. <i>Annals of Surgical Oncology</i> , 2012, 19, 1024-1033.	1.5	45

#	ARTICLE	IF	CITATIONS
37	Authors' reply to: Sun exposure may increase risk of prostate cancer in the high UV environment of New South Wales, Australia: A case-control study. <i>International Journal of Cancer</i> , 2012, 131, 2206-2207.	5.1	0
38	Vitamin D receptor polymorphisms in patients with cutaneous melanoma. <i>International Journal of Cancer</i> , 2012, 130, 405-418.	5.1	61
39	Bodyweight and other correlates of symptom-detected breast cancers in a population offered screening. <i>Cancer Causes and Control</i> , 2012, 23, 89-102.	1.8	6
40	MC1R genotype may modify the effect of sun exposure on melanoma risk in the GEM study. <i>Cancer Causes and Control</i> , 2010, 21, 2137-2147.	1.8	11
41	Associations of Cumulative Sun Exposure and Phenotypic Characteristics with Histologic Solar Elastosis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2932-2941.	2.5	45
42	Effects of life event stress and social support on the odds of a breast cancer. <i>Cancer Causes and Control</i> , 2009, 20, 437-447.	1.8	16
43	Sun Exposure, Vitamin D and Cancer. , 2009, , 79-110.		0
44	Personal sun exposure and risk of non Hodgkin lymphoma: A pooled analysis from the Interlymph Consortium. <i>International Journal of Cancer</i> , 2008, 122, 144-154.	5.1	152
45	Why do large breast cancers still present in a population offered screening?. <i>International Journal of Cancer</i> , 2008, 123, 2907-2914.	5.1	9
46	CDKN2A Germline Mutations in Individuals with Cutaneous Malignant Melanoma. <i>Journal of Investigative Dermatology</i> , 2007, 127, 1234-1243.	0.7	50
47	Ambient UV, personal sun exposure and risk of multiple primary melanomas. <i>Cancer Causes and Control</i> , 2007, 18, 295-304.	1.8	106
48	Does sunlight have a beneficial influence on certain cancers?. <i>Progress in Biophysics and Molecular Biology</i> , 2006, 92, 132-139.	2.9	63
49	Population-Based Study of Natural Variation in the Melanocortin-1 Receptor Gene and Melanoma. <i>Cancer Research</i> , 2006, 66, 9330-9337.	0.9	108
50	A design for cancer case-control studies using only incident cases: experience with the GEM study of melanoma. <i>International Journal of Epidemiology</i> , 2006, 35, 756-764.	1.9	67
51	Polymorphisms in nucleotide excision repair genes and risk of multiple primary melanoma: the Genes Environment and Melanoma Study. <i>Carcinogenesis</i> , 2006, 27, 610-618.	2.8	92
52	Reliability and Validity of a Telephone Questionnaire for Estimating Lifetime Personal Sun Exposure in Epidemiologic Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 2427-2432.	2.5	38
53	Lifetime Risk of Melanoma in CDKN2A Mutation Carriers in a Population-Based Sample. <i>Journal of the National Cancer Institute</i> , 2005, 97, 1507-1515.	6.3	200
54	Familial aggregation of melanoma risks in a large population-based sample of melanoma cases. <i>Cancer Causes and Control</i> , 2004, 15, 957-965.	1.8	47

#	ARTICLE	IF	CITATIONS
55	Sun exposure may protect against non-Hodgkin lymphoma: A case-control study. International Journal of Cancer, 2004, 112, 865-871.	5.1	151
56	Surgery and outcomes of ductal carcinoma in situ of the breast: a population-based study in Australia. European Journal of Cancer, 2004, 40, 2396-2402.	2.8	30
57	Birth Order, Atopy, and Risk of Non-Hodgkin Lymphoma.. Blood, 2004, 104, 1368-1368.	1.4	0
58	Familial aggregation of melanoma risks in a large population-based sample of melanoma cases. Cancer Causes and Control, 2004, 15, 957-965.	1.8	26
59	The epidemiology of UV induced skin cancer. Journal of Photochemistry and Photobiology B: Biology, 2001, 63, 8-18.	3.8	1,448
60	Demographic characteristics, pigmentary and cutaneous risk factors for squamous cell carcinoma of the skin: A case-control study. , 1998, 76, 628-634.		133
61	Case-control study of sun exposure and squamous cell carcinoma of the skin. International Journal of Cancer, 1998, 77, 347-353.	5.1	117
62	A dose-response curve for sun exposure and basal cell carcinoma. International Journal of Cancer, 1995, 60, 482-488.	5.1	163
63	Does intermittent sun exposure cause basal cell carcinoma? a caseâ€control study in Western Australia. International Journal of Cancer, 1995, 60, 489-494.	5.1	431
64	Pigmentary and cutaneous risk factors for nonâ€melanocytic skin cancerâ€”A caseâ€control study. International Journal of Cancer, 1991, 48, 650-662.	5.1	221
65	Skin cancer in Geraldton, Western Australia: a survey of incidence and prevalence. Medical Journal of Australia, 1990, 152, 399-407.	1.7	104