

Giovanni Pellacani

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5852060/publications.pdf>

Version: 2024-02-01

673
papers

17,735
citations

18482

62
h-index

38395

95
g-index

691
all docs

691
docs citations

691
times ranked

10206
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | A 48-week update of a multicentre real-life experience of dupilumab in adult patients with moderate-to-severe atopic dermatitis. <i>Journal of Dermatological Treatment</i> , 2022, 33, 1146-1149. | 2.2 | 19 |
| 2 | Dupilumab provides rapid and sustained improvement in SCORAD outcomes in adults with moderate-to-severe atopic dermatitis: combined results of four randomized phase 3 trials. <i>Journal of Dermatological Treatment</i> , 2022, 33, 266-277. | 2.2 | 17 |
| 3 | Melasma treatment: a systematic review. <i>Journal of Dermatological Treatment</i> , 2022, 33, 1816-1837. | 2.2 | 31 |
| 4 | Dynamic dermoscopic and reflectance confocal microscopic changes of melanocytic lesions excised during follow up. <i>Journal of the American Academy of Dermatology</i> , 2022, 86, 1049-1057. | 1.2 | 4 |
| 5 | Combined reflectance confocal microscopy and optical coherence tomography to improve the diagnosis of equivocal lesions for basal cell carcinoma. <i>Journal of the American Academy of Dermatology</i> , 2022, 86, 934-936. | 1.2 | 7 |
| 6 | Comorbidities and treatment patterns in adult patients with atopic dermatitis: results from a nationwide multicenter study. <i>Archives of Dermatological Research</i> , 2022, 314, 593-603. | 1.9 | 8 |
| 7 | Deep Learning for Basal Cell Carcinoma Detection for Reflectance Confocal Microscopy. <i>Journal of Investigative Dermatology</i> , 2022, 142, 97-103. | 0.7 | 28 |
| 8 | Activation of cGMP-Dependent Protein Kinase Restricts Melanoma Growth and Invasion by Interfering with the EGF/EGFR Pathway. <i>Journal of Investigative Dermatology</i> , 2022, 142, 201-211. | 0.7 | 15 |
| 9 | Treatment adherence with diclofenac 3% gel among patients with multiple actinic keratoses: an integrated low-intensity intervention program versus standard-of-care. <i>Italian Journal of Dermatology and Venereology</i> , 2022, 157, . | 0.2 | 2 |
| 10 | Dermoscopy, confocal microscopy and optical coherence tomography features of main inflammatory and autoimmune skin diseases: A systematic review. <i>Australasian Journal of Dermatology</i> , 2022, 63, 15-26. | 0.7 | 22 |
| 11 | Reflectance confocal microscopy features of uncommon histopathological variants of cutaneous melanoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, . | 2.4 | 0 |
| 12 | Dupilumab in adolescents with moderate to severe atopic dermatitis: a 32-week real-world experience during the COVID-19 pandemic. <i>Clinical and Experimental Dermatology</i> , 2022, 47, 165-167. | 1.3 | 23 |
| 13 | Scalp dysaesthesia and lichen simplex chronicus: diagnostic and therapeutic update with literature review. <i>Clinical and Experimental Dermatology</i> , 2022, 47, 3-8. | 1.3 | 4 |
| 14 | Acne and diet: a review. <i>International Journal of Dermatology</i> , 2022, 61, 930-934. | 1.0 | 10 |
| 15 | Cutaneous squamous cell carcinoma in patients with chronic lymphocytic leukemia: a systematic review of the literature. <i>International Journal of Dermatology</i> , 2022, 61, 548-557. | 1.0 | 7 |
| 16 | Radiotherapy-induced subclinical skin changes revealed by dynamic optical coherence tomography: a case-controlled pilot study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, . | 2.4 | 0 |
| 17 | Reflectance Confocal Microscopy in Dermatology. , 2022, , 351-388. | | 0 |
| 18 | Real-world evidence of biologic treatments in moderate-to-severe psoriasis in Italy: Results of the CANOVA (Effectiveness of biologic treatments for plaque) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50 | 1.7 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Malignant lesions of the ear. Archives of Dermatological Research, 2022, 314, 839-845. | 1.9 | 2 |
| 20 | Identifying candidates for immunotherapy with cemiplimab to treat advanced cutaneous squamous cell carcinoma: an expert opinion. Therapeutic Advances in Medical Oncology, 2022, 14, 175883592110662. | 3.2 | 9 |
| 21 | In Vivo Melanoma Cell Morphology Reflects Molecular Signature and Tumor Aggressiveness. Journal of Investigative Dermatology, 2022, 142, 2205-2216.e6. | 0.7 | 16 |
| 22 | The Multidisciplinary Management of Cutaneous Squamous Cell Carcinoma: A Comprehensive Review and Clinical Recommendations by a Panel of Experts. Cancers, 2022, 14, 377. | 3.7 | 17 |
| 23 | Unusual dermoscopic patterns of basal cell carcinoma mimicking melanoma. Experimental Dermatology, 2022, 31, 890-898. | 2.9 | 9 |
| 24 | Ablative Fractional Erbium:YAG Laser Resurfacing: A Treatment Option for Acne. Dermatology Practical and Conceptual, 2022, 12, e2022024. | 0.9 | 0 |
| 25 | Re: Reply to letter to the editor re: "practical guide on the use of imiquimod cream to treat lentigo maligna". Australasian Journal of Dermatology, 2022, , . | 0.7 | 0 |
| 26 | Clinical and Dermoscopic Approaches to Diagnosis of Frontal Fibrosing Alopecia: Results From a Multicenter Study of the International Dermoscopy Society. Dermatology Practical and Conceptual, 2022, 12, e2022080. | 0.9 | 4 |
| 27 | Atypical fibroxanthoma: in-vivo and ex-vivo confocal features. Italian Journal of Dermatology and Venereology, 2022, 156, . | 0.2 | 3 |
| 28 | Cutaneous Melanoma Systematic Diagnostic Workflows and Integrated Reflectance Confocal Microscopy Assessed with a Retrospective, Comparative Longitudinal (2009-2018) Study. Cancers, 2022, 14, 838. | 3.7 | 4 |
| 29 | 2021 international consensus statement on optical coherence tomography for basal cell carcinoma: image characteristics, terminology and educational needs. Journal of the European Academy of Dermatology and Venereology, 2022, 36, 772-778. | 2.4 | 15 |
| 30 | A Challenging Nodular Lesion of the Ear. Medicina (Lithuania), 2022, 58, 269. | 2.0 | 1 |
| 31 | Dermoscopic spectrum of mycosis fungoides: a retrospective observational study by the International Dermoscopy Society. Journal of the European Academy of Dermatology and Venereology, 2022, 36, 1045-1053. | 2.4 | 10 |
| 32 | Dermoscopy, Reflectance Confocal Microscopy and Optical Coherence Tomography Features of Acne: A Systematic Review. Journal of Clinical Medicine, 2022, 11, 1783. | 2.4 | 9 |
| 33 | Effects of Vaccination against COVID-19 in Chronic Spontaneous and Inducible Urticaria (CSU/CIU) Patients: A Monocentric Study. Journal of Clinical Medicine, 2022, 11, 1822. | 2.4 | 9 |
| 34 | Dendritic cells in reflectance confocal microscopy are a clue for early melanoma diagnosis in extrafacial flat pigmented melanocytic lesions. Experimental Dermatology, 2022, 31, 1048-1055. | 2.9 | 4 |
| 35 | Biosimilar versus originator etanercept: a real-life clinical study. Italian Journal of Dermatology and Venereology, 2022, 157, . | 0.2 | 2 |
| 36 | Italian adaptation of EuroGuiDerm guideline on the systemic treatment of chronic plaque psoriasis. Italian Journal of Dermatology and Venereology, 2022, 157, 1-78. | 0.2 | 25 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Hidradenitis suppurativa: Morphologic and vascular study of nodular inflammatory lesions by means of optical coherence tomography. <i>Experimental Dermatology</i> , 2022, 31, 1076-1082. | 2.9 | 8 |
| 38 | Efficacy and Safety of an Antioxidant-Enriched Medical Device for Topical Use in Adults with Eczematous Dermatitis. <i>Dermatology and Therapy</i> , 2022, , 1. | 3.0 | 2 |
| 39 | Legã€type cutaneous Bã€cell lymphoma: The description of a rare and aggressive skin tumor with Dã€OCT imaging. <i>Journal of Cosmetic Dermatology</i> , 2022, 21, 3622-3624. | 1.6 | 0 |
| 40 | Moderateã€toã€severe atopic dermatitis in adolescents treated with dupilumab: A multicentre Italian realã€world experience. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, 1292-1299. | 2.4 | 23 |
| 41 | Atopic dermatitis associated with autoimmune, cardiovascular and mental health comorbidities: a systematic review and meta-analysis. <i>European Journal of Dermatology</i> , 2022, 32, 34-48. | 0.6 | 7 |
| 42 | A New Protocol to Treat Abdominal Subcutaneous Fat Combining Microwaves and Flat magnetic stimulation. <i>Bioengineering</i> , 2022, 9, 182. | 3.5 | 4 |
| 43 | European consensus-based interdisciplinary guideline for melanoma. Part 1: Diagnostics: Update 2022. <i>European Journal of Cancer</i> , 2022, 170, 236-255. | 2.8 | 102 |
| 44 | Dermoscopy of cutaneous adnexal tumours: a systematic review of the literature. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, 1524-1540. | 2.4 | 11 |
| 45 | Effect of Reflectance Confocal Microscopy for Suspect Lesions on Diagnostic Accuracy in Melanoma. <i>JAMA Dermatology</i> , 2022, 158, 754. | 4.1 | 29 |
| 46 | Assessing changes in facial skin quality using noninvasive in vivo clinical skin imaging techniques after use of a topical retinoid product in subjects with moderateã€toã€severe photodamage. <i>Skin Research and Technology</i> , 2022, 28, 604-613. | 1.6 | 3 |
| 47 | Non-Melanoma Skin Cancer Clearance after Medical Treatment Detected with Noninvasive Skin Imaging: A Systematic Review and Meta-Analysis. <i>Cancers</i> , 2022, 14, 2836. | 3.7 | 5 |
| 48 | New insights from nonã€invasive imaging: from prospection of skin photodamages to training with mobile application. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, 38-50. | 2.4 | 2 |
| 49 | Diagnosis and treatment of Merkel cell carcinoma: European consensus-based interdisciplinary guidelineã€ Update 2022. <i>European Journal of Cancer</i> , 2022, 171, 203-231. | 2.8 | 51 |
| 50 | Real-life experience on effectiveness and safety of dupilumab in adult patients with moderate-to-severe atopic dermatitis. <i>Journal of Dermatological Treatment</i> , 2021, 32, 507-513. | 2.2 | 67 |
| 51 | Consensus recommendations for the use of noninvasive melanoma detection techniques based on results of an international Delphi process. <i>Journal of the American Academy of Dermatology</i> , 2021, 85, 745-749. | 1.2 | 9 |
| 52 | Digital Biopsy with Fluorescence Confocal Microscope for Effective Real-time Diagnosis of Prostate Cancer: A Prospective, Comparative Study. <i>European Urology Oncology</i> , 2021, 4, 784-791. | 5.4 | 24 |
| 53 | Visible characteristics and structural modifications relating to enlarged facial pores. <i>Skin Research and Technology</i> , 2021, 27, 560-568. | 1.6 | 3 |
| 54 | Dermoscopic and clinical predictors of reflectance confocal microscopy patterns of typical nevi on the back and legs: A cross-sectional study. <i>Journal of the American Academy of Dermatology</i> , 2021, 85, 1240-1247. | 1.2 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Atrophic and hypertrophic skin photoaging and melanocortin-1 receptor (MC1R): the missing link. <i>Journal of the American Academy of Dermatology</i> , 2021, 84, 187-190. | 1.2 | 12 |
| 56 | Reflectance confocal microscopy terminology glossary for melanocytic skin lesions: A systematic review. <i>Journal of the American Academy of Dermatology</i> , 2021, 84, 102-119. | 1.2 | 24 |
| 57 | The Rediscovery of Hydroxychloroquine in Allergic Diseases in the COVID-19 Era. <i>Journal of Investigational Allergology and Clinical Immunology</i> , 2021, 31, 85-86. | 1.3 | 0 |
| 58 | Clinical validation of a computer-based approach for the quantification of the skin ageing process of women using in vivo confocal microscopy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e68-e70. | 2.4 | 2 |
| 59 | Segmentation of cellular patterns in confocal images of melanocytic lesions in vivo via a multiscale encoder-decoder network (MED-Net). <i>Medical Image Analysis</i> , 2021, 67, 101841. | 11.6 | 20 |
| 60 | An intraoperative study with <i>ex vivo</i> fluorescence confocal microscopy: diagnostic accuracy of the three visualization modalities. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e92-e94. | 2.4 | 7 |
| 61 | Dark pigmented lesions: Diagnostic accuracy of dermoscopy and reflectance confocal microscopy in a tertiary referral center for skin cancer diagnosis. <i>Journal of the American Academy of Dermatology</i> , 2021, 84, 1568-1574. | 1.2 | 5 |
| 62 | The impact of anatomical location and sun exposure on the dermoscopic recognition of atypical nevi and early melanomas: usefulness of an integrated clinical-dermoscopic method (<i>iDScore</i>). <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, 650-657. | 2.4 | 9 |
| 63 | Lost in translation: true clinical impact of reflectance confocal microscopy overlooked in <i>Biopsy</i> outperforms reflectance confocal microscopy in diagnosing and subtyping basal cell carcinoma: results and experiences from a randomized controlled multicentre trial TM . <i>British Journal of Dermatology</i> , 2021, 184, 775-776. | 1.5 | 1 |
| 64 | Folliculotropism in head and neck lentigo maligna and lentigo maligna melanoma. <i>JDDG - Journal of the German Society of Dermatology</i> , 2021, 19, 223-229. | 0.8 | 5 |
| 65 | Red dye-related tattoo reactions: Could optical coherence tomography be of help?. <i>Skin Research and Technology</i> , 2021, 27, 469-471. | 1.6 | 0 |
| 66 | Dynamic optical coherence tomography shows characteristic alterations of blood vessels in malignant melanoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, 1087-1093. | 2.4 | 16 |
| 67 | Sunshine on <i>Zebra People</i> TM . <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e333-e335. | 2.4 | 1 |
| 68 | The Comparative Use of Multiple Electronic Devices in the Teledermoscopic Diagnosis of Early Melanoma. <i>Telemedicine Journal and E-Health</i> , 2021, 27, 495-502. | 2.8 | 11 |
| 69 | Melanoma diagnosis at the time of COVID-19. <i>International Journal of Dermatology</i> , 2021, 60, e29-e30. | 1.0 | 5 |
| 70 | Ex vivo confocal microscopy performs real-time assessment of renal biopsy in non-neoplastic diseases. <i>Journal of Nephrology</i> , 2021, 34, 689-697. | 2.0 | 13 |
| 71 | Supporting Skin Lesion Diagnosis with Content-Based Image Retrieval. , 2021, , . | | 15 |
| 72 | A Novel Multi-Action Emollient Plus Cream Improves Skin Barrier Function in Patients with Atopic Dermatitis: In vitro and Clinical Evidence. <i>Skin Pharmacology and Physiology</i> , 2021, 34, 8-18. | 2.5 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Efficacy of Dupilumab in Concomitant Atopic Dermatitis and Chronic Rhinosinusitis With Nasal Polyps: A Preliminary Study. <i>Allergy, Asthma and Immunology Research</i> , 2021, 13, 347. | 2.9 | 5 |
| 74 | Fluorescent light energy combined with systemic isotretinoin: A 52-week follow-up evaluating efficacy and safety in treatment of moderate-severe acne. <i>Clinical Case Reports (discontinued)</i> , 2021, 9, 2057-2068. | 0.5 | 0 |
| 75 | Ixekizumab in hidradenitis suppurativa in a psoriatic patient. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2021, 155, 788-789. | 0.8 | 16 |
| 76 | Comparative study of imiquimod 3.75% vs. photodynamic therapy for actinic keratosis of the scalp. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2021, 37, 404-409. | 1.5 | 6 |
| 77 | Clinical Applications of In Vivo and Ex Vivo Confocal Microscopy. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 1979. | 2.5 | 15 |
| 78 | A new deep learning approach integrated with clinical data for the dermoscopic differentiation of early melanomas from atypical nevi. <i>Journal of Dermatological Science</i> , 2021, 101, 115-122. | 1.9 | 28 |
| 79 | Lichen simplex chronicus of the scalp: dermoscopy and reflectance confocal microscopy features. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e450-e452. | 2.4 | 1 |
| 80 | Circulating mucosal-associated invariant T cells identify patients responding to anti-PD-1 therapy. <i>Nature Communications</i> , 2021, 12, 1669. | 12.8 | 48 |
| 81 | Management of patients with atopic dermatitis undergoing systemic therapy during COVID-19 pandemic in Italy: Data from the DA-COVID registry. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 1813-1824. | 5.7 | 28 |
| 82 | Dermoscopy of early melanomas: variation according to the anatomic site. <i>Archives of Dermatological Research</i> , 2021, , 1. | 1.9 | 5 |
| 83 | Current and future perspectives of digital microscopy with fluorescence confocal microscope for prostate tissue interpretation: a narrative review. <i>Translational Andrology and Urology</i> , 2021, 10, 1569-1580. | 1.4 | 8 |
| 84 | Daylight photodynamic therapy with 5-aminolevulinic acid 5% gel for the treatment of mild-to-moderate inflammatory acne. <i>Italian Journal of Dermatology and Venereology</i> , 2021, 156, . | 0.2 | 9 |
| 85 | Flat scalp melanoma dermoscopic and reflectance confocal microscopy features correspond to histopathologic type and lesion location. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, 1670-1677. | 2.4 | 3 |
| 86 | Digital Frozen Sections with Fluorescence Confocal Microscopy During Robot-assisted Radical Prostatectomy: Surgical Technique. <i>European Urology</i> , 2021, 80, 724-729. | 1.9 | 28 |
| 87 | A plea for standardization of confocal microscopy and optical coherence tomography parameters to evaluate physiological and para-physiological skin conditions in cosmetic science. <i>Experimental Dermatology</i> , 2021, 30, 911-922. | 2.9 | 14 |
| 88 | Reflectance Confocal Microscopy of Aging Skin and Skin Cancer. <i>Dermatology Practical and Conceptual</i> , 2021, 11, 2021068. | 0.9 | 18 |
| 89 | Acquired White Oral Lesions with Specific Patterns: Oral Lichen Planus and Lupus Erythematosus. <i>Dermatology Practical and Conceptual</i> , 2021, 11, 2021074. | 0.9 | 3 |
| 90 | Orofacial granulomatosis: Clinical and therapeutic features in an Italian cohort and review of the literature. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 2189-2200. | 5.7 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Facial seborrheic keratosis with unusual dermoscopic patterns can be differentiated from other skin malignancies by in-vivo reflectance confocal microscopy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e784-e787. | 2.4 | 3 |
| 92 | HAc40 is a novel microbiome modulator, effective on atopic dermatitis in children: data from two pilot vehicle-controlled trials. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e767-e768. | 2.4 | 2 |
| 93 | Atopic dermatitis in adolescents: Effectiveness and safety of dupilumab in a 16-week real-life experience during the COVID-19 pandemic in Italy. <i>Dermatologic Therapy</i> , 2021, 34, e15035. | 1.7 | 24 |
| 94 | Behind the Scene: Exploiting MC1R in Skin Cancer Risk and Prevention. <i>Genes</i> , 2021, 12, 1093. | 2.4 | 15 |
| 95 | HIV and syphilis: incidence rate of co-infection and syphilis re-infection in a cohort of newly diagnosed HIV patients. <i>Italian Journal of Dermatology and Venereology</i> , 2021, , . | 0.2 | 3 |
| 96 | Not all melanomas are created equal: a review and call for more research into nodular melanoma. <i>British Journal of Dermatology</i> , 2021, 185, 700-710. | 1.5 | 12 |
| 97 | Learning-based local quality assessment of reflectance confocal microscopy images for dermatology applications. <i>Biocybernetics and Biomedical Engineering</i> , 2021, 41, 880-890. | 5.9 | 3 |
| 98 | New systemic therapies for cutaneous melanoma: why, who and what. <i>Italian Journal of Dermatology and Venereology</i> , 2021, 156, 344-355. | 0.2 | 2 |
| 99 | Fluorescence advanced videodermoscopy: a new method of hairs and scalp evaluation. Comparison with trichoscopy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, 2317-2323. | 2.4 | 2 |
| 100 | Efficacy assessment of a TCA/H2O2 compositum for skin ageing treatment by confocal laser microscopy and optical coherence tomography. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e938-e942. | 2.4 | 0 |
| 101 | Hyperdiluted calcium hydroxylapatite for the treatment of skin laxity of the neck. <i>Dermatologic Therapy</i> , 2021, 34, e15090. | 1.7 | 11 |
| 102 | Reflectance confocal microscopy of neurothekeoma: case report. <i>International Journal of Dermatology</i> , 2021, , . | 1.0 | 1 |
| 103 | Switching infliximab in psoriatic patients during COVID-19 pandemics: A real-life retrospective study comparing intra-versus interclass switching strategies. <i>Dermatologic Therapy</i> , 2021, 34, e15088. | 1.7 | 6 |
| 104 | Dupilumab in atopic dermatitis: predictors of treatment outcome and time to response. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e896-e898. | 2.4 | 11 |
| 105 | A practical guide on the use of imiquimod cream to treat lentigo maligna. <i>Australasian Journal of Dermatology</i> , 2021, 62, 478-485. | 0.7 | 4 |
| 106 | A real-world economic analysis of biologic therapies for moderate-to-severe plaque psoriasis in Italy: results of the CANOVA observational longitudinal study. <i>BMC Health Services Research</i> , 2021, 21, 924. | 2.2 | 6 |
| 107 | The Interplay between HGF/c-met Axis and Nox4 in BRAF Mutated Melanoma. <i>International Journal of Molecular Sciences</i> , 2021, 22, 761. | 4.1 | 3 |
| 108 | Daylight photodynamic therapy with 5-aminolevulinic acid 5% gel for the treatment of mild-to-moderate inflammatory acne. <i>Italian Journal of Dermatology and Venereology</i> , 2021, 156, 46-50. | 0.2 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Fractional 1064 nm picosecond laser and skin photoaging: in vivo evaluation of treatment effects with reflectance confocal microscopy. <i>Journal of Cosmetic and Laser Therapy</i> , 2021, 23, 92-96. | 0.9 | 2 |
| 110 | The role of ultrasound examination for early identification of lymph-node metastasis of cutaneous squamous cell carcinoma: results from a single institutional center. <i>Italian Journal of Dermatology and Venereology</i> , 2021, 156, . | 0.2 | 0 |
| 111 | Development and Validation of IBSA Photographic Scale for the Assessment of Inner Upper Arm Laxity. <i>Clinical, Cosmetic and Investigational Dermatology</i> , 2021, Volume 14, 1465-1471. | 1.8 | 2 |
| 112 | Thumb up for a false alarm!. <i>Italian Journal of Dermatology and Venereology</i> , 2021, 156, 514-515. | 0.2 | 0 |
| 113 | In Vivo Reflectance Confocal Microscopy as a Response Monitoring Tool for Actinic Keratoses Undergoing Cryotherapy and Photodynamic Therapy. <i>Cancers</i> , 2021, 13, 5488. | 3.7 | 6 |
| 114 | A Validated Photonumeric Scale for the Evaluation of Neck Skin Laxity. <i>Dermatologic Surgery</i> , 2021, 47, e188-e190. | 0.8 | 3 |
| 115 | Recurrent Aphthous Stomatitis: Treatment and Management. <i>Dermatology Practical and Conceptual</i> , 2021, 11, e2021099. | 0.9 | 13 |
| 116 | SELF-REPORTED MEASURE OF SUBJECTIVE DISTRESS IN RESPONSE TO COVID-19 PANDEMIA IN PATIENTS REFERRED TO OUR SKIN CANCER UNIT DURING THE FIRST WAVE. <i>Clinics in Dermatology</i> , 2021, 40, 93-93. | 1.6 | 3 |
| 117 | The role of ultrasound examination for early identification of lymph-node metastasis of cutaneous squamous cell carcinoma: results from a single institutional center. <i>Italian Journal of Dermatology and Venereology</i> , 2021, 156, 479-483. | 0.2 | 1 |
| 118 | Moderate to severe psoriasis: a single-center analysis of gender prevalence. <i>Italian Journal of Dermatology and Venereology</i> , 2021, 156, 226-230. | 0.2 | 3 |
| 119 | Epidemiology of skin diseases in the Tigray region of Ethiopia. <i>Italian Journal of Dermatology and Venereology</i> , 2021, 156, 575-579. | 0.2 | 0 |
| 120 | Standardization of dermoscopic terminology and basic dermoscopic parameters to evaluate in general dermatology (non-neoplastic dermatoses): an expert consensus on behalf of the International Dermoscopy Society. <i>British Journal of Dermatology</i> , 2020, 182, 454-467. | 1.5 | 111 |
| 121 | Synergic effect of plasma exeresis and non-crosslinked low and high molecular weight hyaluronic acid to improve neck skin laxities. <i>Journal of Cosmetic Dermatology</i> , 2020, 19, 55-60. | 1.6 | 10 |
| 122 | Treatments of actinic cheilitis: A systematic review of the literature. <i>Journal of the American Academy of Dermatology</i> , 2020, 83, 876-887. | 1.2 | 25 |
| 123 | Too small to be true!. <i>Skin Research and Technology</i> , 2020, 26, 438-439. | 1.6 | 0 |
| 124 | Neck Melanoma: Clinical, Dermoscopic and Confocal Features. <i>Dermatology</i> , 2020, 236, 241-247. | 2.1 | 4 |
| 125 | Adjuvant therapy for cutaneous melanoma: a systematic review and network meta-analysis of new therapies. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 956-966. | 2.4 | 19 |
| 126 | Nodular skin lesions: correlation of reflectance confocal microscopy and optical coherence tomography features. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 101-111. | 2.4 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Validation of an integrated dermoscopic scoring method in an European teledermoscopy web platform: the iDScore project for early detection of melanoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 640-647. | 2.4 | 19 |
| 128 | The association between pesticide use and cutaneous melanoma: a systematic review and meta-analysis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 691-708. | 2.4 | 20 |
| 129 | Ex vivo fluorescence confocal microscopy: prostatic and periprostatic tissues atlas and evaluation of the learning curve. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 476, 511-520. | 2.8 | 37 |
| 130 | European consensus-based interdisciplinary guideline for melanoma. Part 2: Treatment – Update 2019. <i>European Journal of Cancer</i> , 2020, 126, 159-177. | 2.8 | 154 |
| 131 | Flat-pigmented facial lesions without highly specific melanocytic dermoscopy features: the role of dermoscopic globules and dots in differential diagnosis with corresponding reflectance confocal microscopy substrates. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, e153-e156. | 2.4 | 7 |
| 132 | Digital follow-up by means of dermatoscopy and reflectance confocal microscopy of actinic keratosis treated with Imiquimod 3.75% cream. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 1471-1477. | 2.4 | 5 |
| 133 | Disguised basal cell carcinomas: how to track them down with reflectance confocal microscopy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, e68-e70. | 2.4 | 3 |
| 134 | Clinical and Instrumental Objective Evidence of the Efficacy of a New Water-Based Nail-Strengthening Solution Containing Pistacia lentiscus and Hyaluronic Acid Applied for Up to 6 Months to Improve the Appearance of Weak, Brittle Nails. <i>Dermatology and Therapy</i> , 2020, 10, 119-131. | 3.0 | 7 |
| 135 | Looking horizontally at disseminated superficial actinic porokeratosis: Correlations between in vivo reflectance confocal microscopy and histopathology. <i>Skin Research and Technology</i> , 2020, 26, 443-444. | 1.6 | 5 |
| 136 | Reflectance confocal microscopy diagnostic accuracy for malignant melanoma in different clinical settings: systematic review and meta-analysis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 2268-2279. | 2.4 | 33 |
| 137 | Hidradenitis Suppurativa: Surgical and Postsurgical Management. <i>Skin Appendage Disorders</i> , 2020, 6, 195-201. | 1.0 | 6 |
| 138 | Human surface anatomy terminology for dermatology: a Delphi consensus from the International Skin Imaging Collaboration. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 2659-2663. | 2.4 | 10 |
| 139 | A headstrong case of folliculitis decalvans: Treatment options and evaluation with dermoscopy, reflectance confocal microscopy and optical coherence tomography. <i>Dermatologic Therapy</i> , 2020, 33, e14049. | 1.7 | 2 |
| 140 | Hyperdiluted calcium hydroxylapatite for skin laxity and cellulite of the skin above the knee: A pilot study. <i>Dermatologic Therapy</i> , 2020, 33, e14076. | 1.7 | 6 |
| 141 | Management of biological therapies for chronic plaque psoriasis during COVID-19 emergency in Italy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, e770-e772. | 2.4 | 31 |
| 142 | In vivo confocal microscopy: The role of comparative approach in patients with multiple atypical nevi. <i>Experimental Dermatology</i> , 2020, 29, 945-952. | 2.9 | 5 |
| 143 | A survey on the use of reflectance confocal microscopy among dermatologists in Italy. <i>Journal of the American Academy of Dermatology</i> , 2020, 83, 1465-1466. | 1.2 | 2 |
| 144 | Association Between Patient- and Physician-Reported Outcomes in Patients with Moderate-To-Severe Plaque Psoriasis Treated with Biologics in Real Life (PSO-BIO-REAL). <i>Dermatology and Therapy</i> , 2020, 10, 1099-1109. | 3.0 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Reflectance confocal microscopy for striae distansae treatment monitoring after CO ₂ fractional laser. <i>Dermatologic Therapy</i> , 2020, 33, e14318. | 1.7 | 4 |
| 146 | Diffuse (Generalized) Plane Xanthoma Misdiagnosed as Carotenoderma: Usefulness of Reflectance Confocal Microscopy. <i>American Journal of Dermatopathology</i> , 2020, 42, e167-e169. | 0.6 | 3 |
| 147 | Hyperdiluted Calcium Hydroxylapatite 1:2 for Mid and Lower Facial Skin Rejuvenation: Efficacy and Safety. <i>Dermatologic Surgery</i> , 2020, 46, e112-e117. | 0.8 | 17 |
| 148 | A multinational, prospective, observational study to estimate complete skin clearance in patients with moderate-to-severe plaque Psoriasis treated with Biologics in a REAL world setting (PSO-BIO-REAL). <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 2566-2573. | 2.4 | 19 |
| 149 | Microscopic and functional changes observed with dynamic optical coherence tomography for severe refractory atopic dermatitis treated with dupilumab. <i>Skin Research and Technology</i> , 2020, 26, 779-787. | 1.6 | 20 |
| 150 | The presence of eccentric hyperpigmentation should raise the suspicion of melanoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 2802-2808. | 2.4 | 2 |
| 151 | COVID-19 and dermatology: a comprehensive guide for dermatologists. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 1388-1394. | 2.4 | 28 |
| 152 | Evolution of COVID-19 infection in four psoriatic patients treated with biological drugs. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, e360-e361. | 2.4 | 41 |
| 153 | In vivo imaging of <i>Sarcoptes scabiei</i> infestation using line-field confocal optical coherence tomography. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, e808-e809. | 2.4 | 19 |
| 154 | Treatment monitoring of 5-fluorouracil 0.5%/salicylic acid 10% lesion-directed therapy for actinic keratosis using dermoscopy and in vivo reflectance confocal microscopy. <i>Dermatologic Therapy</i> , 2020, 33, e13744. | 1.7 | 2 |
| 155 | Digital frozen section of the prostate surface during radical prostatectomy: a novel approach to evaluate surgical margins. <i>BJU International</i> , 2020, 126, 336-338. | 2.5 | 19 |
| 156 | Digital dermoscopic changes during follow-up of de novo and nevus-associated melanoma: a cohort study. <i>International Journal of Dermatology</i> , 2020, 59, 813-821. | 1.0 | 6 |
| 157 | The COVID-19 outbreak in dermatologic surgery: resetting clinical priorities. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, e543-e545. | 2.4 | 8 |
| 158 | Creatine Phosphokinase Values during Low Starting Dose Isotretinoin Therapy. <i>Skin Appendage Disorders</i> , 2020, 6, 142-146. | 1.0 | 5 |
| 159 | Basal cell carcinoma or melanoma, that is the question!. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, e425-e427. | 2.4 | 3 |
| 160 | Concordance among in vivo reflectance confocal microscopy, trichoscopy, and histopathology in the evaluation of scalp discoid lupus. <i>Skin Research and Technology</i> , 2020, 26, 675-682. | 1.6 | 8 |
| 161 | Single-Cell Approaches to Profile the Response to Immune Checkpoint Inhibitors. <i>Frontiers in Immunology</i> , 2020, 11, 490. | 4.8 | 38 |
| 162 | Reflectance confocal microscopy in actinic keratosis: Comparison of efficacy between cryotherapy protocols. <i>Skin Research and Technology</i> , 2020, 26, 876-882. | 1.6 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Italian expert consensus paper on the management of patients with actinic keratoses. <i>Dermatologic Therapy</i> , 2020, 33, e13992. | 1.7 | 12 |
| 164 | A validated photonumeric cellulite severity scale for the area above the knees: the knee cellulite severity score. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 2152-2155. | 2.4 | 5 |
| 165 | Clinical and Dermoscopic Features Associated With Difficult-to-Recognize Variants of Cutaneous Melanoma. <i>JAMA Dermatology</i> , 2020, 156, 430. | 4.1 | 22 |
| 166 | Surgical and postsurgical wound care in hidradenitis suppurativa. <i>Dermatologic Therapy</i> , 2020, 33, e13282. | 1.7 | 11 |
| 167 | European consensus-based interdisciplinary guideline for melanoma. Part 1: Diagnostics “ Update 2019. <i>European Journal of Cancer</i> , 2020, 126, 141-158. | 2.8 | 133 |
| 168 | Real-time assessment of surgical margins during radical prostatectomy: a novel approach that uses fluorescence confocal microscopy for the evaluation of peri-prostatic soft tissue. <i>BJU International</i> , 2020, 125, 487-489. | 2.5 | 20 |
| 169 | Mesenchymal stem cells and psoriasis: State of the art and future perspectives. <i>Dermatologic Therapy</i> , 2020, 33, e13247. | 1.7 | 3 |
| 170 | Morphology of congenital nevi in dermoscopy and reflectance confocal microscopy according to age: a pilot study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, e787-e789. | 2.4 | 2 |
| 171 | Chronic kidney disease in psoriasis: a cohort study. <i>JDDG - Journal of the German Society of Dermatology</i> , 2020, 18, 438-445. | 0.8 | 11 |
| 172 | Clinical and Dermoscopic Factors for the Identification of Aggressive Histologic Subtypes of Basal Cell Carcinoma. <i>Frontiers in Oncology</i> , 2020, 10, 630458. | 2.8 | 18 |
| 173 | Dermoscopy and confocal microscopy of small sized basal cell carcinoma (diameter less than 5 mm). <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2020, 155, 116-118. | 0.8 | 3 |
| 174 | Management of cutaneous melanoma: comparison of the leading international guidelines updated to the 8th American Joint Committee on Cancer staging system and workup proposal by the Italian Society of Dermatology. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2020, 155, 126-145. | 0.8 | 5 |
| 175 | The burden of atopic dermatitis in adults in Italy. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2020, 155, 19-23. | 0.8 | 8 |
| 176 | Topical tacrolimus in adult atopic dermatitis: a consensus based on a 15-year experience. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2020, 155, 8-13. | 0.8 | 9 |
| 177 | Nevus-associated melanoma: facts and controversies. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2020, 155, 65-75. | 0.8 | 14 |
| 178 | Vitiligo management: combination of surgical treatment and phototherapy under reflectance confocal microscopy monitoring. <i>European Review for Medical and Pharmacological Sciences</i> , 2020, 24, 7366-7371. | 0.7 | 3 |
| 179 | Immunohistochemical mismatch repair proteins expression as a tool to predict the melanoma immunotherapy response. <i>Molecular and Clinical Oncology</i> , 2020, 12, 3-8. | 1.0 | 9 |
| 180 | Robot-Assisted Radical Prostatectomy. , 2020, , 63-91. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Resurrection of a new old technique: The carbon peel laser. <i>Dermatologic Therapy</i> , 2020, 33, e13646. | 1.7 | 1 |
| 182 | In Vivo Reflectance Confocal Microscopy for Nonmelanocytic Benign Skin Tumors. , 2020, , 157-161. | | 0 |
| 183 | Novel Methods for In Vivo Skin Structure Visualization. , 2020, , 265-288. | | 0 |
| 184 | Qual Ã© o melanoma? LesÃµes negras sÃ£o importantes!. <i>Surgical and Cosmetic Dermatology</i> , 2020, 12, . | 0.0 | 0 |
| 185 | Reflectance Confocal Microscopy in Dermatology. , 2020, , 1-39. | | 0 |
| 186 | Carbon Peel Laser Technique to Improve Skin Quality: Back to Science!. <i>Dermatology Practical and Conceptual</i> , 2020, 10, e2020113. | 0.9 | 0 |
| 187 | A Peculiar Case of Darier Disease in Blaschkoid Distribution. <i>Dermatology Practical and Conceptual</i> , 2020, 10, e2020078. | 0.9 | 0 |
| 188 | Atopy Patch Test and doubtful reactions: interpretation according to morphological features revealed with reflectance confocal microscopy. <i>Italian Journal of Dermatology and Venereology</i> , 2020, , . | 0.2 | 0 |
| 189 | Physicians' patient communication and patients' reported outcomes in the actinic keratosis treatment adherence initiative (<scp>AK</scp>â€<scp>TRAIN</scp>): a multicenter, prospective, real-life study of treatment satisfaction, quality of life and adherence to topical field-directed therapy for the treatment of actinic keratosis in Italy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 93-107. | 2.4 | 16 |
| 190 | Favreâ€™Racouchot disease: systematic review and possible therapeutic strategies. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 32-41. | 2.4 | 12 |
| 191 | Dietary cadmium intake and risk of cutaneous melanoma: An Italian population-based case-control study. <i>Journal of Trace Elements in Medicine and Biology</i> , 2019, 56, 100-106. | 3.0 | 23 |
| 192 | Nipple and areola lesions: Dermoscopy and reflectance confocal microscopy features. <i>Journal of the American Academy of Dermatology</i> , 2019, 81, 610-613. | 1.2 | 6 |
| 193 | A real-life experience of psoriatic patients with history of cancer treated with biological drugs. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, e453-e455. | 2.4 | 11 |
| 194 | A comparative dermoscopic and reflectance confocal microscopy study of naevi and melanoma with negative pigment network. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 2273-2282. | 2.4 | 10 |
| 195 | Onychoscopy with red light for vascular pattern identification: a study of 33 patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 2355-2361. | 2.4 | 4 |
| 196 | Picosecond laser treatment of atrophic and hypertrophic surgical scars: In vivo monitoring of results by means of 3D imaging and reflectance confocal microscopy. <i>Skin Research and Technology</i> , 2019, 25, 896-902. | 1.6 | 21 |
| 197 | In vitro Engineering of a Skin Substitute Based on Adipose-Derived Stem Cells. <i>Cells Tissues Organs</i> , 2019, 207, 46-57. | 2.3 | 15 |
| 198 | Reflectance confocal microscopy features of thin versus thick melanomas. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2019, 154, 379-385. | 0.8 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | The influence of MC1R on dermal morphological features of photoexposed skin in women revealed by reflectance confocal microscopy and optical coherence tomography. <i>Experimental Dermatology</i> , 2019, 28, 1321-1327. | 2.9 | 20 |
| 200 | Age and gender influence on HIDRADisk outcomes in adalimumab-treated hidradenitis suppurativa patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 25-27. | 2.4 | 7 |
| 201 | Ultrasonography in the pathway to an optimal standard of care of hidradenitis suppurativa: the Italian Ultrasound Working Group experience. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 10-14. | 2.4 | 33 |
| 202 | Significant chronic airway abnormalities in never-smoking HIV-infected patients. <i>HIV Medicine</i> , 2019, 20, 657-667. | 2.2 | 14 |
| 203 | Hidradenitis suppurativa epidemiology: from the first Italian registry in 2009 to the most recent epidemiology updates – Italian Registry Hidradenitis Suppurativa project 2. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 4-6. | 2.4 | 10 |
| 204 | Multicenter study of vacuum-assisted precise tissue release for the treatment of cellulite in a cohort of 112 Italian women assessed with cellulite dimples scale at rest. <i>Journal of Cosmetic and Laser Therapy</i> , 2019, 21, 404-407. | 0.9 | 5 |
| 205 | Improving the disease awareness: how a communication campaign brings hidradenitis suppurativa to the light. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 7-9. | 2.4 | 1 |
| 206 | Non-invasive Imaging for Skin Cancers – the European Experience. <i>Current Dermatology Reports</i> , 2019, 8, 172-181. | 2.1 | 8 |
| 207 | Food and Beverage Consumption and Melanoma Risk: A Population-Based Case-Control Study in Northern Italy. <i>Nutrients</i> , 2019, 11, 2206. | 4.1 | 17 |
| 208 | When follow-up is telling you the truth. <i>British Journal of Dermatology</i> , 2019, 180, 1559-1560. | 1.5 | 0 |
| 209 | Effects of topical methotrexate loaded gold nanoparticle in cutaneous inflammatory mouse model. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2019, 17, 276-286. | 3.3 | 43 |
| 210 | Translational control mechanisms in cutaneous malignant melanoma: the role of eIF2 \uparrow . <i>Journal of Translational Medicine</i> , 2019, 17, 20. | 4.4 | 8 |
| 211 | Cutaneous myiasis in a traveler returning from Argentina. <i>Dermatologic Therapy</i> , 2019, 32, e12996. | 1.7 | 4 |
| 212 | Reflectance confocal microscopy made easy: The 4 must-know key features for the diagnosis of melanoma and nonmelanoma skin cancers. <i>Journal of the American Academy of Dermatology</i> , 2019, 81, 520-526. | 1.2 | 34 |
| 213 | How does the International League of Dermatological Societies promote skin health for the world?. <i>British Journal of Dermatology</i> , 2019, 180, 1281-1283. | 1.5 | 1 |
| 214 | Laminin 332-Dependent YAP Dysregulation Depletes Epidermal Stem Cells in Junctional Epidermolysis Bullosa. <i>Cell Reports</i> , 2019, 27, 2036-2049.e6. | 6.4 | 54 |
| 215 | The integration of dermoscopy and reflectance confocal microscopy improves the diagnosis of lentigo maligna. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, e372-e374. | 2.4 | 23 |
| 216 | Psoriasis and pregnancy outcomes in biological therapies: a real-life, multi-centre experience. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, e374-e377. | 2.4 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Tumor of the follicular infundibulum: Dermoscopic and confocal features. <i>Skin Research and Technology</i> , 2019, 25, 761-764. | 1.6 | 2 |
| 218 | An unusual presentation of primary cutaneous cryptococcosis. <i>Dermatologic Therapy</i> , 2019, 32, e12942. | 1.7 | 3 |
| 219 | Secukinumab shows high efficacy irrespective of <i>HLA-Cw6</i> status in patients with moderate-to-severe plaque-type psoriasis: results from extension phase of the SUPREME study. <i>British Journal of Dermatology</i> , 2019, 181, 413-414. | 1.5 | 21 |
| 220 | Efficacy of D-pigment dermocosmetic lightening product for solar lentigo lesions of the hand: A randomized controlled trial. <i>PLoS ONE</i> , 2019, 14, e0214714. | 2.5 | 4 |
| 221 | The evolution of healthy skin to acne lesions: a longitudinal, <i>in vivo</i> evaluation with reflectance confocal microscopy and optical coherence tomography. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 1768-1774. | 2.4 | 21 |
| 222 | Reflectance confocal microscopy terminology glossary for nonmelanocytic skin lesions: A systematic review. <i>Journal of the American Academy of Dermatology</i> , 2019, 80, 1414-1427.e3. | 1.2 | 34 |
| 223 | <i>Ex vivo</i> fluorescence confocal microscopy: the first application for real-time pathological examination of prostatic tissue. <i>BJU International</i> , 2019, 124, 469-476. | 2.5 | 59 |
| 224 | "Eternal sunshine of the spotless islands": how dermoscopy may influence confocal microscopy when dealing with squamous cells carcinoma simulating basal cell carcinoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, e277-e280. | 2.4 | 2 |
| 225 | External validation and comparison of four confocal microscopic scores for melanoma diagnosis on a retrospective series of highly suspicious melanocytic lesions. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 1541-1546. | 2.4 | 8 |
| 226 | Reflectance confocal microscopy in the diagnosis of pigmented macules of the face: differential diagnosis and margin definition. <i>Photochemical and Photobiological Sciences</i> , 2019, 18, 963-969. | 2.9 | 24 |
| 227 | Capecitabine-induced eruptive acral hyperpigmentation: Clinical and dermoscopic evaluation of two cases. <i>Dermatologic Therapy</i> , 2019, 32, e12853. | 1.7 | 6 |
| 228 | Convolutional Neural Network Approach to Classify Skin Lesions Using Reflectance Confocal Microscopy. , 2019, 2019, 4754-4757. | | 11 |
| 229 | Efficacy and safety of switching to ixekizumab in secukinumab nonresponder patients with psoriasis: results from a multicentre experience. <i>British Journal of Dermatology</i> , 2019, 180, 1547-1548. | 1.5 | 30 |
| 230 | Rates of antibiotic resistance/sensitivity in bacterial cultures of hidradenitis suppurativa patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 930-936. | 2.4 | 52 |
| 231 | Morphological classification of melanoma metastasis with reflectance confocal microscopy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 676-685. | 2.4 | 6 |
| 232 | Lesions Mimicking Melanoma at Dermoscopy Confirmed Basal Cell Carcinoma: Evaluation with Reflectance Confocal Microscopy. <i>Dermatology</i> , 2019, 235, 35-44. | 2.1 | 19 |
| 233 | Melanoma types by <i>in vivo</i> reflectance confocal microscopy correlated with protein and molecular genetic alterations: A pilot study. <i>Experimental Dermatology</i> , 2019, 28, 254-260. | 2.9 | 6 |
| 234 | Evaluation of generalized pustular psoriasis by reflectance confocal microscopy. <i>Skin Research and Technology</i> , 2019, 25, 402-403. | 1.6 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Age-Dependent Transformation of Skin Biomechanical Properties and Micromorphology during Infancy and Childhood. <i>Journal of Investigative Dermatology</i> , 2019, 139, 464-466. | 0.7 | 11 |
| 236 | Inherited epidermolysis bullosa: description of clinical and subclinical morphological features with optical coherence tomography. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, e120-e123. | 2.4 | 3 |
| 237 | Sclerosing nevus with pseudomelanomatous features: dermoscopic and confocal aspects. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 525-532. | 2.4 | 2 |
| 238 | Picosecond laser for atrophic surgical scars treatment: <i>in vivo</i> monitoring of results by means of reflectance confocal microscopy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, e114-e116. | 2.4 | 13 |
| 239 | Optimization strategies for HIV , hepatitis and syphilis testing in Infectious Disease Clinic and Dermatology Unit of Modena: 7-year results of collaboration experience. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 959-965. | 2.4 | 4 |
| 240 | Diagnostic accuracy of <i>ex vivo</i> fluorescence confocal microscopy in Mohs surgery of basal cell carcinomas: a prospective study on 753 margins. <i>British Journal of Dermatology</i> , 2019, 180, 1473-1480. | 1.5 | 54 |
| 241 | Pigmented skin lesions displaying regression features: Dermoscopy and reflectance confocal microscopy criteria for diagnosis. <i>Experimental Dermatology</i> , 2019, 28, 129-135. | 2.9 | 6 |
| 242 | Accuracy of teleconsultation on management decisions of lesions suspect for melanoma using reflectance confocal microscopy as a stand-alone diagnostic tool. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 439-446. | 2.4 | 9 |
| 243 | Morphological study of skin cancer lesions through a 3D scanner based on fringe projection and machine learning. <i>Biomedical Optics Express</i> , 2019, 10, 3404. | 2.9 | 9 |
| 244 | Computational neural network in melanocytic lesions diagnosis: artificial intelligence to improve diagnosis in dermatology?. <i>European Journal of Dermatology</i> , 2019, 29, 4-7. | 0.6 | 27 |
| 245 | The importance of reflectance confocal microscopy for the diagnosis and the follow-up of tinea capitis. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2019, 154, 591-593. | 0.8 | 3 |
| 246 | Atypical fibroxanthoma: in-vivo and ex-vivo confocal features. <i>Italian Journal of Dermatology and Venereology</i> , 2019, , . | 0.2 | 5 |
| 247 | Study of skin cancer lesions through multispectral and 3D techniques. , 2019, , . | | 1 |
| 248 | Improving mandibular contour: A pilot study for indication of PPLA traction thread use. <i>Journal of Cosmetic and Laser Therapy</i> , 2018, 20, 465-469. | 0.9 | 11 |
| 249 | Seminal cell-free DNA molecular profile as a novel diagnostic and prognostic prostate cancer biomarkers. <i>Medical Hypotheses</i> , 2018, 114, 69. | 1.5 | 4 |
| 250 | Actinic Keratosis Area Severity Index (AKASI): reproducibility study and comparison with total lesion count. <i>British Journal of Dermatology</i> , 2018, 179, 763-764. | 1.5 | 10 |
| 251 | Secukinumab: A positive outcome in a patient with severe psoriasis and HBV-HCV co-infection. <i>Dermatologic Therapy</i> , 2018, 31, e12601. | 1.7 | 9 |
| 252 | Basal cell carcinoma: the utility of <i>in vivo</i> and <i>ex vivo</i> confocal microscopy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, 2090-2096. | 2.4 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Removal of unwanted hair: efficacy, tolerability, and safety of long-pulsed 755-nm alexandrite laser equipped with a sapphire handpiece. <i>Lasers in Medical Science</i> , 2018, 33, 1479-1483. | 2.1 | 25 |
| 254 | Seborrheic keratoses mimicking melanoma unveiled by in vivo reflectance confocal microscopy. <i>Skin Research and Technology</i> , 2018, 24, 285-293. | 1.6 | 13 |
| 255 | Dermoscopy vs. reflectance confocal microscopy for the diagnosis of lentigo maligna. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, 1284-1291. | 2.4 | 57 |
| 256 | Reflectance confocal microscopy and optical coherence tomography for the diagnosis of bullous pemphigoid and pemphigus and surrounding subclinical lesions. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, 1562-1569. | 2.4 | 23 |
| 257 | Plasma exeresis for active acne vulgaris: Clinical and in vivo microscopic documentation of treatment efficacy by means of reflectance confocal microscopy. <i>Skin Research and Technology</i> , 2018, 24, 522-524. | 1.6 | 10 |
| 258 | Imatinib-induced diffuse hyperpigmentation of the oral mucosa, the skin, and the nails in a patient affected by chronic myeloid leukemia: report of a case and review of the literature. <i>International Journal of Dermatology</i> , 2018, 57, 784-790. | 1.0 | 18 |
| 259 | Wide skin markings pattern: melanoma descriptor or patient-related factor?: reply from the authors. <i>British Journal of Dermatology</i> , 2018, 178, 1226-1226. | 1.5 | 2 |
| 260 | Tracking actinic keratosis of face and scalp treated with 0.015% ingenol mebutate to identify clinical and dermoscopic predictors of treatment response. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, 1461-1468. | 2.4 | 7 |
| 261 | <i>In vivo</i> dermoscopic and confocal microscopy multistep algorithm to detect <i>in situ</i> melanomas. <i>British Journal of Dermatology</i> , 2018, 179, 163-172. | 1.5 | 39 |
| 262 | Folliculotropism in pigmented facial macules: Differential diagnosis with reflectance confocal microscopy. <i>Experimental Dermatology</i> , 2018, 27, 227-232. | 2.9 | 26 |
| 263 | The value of fluorimetry (Qubit) and spectrophotometry (NanoDrop) in the quantification of cell-free DNA (cfDNA) in malignant melanoma and prostate cancer patients. <i>Clinica Chimica Acta</i> , 2018, 479, 14-19. | 1.1 | 46 |
| 264 | Seminal Cell-Free DNA Assessment as a Novel Prostate Cancer Biomarker. <i>Pathology and Oncology Research</i> , 2018, 24, 941-945. | 1.9 | 28 |
| 265 | Favre-Racouchot syndrome: report of a case treated by plasma exeresis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, e411-e413. | 2.4 | 7 |
| 266 | The smart approach: feasibility of lentigo maligna superficial margin assessment with handheld reflectance confocal microscopy technology. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, 1687-1694. | 2.4 | 35 |
| 267 | Clinical, dermoscopic, and confocal features of nevi and melanomas in a multiple primary melanoma patient with the MITF p.E318K homozygous mutation. <i>Melanoma Research</i> , 2018, 28, 166-169. | 1.2 | 11 |
| 268 | Defining the actinic keratosis field: a literature review and discussion. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, 544-563. | 2.4 | 54 |
| 269 | MC1R genotype and psoriasis: is there a link revealing a phenotypic difference?. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, e119-e120. | 2.4 | 0 |
| 270 | Treatment of striae distensae with non-ablative fractional laser: clinical and in vivo microscopic documentation of treatment efficacy. <i>Lasers in Medical Science</i> , 2018, 33, 75-78. | 2.1 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 271 | Uncovering the diagnostic dermoscopic features of flat melanomas located on the lower limbs. <i>British Journal of Dermatology</i> , 2018, 178, e217-e218. | 1.5 | 9 |
| 272 | Clinical and Confocal Microscopy Study of Plasma Exeresis for Nonsurgical Blepharoplasty of the Upper Eyelid: A Pilot Study. <i>Dermatologic Surgery</i> , 2018, 44, 283-290. | 0.8 | 28 |
| 273 | Ineffectiveness of infliximab CTâ€P13 for the treatment of scleromyxedema: A case report. <i>Dermatologic Therapy</i> , 2018, 31, e12583. | 1.7 | 5 |
| 274 | In vivo differentiation of common basal cell carcinoma subtypes by microvascular and structural imaging using dynamic optical coherence tomography. <i>Experimental Dermatology</i> , 2018, 27, 156-165. | 2.9 | 32 |
| 275 | Nonâ€invasive evaluation of Secukinumab efficacy in severe plaque psoriasis with confocal microscopy and optical coherence tomography: A case report. <i>Skin Research and Technology</i> , 2018, 24, 160-162. | 1.6 | 12 |
| 276 | Reinterpreting dermoscopic pigment network with reflectance confocal microscopy for identification of melanomaâ€specific features. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, 947-955. | 2.4 | 8 |
| 277 | Integration of dermoscopy and reflectance confocal microscopy for distinguishing melanomas from nevi of the breast area. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, 940-946. | 2.4 | 9 |
| 278 | Dynamic optical coherence tomography of skin blood vessels â€“ proposed terminology and practical guidelines. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, 152-155. | 2.4 | 40 |
| 279 | Impact of clinical and personal data in the dermoscopic differentiation between early melanoma and atypical nevi. <i>Dermatology Practical and Conceptual</i> , 2018, 8, 324-327. | 0.9 | 8 |
| 280 | Plasma Exeresis Treatment for Epidermoid Cysts: A Minimal Scarring Technique. <i>Dermatologic Surgery</i> , 2018, 44, 1509-1515. | 0.8 | 8 |
| 281 | New trends in botulinum toxin use in dermatology. <i>Dermatology Practical and Conceptual</i> , 2018, 8, 277-282. | 0.9 | 20 |
| 282 | Successful therapy of plaque-type psoriasis with secukinumab in patients with multiple comorbidities treated with previous biologic therapies. <i>Journal of Dermatological Treatment</i> , 2018, 29, 5-8. | 2.2 | 11 |
| 283 | Image Gallery: <i>Demodex folliculorum</i> longitudinal appearance with reflectance confocal microscopy. <i>British Journal of Dermatology</i> , 2018, 179, e230-e230. | 1.5 | 6 |
| 284 | Long-term adalimumab treatment of hidradenitis suppurativa: Results and practical insights from a real-life experience. <i>Dermatologic Therapy</i> , 2018, 31, e12737. | 1.7 | 24 |
| 285 | The vascular morphology of melanoma is related to Breslow index: An in vivo study with dynamic optical coherence tomography. <i>Experimental Dermatology</i> , 2018, 27, 1280-1286. | 2.9 | 34 |
| 286 | Resurfacing with Ablation of Periorbital Skin Technique: Indications, Efficacy, Safety, and 3D Assessment from a Pilot Study. <i>Photomedicine and Laser Surgery</i> , 2018, 36, 541-547. | 2.0 | 17 |
| 287 | Seminal Cell Free DNA Concentration Levels Discriminate Between Prostate Cancer and Benign Prostatic Hyperplasia. <i>Anticancer Research</i> , 2018, 38, 5121-5125. | 1.1 | 17 |
| 288 | Omalizumab in Chronic Spontaneous Urticaria Refractory to Conventional Therapy: An Italian Retrospective Clinical Analysis with Suggestions for Long-Term Maintenance Strategies. <i>Dermatology and Therapy</i> , 2018, 8, 291-301. | 3.0 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 289 | Reflectance confocal microscopy: a crucial role for actinic keratosis treatment monitoring. Journal of the European Academy of Dermatology and Venereology, 2018, 32, 1055-1055. | 2.4 | 5 |
| 290 | Nevus-Associated Melanoma: Patient Phenotype and Potential Biological Implications. Journal of Investigative Dermatology, 2018, 138, 1696-1698. | 0.7 | 10 |
| 291 | Ex vivo fluorescence confocal microscopy for intraoperative, real-time diagnosis of cutaneous inflammatory diseases: A preliminary study. Experimental Dermatology, 2018, 27, 1152-1159. | 2.9 | 32 |
| 292 | Cutaneous squamous cell carcinoma. Italian Guidelines by SIDeMaST adapted to and updating EADO/EDF/EORTC guidelines. Giornale Italiano Di Dermatologia E Venereologia, 2018, 153, 747-762. | 0.8 | 22 |
| 293 | Actinic Keratosis and Non-Invasive Diagnostic Techniques: An Update. Biomedicines, 2018, 6, 8. | 3.2 | 39 |
| 294 | Diagnosis and management of moderate to severe adult atopic dermatitis: a Consensus by the Italian Society of Dermatology and Venereology (SIDeMaST), the Italian Association of Hospital Dermatologists (ADOI), the Italian Society of Allergy, Asthma and Clinical Immunology (SIAAIC), and the Italian Society of Allergological, Environmental and Occupational Dermatology (SIDAPA). Italian Journal of Dermatology and Venereology, 2018, 153, 133-145. | 0.2 | 25 |
| 295 | Hyaluronic acid filler for skin rejuvenation: The role of diet on outcomes. A pilot study. Dermatologic Therapy, 2018, 31, e12646. | 1.7 | 16 |
| 296 | Pseudo-Kaposi sarcoma: report of a case investigated by dermoscopy, reflectance confocal microscopy and optical coherence tomography. Journal of the European Academy of Dermatology and Venereology, 2018, 32, e429-e432. | 2.4 | 6 |
| 297 | Dermoscopy of Lymphomas and Pseudolymphomas. Dermatologic Clinics, 2018, 36, 377-388. | 1.7 | 26 |
| 298 | Dabrafenib-trametinib combination in "field-practice": an Italian experience. Future Oncology, 2018, 14, 2045-2052. | 2.4 | 3 |
| 299 | Methods of Melanoma Detection. , 2018, , 39-85. | | 0 |
| 300 | Epidemiology of pyoderma gangrenosum: Results from an Italian prospective multicentre study. International Wound Journal, 2018, 15, 875-879. | 2.9 | 28 |
| 301 | An integrated clinical-dermoscopic risk scoring system for the differentiation between early melanoma and atypical nevi: the iDScore. Journal of the European Academy of Dermatology and Venereology, 2018, 32, 2162-2170. | 2.4 | 28 |
| 302 | PTCH1 Germline Mutations and the Basaloid Follicular Hamartoma Values in the Tumor Spectrum of Basal Cell Carcinoma Syndrome (NBCCS). Anticancer Research, 2018, 38, 471-476. | 1.1 | 9 |
| 303 | Merkel cell carcinoma arising on a pre-existing Bowen's disease: is it just by chance?. Italian Journal of Dermatology and Venereology, 2018, 153, 273-275. | 0.2 | 0 |
| 304 | <i>In vivo</i> monitoring of topical therapy for acne with reflectance confocal microscopy. Skin Research and Technology, 2017, 23, 36-40. | 1.6 | 24 |
| 305 | Update on dermoscopy of Spitz/Reed naevi and management guidelines by the International Dermoscopy Society. British Journal of Dermatology, 2017, 177, 645-655. | 1.5 | 95 |
| 306 | Glycaemic index, glycaemic load and risk of cutaneous melanoma in a population-based, case-control study. British Journal of Nutrition, 2017, 117, 432-438. | 2.3 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 307 | The value of reflectance confocal microscopy in diagnosis of flat pigmented facial lesions: a prospective study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 1349-1354. | 2.4 | 19 |
| 308 | Permanent implants for lip augmentation: Results from a retrospective study and presentation of tips and tricks. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2017, 70, 699-704. | 1.0 | 11 |
| 309 | Imaging Blood Vessel Morphology in Skin: Dynamic Optical Coherence Tomography as a Novel Potential Diagnostic Tool in Dermatology. <i>Dermatology and Therapy</i> , 2017, 7, 187-202. | 3.0 | 80 |
| 310 | Ugly Duckling Sign as a Major Factor of Efficiency in Melanoma Detection. <i>JAMA Dermatology</i> , 2017, 153, 279. | 4.1 | 60 |
| 311 | A proposed scoring system for assessing the severity of actinic keratosis on the head: actinic keratosis area and severity index. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 1295-1302. | 2.4 | 67 |
| 312 | <i>In vivo</i> microvascular imaging of cutaneous actinic keratosis, Bowen's disease and squamous cell carcinoma using dynamic optical coherence tomography. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 1655-1662. | 2.4 | 38 |
| 313 | Merkel cell carcinoma: morphologic aspects on reflectance confocal microscopy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, e480-e481. | 2.4 | 6 |
| 314 | Detection of desmoplastic melanoma with dermoscopy and reflectance confocal microscopy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 2016-2024. | 2.4 | 19 |
| 315 | Management of long-term therapy with biological drugs in psoriatic patients with latent tuberculosis infection in real life setting. <i>Dermatologic Therapy</i> , 2017, 30, e12503. | 1.7 | 10 |
| 316 | Acne: morphologic and vascular study of lesions and surrounding skin by means of optical coherence tomography. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 1541-1546. | 2.4 | 39 |
| 317 | Recurrence of melanocytic lesions after laser treatment: benign vs. malignant upon dermoscopy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, e526-e528. | 2.4 | 3 |
| 318 | Clinical features and <i>in vivo</i> reflectance confocal microscopy of an atypical presentation of Herpesvirus α 2 and Cytomegalovirus co α infection of the intergluteal sulcus. <i>Skin Research and Technology</i> , 2017, 23, 619-620. | 1.6 | 2 |
| 319 | Risk factors for recurrence after successful treatment of warts: the role of smoking habits. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 712-716. | 2.4 | 12 |
| 320 | Telangiectasia of the face: risk factors for reappearance in patients treated with dye laser. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 1355-1359. | 2.4 | 8 |
| 321 | Similar but Different: How Reflectance Confocal Microscopy May Help in the Diagnosis of Pink Lesions. <i>Dermatology</i> , 2017, 233, 212-216. | 2.1 | 7 |
| 322 | Difficult-to-diagnose facial melanomas: Utility of reflectance confocal microscopy in uncovering the diagnosis. <i>JAAD Case Reports</i> , 2017, 3, 379-383. | 0.8 | 3 |
| 323 | Superiority of a vitamin B12-barrier cream compared with standard glycerol-petrolatum-based emollient cream in the treatment of atopic dermatitis: A randomized, left-to-right comparative trial. <i>Dermatologic Therapy</i> , 2017, 30, e12523. | 1.7 | 16 |
| 324 | New imaging tools for an old disease: Secondary syphilis. <i>Australasian Journal of Dermatology</i> , 2017, 58, e277-e279. | 0.7 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 325 | Dermoscopic and reflectance confocal microscopy features of cutaneous squamous cell carcinoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 1828-1833. | 2.4 | 47 |
| 326 | Superiority of a vitamin B ₁₂ -containing emollient compared to a standard emollient in the maintenance treatment of mild-to-moderate plaque psoriasis. <i>International Journal of Immunopathology and Pharmacology</i> , 2017, 30, 439-444. | 2.1 | 13 |
| 327 | Multispectral imaging system based on light-emitting diodes for the detection of melanomas and basal cell carcinomas: a pilot study. <i>Journal of Biomedical Optics</i> , 2017, 22, 065006. | 2.6 | 17 |
| 328 | Real-world approach to actinic keratosis management: practical treatment algorithm for office-based dermatology. <i>Journal of Dermatological Treatment</i> , 2017, 28, 431-442. | 2.2 | 76 |
| 329 | Desmoplastic melanoma: a challenge for the oncologist. <i>Future Oncology</i> , 2017, 13, 337-345. | 2.4 | 6 |
| 330 | Efficacy of ustekinumab after failure of infliximab <sc>CT</sc>â€P13 in a <sc>HLA</sc>â€Cw6â€positive patient affected by pityriasis rubra pilaris: monitoring with reflectance confocal microscopy (<sc>RCM</sc>) and optical coherence tomography (<sc>OCT</sc>). <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, e249-e251. | 2.4 | 10 |
| 331 | Reflectance confocal microscopy features of regression in congenital naevus: case report. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, e243-e245. | 2.4 | 0 |
| 332 | Bowen's disease of the upper eyelid successfully treated with photodynamic therapy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, e127-e129. | 2.4 | 1 |
| 333 | Evolution of Spitz naevi: a dermoscopic and confocal follow-up of 26 cases. <i>British Journal of Dermatology</i> , 2017, 176, 1098-1100. | 1.5 | 12 |
| 334 | Case of bullous pemphigoid in a 28â€yearâ€old woman affected by tuberous sclerosis complex. <i>Journal of Dermatology</i> , 2017, 44, 601-602. | 1.2 | 2 |
| 335 | Dermoscopic diagnosis of amelanotic/hypomelanotic melanoma. <i>British Journal of Dermatology</i> , 2017, 177, 538-540. | 1.5 | 27 |
| 336 | Clinical and dermoscopic clues to differentiate pigmented nail bands: an International Dermoscopy Society study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 732-736. | 2.4 | 61 |
| 337 | <i>Inâ€vivo</i> assessment of cytological changes by means of reflectance confocal microscopyâ€â€ demonstration of the effect of topical vitamin <sc>E</sc> on skin irritation caused by sodium lauryl sulfate. <i>Contact Dermatitis</i> , 2017, 76, 131-137. | 1.4 | 11 |
| 338 | Dermoscopic Features of Basal Cell Carcinoma on the Lower Limbs: A Chameleon!. <i>Dermatology</i> , 2017, 233, 482-488. | 2.1 | 15 |
| 339 | Reflectance confocal microscopy of mammary Paget disease. <i>Dermatology Practical and Conceptual</i> , 2017, 7, 75-80. | 0.9 | 4 |
| 340 | A Novel Actinic Keratosis Field Assessment Scale for Grading Actinic Keratosis Disease Severity. <i>Acta Dermato-Venereologica</i> , 2017, 97, 1108-1113. | 1.3 | 39 |
| 341 | Dermoscopy, Confocal Microscopy and other Non-invasive Tools for the Diagnosis of Non-Melanoma Skin Cancers and Other Skin Conditions. <i>Acta Dermato-Venereologica</i> , 2017, Suppl 218, 22-30. | 1.3 | 31 |
| 342 | Actinic Keratosis, a Chronic, Progressive Disease: Understanding Clinical Gaps to Optimise Patient Management. <i>Acta Dermato-Venereologica</i> , 2017, 97, 997-998. | 1.3 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 343 | Improving diagnostic sensitivity of combined dermoscopy and reflectance confocal microscopy imaging through double reader concordance evaluation in telemedicine settings: A retrospective study of 1000 equivocal cases. PLoS ONE, 2017, 12, e0187748. | 2.5 | 18 |
| 344 | BRAF, NRAS and C-KIT Advanced Melanoma: Clinico-pathological Features, Targeted-Therapy Strategies and Survival. Anticancer Research, 2017, 37, 7043-7048. | 1.1 | 33 |
| 345 | In Vivo Confocal Microscopy in Clinical Dermatology. , 2017, , 417-427. | | 0 |
| 346 | Dermoscopy: Basic Knowledge of an Innovative Imaging Tool. , 2017, , 211-228. | | 1 |
| 347 | Non-melanoma skin cancer of the head and neck: the aid of reflectance confocal microscopy for the accurate diagnosis and management. Italian Journal of Dermatology and Venereology, 2017, 152, 169-177. | 0.2 | 1 |
| 348 | Combined carbon dioxide laser with photodynamic therapy for the treatment of nodular and infiltrative basal cell carcinoma. Italian Journal of Dermatology and Venereology, 2017, 152, 672-674. | 0.2 | 0 |
| 349 | Management of local skin reactions after the application of ingenol mebutate gel for the treatment of actinic keratosis: four illustrative cases. Journal of the European Academy of Dermatology and Venereology, 2016, 30, 320-321. | 2.4 | 12 |
| 350 | Ex Vivo Fluorescence Microscopy. , 2016, , 95-102. | | 0 |
| 351 | MAL Daylight Photodynamic Therapy for Actinic Keratosis: Clinical and Imaging Evaluation by 3D Camera. International Journal of Molecular Sciences, 2016, 17, 1108. | 4.1 | 12 |
| 352 | Improving Diagnostic Accuracy of Dermoscopically Equivocal Pink Cutaneous Lesions with Reflectance Confocal Microscopy in Telemedicine Settings: Double Reader Concordance Evaluation of 316 Cases. PLoS ONE, 2016, 11, e0162495. | 2.5 | 13 |
| 353 | Anti-TNF- α Drugs Differently Affect the TNF- α -sTNFR System and Monocyte Subsets in Patients with Psoriasis. PLoS ONE, 2016, 11, e0167757. | 2.5 | 27 |
| 354 | BRAFp.V600E, p.V600K, and p.V600R Mutations in Malignant Melanoma. Applied Immunohistochemistry and Molecular Morphology, 2016, 24, 30-34. | 1.2 | 5 |
| 355 | Diagnostic accuracy of reflectance confocal microscopy for lesions typified by dermoscopic island. Journal of the European Academy of Dermatology and Venereology, 2016, 30, 1594-1598. | 2.4 | 10 |
| 356 | Pseudomelanoma follow-up of a recurrent naevus with dermoscopy and reflectance confocal microscopy. Journal of the European Academy of Dermatology and Venereology, 2016, 30, 718-719. | 2.4 | 4 |
| 357 | Italian expert consensus for the management of actinic keratosis in immunocompetent patients. Journal of the European Academy of Dermatology and Venereology, 2016, 30, 1077-1084. | 2.4 | 41 |
| 358 | <i>In vivo</i> microangiography by means of speckle variance optical coherence tomography (SV-OCT) is able to detect microscopic vascular changes in naevus to melanoma transition. Journal of the European Academy of Dermatology and Venereology, 2016, 30, e67-e68. | 2.4 | 37 |
| 359 | Comment to: "Evidence and consensus based (S3) Guidelines for the Treatment of Actinic Keratosis". Journal of the European Academy of Dermatology and Venereology, 2016, 30, e114. | 2.4 | 7 |
| 360 | <i>In vivo</i> , micro-morphological vascular changes induced by topical brimonidine studied by Dynamic optical coherence tomography. Journal of the European Academy of Dermatology and Venereology, 2016, 30, 974-979. | 2.4 | 47 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 361 | Spitz naevi and melanomas with similar dermoscopic patterns: can confocal microscopy differentiate?. <i>British Journal of Dermatology</i> , 2016, 174, 610-616. | 1.5 | 36 |
| 362 | Dermoscopy and <i>in vivo</i> confocal microscopy are complementary techniques for diagnosis of difficult amelanotic and light-coloured skin lesions. <i>British Journal of Dermatology</i> , 2016, 175, 1311-1319. | 1.5 | 53 |
| 363 | Pigmented globules in dermoscopy as a clue for lentigomaligna mimicking non-melanocytic skin neoplasms: a lesson from reflectance confocal microscopy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 878-880. | 2.4 | 6 |
| 364 | Pemphigus with features of both vulgaris and foliaceus variants localized to the nose. <i>Journal of Dermatology</i> , 2016, 43, 940-943. | 1.2 | 10 |
| 365 | Non-invasive diagnosis of pink basal cell carcinoma: how much can we rely on dermoscopy and reflectance confocal microscopy?. <i>Skin Research and Technology</i> , 2016, 22, 230-237. | 1.6 | 22 |
| 366 | Role of microsatellite instability, immunohistochemistry and mismatch repair germline aberrations in immunosuppressed transplant patients: a phenocopy dilemma in Muir-Torre syndrome. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016, 54, 1725-1731. | 2.3 | 7 |
| 367 | Fibroepithelioma of Pinkus: Solitary tumor or sign of a complex gastrointestinal syndrome. <i>Molecular and Clinical Oncology</i> , 2016, 4, 797-800. | 1.0 | 4 |
| 368 | False-Negative Cases on Confocal Microscopy Examination: A Retrospective Evaluation and Critical Reappraisal. <i>Dermatology</i> , 2016, 232, 189-197. | 2.1 | 12 |
| 369 | Validity and Reliability of Dermoscopic Criteria Used to Differentiate Nevi From Melanoma. <i>JAMA Dermatology</i> , 2016, 152, 798. | 4.1 | 104 |
| 370 | Clinical Indications for Use of Reflectance Confocal Microscopy for Skin Cancer Diagnosis. <i>JAMA Dermatology</i> , 2016, 152, 1093. | 4.1 | 94 |
| 371 | Melanomas. <i>Dermatologic Clinics</i> , 2016, 34, 411-419. | 1.7 | 24 |
| 372 | Reflectance Confocal Microscopy Clinical Applications: The Skin from Inside. <i>Dermatologic Clinics</i> , 2016, 34, xiii-xiv. | 1.7 | 7 |
| 373 | <i>In Vivo</i> and <i>Ex Vivo</i> Confocal Microscopy for Dermatologic and Mohs Surgeons. <i>Dermatologic Clinics</i> , 2016, 34, 497-504. | 1.7 | 70 |
| 374 | Long-term efficacy of high doses of intravenous immunoglobulins in generalized scleromyxoedema: Case report. <i>Journal of International Medical Research</i> , 2016, 44, 109-112. | 1.0 | 7 |
| 375 | Diagnostic accuracy of optical coherence tomography in actinic keratosis and basal cell carcinoma. <i>Photodiagnosis and Photodynamic Therapy</i> , 2016, 16, 44-49. | 2.6 | 50 |
| 376 | Basics of Confocal Microscopy and the Complexity of Diagnosing Skin Tumors. <i>Dermatologic Clinics</i> , 2016, 34, 367-375. | 1.7 | 23 |
| 377 | CONSENSUS REPORT: Recognizing non-melanoma skin cancer, including actinic keratosis, as an occupational disease – A Call to Action. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 38-45. | 2.4 | 72 |
| 378 | 236 Histopathological and immunohistochemical findings in aldera psoriatic mice model after topical application of methotrexate loaded gold nanoparticle: A comparative study. <i>Journal of Investigative Dermatology</i> , 2016, 136, S201. | 0.7 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 379 | Speckled variance optical coherence tomography for the assessment of nail involvement in acrodermatitis continua of Hallopeau: A case study. <i>Journal of International Medical Research</i> , 2016, 44, 119-123. | 1.0 | 6 |
| 380 | Paradigmatic cases of pigmented lesions: How to not miss melanoma. <i>Journal of Dermatology</i> , 2016, 43, 1433-1437. | 1.2 | 16 |
| 381 | Congenital Glioblastoma multiforme and eruptive disseminated Spitz nevi. <i>Italian Journal of Pediatrics</i> , 2016, 42, 47. | 2.6 | 10 |
| 382 | Dynamic Optical Coherence Tomography in Dermatology. <i>Dermatology</i> , 2016, 232, 298-311. | 2.1 | 174 |
| 383 | Validation of Dynamic optical coherence tomography for non-invasive, in vivo microcirculation imaging of the skin. <i>Microvascular Research</i> , 2016, 107, 97-105. | 2.5 | 55 |
| 384 | Giant elephantiasis neuromatosa in the setting of neurofibromatosis type 1: A case report. <i>Oncology Letters</i> , 2016, 11, 3709-3714. | 1.8 | 10 |
| 385 | Pink melanocytic and non-melanocytic lesions: how reflectance confocal microscopy can help in differential diagnosis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 1026-1029. | 2.4 | 2 |
| 386 | Cost-benefit of reflectance confocal microscopy in the diagnostic performance of melanoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 413-419. | 2.4 | 44 |
| 387 | A new approach for presurgical margin assessment by reflectance confocal microscopy of basal cell carcinoma. <i>British Journal of Dermatology</i> , 2016, 174, 380-385. | 1.5 | 45 |
| 388 | Pre-surgical basal cell carcinoma margin definition: the SMART approach. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 474-476. | 2.4 | 20 |
| 389 | Functionalized gold nanoparticles for topical delivery of methotrexate for the possible treatment of psoriasis. <i>Colloids and Surfaces B: Biointerfaces</i> , 2016, 141, 141-147. | 5.0 | 104 |
| 390 | Questionnaire-based evaluation of occupational and non-occupational solar radiation exposure in a sample of Italian patients treated for actinic keratosis and other non-melanoma skin cancers. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 21-26. | 2.4 | 22 |
| 391 | Oral mucosal stigmata in hereditary-cancer syndromes: From germline mutations to distinctive clinical phenotypes and tailored therapies. <i>Gene</i> , 2016, 582, 23-32. | 2.2 | 18 |
| 392 | Skeletal stigmata as keys to access to the composite and ancient Gorlin-Goltz syndrome history: The Egypt, Pompeii and Herculaneum lessons. <i>Gene</i> , 2016, 589, 104-111. | 2.2 | 9 |
| 393 | Precise Longitudinal Tracking of Microscopic Structures in Melanocytic Nevi Using Reflectance Confocal Microscopy. <i>JAMA Dermatology</i> , 2016, 152, 299. | 4.1 | 4 |
| 394 | Methods of Melanoma Detection. <i>Cancer Treatment and Research</i> , 2016, 167, 51-105. | 0.5 | 31 |
| 395 | Muir-Torre Syndrome and founder mismatch repair gene mutations: A long gone historical genetic challenge. <i>Gene</i> , 2016, 589, 127-132. | 2.2 | 18 |
| 396 | Advances in noninvasive imaging of melanoma. <i>Seminars in Cutaneous Medicine and Surgery</i> , 2016, 35, 18-24. | 1.6 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 397 | Skin Surface Reconstruction and 3D Vessels Segmentation in Speckle Variance Optical Coherence Tomography. , 2016, , . | | 8 |
| 398 | Dermoscopic hemorrhagic dots: an early predictor of response of psoriasis to biologic agents. Dermatology Practical and Conceptual, 2016, 6, 7-12. | 0.9 | 23 |
| 399 | Reflectance Confocal Microscopy: Hallmarks of Keratinocyte Cancer and Its Precursors. Current Problems in Dermatology, 2015, 46, 85-94. | 0.7 | 3 |
| 400 | A randomized trial comparing simultaneous vs. sequential field treatment of actinic keratosis with ingenol mebutate on two separate areas of the head and body. Journal of the European Academy of Dermatology and Venereology, 2015, 29, 2192-2198. | 2.4 | 18 |
| 401 | Hypoxia-inducible Factor-1 and CD271 inversely correlate with melanoma invasiveness. Experimental Dermatology, 2015, 24, 396-398. | 2.9 | 15 |
| 402 | Organ culture and Reflectance Confocal Microscopy as new integrated tools for barrier rescue studies in inflammatory skin diseases. Experimental Dermatology, 2015, 24, 980-982. | 2.9 | 3 |
| 403 | Grading keratinocyte atypia in actinic keratosis: a correlation of reflectance confocal microscopy and histopathology. Journal of the European Academy of Dermatology and Venereology, 2015, 29, 2216-2221. | 2.4 | 43 |
| 404 | Annually recurring erythema annulare centrifugum: a case report. Journal of Medical Case Reports, 2015, 9, 236. | 0.8 | 12 |
| 405 | In vivo detection of peripheral clefting in melanocytic lesions. British Journal of Dermatology, 2015, 173, 1525-1526. | 1.5 | 3 |
| 406 | In vivo confocal microscopic substrate of grey colour in melanosis. Journal of the European Academy of Dermatology and Venereology, 2015, 29, 2458-2462. | 2.4 | 26 |
| 407 | Association between genetic factors, naevus count and dermoscopic pattern. British Journal of Dermatology, 2015, 172, 857-857. | 1.5 | 0 |
| 408 | Reflectance confocal microscopy in the diagnosis of solitary pink skin tumours: review of diagnostic clues. British Journal of Dermatology, 2015, 173, 31-41. | 1.5 | 25 |
| 409 | Reflectance confocal microscopy for plaque psoriasis therapeutic follow-up during an anti-TNF monoclonal antibody: an observational multicenter study. Journal of the European Academy of Dermatology and Venereology, 2015, 29, 2363-2368. | 2.4 | 20 |
| 410 | Reflectance confocal microscopy correlates of dermoscopic patterns of facial lesions help to discriminate lentigo maligna from pigmented nonmelanocytic macules. British Journal of Dermatology, 2015, 173, 128-133. | 1.5 | 66 |
| 411 | Eruptive squamous cell carcinomas with keratoacanthoma-like features in a patient treated with ruxolitinib. British Journal of Dermatology, 2015, 173, 1098-1099. | 1.5 | 23 |
| 412 | Confocal microscopy characterization of BRAFV600E mutated melanomas. Melanoma Research, 2015, 25, 367-371. | 1.2 | 11 |
| 413 | Melanoma and naevi with a globular pattern: confocal microscopy as an aid for diagnostic differentiation. British Journal of Dermatology, 2015, 173, 1232-1238. | 1.5 | 19 |
| 414 | Routine Clinical-Pathologic Correlation of Pigmented Skin Tumors Can Influence Patient Management. PLoS ONE, 2015, 10, e0136031. | 2.5 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 415 | Skin Cancer Diagnosis With Reflectance Confocal Microscopy. <i>JAMA Dermatology</i> , 2015, 151, 1075. | 4.1 | 82 |
| 416 | Identifying locally advanced basal cell carcinoma eligible for treatment with vismodegib: an expert panel consensus. <i>Future Oncology</i> , 2015, 11, 703-712. | 2.4 | 35 |
| 417 | Reflectance Confocal Microscopy. , 2015, , 1129-1137. | | 3 |
| 418 | Acne: <i>in vivo</i> morphologic study of lesions and surrounding skin by means of reflectance confocal microscopy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015, 29, 933-939. | 2.4 | 40 |
| 419 | Ex vivo fluorescence confocal microscopy in conjunction with Mohs micrographic surgery for cutaneous squamous cell carcinoma. <i>Journal of the American Academy of Dermatology</i> , 2015, 73, 321-322. | 1.2 | 43 |
| 420 | Diet Quality and Risk of Melanoma in an Italian Population. <i>Journal of Nutrition</i> , 2015, 145, 1800-1807. | 2.9 | 37 |
| 421 | Amplicon-based next-generation sequencing: an effective approach for the molecular diagnosis of epidermolysis bullosa. <i>British Journal of Dermatology</i> , 2015, 173, 731-738. | 1.5 | 29 |
| 422 | Advances in non-invasive techniques as aids to the diagnosis and monitoring of therapeutic response in plaque psoriasis: a review. <i>International Journal of Dermatology</i> , 2015, 54, 626-634. | 1.0 | 64 |
| 423 | High-definition optical coherence tomography algorithm for discrimination of basal cell carcinoma from clinical BCC imitators and differentiation between common subtypes. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015, 29, 1771-1780. | 2.4 | 42 |
| 424 | Three-dimensional high-definition optical coherence tomography image acquisition procedure for basal cell carcinoma. <i>British Journal of Dermatology</i> , 2015, 172, 1153-1154. | 1.5 | 5 |
| 425 | High-definition optical coherence tomography algorithm for the discrimination of actinic keratosis from normal skin and from squamous cell carcinoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015, 29, 1606-1615. | 2.4 | 46 |
| 426 | Optical coherence tomography (OCT) features of nevi and melanomas and their association with intraepidermal or dermal involvement: A pilot study. <i>Journal of the American Academy of Dermatology</i> , 2015, 73, 315-317. | 1.2 | 27 |
| 427 | Non-ablative fractionated laser skin resurfacing for the treatment of aged neck skin. <i>Journal of Dermatological Treatment</i> , 2015, 26, 252-256. | 2.2 | 13 |
| 428 | Clinical and dermoscopic features of atypical Spitz tumors: A multicenter, retrospective, case-control study. <i>Journal of the American Academy of Dermatology</i> , 2015, 73, 777-784. | 1.2 | 48 |
| 429 | CD271 is expressed in melanomas with more aggressive behaviour, with correlation of characteristic morphology by <i>in vivo</i> reflectance confocal microscopy. <i>British Journal of Dermatology</i> , 2015, 172, 662-668. | 1.5 | 15 |
| 430 | Distinctive clinical and dermoscopic features of BRAF V600K mutated melanomas. <i>British Journal of Dermatology</i> , 2015, 172, 1438-1440. | 1.5 | 7 |
| 431 | A novel CYLD germline mutation in Brooke-Spiegler syndrome. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015, 29, 457-462. | 2.4 | 10 |
| 432 | Dermoscopy and reflectance confocal microscopy of pigmented actinic keratoses: a morphological study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015, 29, 307-314. | 2.4 | 50 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 433 | Integration of reflectance confocal microscopy in sequential dermoscopy follow-up improves melanoma detection accuracy. <i>British Journal of Dermatology</i> , 2015, 172, 365-371. | 1.5 | 59 |
| 434 | Extragenital lichen sclerosus: Clinical, dermoscopic, confocal microscopy and histologic correlations. <i>Journal of the American Academy of Dermatology</i> , 2015, 72, S50-S52. | 1.2 | 39 |
| 435 | Likelihood of finding melanoma when removing a Spitzoid-looking lesion in patients aged 12 years or older. <i>Journal of the American Academy of Dermatology</i> , 2015, 72, 47-53. | 1.2 | 62 |
| 436 | From actinic keratosis to squamous cell carcinoma: Evidence of morphologic and biologic progression. <i>Journal of the American Academy of Dermatology</i> , 2015, 72, S8-S10. | 1.2 | 13 |
| 437 | Morphological features of naevoid melanoma: results of a multicentre study of the International Dermoscopy Society. <i>British Journal of Dermatology</i> , 2015, 172, 961-967. | 1.5 | 19 |
| 438 | Fordyce granules and hyperplastic mucosal sebaceous glands as distinctive stigmata in Muir-Torre syndrome patients: characterization with reflectance confocal microscopy. <i>Journal of Oral Pathology and Medicine</i> , 2015, 44, 552-557. | 2.7 | 18 |
| 439 | Dermoscopic difficult lesions: an objective evaluation of reflectance confocal microscopy impact for accurate diagnosis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015, 29, 1135-1140. | 2.4 | 40 |
| 440 | Confocal microscopy in the diagnosis and management of non-pigmented skin tumors (which, when,) | | |
| 441 | Case Report: melanoma and melanocytic nevus differentiation with reflectance confocal microscopy.. <i>F1000Research</i> , 2015, 4, 257. | 1.6 | 0 |
| 442 | Update on the use of confocal microscopy in melanoma and non-melanoma skin cancer. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2015, 150, 547-63. | 0.8 | 29 |
| 443 | Non-invasive, investigative methods in skin aging. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2015, 150, 675-86. | 0.8 | 3 |
| 444 | Update on non-invasive imaging techniques in early diagnosis of non-melanoma skin cancer. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2015, 150, 393-405. | 0.8 | 18 |
| 445 | Topical calcipotriol as a new therapeutic option for the treatment of clear cell acanthoma. <i>Anais Brasileiros De Dermatologia</i> , 2014, 89, 803-805. | 1.1 | 15 |
| 446 | Hypomelanosis of Ito with a trisomy 2 mosaicism: a case report. <i>Journal of Medical Case Reports</i> , 2014, 8, 333. | 0.8 | 8 |
| 447 | Reflectance confocal microscopy as a second-level examination in skin oncology improves diagnostic accuracy and saves unnecessary excisions: a longitudinal prospective study. <i>British Journal of Dermatology</i> , 2014, 171, 1044-1051. | 1.5 | 159 |
| 448 | Erratum to "Molecular Targeted Approaches for Advanced BRAF V600, N-RAS, c-KIT, and GNAQ Melanoma". <i>Disease Markers</i> , 2014, 2014, 1-1. | 1.3 | 35 |
| 449 | Molecular Targeted Approaches for Advanced BRAF V600, N-RAS, c-KIT, and GNAQ Melanomas. <i>Disease Markers</i> , 2014, 2014, 1-3. | 1.3 | 9 |
| 450 | Monoclonal Gammopathy of Undetermined Significance in Patients with Psoriasis: Is it Really a Side Effect of Biological Therapy?. <i>Drug Development Research</i> , 2014, 75, S35-7. | 2.9 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 451 | Brookeâ€“Spiegler syndrome tumor spectrumÂbeyond the skin: a patient carrying germline R936X CYLD mutation and a somatic <i>CYLD</i> mutation in BrennerÂtumor. <i>Future Oncology</i> , 2014, 10, 345-350. | 2.4 | 9 |
| 452 | Hyporeflective pagetoid cells: a new clue for amelanotic melanoma diagnosis by reflectance confocal microscopy. <i>British Journal of Dermatology</i> , 2014, 171, 48-54. | 1.5 | 47 |
| 453 | Combination of fractional erbium-glass laser and topical therapy in melasma resistant to triple-combination cream. <i>Journal of Dermatological Treatment</i> , 2014, 25, 218-222. | 2.2 | 27 |
| 454 | Nonâ€“invasive <i>in vivo</i> dermatopathology: identification of reflectance confocal microscopic correlates to specific histological features seen in melanocytic neoplasms. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2014, 28, 1069-1078. | 2.4 | 28 |
| 455 | Evaluating <i>ex vivo</i> fluorescence confocal microscopy images of basal cell carcinomas in <sc>M</sc> excised tissue. <i>British Journal of Dermatology</i> , 2014, 171, 561-570. | 1.5 | 67 |
| 456 | Stem Cell Properties in Cell Cultures From Different Stage of Melanoma Progression. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2014, 22, 171-181. | 1.2 | 17 |
| 457 | Multiple primary melanomas versus single melanoma of the head and neck. <i>Melanoma Research</i> , 2014, 24, 267-272. | 1.2 | 4 |
| 458 | Fluorescence confocal microscopy for pathologists. <i>Modern Pathology</i> , 2014, 27, 460-471. | 5.5 | 102 |
| 459 | Not all lesions with a verrucous surface are seborrheicÂkeratoses. <i>Journal of the American Academy of Dermatology</i> , 2014, 70, e121-e123. | 1.2 | 20 |
| 460 | Towards an <i>in vivo</i> morphologic classification of melanocytic nevi. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2014, 28, 864-872. | 2.4 | 33 |
| 461 | Melasma and low-energy Q-switched laser: treatment assessment by means of in vivo confocal microscopy. <i>Lasers in Medical Science</i> , 2014, 29, 1159-1163. | 2.1 | 20 |
| 462 | Clonal seborrheic keratosis: dermoscopic and confocal microscopy characterization. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2014, 28, 1397-1400. | 2.4 | 30 |
| 463 | Morphologic grading and treatment of facial actinic keratosis. <i>Clinics in Dermatology</i> , 2014, 32, 80-87. | 1.6 | 73 |
| 464 | Management of Patients with Psoriasis Treated with Biological Drugs Needing a Surgical Treatment. <i>Drug Development Research</i> , 2014, 75, S24-S26. | 2.9 | 19 |
| 465 | Evidence for field cancerisation treatment of actinic keratoses with topical diclofenac in hyaluronic acid. <i>European Journal of Dermatology</i> , 2014, 24, 158-167. | 0.6 | 21 |
| 466 | Cost-Effectiveness Analysis of Ingenolo Mebutato Verse Imiquimod in the Treatment of Actinic Keratoses in the Perspective of the Italian Health System. <i>Value in Health</i> , 2014, 17, A608. | 0.3 | 2 |
| 467 | Muirâ€“Torre syndrome or phenocopy? The value of the immunohistochemical expression of mismatch repair proteins in sebaceous tumors of immunocompromised patients. <i>Familial Cancer</i> , 2014, 13, 553-561. | 1.9 | 13 |
| 468 | Classifying distinct basal cell carcinoma subtype byÂmeans of dermatoscopy and reflectance confocal microscopy. <i>Journal of the American Academy of Dermatology</i> , 2014, 71, 716-724.e1. | 1.2 | 146 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 469 | Prediction of Survival in Patients With Thin Melanoma: Results From a Multi-Institution Study. <i>Journal of Clinical Oncology</i> , 2014, 32, 2479-2485. | 1.6 | 103 |
| 470 | Inner gray halo, a novel dermoscopic feature for the diagnosis of pigmented actinic keratosis: Clues for the differential diagnosis with lentigo maligna. <i>Journal of the American Academy of Dermatology</i> , 2014, 71, 708-715. | 1.2 | 39 |
| 471 | Confocal microscopy: a new era in understanding the pathophysiologic background of inflammatory skin diseases. <i>Experimental Dermatology</i> , 2014, 23, 320-321. | 2.9 | 10 |
| 472 | Distinct melanoma types based on reflectance confocal microscopy. <i>Experimental Dermatology</i> , 2014, 23, 414-418. | 2.9 | 67 |
| 473 | Diet and physical exercise in psoriasis: a randomized controlled trial. <i>British Journal of Dermatology</i> , 2014, 170, 634-642. | 1.5 | 146 |
| 474 | Skeletal and cranio-facial signs in Gorlin syndrome from ancient Egypt to the modern age: sphenoid asymmetry in a patient with a novel <i>PTCH1</i> mutation. <i>Future Oncology</i> , 2014, 10, 917-925. | 2.4 | 3 |
| 475 | Congenital self-healing angriker disease (Hidradenoma-like keratosis) (Hidradenoma-like keratosis) (Hidradenoma-like keratosis): A report of two cases with the same cutaneous manifestations but different clinical course. <i>Journal of Dermatology</i> , 2014, 41, 1098-1101. | 1.2 | 24 |
| 476 | In Vivo Confocal Microscopy in Skin Oncology. , 2014, , 65-71. | | 0 |
| 477 | Physicians' opinions and clinical practice patterns for actinic keratosis management in Italy. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2014, 149, 185-92. | 0.8 | 5 |
| 478 | Physicians' concerns towards prescription adherence and treatment effectiveness in the clinical management of actinic keratosis. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2014, 149, 193-8. | 0.8 | 7 |
| 479 | NF1 truncating mutations associated to aggressive clinical phenotype with elephantiasis neuromatosa and solid malignancies. <i>Anticancer Research</i> , 2014, 34, 3021-30. | 1.1 | 12 |
| 480 | Spitz/Reed nevi: proposal of management recommendations by the Dermoscopy Study Group of the Italian Society of Dermatology (SIDeMaST). <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2014, 149, 601-6. | 0.8 | 9 |
| 481 | Reflectance confocal microscopy for diagnosis of mammary and extramammary Paget's disease. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2013, 27, e24-9. | 2.4 | 36 |
| 482 | Proposal for an <i>in vivo</i> histopathologic scoring system for skin aging by means of confocal microscopy. <i>Skin Research and Technology</i> , 2013, 19, e167-73. | 1.6 | 43 |
| 483 | Skin aging: In vivo microscopic assessment of epidermal and dermal changes by means of confocal microscopy. <i>Journal of the American Academy of Dermatology</i> , 2013, 68, e73-e82. | 1.2 | 167 |
| 484 | Fibroepithelioma of Pinkus: Case Reports and Review of the Literature. <i>Dermatology</i> , 2013, 226, 207-211. | 2.1 | 25 |
| 485 | Inserting <i>ex vivo</i> Fluorescence Confocal Microscopy Perioperatively in Mohs Micrographic Surgery Expedites Bedside Assessment of Excision Margins in Recurrent Basal Cell Carcinoma. <i>Dermatology</i> , 2013, 227, 89-92. | 2.1 | 35 |
| 486 | Malignant and benign tumors associated with multiple primary melanomas: just the starting block for the involvement of <i>MITF</i> , <i>PTEN</i> and <i>CDKN2A</i> in multiple cancerogenesis?. <i>Pigment Cell and Melanoma Research</i> , 2013, 26, 755-757. | 3.3 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 487 | High-resolution imaging of basal cell carcinoma: a comparison between multiphoton microscopy with fluorescence lifetime imaging and reflectance confocal microscopy. <i>Skin Research and Technology</i> , 2013, 19, e433-43. | 1.6 | 25 |
| 488 | In vivo confocal microscopy in clinical practice: Comparison of bedside diagnostic accuracy of a trained physician and distant diagnosis of an expert reader. <i>Journal of the American Academy of Dermatology</i> , 2013, 69, e295-e300. | 1.2 | 50 |
| 489 | A Clinico-Dermoscopic Approach for Skin Cancer Screening. <i>Dermatologic Clinics</i> , 2013, 31, 525-534. | 1.7 | 37 |
| 490 | Cancer-associated genodermatoses: Skin neoplasms as clues to hereditary tumor syndromes. <i>Critical Reviews in Oncology/Hematology</i> , 2013, 85, 239-256. | 4.4 | 63 |
| 491 | Negative pigment network: An additional dermoscopic feature for the diagnosis of melanoma. <i>Journal of the American Academy of Dermatology</i> , 2013, 68, 552-559. | 1.2 | 49 |
| 492 | Blue Lesions. <i>Dermatologic Clinics</i> , 2013, 31, 637-647. | 1.7 | 23 |
| 493 | Does skin hydration influence keratinocyte biology? <i>In vivo</i> evaluation of microscopic skin changes induced by moisturizers by means of Reflectance Confocal Microscopy. <i>Skin Research and Technology</i> , 2013, 19, 299-307. | 1.6 | 27 |
| 494 | Psoriasis plaque test with confocal microscopy: evaluation of different microscopic response pathways in NSAID and steroid treated lesions. <i>Skin Research and Technology</i> , 2013, 19, 417-423. | 1.6 | 26 |
| 495 | Laser skin rejuvenation: epidermal changes and collagen remodeling evaluated by <i>in vivo</i> confocal microscopy. <i>Lasers in Medical Science</i> , 2013, 28, 769-776. | 2.1 | 78 |
| 496 | Is confocal microscopy a valuable tool in diagnosing nodular lesions? A study of 140 cases. <i>British Journal of Dermatology</i> , 2013, 169, 58-67. | 1.5 | 105 |
| 497 | Update on non-melanoma skin cancer and the value of dermoscopy in its diagnosis and treatment monitoring. <i>Expert Review of Anticancer Therapy</i> , 2013, 13, 541-558. | 2.4 | 65 |
| 498 | Serum Fatty Acids and Risk of Cutaneous Melanoma: A Population-Based Case-Control Study. <i>Dermatology Research and Practice</i> , 2013, 2013, 1-7. | 0.8 | 11 |
| 499 | Negative Pigment Network Identifies a Peculiar Melanoma Subtype and Represents a Clue to Melanoma Diagnosis: A Dermoscopic Study of 401 Melanomas. <i>Acta Dermato-Venereologica</i> , 2013, 93, 650-655. | 1.3 | 17 |
| 500 | Proteomic Analysis of PTCH1 ^{+/Δ} Fibroblast Lysate and Conditioned Culture Media Isolated from the Skin of Healthy Subjects and Nevoid Basal Cell Carcinoma Syndrome Patients. <i>BioMed Research International</i> , 2013, 2013, 1-8. | 1.9 | 6 |
| 501 | Evidence of a Limited Intra-Individual Diversity of Nevi: Intuitive Perception of Dominant Clusters Is a Crucial Step in the Analysis of Nevi by Dermatologists. <i>Journal of Investigative Dermatology</i> , 2013, 133, 2355-2361. | 0.7 | 23 |
| 502 | Fluorescence in-situ hybridization and dermoscopy in the assessment of controversial melanocytic tumors. <i>Melanoma Research</i> , 2013, 23, 474-480. | 1.2 | 9 |
| 503 | Can noninvasive imaging tools potentially predict the risk of ulceration in invasive melanomas showing blue and black colors?. <i>Melanoma Research</i> , 2013, 23, 125-131. | 1.2 | 27 |
| 504 | The Role of Reflectance Confocal Microscopy as an Aid in the Diagnosis of Collision Tumors. <i>Dermatology</i> , 2013, 227, 109-117. | 2.1 | 35 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 505 | Dermoscopy and Confocal Microscopy of Nested Melanoma of the Elderly. <i>JAMA Dermatology</i> , 2013, 149, 941. | 4.1 | 19 |
| 506 | Dermoscopic Evaluation of Nodular Melanoma. <i>JAMA Dermatology</i> , 2013, 149, 699. | 4.1 | 103 |
| 507 | The somatic affairs of <i>BRAF</i> : tailored therapies for advanced malignant melanoma and orphan non-V600E (V600R-M) mutations. <i>Journal of Clinical Pathology</i> , 2013, 66, 441-445. | 2.0 | 21 |
| 508 | Hereditary trichilemmal cysts: a proposal for the assessment of diagnostic clinical criteria. <i>Clinical Genetics</i> , 2013, 84, 65-69. | 2.0 | 18 |
| 509 | Small-diameter melanocytic lesions: morphological analysis by means of <i>in vivo</i> confocal microscopy. <i>British Journal of Dermatology</i> , 2013, 168, 1027-1033. | 1.5 | 37 |
| 510 | <i>CDKN2A</i> and <i>MC1R</i> variants influence dermoscopic and confocal features of benign melanocytic lesions in multiple melanoma patients. <i>Experimental Dermatology</i> , 2013, 22, 411-416. | 2.9 | 26 |
| 511 | Multiple primary melanomas: do they look the same?. <i>British Journal of Dermatology</i> , 2013, 168, 1267-1272. | 1.5 | 16 |
| 512 | Reflectance confocal microscopy: A new tool in skin oncology. <i>Photonics & Lasers in Medicine</i> , 2013, 2, . | 0.2 | 2 |
| 513 | Learning Reflectance Confocal Microscopy of Melanocytic Skin Lesions through Histopathologic Transversal Sections. <i>PLoS ONE</i> , 2013, 8, e81205. | 2.5 | 44 |
| 514 | Association Between Dietary Vitamin C and Risk of Cutaneous Melanoma in a Population of Northern Italy. <i>International Journal for Vitamin and Nutrition Research</i> , 2013, 83, 291-298. | 1.5 | 18 |
| 515 | Key Opinion Leader (KOL) Consensus for actinic keratosis management in Italy: the AKTUAL Workshop. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2013, 148, 515-24. | 0.8 | 8 |
| 516 | The dermoscopic variability of pigment network in melanoma in situ. <i>Melanoma Research</i> , 2012, 22, 151-157. | 1.2 | 25 |
| 517 | In Vivo Confocal Microscopic Pattern of Fibroepithelioma of Pinkus. <i>Archives of Dermatology</i> , 2012, 148, 556. | 1.4 | 16 |
| 518 | Prognostic significance of <i>MGMT</i> gene promoter methylation in differently treated metastatic melanomas. <i>Pathology</i> , 2012, 44, 313-317. | 0.6 | 12 |
| 519 | Patched homolog 1 gene mutation (p.G1093R) induces nevoid basal cell carcinoma syndrome and non-syndromic keratocystic odontogenic tumors: A case report. <i>Oncology Letters</i> , 2012, 4, 241-244. | 1.8 | 8 |
| 520 | Improving triage and management of patients with skin cancer: challenges and considerations for the future. <i>Expert Review of Anticancer Therapy</i> , 2012, 12, 609-621. | 2.4 | 12 |
| 521 | Ameloblastoma: a neglected criterion for nevoid basal cell carcinoma (Gorlin) syndrome. <i>Familial Cancer</i> , 2012, 11, 411-418. | 1.9 | 19 |
| 522 | Total body skin examination for skin cancer screening in patients with focused symptoms. <i>Journal of the American Academy of Dermatology</i> , 2012, 66, 212-219. | 1.2 | 64 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 523 | Confocal features of equivocal facial lesions on severely sun-damaged skin: Four case studies with dermatoscopic, confocal, and histopathologic correlation. <i>Journal of the American Academy of Dermatology</i> , 2012, 66, 463-473. | 1.2 | 41 |
| 524 | In vivo confocal microscopy for detection and grading of dysplastic nevi: A pilot study. <i>Journal of the American Academy of Dermatology</i> , 2012, 66, e109-e121. | 1.2 | 81 |
| 525 | Accuracy in melanoma detection: A 10-year multicenter survey. <i>Journal of the American Academy of Dermatology</i> , 2012, 67, 54-59.e1. | 1.2 | 163 |
| 526 | Unicystic ameloblastoma associated with the novel K729M PTCH1 mutation in a patient with nevoid basal cell carcinoma (Gorlin) syndrome. <i>Cancer Genetics</i> , 2012, 205, 177-181. | 0.4 | 10 |
| 527 | Value and prognostic significance of mitotic rate in a retrospective series of pT1 cutaneous malignant melanoma patients. <i>Cancer Epidemiology</i> , 2012, 36, 303-305. | 1.9 | 8 |
| 528 | In Vivo Confocal Microscopy for Diagnosis of Melanoma and Basal Cell Carcinoma Using a Two-Step Method: Analysis of 710 Consecutive Clinically Equivocal Cases. <i>Journal of Investigative Dermatology</i> , 2012, 132, 2386-2394. | 0.7 | 252 |
| 529 | Overwhelming response to Dabrafenib in a patient with double BRAF mutation (V600E; V600M) metastatic malignant melanoma. <i>Journal of Hematology and Oncology</i> , 2012, 5, 60. | 17.0 | 20 |
| 530 | Diagnostic and pathogenetic role of café-au-lait macules in nevoid basal cell carcinoma syndrome. <i>Hereditary Cancer in Clinical Practice</i> , 2012, 10, 15. | 1.5 | 6 |
| 531 | Application of photodynamic therapy combined with pre-illumination microneedling in the treatment of actinic keratosis in organ transplant recipients. <i>British Journal of Dermatology</i> , 2012, 167, 1193-1194. | 1.5 | 21 |
| 532 | Nonablative fractional photothermolysis for acne scars: clinical and in vivo microscopic documentation of treatment efficacy. <i>Dermatologic Therapy</i> , 2012, 25, 463-467. | 1.7 | 42 |
| 533 | Early diagnosis of melanoma: what is the impact of dermoscopy?. <i>Dermatologic Therapy</i> , 2012, 25, 403-409. | 1.7 | 59 |
| 534 | New Directions in Dermatopathology. <i>Dermatologic Clinics</i> , 2012, 30, 799-814. | 1.7 | 90 |
| 535 | Confocal Microscopy Insights into the Treatment and Cellular Immune Response of Basal Cell Carcinoma to Photodynamic Therapy. <i>Dermatology</i> , 2012, 225, 264-270. | 2.1 | 43 |
| 536 | Novel PTCH1 Mutations in Patients with Keratocystic Odontogenic Tumors Screened for Nevoid Basal Cell Carcinoma (NBCC) Syndrome. <i>PLoS ONE</i> , 2012, 7, e43827. | 2.5 | 20 |
| 537 | A Case-Control Study of the Risk of Cutaneous Melanoma Associated with Three Selenium Exposure Indicators. <i>Tumori</i> , 2012, 98, 287-295. | 1.1 | 37 |
| 538 | Reflectance confocal microscopy criteria of lichen planus-like keratosis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2012, 26, 578-590. | 2.4 | 42 |
| 539 | Dermoscopy of scalp tumours: a multi-centre study conducted by the international dermoscopy society. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2012, 26, 953-963. | 2.4 | 30 |
| 540 | In vivo detection of Demodex folliculorum by means of confocal microscopy. <i>British Journal of Dermatology</i> , 2012, 166, 690-692. | 1.5 | 35 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 541 | p16 immunohistochemistry of multiple primary melanomas as screening to identify Familial Melanoma Syndrome. <i>International Journal of Dermatology</i> , 2012, 51, 488-492. | 1.0 | 2 |
| 542 | Evaluation of allergic vesicular reaction to patch test using <i>in vivo</i> confocal microscopy. <i>Skin Research and Technology</i> , 2012, 18, 61-63. | 1.6 | 21 |
| 543 | In vivo assessment of chronological ageing and photoageing in forearm skin using reflectance confocal microscopy. <i>British Journal of Dermatology</i> , 2012, 167, 270-279. | 1.5 | 80 |
| 544 | Excised melanocytic lesions in children and adolescents - a 10-year survey. <i>British Journal of Dermatology</i> , 2012, 167, 368-373. | 1.5 | 45 |
| 545 | Tele-Reflectance Confocal Microscopy. , 2012, , 73-77. | | 1 |
| 546 | Superficial Spreading Melanoma. , 2012, , 151-178. | | 3 |
| 547 | Reflectance Confocal Microscopy Applications in Cosmetology. , 2012, , 455-465. | | 1 |
| 548 | Confocal Microscopy: Improving Our Understanding of Nevogenesis. , 2012, , 59-67. | | 1 |
| 549 | A case-control study of the risk of cutaneous melanoma associated with three selenium exposure indicators. <i>Tumori</i> , 2012, 98, 287-95. | 1.1 | 17 |
| 550 | Atypical/Dysplastic Nevi. , 2012, , 87-98. | | 0 |
| 551 | Semeiology and Pattern Analysis in Melanocytic Lesions. , 2012, , 41-58. | | 0 |
| 552 | Diagnosis of melanoma: Importance of comparative analysis and "œugly duckling" signs. <i>Journal of Clinical Oncology</i> , 2012, 30, 8578-8578. | 1.6 | 2 |
| 553 | Inverse Association Between Dietary Vitamin D and Risk of Cutaneous Melanoma in a Northern Italy Population. <i>Nutrition and Cancer</i> , 2011, 63, 506-513. | 2.0 | 45 |
| 554 | De novo melanoma and melanoma arising from pre-existing nevus: In vivo morphologic differences as evaluated by confocal microscopy. <i>Journal of the American Academy of Dermatology</i> , 2011, 65, 604-614. | 1.2 | 62 |
| 555 | Lichenoid keratosis-like melanomas. <i>Journal of the American Academy of Dermatology</i> , 2011, 65, e85-e87. | 1.2 | 17 |
| 556 | Exposure to Selenium and Risk of Cutaneous Melanoma. <i>Epidemiology</i> , 2011, 22, S288. | 2.7 | 1 |
| 557 | First experiences using reflectance confocal microscopy on equivocal skin lesions in Queensland. <i>Australasian Journal of Dermatology</i> , 2011, 52, 89-97. | 0.7 | 22 |
| 558 | Effectiveness and limitations of reflectance confocal microscopy in detecting persistence of basal cell carcinomas: A preliminary study. <i>Australasian Journal of Dermatology</i> , 2011, 52, 179-185. | 0.7 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 559 | Confocal microscopy of recurrent naevi and recurrent melanomas: a retrospective morphological study. <i>British Journal of Dermatology</i> , 2011, 165, 61-68. | 1.5 | 45 |
| 560 | A novel biomarker harvesting nanotechnology identifies Bak as a candidate melanoma biomarker in serum. <i>Experimental Dermatology</i> , 2011, 20, 29-34. | 2.9 | 46 |
| 561 | Quantitative evaluation of healthy epidermis by means of multiphoton microscopy and fluorescence lifetime imaging microscopy. <i>Skin Research and Technology</i> , 2011, 17, 295-303. | 1.6 | 46 |
| 562 | Pigmented Nodular Basal Cell Carcinomas in Differential Diagnosis with Nodular Melanomas: Confocal Microscopy as a Reliable Tool for In Vivo Histologic Diagnosis. <i>Journal of Skin Cancer</i> , 2011, 2011, 1-7. | 1.2 | 14 |
| 563 | Grey-Blue Regression in Melanoma In Situ – Evaluation on 111 Cases. <i>Journal of Skin Cancer</i> , 2011, 2011, 1-5. | 1.2 | 20 |
| 564 | Frequency of Dermoscopic Nevus Subtypes by Age and Body Site. <i>Archives of Dermatology</i> , 2011, 147, 663. | 1.4 | 102 |
| 565 | The Dermoscopic and Histopathological Patterns of Nevi Correlate with the Frequency of BRAF Mutations. <i>Journal of Investigative Dermatology</i> , 2011, 131, 542-545. | 0.7 | 46 |
| 566 | Abstract 2917: Functional protein pathway activation mapping of the progression of normal skin to squamous cell carcinoma. , 2011, , . | | 0 |
| 567 | Life Made Easier: Confocal Microscopy in Two Difficult Partially Pigmented Melanocytic Lesions. <i>Dermatologic Surgery</i> , 2010, 36, 409-414. | 0.8 | 1 |
| 568 | Reticular grey-blue areas of regression as a dermoscopic marker of melanoma <i>in situ</i> . <i>British Journal of Dermatology</i> , 2010, 163, 302-309. | 1.5 | 40 |
| 569 | The Impact of In Vivo Reflectance Confocal Microscopy on the Diagnostic Accuracy of Lentigo Maligna and Equivocal Pigmented and Nonpigmented Macules of the Face. <i>Journal of Investigative Dermatology</i> , 2010, 130, 2080-2091. | 0.7 | 261 |
| 570 | Automated detection of malignant features in confocal microscopy on superficial spreading melanoma versus nevi. <i>Journal of Biomedical Optics</i> , 2010, 15, 061713. | 2.6 | 40 |
| 571 | Reflectance Confocal Microscopy as an Aid to Dermoscopy to Improve Diagnosis on Equivocal Lesions: Evaluation of Three Bluish Nodules. <i>Dermatology Research and Practice</i> , 2010, 2010, 1-6. | 0.8 | 4 |
| 572 | Dermoscopy and Skin Cancer. <i>Dermatology Research and Practice</i> , 2010, 2010, 1-1. | 0.8 | 4 |
| 573 | Clinical feasibility of rapid confocal melanoma feature detection. <i>Proceedings of SPIE</i> , 2010, , . | 0.8 | 2 |
| 574 | Dermoscopic Island. <i>Archives of Dermatology</i> , 2010, 146, 1257-62. | 1.4 | 39 |
| 575 | Automated confocal detection of malignant melanoma. , 2010, , . | | 0 |
| 576 | The different psychological profiles of subjects attending melanoma screening campaigns and those delaying diagnosis: an aid for designing preventive campaigns?. <i>European Journal of Dermatology</i> , 2010, 20, 802-7. | 0.6 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 577 | Core-Shell Hydrogel Particles Harvest, Concentrate and Preserve Labile Low Abundance Biomarkers. PLoS ONE, 2009, 4, e4763. | 2.5 | 92 |
| 578 | Sclerosing Nevus with Pseudomelanomatous Features (Nevus with Regression-Like Fibrosis): Clinical and Dermoscopic Features of a Recently Characterized Histopathologic Entity. Dermatology, 2009, 219, 202-208. | 2.1 | 22 |
| 579 | In Vivo Reflectance Confocal Microscopy Enhances Secondary Evaluation of Melanocytic Lesions. Journal of Investigative Dermatology, 2009, 129, 131-138. | 0.7 | 170 |
| 580 | Sclerosing nevus with pseudomelanomatous features and regressing melanoma with nevoid features. Journal of Cutaneous Pathology, 2009, 36, 913-915. | 1.3 | 27 |
| 581 | Comparing In Vivo Reflectance Confocal Microscopy, Dermoscopy, and Histology of Clear-Cell Acanthoma. Dermatologic Surgery, 2009, 35, 952-959. | 0.8 | 19 |
| 582 | Spitz nevi: In vivo confocal microscopic features, dermatoscopic aspects, histopathologic correlates, and diagnostic significance. Journal of the American Academy of Dermatology, 2009, 60, 236-247. | 1.2 | 70 |
| 583 | New insights into nevogenesis: In vivo characterization and follow-up of melanocytic nevi by reflectance confocal microscopy. Journal of the American Academy of Dermatology, 2009, 61, 1001-1013. | 1.2 | 89 |
| 584 | Reflectance Confocal Microscopy and Features of Melanocytic Lesions. Archives of Dermatology, 2009, 145, 1137-43. | 1.4 | 69 |
| 585 | Food intake and risk of cutaneous melanoma in an Italian population. European Journal of Clinical Nutrition, 2008, 62, 1351-1354. | 2.9 | 12 |
| 586 | Reflectance Confocal Microscopy for <i>In Vivo</i> Skin Imaging. Photochemistry and Photobiology, 2008, 84, 1421-1430. | 2.5 | 201 |
| 587 | Malignant melanoma in patients with hereditary nonpolyposis colorectal cancer. British Journal of Dermatology, 2008, 159, 162-168. | 1.5 | 27 |
| 588 | Melanoma histological Breslow thickness predicted by 75-MHz ultrasonography. British Journal of Dermatology, 2008, 159, 364-369. | 1.5 | 82 |
| 589 | In Vivo Microscopic Features of Nodular Melanomas. Archives of Dermatology, 2008, 144, 1311-20. | 1.4 | 89 |
| 590 | Dermoscopic Evaluation of Amelanotic and Hypomelanotic Melanoma. Archives of Dermatology, 2008, 144, 1120-7. | 1.4 | 253 |
| 591 | Three Roots of Melanoma. Archives of Dermatology, 2008, 144, 1375-9. | 1.4 | 57 |
| 592 | In Vivo Confocal Microscopic and Histopathologic Correlations of Dermoscopic Features in 202 Melanocytic Lesions. Archives of Dermatology, 2008, 144, 1597-608. | 1.4 | 155 |
| 593 | Wnt Pathway, Angiogenetic and Hormonal Markers in Sporadic and Familial Adenomatous Polyposis-associated Juvenile Nasopharyngeal Angiofibromas (JNA). Applied Immunohistochemistry and Molecular Morphology, 2008, 16, 173-178. | 1.2 | 38 |
| 594 | The Epidermal and Dermal Origin of Melanocytic Tumors: Theoretical Considerations Based on Epidemiologic, Clinical, and Histopathologic Findings. American Journal of Dermatopathology, 2008, 30, 403-405. | 0.6 | 34 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 595 | Reflectance confocal microscopy for melanoma and melanocytic lesion assessment. <i>Expert Review of Dermatology</i> , 2008, 3, 735-745. | 0.3 | 5 |
| 596 | Diet and Melanoma Risk: Effects of Choice of Hospital versus Population Controls. <i>Tumori</i> , 2008, 94, 669-673. | 1.1 | 8 |
| 597 | Diet and melanoma risk: effects of choice of hospital versus population controls. <i>Tumori</i> , 2008, 94, 669-73. | 1.1 | 4 |
| 598 | Pigmented Mammary Paget Disease. <i>Archives of Dermatology</i> , 2007, 143, 752-4. | 1.4 | 64 |
| 599 | Network patterns recognition for automatic dermatologic images classification. , 2007, , . | | 0 |
| 600 | Diving into the blue: In vivo microscopic characterization of the dermoscopic blue hue. <i>Journal of the American Academy of Dermatology</i> , 2007, 57, 96-104. | 1.2 | 54 |
| 601 | In vivo reflectance confocal microscopy imaging of melanocytic skin lesions: Consensus terminology glossary and illustrative images. <i>Journal of the American Academy of Dermatology</i> , 2007, 57, 644-658. | 1.2 | 176 |
| 602 | Colour Clusters for Computer Diagnosis of Melanocytic Lesions. <i>Dermatology</i> , 2007, 214, 137-143. | 2.1 | 11 |
| 603 | BRAF Mutations in Multiple Sebaceous Hyperplasias of Patients Belonging to MYH-Associated Polyposis Pedigrees. <i>Journal of Investigative Dermatology</i> , 2007, 127, 1387-1391. | 0.7 | 17 |
| 604 | The Impact of In Vivo Reflectance Confocal Microscopy for the Diagnostic Accuracy of Melanoma and Equivocal Melanocytic Lesions. <i>Journal of Investigative Dermatology</i> , 2007, 127, 2759-2765. | 0.7 | 371 |
| 605 | An atypical Meyerson's naevus: a dermoscopic, confocal microscopic and immunohistochemical description of one case. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2007, 21, 414-416. | 2.4 | 16 |
| 606 | Melanoma epidemic across the millennium: time trends of cutaneous melanoma in Emilia-Romagna (Italy) from 1997 to 2004. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2007, 22, 070719055011003-???. | 2.4 | 26 |
| 607 | Baseline factors influencing decisions on digital follow-up of melanocytic lesions in daily practice: An Italian multicenter survey. <i>Journal of the American Academy of Dermatology</i> , 2006, 55, 256-262. | 1.2 | 14 |
| 608 | Distance transform for automatic dermatologic images composition. , 2006, 6144, 914. | | 0 |
| 609 | High risk of cutaneous melanoma amongst carriers of the intercellular adhesion molecule-1 R241 allele. <i>Melanoma Research</i> , 2006, 16, 93-96. | 1.2 | 16 |
| 610 | Acquired Melanocytic Lesions and the Decision to Excise: Role of Color Variegation and Distribution as Assessed by Dermoscopy. <i>Dermatologic Surgery</i> , 2006, 31, 184-189. | 0.8 | 10 |
| 611 | Algorithmic reproduction of asymmetry and border cut-off parameters according to the ABCD rule for dermoscopy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2006, 20, 1214-1219. | 2.4 | 22 |
| 612 | Three-point checklist of dermoscopy: an open internet study. <i>British Journal of Dermatology</i> , 2006, 154, 431-437. | 1.5 | 90 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 613 | Clinical selection of melanocytic lesions for dermoscopy decreases the identification of suspicious lesions in comparison with dermoscopy without clinical preselection. <i>British Journal of Dermatology</i> , 2006, 154, 873-879. | 1.5 | 35 |
| 614 | Instrument-, age- and site-dependent variations of dermoscopic patterns of congenital melanocytic naevi: a multicentre study. <i>British Journal of Dermatology</i> , 2006, 155, 56-61. | 1.5 | 59 |
| 615 | Value of MLH1 and MSH2 Mutations in the Appearance of Muir-Torre Syndrome Phenotype in HNPCC Patients Presenting Sebaceous Gland Tumors or Keratoacanthomas. <i>Journal of Investigative Dermatology</i> , 2006, 126, 2302-2307. | 0.7 | 93 |
| 616 | Line Detection and Texture Characterization of Network Patterns. , 2006, , . | | 13 |
| 617 | Re: MC1R, ASIP, and DNA Repair in Sporadic and Familial Melanoma in a Mediterranean Population. <i>Journal of the National Cancer Institute</i> , 2006, 98, 144-145. | 6.3 | 21 |
| 618 | Quantitative Sonography for the Evaluation of Irritant Reactions. , 2006, , 205-210. | | 1 |
| 619 | Asymmetry in dermoscopic melanocytic lesion images: a computer description based on colour distribution. <i>Acta Dermato-Venereologica</i> , 2006, 86, 123-128. | 1.3 | 18 |
| 620 | Non-Invasive Methods and Assessment of Skin Diseases. , 2006, , 37-46. | | 3 |
| 621 | In Vivo Reflectance Mode Confocal Laser Microscopy of Melanocytic Skin Lesions. , 2006, , 277-283. | | 0 |
| 622 | Practical Color Calibration for Dermatoscopic Images. , 2006, , 653-664. | | 0 |
| 623 | Automated Assessment of Pigment Distribution and Color Areas for Melanoma Diagnosis. , 2006, , 135-144. | | 1 |
| 624 | A population-based case-control study of diet and melanoma risk in northern Italy. <i>Public Health Nutrition</i> , 2005, 8, 1307-1314. | 2.2 | 34 |
| 625 | Acquired Melanocytic Lesions and the Decision to Excise. <i>Dermatologic Surgery</i> , 2005, 31, 184-189. | 0.8 | 9 |
| 626 | Trace elements and melanoma. <i>Journal of Trace Elements in Medicine and Biology</i> , 2005, 19, 69-73. | 3.0 | 24 |
| 627 | Reactivity to euro coins and sensitization thresholds in nickel-sensitive subjects. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2005, 19, 449-454. | 2.4 | 21 |
| 628 | Attenuated familial adenomatous polyposis and Muir-Torre syndrome linked to compound biallelic constitutional MYH gene mutations. <i>Clinical Genetics</i> , 2005, 68, 442-447. | 2.0 | 76 |
| 629 | In vivo confocal reflectance microscopy for the characterization of melanocytic nests and correlation with dermoscopy and histology. <i>British Journal of Dermatology</i> , 2005, 152, 384-386. | 1.5 | 60 |
| 630 | Different phenotypes in Muir-Torre syndrome: clinical and biomolecular characterization in two Italian families. <i>British Journal of Dermatology</i> , 2005, 152, 1335-1338. | 1.5 | 31 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 631 | Environmental exposure to trace elements and risk of cutaneous melanoma. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2005, 15, 458-462. | 3.9 | 36 |
| 632 | In vivo assessment of melanocytic nests in nevi and melanomas by reflectance confocal microscopy. <i>Modern Pathology</i> , 2005, 18, 469-474. | 5.5 | 135 |
| 633 | Colors in atypical nevi: a computer description reproducing clinical assessment. <i>Skin Research and Technology</i> , 2005, 11, 36-41. | 1.6 | 17 |
| 634 | Reflectance-Mode Confocal Microscopy for the In Vivo Characterization of Pagetoid Melanocytosis in Melanomas and Nevi. <i>Journal of Investigative Dermatology</i> , 2005, 125, 532-537. | 0.7 | 101 |
| 635 | Pigment distribution in melanocytic lesion images: a digital parameter to be employed for computer-aided diagnosis. <i>Skin Research and Technology</i> , 2005, 11, 236-241. | 1.6 | 44 |
| 636 | Practical color calibration for dermoscopy, applied to a digital epiluminescence microscope. <i>Skin Research and Technology</i> , 2005, 11, 242-247. | 1.6 | 43 |
| 637 | Identification of Muir-Torre syndrome among patients with sebaceous tumors and keratoacanthomas. <i>Cancer</i> , 2005, 103, 1018-1025. | 4.1 | 136 |
| 638 | Microscopic In Vivo Description of Cellular Architecture of Dermoscopic Pigment Network in Nevi and Melanomas. <i>Archives of Dermatology</i> , 2005, 141, 147-54. | 1.4 | 114 |
| 639 | The Spectrum of Spitz Nevi. <i>Archives of Dermatology</i> , 2005, 141, 1381-7. | 1.4 | 148 |
| 640 | Reflectance-Mode Confocal Microscopy for the In Vivo Detection of <i>Sarcoptes scabiei</i> . <i>Archives of Dermatology</i> , 2005, 141, 1336. | 1.4 | 33 |
| 641 | Reflectance-mode confocal microscopy of pigmented skin lesions—improvement in melanoma diagnostic specificity. <i>Journal of the American Academy of Dermatology</i> , 2005, 53, 979-985. | 1.2 | 242 |
| 642 | Automated Extraction and Description of Dark Areas in Surface Microscopy Melanocytic Lesion Images. <i>Dermatology</i> , 2004, 208, 21-26. | 2.1 | 33 |
| 643 | Color calibration for a dermatological video camera system. , 2004, , . | | 10 |
| 644 | Noninvasive Imaging of Skin Tumors. <i>Dermatologic Surgery</i> , 2004, 30, 301-310. | 0.8 | 65 |
| 645 | Is JPEG Compression of Videomicroscopic Images Compatible with Telediagnosis? Comparison between Diagnostic Performance and Pattern Recognition on Uncompressed TIFF Images and JPEG Compressed Ones. <i>Telemedicine Journal and E-Health</i> , 2004, 10, 294-303. | 2.8 | 24 |
| 646 | In vivo confocal scanning laser microscopy of pigmented Spitz nevi: Comparison of in vivo confocal images with dermoscopy and routine histopathology. <i>Journal of the American Academy of Dermatology</i> , 2004, 51, 371-376. | 1.2 | 53 |
| 647 | Automated description of colours in polarized-light surface microscopy images of melanocytic lesions. <i>Melanoma Research</i> , 2004, 14, 125-130. | 1.2 | 20 |
| 648 | Noninvasive Imaging of Skin Tumors. <i>Dermatologic Surgery</i> , 2004, 30, 301-310. | 0.8 | 24 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 649 | Frequency and intensity of responses to mite patch tests are lower in nonatopic subjects with respect to patients with atopic dermatitis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2003, 58, 426-429. | 5.7 | 45 |
| 650 | Contact Sensitization to Disperse Dyes in Children. <i>Pediatric Dermatology</i> , 2003, 20, 393-397. | 0.9 | 69 |
| 651 | Computer description of colours in dermoscopic melanocytic lesion images reproducing clinical assessment. <i>British Journal of Dermatology</i> , 2003, 149, 523-529. | 1.5 | 51 |
| 652 | A new algorithm for border description of polarized light surface microscopic images of pigmented skin lesions. <i>IEEE Transactions on Medical Imaging</i> , 2003, 22, 959-964. | 8.9 | 76 |
| 653 | Preoperative Melanoma Thickness Determination by 20-MHz Sonography and Digital Videomicroscopy in Combination. <i>Archives of Dermatology</i> , 2003, 139, 293. | 1.4 | 59 |
| 654 | Polarized Light-surface Microscopy for Description and Classification of Small and Medium-sized Congenital Melanocytic Naevi. <i>Acta Dermato-Venereologica</i> , 2003, 83, 271-276. | 1.3 | 17 |
| 655 | Skin cancer day in Italy: method of referral to open access clinics and tumor prevalence in the examined population. <i>European Journal of Dermatology</i> , 2003, 13, 76-9. | 0.6 | 25 |
| 656 | Comparison between morphological parameters in pigmented skin lesion images acquired by means of epiluminescence surface microscopy and polarized-light videomicroscopy. <i>Clinics in Dermatology</i> , 2002, 20, 222-227. | 1.6 | 57 |
| 657 | Surface microscopy features of congenital nevi. <i>Clinics in Dermatology</i> , 2002, 20, 263-267. | 1.6 | 33 |
| 658 | Water Sorption-Desorption Test and Moisture Accumulation Test for Functional Assessment of Atopic Skin in Children. <i>Acta Dermato-Venereologica</i> , 2001, 81, 100-103. | 1.3 | 13 |
| 659 | Thickness and Echogenicity of the Skin in Children as Assessed by 20-MHz Ultrasound. <i>Dermatology</i> , 2000, 201, 218-222. | 2.1 | 99 |
| 660 | Morphological features of Spitz naevus as observed by digital videomicroscopy. <i>Acta Dermato-Venereologica</i> , 2000, 80, 117-21. | 1.3 | 0 |
| 661 | Variations in Facial Skin Thickness and Echogenicity with Site and Age. <i>Acta Dermato-Venereologica</i> , 1999, 79, 366-369. | 1.3 | 66 |
| 662 | Digital videomicroscopy with image analysis and automatic classification as an aid for diagnosis of Spitz nevus. <i>Skin Research and Technology</i> , 1999, 5, 266-272. | 1.6 | 15 |
| 663 | Diagnosis of pigmented skin lesions by epiluminescence microscopy. <i>Public Health</i> , 1999, 113, 237-242. | 2.9 | 8 |
| 664 | Digital videomicroscopy and image analysis with automatic classification for detection of thin melanomas. <i>Melanoma Research</i> , 1999, 9, 163-172. | 1.2 | 79 |
| 665 | Digital videomicroscopy improves diagnostic accuracy for melanoma. <i>Journal of the American Academy of Dermatology</i> , 1998, 39, 175-181. | 1.2 | 101 |
| 666 | Evaluation of the Short-Term Effects of Skin Care Products: A Comparison between Capacitance Values and Echographic Parameters of Epidermal Hydration. , 1998, 26, 177-182. | | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 667 | Time course of skin changes induced by short-term occlusion with water: evaluation by TEWL, capacitance and B-scanning echography. <i>Skin Research and Technology</i> , 1996, 2, 52-53. | 1.6 | 7 |
| 668 | Comparison of 2 different methods for enhancing the reaction to nickel sulfate patch tests in negative reactors. <i>Contact Dermatitis</i> , 1996, 35, 308-308. | 1.4 | 9 |
| 669 | Plea for Argentinians. <i>Nature</i> , 1976, 262, 253-253. | 27.8 | 1 |
| 670 | Building the Topological Tree by recursive FCM color clustering. , 0, , . | | 4 |
| 671 | Chronic Spontaneous Urticaria: A Review of Pathological Mechanisms, Diagnosis, Clinical Management, and Treatment. <i>European Medical Journal (Chelmsford, England)</i> , 0, , 29-39. | 3.0 | 1 |
| 672 | Characteristics and management of skin cancers in very elderly patients: a real-world challenge for clinicians. <i>Experimental Dermatology</i> , 0, , . | 2.9 | 2 |
| 673 | Overcoming challenges in management of atopic dermatitis: Role of oxidative stress in the pathogenesis and treatment target of atopic dermatitis (ROAD). , 0, 2, 47. | | 0 |