

# Daniela Fischerová

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5853007/publications.pdf>

Version: 2024-02-01

128  
papers

4,595  
citations

117625

34  
h-index

110387

64  
g-index

173  
all docs

173  
docs citations

173  
times ranked

3464  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Simple ultrasound rules to distinguish between benign and malignant adnexal masses before surgery: prospective validation by IOTA group. <i>BMJ: British Medical Journal</i> , 2010, 341, c6839-c6839.   | 2.3 | 336       |
| 2  | Evaluating the risk of ovarian cancer before surgery using the ADNEX model to differentiate between benign, borderline, early and advanced stage invasive, and secondary metastatic tumours: prospective multicentre diagnostic study. <i>BMJ, The</i> , 2014, 349, g5920-g5920.                               | 6.0 | 309       |
| 3  | The European Society of Gynaecological Oncology/European Society for Radiotherapy and Oncology/European Society of Pathology guidelines for the management of patients with cervical cancer. <i>Radiotherapy and Oncology</i> , 2018, 127, 404-416.  | 0.6 | 241       |
| 4  | Predicting the risk of malignancy in adnexal masses based on the Simple Rules from the International Ovarian Tumor Analysis group. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 214, 424-437.  | 1.3 | 212       |
| 5  | Endometriomas: their ultrasound characteristics. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 35, 730-740.   | 1.7 | 190       |
| 6  | Diagnosis, Treatment, and Follow-Up of Borderline Ovarian Tumors. <i>Oncologist</i> , 2012, 17, 1515-1533.   | 3.7 | 161       |
| 7  | Ovarian cancer prediction in adnexal masses using ultrasound-based logistic regression models: a temporal and external validation study by the IOTA group. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 226-234.   | 1.7 | 154       |
| 8  | The European Society of Gynaecological Oncology/European Society for Radiotherapy and Oncology/European Society of Pathology Guidelines for the Management of Patients with Cervical Cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 472, 919-936. | 2.8 | 127       |
| 9  | Transrectal ultrasound and magnetic resonance imaging in staging of early cervical cancer. <i>International Journal of Gynecological Cancer</i> , 2008, 18, 766-772.   | 2.5 | 119       |
| 10 | Early-stage cervical cancer: Tumor delineation by magnetic resonance imaging and ultrasound – A European multicenter trial. <i>Gynecologic Oncology</i> , 2013, 128, 449-453.  | 1.4 | 115       |
| 11 | Ultrasound scanning of the pelvis and abdomen for staging of gynecological tumors: a review. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 246-266.   | 1.7 | 105       |
| 12 | Strategies to diagnose ovarian cancer: new evidence from phase 3 of the multicentre international IOTA study. <i>British Journal of Cancer</i> , 2014, 111, 680-688.   | 6.4 | 98        |
| 13 | A prospective study examining the incidence of asymptomatic and symptomatic lymphoceles following lymphadenectomy in patients with gynecological cancer. <i>Gynecologic Oncology</i> , 2015, 137, 291-298.   | 1.4 | 98        |
| 14 | Abdominal Radical Trachelectomy in Fertility-Sparing Treatment of Early-Stage Cervical Cancer. <i>International Journal of Gynecological Cancer</i> , 2009, 19, 1407-1411.   | 2.5 | 71        |
| 15 | Adnexal masses difficult to classify as benign or malignant using subjective assessment of gray-scale and Doppler ultrasound findings: logistic regression models do not help. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 456-465.   | 1.7 | 70        |
| 16 | Imaging in gynecological disease (15): clinical and ultrasound characteristics of uterine sarcoma. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019, 54, 676-687.   | 1.7 | 69        |
| 17 | Risk of malignancy in unilocular cysts: a study of 1148 adnexal masses classified as unilocular cysts at transvaginal ultrasound and review of the literature. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 80-89.   | 1.7 | 66        |
| 18 | Ultrasound characteristics of endometrial cancer as defined by International Endometrial Tumor Analysis (IETA) consensus nomenclature: prospective multicenter study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 51, 818-828.  | 1.7 | 61        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Transvaginal ultrasound assessment of myometrial and cervical stromal invasion in women with endometrial cancer: interobserver reproducibility among ultrasound experts and gynecologists. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015, 45, 476-482. | 1.7 | 59        |
| 20 | What Is the Role of Imaging at Primary Diagnostic Work-Up in Uterine Cervical Cancer?. <i>Current Oncology Reports</i> , 2019, 21, 77.   | 4.0 | 56        |
| 21 | Sentinel lymph node mapping and intraoperative assessment in a prospective, international, multicentre, observational trial of patients with cervical cancer: The SENTIX trial. <i>European Journal of Cancer</i> , 2020, 137, 69-80.                          | 2.8 | 56        |
| 22 | Imaging techniques for the evaluation of ovarian cancer. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2014, 28, 697-720.   | 2.8 | 55        |
| 23 | Late morbidity following nerve-sparing radical hysterectomy. <i>Gynecologic Oncology</i> , 2010, 116, 506-511.   | 1.4 | 54        |
| 24 | Validation of models to diagnose ovarian cancer in patients managed surgically or conservatively: multicentre cohort study. <i>BMJ, The</i> , 2020, 370, m2614.  | 6.0 | 54        |
| 25 | ESGO/ISUOG/IOTA/ESGE Consensus Statement on pre-operative diagnosis of ovarian tumors. <i>International Journal of Gynecological Cancer</i> , 2021, 31, 961-982.   | 2.5 | 54        |
| 26 | Ultrasound-guided tru-cut biopsy of abdominal and pelvic tumors in gynecology. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 767-772.   | 1.7 | 53        |
| 27 | Surgical treatment of intermediate risk lymph node negative cervical cancer patients without adjuvant radiotherapy: A retrospective cohort study and review of the literature. <i>Gynecologic Oncology</i> , 2018, 151, 438-443.                               | 1.4 | 46        |
| 28 | Update on abdominal radical trachelectomy. <i>Gynecologic Oncology</i> , 2008, 111, S111-S115.   | 1.4 | 44        |
| 29 | Age-related differences in the sonographic characteristics of endometriomas. <i>Human Reproduction</i> , 2016, 31, 1723-1731.  | 0.9 | 43        |
| 30 | Gray-scale and color Doppler ultrasound characteristics of endometrial cancer in relation to stage, grade and tumor size. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 586-593.  | 1.7 | 42        |
| 31 | Factors affecting sonographic preoperative local staging of endometrial cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014, 43, 575-585.  | 1.7 | 42        |
| 32 | <sc>ESGO</sc>/<sc>ISUOG</sc>/<sc>IOTA</sc>/<sc>ESGE</sc> Consensus Statement on preoperative diagnosis of ovarian tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021, 58, 148-168.  | 1.7 | 42        |
| 33 | Ultrasound-guided tru-cut biopsy in the management of advanced abdomino-pelvic tumors. <i>International Journal of Gynecological Cancer</i> , 2008, 18, 833-837.   | 2.5 | 41        |
| 34 | Imaging of gynecological disease (6): clinical and ultrasound characteristics of ovarian dysgerminoma. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 37, 596-602.   | 1.7 | 41        |
| 35 | European Society of Gynaecological Oncology quality indicators for surgical treatment of cervical cancer. <i>International Journal of Gynecological Cancer</i> , 2020, 30, 3-14.   | 2.5 | 39        |
| 36 | Clinical Utility of Risk Models to Refer Patients with Adnexal Masses to Specialized Oncology Care: Multicenter External Validation Using Decision Curve Analysis. <i>Clinical Cancer Research</i> , 2017, 23, 5082-5090.                                      | 7.0 | 37        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Imaging in gynecological disease (14): clinical and ultrasound characteristics of ovarian clear cell carcinoma. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 52, 792-800.   | 1.7 | 36        |
| 38 | Risk of micrometastases in non-sentinel pelvic lymph nodes in cervical cancer. <i>Gynecologic Oncology</i> , 2016, 143, 83-86.  | 1.4 | 35        |
| 39 | Ovarian mesonephric-like adenocarcinoma arising in serous borderline tumor: a case report with complex morphological and molecular analysis. <i>Diagnostic Pathology</i> , 2020, 15, 91.  | 2.0 | 35        |
| 40 | Validation of the Performance of International Ovarian Tumor Analysis (IOTA) Methods in the Diagnosis of Early Stage Ovarian Cancer in a Non-Screening Population. <i>Diagnostics</i> , 2017, 7, 32.  | 2.6 | 34        |
| 41 | Diagnostic Accuracy of Ultrasound and MRI in the Mapping of Deep Pelvic Endometriosis Using the International Deep Endometriosis Analysis (IDEA) Consensus. <i>BioMed Research International</i> , 2020, 2020, 1-11.  | 1.9 | 34        |
| 42 | Ultrasound in preoperative assessment of pelvic and abdominal spread in patients with ovarian cancer: a prospective study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017, 49, 263-274.  | 1.7 | 33        |
| 43 | Sentinel node (SLN) biopsy in the management of locally advanced cervical cancer. <i>Gynecologic Oncology</i> , 2009, 115, 46-50.   | 1.4 | 32        |
| 44 | A Novel Approach to Predict the Likelihood of Specific Ovarian Tumor Pathology Based on Serum CA-125: A Multicenter Observational Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 2420-2428.  | 2.5 | 32        |
| 45 | Ultrasound in Gynecological Cancer: Is It Time for Re-evaluation of Its Uses?. <i>Current Oncology Reports</i> , 2015, 17, 28.  | 4.0 | 31        |
| 46 | Imaging in gynecological disease (13): clinical and ultrasound characteristics of endometrioid ovarian cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 52, 535-543.  | 1.7 | 29        |
| 47 | Imaging in gynecological disease (9): clinical and ultrasound characteristics of tubal cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014, 43, 328-335.  | 1.7 | 28        |
| 48 | Primary pure large-cell neuroendocrine carcinoma of the ovary. <i>Pathology Research and Practice</i> , 2008, 204, 133-137.   | 2.3 | 27        |
| 49 | Imaging in gynecological disease (8): ultrasound characteristics of recurrent borderline ovarian tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 452-458.  | 1.7 | 27        |
| 50 | Unilocular adnexal cysts with papillary projections but no other solid components: is there a diagnostic method that can classify them reliably as benign or malignant before surgery?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 570-581.         | 1.7 | 26        |
| 51 | Validation of ultrasound strategies to assess tumor extension and to predict high-risk endometrial cancer in women from the prospective IETA (International Endometrial Tumor Analysis) cohort. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 55, 115-124. | 1.7 | 26        |
| 52 | The Diagnostic Accuracy of Ultrasound in Assessment of Myometrial Invasion in Endometrial Cancer: Subjective Assessment versus Objective Techniques. <i>BioMed Research International</i> , 2017, 2017, 1-10.   | 1.9 | 25        |
| 53 | SLN biopsy in cervical cancer patients with tumors larger than 2 cm and 4 cm. <i>Gynecologic Oncology</i> , 2018, 148, 456-460.   | 1.4 | 25        |
| 54 | Results of less radical fertility-sparing procedures with omitted parametrectomy for cervical cancer: 5years of experience. <i>Gynecologic Oncology</i> , 2016, 142, 401-404.   | 1.4 | 24        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Terms, definitions and measurements to describe sonographic features of lymph nodes: consensus opinion from the Vulvar International Tumor Analysis (<sc>VITA</sc>) group. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021, 57, 861-879.                     | 1.7 | 24        |
| 56 | Factors Affecting Spontaneous Voiding Recovery After Radical Hysterectomy. <i>International Journal of Gynecological Cancer</i> , 2010, 20, 685-690.   | 2.5 | 23        |
| 57 | Prospective external validation of the "ovarian crescent sign"™ as a single ultrasound parameter to distinguish between benign and malignant adnexal pathology. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 81-87.                                  | 1.7 | 23        |
| 58 | Sentinel lymph node status in patients with locally advanced cervical cancers and impact of neoadjuvant chemotherapy. <i>Gynecologic Oncology</i> , 2012, 125, 303-306.  | 1.4 | 23        |
| 59 | Transrectal ultrasound and magnetic resonance imaging in the evaluation of tumor size following neoadjuvant chemotherapy for locally advanced cervical cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 42, 705-712.                                 | 1.7 | 23        |
| 60 | ISUOG Consensus Statement on rationalization of gynecological ultrasound services in context of SARS-CoV-2. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 55, 879-885.  | 1.7 | 23        |
| 61 | Preoperative prediction of lymph node metastasis and deep stromal invasion in women with invasive cervical cancer: prospective multicenter study using <sc>2D</sc> and <sc>3D</sc> ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015, 45, 470-475. | 1.7 | 22        |
| 62 | The association of enchondromatosis with malignant transformed chondrosarcoma and ovarian juvenile granulosa cell tumor (Ollier disease). <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2017, 56, 253-257.   | 1.3 | 21        |
| 63 | Pelvic floor reconstruction by modified rectus abdominis myoperitoneal (MRAM) flap after pelvic exenterations. <i>Gynecologic Oncology</i> , 2017, 144, 558-563.   | 1.4 | 20        |
| 64 | Local Control After Tailored Surgical Treatment of Early Cervical Cancer. <i>International Journal of Gynecological Cancer</i> , 2011, 21, 690-698.  | 2.5 | 19        |
| 65 | Role of CA125/CEA ratio and ultrasound parameters in identifying metastases to the ovaries in patients with multilocular and multilocular "solid" ovarian masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019, 53, 116-123.                              | 1.7 | 19        |
| 66 | Urgent care in gynaecology: Resuscitation and management of sepsis and acute blood loss. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2009, 23, 679-690.   | 2.8 | 17        |
| 67 | Development and external validation of new ultrasound-based mathematical models for preoperative prediction of high-risk endometrial cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014, 43, 586-595.   | 1.7 | 17        |
| 68 | Anastomosing Hemangioma of the Ovary: A Clinicopathological Study of Six Cases with Stromal Luteinization. <i>Pathology and Oncology Research</i> , 2017, 23, 717-722.   | 1.9 | 16        |
| 69 | Micrometastases in Sentinel Lymph Nodes Represent a Significant Negative Prognostic Factor in Early-Stage Cervical Cancer: A Single-Institutional Retrospective Cohort Study. <i>Cancers</i> , 2020, 12, 1438.   | 3.7 | 16        |
| 70 | Ultrasonographic appearance of metastatic non-gynecological pelvic tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 39, 215-225.   | 1.7 | 15        |
| 71 | High-Risk Human Papillomavirus DNA in the Primary Tumor, Sentinel, and Nonsentinel Pelvic Lymph Nodes in Patients With Early-Stage Cervical Cancer. <i>International Journal of Gynecological Cancer</i> , 2009, 19, 703-707.                                      | 2.5 | 14        |
| 72 | Uterine Tumors with Neuroectodermal Differentiation. A Report of 4 Cases. <i>Pathology and Oncology Research</i> , 2010, 16, 601-608.  | 1.9 | 13        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Ultrasound-based risk model for preoperative prediction of lymph node metastases in women with endometrial cancer: model development study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 56, 443-452.  | 1.7 | 13        |
| 74 | Preoperative staging of ovarian cancer: comparison between ultrasound, <sc>CT</sc> and whole-body diffusion-weighted <sc>MRI</sc> (<sc>ISAAC</sc> study). <i>Ultrasound in Obstetrics and Gynecology</i> , 2022, 59, 248-262.                              | 1.7 | 11        |
| 75 | Early Learning Curve in the Assessment of Deep Pelvic Endometriosis for Ultrasound and Magnetic Resonance Imaging. <i>BioMed Research International</i> , 2020, 2020, 1-7.   | 1.9 | 10        |
| 76 | Prospective Evaluation of Ultrasound Accuracy in the Detection of Pelvic Carcinomatosis in Patients with Ovarian Cancer. <i>Ultrasound in Medicine and Biology</i> , 2016, 42, 2196-2202.  | 1.5 | 9         |
| 77 | Ultrasound and Clinical Preoperative Characteristics for Discrimination Between Ovarian Metastatic Colorectal Cancer and Primary Ovarian Cancer: A Case-Control Study. <i>Diagnostics</i> , 2019, 9, 210.  | 2.6 | 9         |
| 78 | Sensitivity of Follow-Up Methods in Patients After Fertility-Sparing Surgery for Cervical Cancers. <i>International Journal of Gynecological Cancer</i> , 2017, 27, 147-153.   | 2.5 | 8         |
| 79 | Imaging in gynecological disease (19): clinical and ultrasound features of extragastrointestinal stromal tumors (<sc>eGIST</sc>). <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 56, 749-758.  | 1.7 | 8         |
| 80 | Imaging in gynaecology: How good are we in identifying endometriomas?. <i>Facts, Views &amp; Vision in ObGyn</i> , 2009, 1, 7-17.  | 1.1 | 8         |
| 81 | OC01.03: Ultrasound in diagnosis of new and recurrent borderline ovarian tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 1-2.   | 1.7 | 7         |
| 82 | Outcomes of pregnant patients with Pap smears classified as atypical glandular cells. <i>Cytopathology</i> , 2012, 23, 383-388.  | 0.7 | 7         |
| 83 | Ultrasound characteristics of a symptomatic and asymptomatic lymphocele after pelvic and/or paraaortic lymphadenectomy. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2019, 58, 266-272.   | 1.3 | 7         |
| 84 | Imaging in gynecological disease (22): clinical and ultrasound characteristics of ovarian embryonal carcinomas, non-gestational choriocarcinomas and malignant mixed germ cell tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021, 57, 987-994. | 1.7 | 7         |
| 85 | Tumour-free distance: a novel prognostic marker in patients with early-stage cervical cancer treated by primary surgery. <i>British Journal of Cancer</i> , 2021, 124, 1121-1129.  | 6.4 | 7         |
| 86 | ESGO/ISUOG/IOTA/ESGE Consensus Statement on preoperative diagnosis of ovarian tumours. <i>Facts, Views &amp; Vision in ObGyn</i> , 2021, 13, 107-130.  | 1.1 | 7         |
| 87 | OC132: The role of ultrasound in prediction of optimal vs. suboptimal cytoreductive surgery in advanced ovarian cancers. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 286-286.   | 1.7 | 6         |
| 88 | Primary Synovial Sarcoma of the Uterus. <i>Pathology and Oncology Research</i> , 2012, 18, 529-533.  | 1.9 | 6         |
| 89 | Ovarian metastasis of clear cell renal cell carcinoma: A case report. <i>Canadian Urological Association Journal</i> , 2014, 8, 188.   | 0.6 | 6         |
| 90 | Diagnostic pitfalls in ovarian androgen-secreting (Leydig cell) tumours: case series. <i>Journal of Obstetrics and Gynaecology</i> , 2019, 39, 359-364.  | 0.9 | 6         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Vessel morphology depicted by three-dimensional power Doppler ultrasound as second-stage test in adnexal tumors that are difficult to classify: prospective diagnostic accuracy study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021, 57, 324-334.                           | 1.7 | 6         |
| 92  | Interobserver agreement of transvaginal ultrasound and magnetic resonance imaging in local staging of cervical cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021, 58, 773-779.   | 1.7 | 6         |
| 93  | Quality of life after extended pelvic exenterations. <i>Gynecologic Oncology</i> , 2022, 166, 100-107.   | 1.4 | 6         |
| 94  | Pan-Cancer Detection and Typing by Mining Patterns in Large Genome-Wide Cell-Free DNA Sequencing Datasets. <i>Clinical Chemistry</i> , 2022, 68, 1164-1176.  | 3.2 | 6         |
| 95  | Human Papillomavirus DNA Presence in Pelvic Lymph Nodes in Cervical Cancer. <i>International Journal of Gynecological Cancer</i> , 2010, 20, 126-132.  | 2.5 | 5         |
| 96  | High-risk human papillomavirus DNA in paraaortic lymph nodes in advanced stages of cervical carcinoma. <i>Journal of Clinical Virology</i> , 2011, 50, 46-49.  | 3.1 | 5         |
| 97  | Accuracy of ultrasound in prediction of rectosigmoid infiltration in epithelial ovarian cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017, 50, 533-538.  | 1.7 | 5         |
| 98  | Clinical and ultrasound characteristics of the microcystic elongated and fragmented (MELF) pattern in endometrial cancer according to the International Endometrial Tumor Analysis (IETA) criteria. <i>International Journal of Gynecological Cancer</i> , 2019, 29, 119-125.        | 2.5 | 5         |
| 99  | Application of International Deep Endometriosis Analysis (IDEA) group consensus in preoperative ultrasound and magnetic resonance imaging of deep pelvic endometriosis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 56, 115-116.  | 1.7 | 5         |
| 100 | Imaging in gynecological disease: clinical and ultrasound characteristics of ovarian carcinosarcomas. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021, , .   | 1.7 | 5         |
| 101 | Are we better off using multiple endometriosis classifications in imaging and surgery than settle for one universal less than perfect protocol? Review of staging systems in ultrasound, magnetic resonance and surgery. <i>Journal of Obstetrics and Gynaecology</i> , 2021, , 1-7. | 0.9 | 3         |
| 102 | Challenges in lower limb lymphoedema assessment based on limb volume change: Lessons learnt from the SENTIX prospective multicentre study. <i>Gynecologic Oncology</i> , 2022, 164, 76-84.   | 1.4 | 3         |
| 103 | OC129: Role of ultrasound in guiding of surgery radicality in cervical cancer management. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 285-285.  | 1.7 | 2         |
| 104 | OC27.01: Ultrasound diagnosis of extragenital abdominopelvic tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 52-53.   | 1.7 | 2         |
| 105 | Yolk Sac Tumor of the Omentum: A Case Report and Literature Review. <i>Diagnostics</i> , 2022, 12, 304.  | 2.6 | 2         |
| 106 | OC23.01: Role of ultrasound in the referral of young patients with cervical cancer for fertility sparing surgery. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 43-43.  | 1.7 | 1         |
| 107 | 4D Doppler Ultrasound in High Grade Serous Ovarian Cancer Vascularity Evaluation – Preliminary Study. <i>Diagnostics</i> , 2021, 11, 582.  | 2.6 | 1         |
| 108 | P08.01: Clear cell adenofibroma/fibrosarcoma of the ovary: ultrasound, macroscopic and histopathologic findings. A case report. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005, 26, 426-426.  | 1.7 | 0         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | OC167: Ultrasound-guided tru-cut biopsy in the diagnosis and management of inoperable pelvic tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 28, 408-408.   | 1.7 | 0         |
| 110 | OC229: Ultrasound-guided tru-cut biopsy in the management of advanced abdominopelvic tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 30, 437-437.   | 1.7 | 0         |
| 111 | OC231: Transrectal ultrasound (TRUS) and MRI in staging of early cervical cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 30, 438-438.  | 1.7 | 0         |
| 112 | OC146: Multicenter prospective testing to predict malignancy in adnexal masses using Bayesian network models. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 290-290.  | 1.7 | 0         |
| 113 | OC05.01: Predicting ovarian malignancy if simple rules are not applicable. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 7-7.   | 1.7 | 0         |
| 114 | OC21.02: Adnexal masses difficult to classify as benign or malignant using subjective evaluation of ultrasound findings: logistic regression models do not help. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 38-38. | 1.7 | 0         |
| 115 | OC23.06: Adequacy and safety of ultrasound guided tru-cut biopsy in the management of abdomino-pelvic tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 44-45.  | 1.7 | 0         |
| 116 | OC23.07: Analysis of factors influencing tru-cut biopsy sample adequacy in management of abdomino-pelvic masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 45-45.   | 1.7 | 0         |
| 117 | OC25.01 Unilocular solid adnexal masses with papillary projections but no other solid components: is there a logistic regression model that can help?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 48-48.           | 1.7 | 0         |
| 118 | OC25.02: Intercenter variability in ultrasound features of malignant and benign adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 48-49.  | 1.7 | 0         |
| 119 | OC25.05: Adjusting prediction models for ovarian tumor classification to new clinical settings. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 49-50.  | 1.7 | 0         |
| 120 | OC23.01: New logistic regression model to predict ovarian malignancy in cases for which simple ultrasound rules are not applicable. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 41-42.                              | 1.7 | 0         |
| 121 | OC17.02: New ultrasound based mathematical models for the preoperative prediction of high risk endometrial cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 31-32.   | 1.7 | 0         |
| 122 | OC27.01: Grayscale and color Doppler ultrasound characteristics of endometrial cancer in relation to stage, grade and tumor size. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 48-49.                                | 1.7 | 0         |
| 123 | OP24.07: Morphological and vascular ultrasound characteristics of pelvic masses of non-gynecological origin. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 127-127.   | 1.7 | 0         |
| 124 | The efficacy of an algorithm using sentinel lymph node biopsy and frozen section in the avoidance of a combined treatment in early-stage cervical cancer management. , 2019, , .   |     | 0         |
| 125 | 744â€¦Terms and definitions to describe sonographic features of lymph nodes: consensus opinion from the vulvar international tumor analysis (VITA) group. , 2021, , .  |     | 0         |
| 126 | P26â€¦Micrometastasis in sentinel lymph nodes is a significant negative prognostic marker in early-stage cervical cancer. , 2019, , .  |     | 0         |

| #   | ARTICLE  | IF | CITATIONS |
|-----|--|----|-----------|
| 127 | P18â€¦Tumor free distance is the best predictive marker in patients with early-stage cervical cancer treated by primary surgery. , 2019, , . |    | 0         |
| 128 | P54â€¦Comparison of clinical and ultrasound characteristics in low and high grade serous cancer. , 2019, , .                                 |    | 0         |