

Giuseppe Morgia

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5853211/publications.pdf>

Version: 2024-02-01

154
papers

4,164
citations

109321

35
h-index

155660

55
g-index

159
all docs

159
docs citations

159
times ranked

5555
citing authors

#	ARTICLE	IF	CITATIONS
1	Open prostatectomy for benign prostatic enlargement in southern Europe in the late 1990s: a contemporary series of 1800 interventions. <i>Urology</i> , 2002, 60, 623-627.	1.0	203
2	Matrix metalloproteinases as diagnostic (MMP-13) and prognostic (MMP-2, MMP-9) markers of prostate cancer. <i>Urological Research</i> , 2005, 33, 44-50.	1.5	159
3	Simple Enucleation is Equivalent to Traditional Partial Nephrectomy for Renal Cell Carcinoma: Results of a Nonrandomized, Retrospective, Comparative Study. <i>Journal of Urology</i> , 2011, 185, 1604-1610.	0.4	153
4	Prostatic Artery Embolization for Prostate Volume Greater Than 80 ^Å cm ³ : Results From a Single-center Prospective Study. <i>Urology</i> , 2014, 84, 400-404.	1.0	110
5	Endocrine control of benign prostatic hyperplasia. <i>Andrology</i> , 2016, 4, 404-411.	3.5	100
6	Polyphenols: Key Issues Involved in Chemoprevention of Prostate Cancer. <i>Oxidative Medicine and Cellular Longevity</i> , 2012, 2012, 1-8.	4.0	91
7	Partial Nephrectomy in Clinical T1b Renal Tumors: Multicenter Comparative Study of Open, Laparoscopic and Robot-assisted Approach (the RECORD Project). <i>Urology</i> , 2016, 89, 45-53.	1.0	91
8	Support Ellagic Acid Therapy in Patients with Hormone Refractory Prostate Cancer (HRPC) on Standard Chemotherapy Using Vinorelbine and Estramustine Phosphate. <i>European Urology</i> , 2005, 47, 449-455.	1.9	88
9	Prostatic Arterial Embolization vs Open Prostatectomy: A 1-Year Matched-pair Analysis of Functional Outcomes and Morbidities. <i>Urology</i> , 2015, 86, 343-348.	1.0	81
10	A multicentre matchedâ€pair analysis comparing robotâ€assisted versus open partial nephrectomy. <i>BJU International</i> , 2014, 113, 936-941.	2.5	78
11	An increased body mass index is associated with a worse prognosis in patients administered BCG immunotherapy for T1 bladder cancer. <i>World Journal of Urology</i> , 2019, 37, 507-514.	2.2	77
12	Time to recurrence is a significant predictor of cancerâ€specific survival after recurrence in patients with recurrent renal cell carcinoma â€ results from a comprehensive multiâ€centre database (<scp>CORONA</scp><scp>SATURN</scp>â€<scp>P</scp>roject). <i>BJU International</i> , 2013, 112, 909-916.	2.5	69
13	Microbiological investigation in male infertility: a practical overview. <i>Journal of Medical Microbiology</i> , 2014, 63, 1-14.	1.8	66
14	Systemic Inflammatory Markers and Oncologic Outcomes in Patients with High-risk Nonâ€muscle-invasive Urothelial Bladder Cancer. <i>European Urology Oncology</i> , 2018, 1, 403-410.	5.4	66
15	A Systematic Review and Meta-analysis of the Diagnostic Accuracy of Prostate Health Index and 4-Kallikrein Panel Score in Predicting Overall and High-grade Prostate Cancer. <i>Clinical Genitourinary Cancer</i> , 2017, 15, 429-439.e1.	1.9	64
16	Dorsal Onlay Skin Graft Bulbar Urethroplasty: Long-Term Follow-Up. <i>European Urology</i> , 2008, 53, 628-634.	1.9	57
17	Validation of Neutrophil-to-lymphocyte Ratio in a Multi-institutional Cohort of Patients With T1G3 Nonâ€muscle-invasive Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2018, 16, 445-452.	1.9	55
18	Systematic review and metaâ€analysis on the efficacy and tolerability of mirabegron for the treatment of storage lower urinary tract symptoms/overactive bladder: Comparison with placebo and tolterodine. <i>International Journal of Urology</i> , 2018, 25, 196-205.	1.0	55

#	ARTICLE	IF	CITATIONS
19	Open versus laparoscopic partial nephrectomy for clinical T1a renal masses: a matched-pair comparison of 280 patients with TRIFECTA outcomes (RECORD Project). <i>World Journal of Urology</i> , 2014, 32, 257-263.	2.2	54
20	Intravesical administration of combined hyaluronic acid (HA) and chondroitin sulfate (CS) for the treatment of female recurrent urinary tract infections: a European multicentre nested case-control study. <i>BMJ Open</i> , 2016, 6, e009669.	1.9	53
21	Impact of combination therapy 5-alpha reductase inhibitors (5-ARI) plus alpha-blockers (AB) on erectile dysfunction and decrease of libido in patients with LUTS/BPH: a systematic review with meta-analysis. <i>Aging Male</i> , 2016, 19, 175-181.	1.9	50
22	Comparison between Briganti, Partin and MSKCC tools in predicting positive lymph nodes in prostate cancer: a systematic review and meta-analysis. <i>Scandinavian Journal of Urology</i> , 2017, 51, 345-350.	1.0	50
23	Use of α -Blockers in Female Functional Bladder Neck Obstruction. <i>Urologia Internationalis</i> , 2005, 74, 256-261.	1.3	47
24	Late-onset hypogonadism: the advantages of treatment with human chorionic gonadotropin rather than testosterone. <i>Aging Male</i> , 2016, 19, 34-39.	1.9	47
25	Effects of Serenoa Repens, Selenium and Lycopene (Profluss [®]) on chronic inflammation associated with Benign Prostatic Hyperplasia: results of a FLOGOS (Flogosis and Profluss in Prostatic and Genital) Study. <i>Journal of Urology</i> , 2013, 39, 214-221.	1.5	46
26	Relationship between lower urinary tract symptoms and serum levels of sex hormones in men with symptomatic benign prostatic hyperplasia. <i>BJU International</i> , 2010, 106, 1700-1703.	2.5	45
27	Markers of semen inflammation: supplementary semen analysis?. <i>Journal of Reproductive Immunology</i> , 2013, 100, 2-10.	1.9	44
28	Insulin Resistance Is an Independent Predictor of Severe Lower Urinary Tract Symptoms and of Erectile Dysfunction: Results from a Cross-Sectional Study. <i>Journal of Sexual Medicine</i> , 2014, 11, 2074-2082.	0.6	44
29	PHI and PCA3 improve the prognostic performance of PRIAS and Epstein criteria in predicting insignificant prostate cancer in men eligible for active surveillance. <i>World Journal of Urology</i> , 2016, 34, 485-493.	2.2	41
30	Inhibitors of apoptosis proteins in experimental benign prostatic hyperplasia: effects of serenoa repens, selenium and lycopene. <i>Journal of Biomedical Science</i> , 2014, 21, 19.	7.0	40
31	Prognostic accuracy of Prostate Health Index and urinary Prostate Cancer Antigen 3 in predicting pathologic features after radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015, 33, 163.e15-163.e23.	1.6	40
32	Vacuum-Assisted Closure for the Treatment of Fournier's Gangrene. <i>Urologia Internationalis</i> , 2009, 82, 426-431.	1.3	39
33	Serenoa repens, lycopene and selenium versus tamsulosin for the treatment of LUTS/BPH. An Italian multicenter double-blind randomized study between single or combination therapy (PROCOMB) Study. <i>Journal of Urology</i> , 2014, 191, 1037-1042.	1.0	38
34	Prostate cancer detection in patients with prior negative biopsy undergoing cognitive-, robotic- or in-bore MRI target biopsy. <i>World Journal of Urology</i> , 2018, 36, 761-768.	2.2	38
35	A Prospective, Multicenter Evaluation of Predictive Factors for Positive Surgical Margins After Nephron-Sparing Surgery for Renal Cell Carcinoma: The RECORD1 Italian Project. <i>Clinical Genitourinary Cancer</i> , 2015, 13, 165-170.	1.9	37
36	Increase of Framingham cardiovascular disease risk score is associated with severity of lower urinary tract symptoms. <i>BJU International</i> , 2015, 116, 791-796.	2.5	36

#	ARTICLE	IF	CITATIONS
37	Emerging links between non-neurogenic lower urinary tract symptoms secondary to benign prostatic obstruction, metabolic syndrome and its components: A systematic review. <i>International Journal of Urology</i> , 2015, 22, 982-990.	1.0	36
38	Predictors of treatment success after collagenase <i>Clostridium histolyticum</i> injection for Peyronie's disease: development of a nomogram from a multicentre single-arm, non-placebo controlled clinical study. <i>BJU International</i> , 2018, 122, 680-687.	2.5	36
39	Effect of <i>Serenoa repens</i> , Lycopene, and Selenium on Proinflammatory Phenotype Activation: An In Vitro And In Vivo Comparison Study. <i>Urology</i> , 2011, 77, 248.e9-248.e16.	1.0	35
40	Prevalence of human papilloma virus infection in patients with male accessory gland infection. <i>Reproductive BioMedicine Online</i> , 2015, 30, 385-391.	2.4	35
41	Dietary Consumption of Phenolic Acids and Prostate Cancer: A Case-Control Study in Sicily, Southern Italy. <i>Molecules</i> , 2017, 22, 2159.	3.8	35
42	Performance of Narrow Band Imaging (NBI) and Photodynamic Diagnosis (PDD) Fluorescence Imaging Compared to White Light Cystoscopy (WLC) in Detecting Non-Muscle Invasive Bladder Cancer: A Systematic Review and Lesion-Level Diagnostic Meta-Analysis. <i>Cancers</i> , 2021, 13, 4378.	3.7	35
43	Sildenafil 25 mg ODT+ Collagenase <i>Clostridium histolyticum</i> vs Collagenase <i>Clostridium histolyticum</i> Alone for the Management of Peyronie's Disease: A Matched-Pair Comparison Analysis. <i>Journal of Sexual Medicine</i> , 2018, 15, 1472-1477.	0.6	34
44	Comparison Between ⁶⁴ Cu-PSMA-617 PET/CT and ¹⁸ F-Choline PET/CT Imaging in Early Diagnosis of Prostate Cancer Biochemical Recurrence. <i>Clinical Genitourinary Cancer</i> , 2018, 16, 385-391.	1.9	33
45	Benign prostatic enlargement can be influenced by metabolic profile: results of a multicenter prospective study. <i>BMC Urology</i> , 2017, 17, 22.	1.4	32
46	TriMatch comparison of the efficacy of FloSeal versus TachoSil versus no hemostatic agents for partial nephrectomy: Results from a large multicenter dataset. <i>International Journal of Urology</i> , 2015, 22, 47-52.	1.0	31
47	Activation of adenosine A2A receptors by polydeoxyribonucleotide increases vascular endothelial growth factor and protects against testicular damage induced by experimental varicocele in rats. <i>Fertility and Sterility</i> , 2011, 95, 1510-1513.	1.0	30
48	The Combination of <i>Serenoa Repens</i> , Selenium and Lycopene is More Effective Than <i>Serenoa Repens</i> Alone to Prevent Hormone Dependent Prostatic Growth. <i>Journal of Urology</i> , 2011, 186, 1524-1529.	0.4	30
49	Determinants of Sexual Impairment in Multiple Sclerosis in Male and Female Patients with Lower Urinary Tract Dysfunction: Results from an Italian Cross-sectional Study. <i>Journal of Sexual Medicine</i> , 2014, 11, 2406-2413.	0.6	30
50	Correlation Between Lipid Profile and Heme Oxygenase System in Patients With Benign Prostatic Hyperplasia. <i>Urology</i> , 2014, 83, 1444.e7-1444.e13.	1.0	30
51	A phase II, randomized, single-blinded, placebo-controlled clinical trial on the efficacy of Curcumina and Calendula suppositories for the treatment of patients with chronic prostatitis/chronic pelvic pain syndrome type III. <i>Archivio Italiano Di Urologia Andrologia</i> , 2017, 89, 110.	0.8	30
52	Benign Prostatic Hyperplasia, Metabolic Syndrome and Non-Alcoholic Fatty Liver Disease: Is Metaflammation the Link?. <i>Prostate</i> , 2016, 76, 1528-1535.	2.3	29
53	A 1-year maintenance after early adjuvant intravesical chemotherapy has a limited efficacy in preventing recurrence of intermediate risk non-muscle-invasive bladder cancer. <i>BJU International</i> , 2010, 106, 212-217.	2.5	28
54	Single-session Supine Bilateral Percutaneous Nephrolithotomy. <i>Urology</i> , 2015, 85, 304-310.	1.0	28

#	ARTICLE	IF	CITATIONS
55	Are Referral Centers for Non-Muscle-Invasive Bladder Cancer Compliant to EAU Guidelines? A Report from the Vesical Antiblasic Therapy Italian Study. <i>Urologia Internationalis</i> , 2011, 86, 19-24.	1.3	27
56	Connections between lower urinary tract symptoms related to benign prostatic enlargement and metabolic syndrome with its components: a systematic review and meta-analysis. <i>Aging Male</i> , 2015, 18, 207-216.	1.9	27
57	The semen quality of the mobile phone users. <i>Journal of Endocrinological Investigation</i> , 2013, 36, 970-4.	3.3	27
58	Association between selenium and lycopene supplementation and incidence of prostate cancer: Results from the post-hoc analysis of the procomb trial. <i>Phytomedicine</i> , 2017, 34, 1-5.	5.3	26
59	The use of laser as a therapeutic modality as compared to TURP for the small prostate $\leq 40\text{ mL}$: a collaborative review. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019, 71, 569-575.	3.9	26
60	Relationship between non-alcoholic fatty liver disease and benign prostatic hyperplasia/lower urinary tract symptoms: new insights from an Italian cross-sectional study. <i>World Journal of Urology</i> , 2015, 33, 743-751.	2.2	25
61	Association between dietary flavonoids intake and prostate cancer risk: A case-control study in Sicily. <i>Complementary Therapies in Medicine</i> , 2018, 39, 14-18.	2.7	25
62	The occurrence of intraoperative complications during partial nephrectomy and their impact on postoperative outcome: results from the RECORd1 project. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019, 71, 47-54.	3.9	25
63	Vascular regenerative therapies for the treatment of erectile dysfunction: current approaches. <i>Andrology</i> , 2013, 1, 533-540.	3.5	24
64	Human papillomavirus and risk of prostate cancer: a systematic review and meta-analysis. <i>Aging Male</i> , 2020, 23, 132-138.	1.9	24
65	Altered Transcapillary Escape of Albumin and Microalbuminuria Reflects Two Different Pathogenetic Mechanisms. <i>Diabetes</i> , 2005, 54, 228-233.	0.6	23
66	Polydeoxyribonucleotide administration improves the intra-testicular vascularization in rat experimental varicocele. <i>Fertility and Sterility</i> , 2012, 97, 165-168.	1.0	23
67	Arterial erectile dysfunction: Different severities of endothelial apoptosis between diabetic patients $\leq 40\text{ mL}$ responders and $\geq 40\text{ mL}$ non responders to sildenafil. <i>European Journal of Internal Medicine</i> , 2013, 24, 234-240.	2.2	23
68	Patterns of prescription and adherence to European Association of Urology guidelines on androgen deprivation therapy in prostate cancer: an Italian multicentre cross-sectional analysis from the Choosing Treatment for Prostate Cancer (CHOICE) study. <i>BJU International</i> , 2016, 117, 867-873.	2.5	23
69	Alga <i>Ecklonia bicyclis</i> , <i>Tribulus terrestris</i> , and Glucosamine Oligosaccharide Improve Erectile Function, Sexual Quality of Life, and Ejaculation Function in Patients with Moderate Mild-Moderate Erectile Dysfunction: A Prospective, Randomized, Placebo-Controlled, Single-Blinded Study. <i>BioMed Research International</i> , 2014, 2014, 1-7.	1.9	22
70	High-Grade T1 on Re-Transurethral Resection after Initial High-Grade T1 Confers Worse Oncological Outcomes: Results of a Multi-Institutional Study. <i>Urologia Internationalis</i> , 2018, 101, 7-15.	1.3	22
71	SRSF1 and microvessel density immunohistochemical analysis by semi-automated tissue microarray in prostate cancer patients with diabetes (DIAMOND study). <i>Prostate</i> , 2021, 81, 882-892.	2.3	22
72	Prevalence of Cardiovascular Disease and Osteoporosis During Androgen Deprivation Therapy Prescription Discordant to EAU Guidelines: Results From a Multicenter, Cross-sectional Analysis From the CHOICE Treatment for Prostate cancer (CHOICE) Study. <i>Urology</i> , 2016, 96, 165-170.	1.0	21

#	ARTICLE	IF	CITATIONS
73	Expression of tumour progression-associated genes in circulating tumour cells of patients at different stages of prostate cancer. <i>BJU International</i> , 2018, 122, 152-159.	2.5	21
74	Association between dietary phytoestrogens intakes and prostate cancer risk in Sicily. <i>Aging Male</i> , 2018, 21, 48-54.	1.9	21
75	Adherence to Mediterranean diet and prostate cancer risk in Sicily: population-based case-control study. <i>International Journal of Impotence Research</i> , 2019, 31, 269-275.	1.8	21
76	Percentage of cancer involvement in positive cores can predict unfavorable disease in men with low-risk prostate cancer but eligible for the prostate cancer international: Active surveillance criteria. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014, 32, 291-296.	1.6	20
77	Systemic combining inflammatory score (SCIS): a new score for prediction of oncologic outcomes in patients with high-risk non-muscle-invasive urothelial bladder cancer. <i>Translational Andrology and Urology</i> , 2021, 10, 626-635.	1.4	20
78	Functional characterization of platelets in patients with arterial erectile dysfunction. <i>Andrology</i> , 2014, 2, 709-715.	3.5	19
79	Confirmatory biopsy of men under active surveillance: extended versus saturation versus multiparametric magnetic resonance imaging/transrectal ultrasound fusion prostate biopsy. <i>Scandinavian Journal of Urology</i> , 2017, 51, 260-263.	1.0	19
80	Effectiveness of highly purified urofollitropin treatment in patients with idiopathic azoospermia before testicular sperm extraction. <i>Urologia</i> , 2018, 85, 19-21.	0.7	19
81	Role of multiparametric magnetic resonance imaging for patients under active surveillance for prostate cancer: a systematic review with diagnostic meta-analysis. <i>Prostate Cancer and Prostatic Diseases</i> , 2019, 22, 206-220.	3.9	19
82	A Randomized Trial Comparing Tamoxifen Therapy vs. Tamoxifen Prophylaxis in Bicalutamide-Induced Gynecomastia. <i>Clinical Genitourinary Cancer</i> , 2012, 10, 174-179.	1.9	18
83	An improvement in sexual function is related to better quality of life, regardless of urinary function improvement: Results from the IDiProst® Gold Study. <i>Archivio Italiano Di Urologia Andrologia</i> , 2013, 85, 184.	0.8	18
84	High-throughput detection of low abundance sialylated glycoproteins in human serum by TiO2 enrichment and targeted LC-MS/MS analysis: application to a prostate cancer sample set. <i>Analytical and Bioanalytical Chemistry</i> , 2019, 411, 755-763.	3.7	18
85	Cigarette Smoking Status at Diagnosis and Recurrence in Intermediate-risk Non-muscle-invasive Bladder Carcinoma. <i>Urology</i> , 2013, 81, 277-282.	1.0	17
86	Association between metabolic syndrome and intravesical prostatic protrusion in patients with benign prostatic enlargement and lower urinary tract symptoms (<scp>MIPS</scp> Study). <i>BJU International</i> , 2018, 121, 799-804.	2.5	17
87	Endothelial progenitor cells and erectile dysfunction: a brief review on diagnostic significance and summary of our experience. <i>Aging Male</i> , 2013, 16, 29-32.	1.9	16
88	Effects of tadalafil treatment combined with physical activity in patients with low onset hypogonadism: results from a not-randomized single arm phase 2 study. <i>Aging Male</i> , 2016, 19, 155-160.	1.9	16
89	Mobile phone apps for the prediction of prostate cancer: External validation of the Coral and Rotterdam apps. <i>European Journal of Surgical Oncology</i> , 2019, 45, 471-476.	1.0	16
90	Heme oxygenase levels and metaflammation in benign prostatic hyperplasia patients. <i>World Journal of Urology</i> , 2016, 34, 1183-1192.	2.2	15

#	ARTICLE	IF	CITATIONS
91	Effects of Varicocele Treatment on Sperm Conventional Parameters: Surgical Varicocelectomy Versus Sclerotherapy. CardioVascular and Interventional Radiology, 2019, 42, 396-404.	2.0	15
92	Pneumatic Lithotripsy versus Holmium:YAG Laser Lithotripsy for the Treatment of Single Ureteral Stones: A Prospective, Single-Blinded Study. Urologia Internationalis, 2014, 92, 468-472.	1.3	14
93	Correction of Retrograde Ejaculation in Patients with Diabetes Mellitus Using Endourethral Collagen Injection: Preliminary Results. Journal of Sexual Medicine, 2015, 12, 2126-2129.	0.6	14
94	The gonadal function in obese adolescents: review. Journal of Endocrinological Investigation, 2014, 37, 1133-1142.	3.3	13
95	Association Between the Neurogenic Bladder Symptom Score and Urodynamic Examination in Multiple Sclerosis Patients With Lower Urinary Tract Dysfunction. International Neurourology Journal, 2015, 19, 272-277.	1.2	13
96	Benign prostatic hyperplasia and metabolic syndrome: the expanding evidences of a new disease of aging male. Aging Male, 2015, 18, 133-134.	1.9	12
97	Prevalence of male accessory gland inflammations/infections in patients with Type 2 diabetes mellitus. Journal of Endocrinological Investigation, 2013, 36, 770-4.	3.3	12
98	Transurethral ethanol ablation of the prostate (TEAP): an effective minimally invasive treatment alternative to traditional surgery for symptomatic benign prostatic hyperplasia (BPH) in high-risk comorbidity patients. International Urology and Nephrology, 2008, 40, 941-946.	1.4	11
99	CyberKnife in the Treatment of Prostate Cancer: A Revolutionary System. European Urology, 2009, 56, 40-42.	1.9	11
100	Survivin and NAIP in Human Benign Prostatic Hyperplasia: Protective Role of the Association of Serenoa repens, Lycopene and Selenium from the Randomized Clinical Study. International Journal of Molecular Sciences, 2017, 18, 680.	4.1	11
101	Use of BCG in Immunotherapy of Superficial Bladder Cancer: Multicentric Investigation on Safety and Compliance. UroOncology, 2003, 2, 129-135.	0.1	11
102	Metabolic syndrome and prostatic disease: potentially role of polyphenols in preventive strategies. A review. International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2016, 42, 422-430.	1.5	10
103	Human Papilloma Virus Infection in Patients with Male Accessory Gland Infection: Usefulness of the Ultrasound Evaluation. International Journal of Endocrinology, 2016, 2016, 1-7.	1.5	10
104	Serenoa repens + selenium + lycopene vs tadalafil 5 mg for the treatment of lower urinary tract symptoms secondary to benign prostatic obstruction: a Phase IV, non-inferiority, open-label, clinical study (SPRITE study). BJU International, 2018, 122, 317-325.	2.5	10
105	Analysis of Arterial Stiffness and Sexual Function after Adding on PCSK9 Inhibitor Treatment in Male Patients with Familial Hypercholesterolemia: A Single Lipid Center Real-World Experience. Journal of Clinical Medicine, 2020, 9, 3597.	2.4	10
106	Acquired premature ejaculation and male accessory gland infection: relevance of ultrasound examination. Asian Journal of Andrology, 2016, 18, 769.	1.6	10
107	Oxidative stress and body composition in prostate cancer and benign prostatic hyperplasia patients. Anticancer Research, 2014, 34, 5051-6.	1.1	10
108	A Case of Renal Capsular Liposarcoma with Intracaval Fat Thrombus. European Urology, 2010, 57, 350-353.	1.9	9

#	ARTICLE	IF	CITATIONS
109	Cognitive versus Software-Assisted Registration: Development of a New Nomogram Predicting Prostate Cancer at MRI-Targeted Biopsies. <i>Clinical Genitourinary Cancer</i> , 2018, 16, e953-e960.	1.9	9
110	Insulin signaling, androgen receptor and PSMA immunohistochemical analysis by semi-automated tissue microarray in prostate cancer with diabetes (DIAMOND study). <i>Translational Research</i> , 2021, 238, 25-35.	5.0	9
111	Mechanical and Ablative Minimally Invasive Techniques for Male LUTS due to Benign Prostatic Obstruction: A Systematic Review according to BPH-6 Evaluation. <i>Urologia Internationalis</i> , 2021, 105, 858-868.	1.3	9
112	Reduced Seminal Concentration of CD45pos Cells after Follicle-Stimulating Hormone Treatment in Selected Patients with Idiopathic Oligoasthenoteratozoospermia. <i>International Journal of Endocrinology</i> , 2014, 2014, 1-8.	1.5	8
113	Predicting survival in nodeâ€positive prostate cancer after open, laparoscopic or robotic radical prostatectomy: A competing risk analysis of a multiâ€institutional database. <i>International Journal of Urology</i> , 2016, 23, 1000-1008.	1.0	8
114	Evaluating the predictive accuracy and the clinical benefit of a nomogram aimed to predict survival in nodeâ€positive prostate cancer patients: External validation on a multiâ€institutional database. <i>International Journal of Urology</i> , 2018, 25, 574-581.	1.0	8
115	Prevalence of Intratubular Germ Cell Neoplasia and Multifocality in Testicular Germ Cell Tumorsâ€2 cm: Relationship With Other Pathological Features. <i>Clinical Genitourinary Cancer</i> , 2015, 13, e31-e35.	1.9	7
116	Cigarette Smoking and Drinking Water Source: Correlation with Clinical Features and Pathology of Superficial Bladder Carcinoma. <i>Urologia Internationalis</i> , 2009, 82, 318-323.	1.3	6
117	Potential Efficacy of Some African Plants in Benign Prostatic Hyperplasia and Prostate Cancer. <i>Mini-Reviews in Medicinal Chemistry</i> , 2013, 13, 1564-1571.	2.4	6
118	Genito-Urological Cancers in Elderly Patients. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2013, 13, 1391-1405.	1.7	6
119	Accuracy capabilities comparisons between Karakiewicz, Kattan and Cindolo nomograms in predicting outcomes for renal cancer carcinoma: A systematic review and meta-analysis. <i>Canadian Urological Association Journal</i> , 2015, 9, 359.	0.6	6
120	Oral Chemotherapy in Hormone-Refractory Prostate Carcinoma Patients Unwilling to Be Admitted to Hospital. <i>Urologia Internationalis</i> , 2009, 83, 452-457.	1.3	5
121	Multifocality in testicular germ cell tumor (TGCT): what is the significance of this finding?. <i>International Urology and Nephrology</i> , 2014, 46, 1131-5.	1.4	5
122	Predicting erectile dysfunction in sexually active patients seeking prostate health screening: proposal for a multivariable risk stratification. <i>International Journal of Impotence Research</i> , 2015, 27, 201-205.	1.8	5
123	Association between long-term erectile dysfunction and biochemical recurrence after permanent seed I125implant brachytherapy for prostate cancer. A longitudinal study of a single-institution. <i>Aging Male</i> , 2016, 19, 15-19.	1.9	5
124	Management of Symptomatic Benign Prostatic Hyperplasia in Southern Italy: A Retrospective Analysis of the Sicilian-Calabrian Society of Urology (SSCU) of 32,000 Patients. <i>Urologia Internationalis</i> , 2003, 71, 16-21.	1.3	4
125	External validation of the preoperative Karakiewicz nomogram in a large multicentre series of patients with renal cell carcinoma. <i>World Journal of Urology</i> , 2013, 31, 1285-1290.	2.2	4
126	Complication Rate After Antibiotic Prophylaxis with Fosfomycin Versus Fluoroquinolones or Î²-lactam Antibiotics in Patients Undergoing Prostate Biopsy: A Propensity Score-adjusted Analysis. <i>European Urology Focus</i> , 2020, 6, 370-375.	3.1	4

#	ARTICLE	IF	CITATIONS
127	Latest Evidence on the Role of Multiparametric Magnetic Resonance Imaging in Active Surveillance for Insignificant Prostate Cancer: A Systematic Review. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2018, 18, 925-930.	1.7	4
128	The Clinical Role of SRSF1 Expression in Cancer: A Review of the Current Literature. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 2268.	2.5	4
129	Different levels of Cd45pos leukocytes in the semen of patients with low testicular volume. <i>International Journal of Immunopathology and Pharmacology</i> , 2015, 28, 85-92.	2.1	3
130	Metabolic syndrome is not associated with greater evidences of proliferative inflammatory atrophy and inflammation in patients with suspected prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018, 36, 240.e21-240.e26.	1.6	3
131	Phytotherapy in Benign Prostatic Hyperplasia. , 2018, , 135-175.		3
132	Evaluation of the "Teaching Guide for Basic Laparoscopic Skills" as a stand-alone educational tool for hands-on training sessions: a pilot study. <i>World Journal of Urology</i> , 2021, 39, 281-287.	2.2	3
133	The impact of asexual trait and porn addiction in a young men healthy cohort. <i>Andrologia</i> , 2021, 53, e14142.	2.1	3
134	The Investigative Role of Statins in Ameliorating Lower Urinary Tract Symptoms (LUTS): A Systematic Review. <i>Journal of Clinical Medicine</i> , 2021, 10, 416.	2.4	3
135	Tailored treatment including radical prostatectomy and radiation therapy + androgen deprivation therapy versus exclusive radical prostatectomy in high-risk prostate cancer patients: results from a prospective study. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2014, 40, 322-329.	1.5	2
136	Impact of Preoperative Patient Characteristics and Flow Rate on Failure, Early Complications, and Voiding Dysfunction After a Transobturator Tape Procedure: A Multicentre Study. <i>International Neurourology Journal</i> , 2017, 21, 282-288.	1.2	2
137	Salvaging the oral treatment failure patient. <i>Current Sexual Health Reports</i> , 2006, 3, 20-24.	0.8	1
138	PD25-09 NON ALCOHOLIC FATTY LIVER DISEASE IS AN INDEPENDENT PREDICTOR OF MODERATE-SEVERE LOWER URINARY TRACT SYMPTOMS IN METABOLIC SYNDROME PATIENTS: RESULTS FROM A CROSS-SECTIONAL STUDY. <i>Journal of Urology</i> , 2014, 191, .	0.4	1
139	Pharmacological Role of Dietary Polyphenols in Prostate Cancer Chemoprevention. , 2016, , 239-251.		1
140	Editorial comment to The efficacy of acupuncture in managing patients with chronic prostatitis/chronic pelvic pain syndrome: A systemic review and meta-analysis. <i>Neurourology and Urodynamics</i> , 2017, 36, 820-820.	1.5	1
141	The Seminal Vesicles: Endocrinological Aspects. , 2018, , 355-356.		1
142	"Aquabeam® System" for benign prostatic hyperplasia and LUTS: birth of a new era. A systematic review of functional and sexual outcome and adverse events of the technique. <i>International Journal of Impotence Research</i> , 2019, 31, 392-399.	1.8	1
143	Active Surveillance for Low-risk Prostate Cancer: Are All Criteria Similar?. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2018, 18, 958-963.	1.7	1
144	A Case of Prostatic Rhabdomyosarcoma in Childhood. <i>Journal of Lower Genital Tract Disease</i> , 2000, 4, 172-174.	1.9	0

#	ARTICLE	IF	CITATIONS
145	Perineal-guided endoscopic extraction of ejaculatory duct stones to treat obstructive azoospermia. <i>Fertility and Sterility</i> , 2011, 95, 2430.e11-2430.e14.	1.0	0
146	Unusual Presentation of Tuberos Sclerosis Complex. <i>Urology</i> , 2012, 80, e39-e40.	1.0	0
147	Response to Editorial Comment from Dr Cantiello and Dr Damiano to Emerging links between non-neurogenic lower urinary tract symptoms secondary to benign prostatic obstruction, metabolic syndrome and its components: A systematic review. <i>International Journal of Urology</i> , 2015, 22, 993-993.	1.0	0
148	How to define cumulative cancer length for selecting candidate for active surveillance?. <i>Journal of Clinical Pathology</i> , 2015, 68, 323-324.	2.0	0
149	Re: Complex link between male lower urinary tract symptoms and metabolic syndrome: More than ethnic disparity. <i>International Journal of Urology</i> , 2016, 23, 437-437.	1.0	0
150	Subcapsular Kidney Urinoma After Percutaneous Nephrolithotomy. <i>Journal of Endourology Case Reports</i> , 2017, 3, 52-56.	0.3	0
151	Mixofibrosarcoma of the kidney: An unusual site for a common soft tissue tumor. <i>Pathology Research and Practice</i> , 2018, 214, 1745-1746.	2.3	0
152	How radical prostatectomy procedures have changed over the last 10 years in Italy: a comparative analysis based on more than 1500 patients participating in the MIRROR-SIU/LUNA and the Pros-IT CNR study. <i>World Journal of Urology</i> , 2021, 39, 1445-1452.	2.2	0
153	Problems in defining sexual dysfunction in prostate cancer patients. <i>International Journal of Impotence Research</i> , 2021, 33, 391-392.	1.8	0
154	Comment on: Safety and efficacy of mirabegron: analysis of a large integrated clinical trial database of patients with overactive bladder receiving mirabegron, antimuscarinics, or placebo. <i>Translational Andrology and Urology</i> , 2020, 9, 2305-2307.	1.4	0