

Alexandra K Kiemer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5853328/publications.pdf>

Version: 2024-02-01

154
papers

5,187
citations

66343

42
h-index

106344

65
g-index

160
all docs

160
docs citations

160
times ranked

8003
citing authors

#	ARTICLE	IF	CITATIONS
1	The International Human Epigenome Consortium: A Blueprint for Scientific Collaboration and Discovery. <i>Cell</i> , 2016, 167, 1145-1149.	28.9	404
2	Silibinin protects mice from T cell-dependent liver injury. <i>Journal of Hepatology</i> , 2003, 39, 333-340.	3.7	160
3	Inhibition of p38 MAPK Activation via Induction of MKP-1. <i>Circulation Research</i> , 2002, 90, 874-881.	4.5	158
4	Phyllanthus amarus has anti-inflammatory potential by inhibition of iNOS, COX-2, and cytokines via the NF- κ B pathway. <i>Journal of Hepatology</i> , 2003, 38, 289-297.	3.7	152
5	Effect of allicin and ajoene, two compounds of garlic, on inducible nitric oxide synthase. <i>Atherosclerosis</i> , 1998, 139, 333-339.	0.8	128
6	cGMP-Mediated Inhibition of TNF- α Production by the Atrial Natriuretic Peptide in Murine Macrophages. <i>Journal of Immunology</i> , 2000, 165, 175-181.	0.8	120
7	Autocrine Regulation of Inducible Nitric-oxide Synthase in Macrophages by Atrial Natriuretic Peptide. <i>Journal of Biological Chemistry</i> , 1998, 273, 13444-13451.	3.4	104
8	Atrial Natriuretic Peptide Induces Mitogen-Activated Protein Kinase Phosphatase-1 in Human Endothelial Cells via Rac1 and NAD(P)H Oxidase/Nox2-Activation. <i>Circulation Research</i> , 2005, 96, 43-53.	4.5	98
9	M2 polarization enhances silica nanoparticle uptake by macrophages. <i>Frontiers in Pharmacology</i> , 2015, 6, 55.	3.5	97
10	α -Lipoic acid preconditioning reduces ischemia-reperfusion injury of the rat liver via the PI3-kinase/Akt pathway. <i>American Journal of Physiology - Renal Physiology</i> , 2003, 285, G769-G778.	3.4	95
11	Inhibition of LPS-induced nitric oxide and TNF- α production by α -lipoic acid in rat Kupffer cells and in RAW 264.7 murine macrophages. <i>Immunology and Cell Biology</i> , 2002, 80, 550-557.	2.3	86
12	Differential cell reaction upon Toll-like receptor 4 and 9 activation in human alveolar and lung interstitial macrophages. <i>Respiratory Research</i> , 2010, 11, 124.	3.6	83
13	MAPK phosphatase-1 represents a novel anti-inflammatory target of glucocorticoids in the human endothelium. <i>FASEB Journal</i> , 2007, 21, 74-80.	0.5	81
14	α -Lipoic Acid as a Directly Binding Activator of the Insulin Receptor: Protection from Hepatocyte Apoptosis. <i>Biochemistry</i> , 2007, 46, 2146-2155.	2.5	81
15	Glucocorticoid-Induced Leucine Zipper: A Critical Factor in Macrophage Endotoxin Tolerance. <i>Journal of Immunology</i> , 2015, 194, 6057-6067.	0.8	76
16	Lipid droplets as a novel cargo of tunnelling nanotubes in endothelial cells. <i>Scientific Reports</i> , 2015, 5, 11453.	3.3	75
17	Neurokinin-1 Receptor Antagonists CP-96,345 and L-733,060 Protect Mice from Cytokine-Mediated Liver Injury. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2003, 305, 31-39.	2.5	74
18	Effects of Different Natriuretic Peptides on Nitric Oxide Synthesis in Macrophages. <i>Endocrinology</i> , 1997, 138, 4282-4290.	2.8	72

#	ARTICLE	IF	CITATIONS
19	Identification of genes involved in epithelial-mesenchymal transition and tumor progression. <i>Oncogene</i> , 2001, 20, 6679-6688.	5.9	72
20	Exploring synthetic avenues for the effective synthesis of selenium- and tellurium-containing multifunctional redox agents. <i>Organic and Biomolecular Chemistry</i> , 2009, 7, 4753.	2.8	71
21	Effects of lactational exposure to benzo[<i>a</i>]pyrene (B[<i>a</i>]P) on postnatal neurodevelopment, neuronal receptor gene expression and behaviour in mice. <i>Toxicology</i> , 2009, 259, 97-106.	4.2	70
22	Atrial natriuretic peptide reduces expression of TNF- α mRNA during reperfusion of the rat liver upon decreased activation of NF- κ B and AP-1. <i>Journal of Hepatology</i> , 2000, 33, 236-246.	3.7	67
23	The triterpenoid quinonemethide pristimerin inhibits induction of inducible nitric oxide synthase in murine macrophages. <i>European Journal of Pharmacology</i> , 1997, 336, 211-217.	3.5	64
24	The guanylate cyclase-coupled natriuretic peptide receptor: A new target for prevention of cold ischemia-reperfusion damage of the rat liver. <i>Hepatology</i> , 1998, 28, 1309-1317.	7.3	64
25	IMP2/p62 induces genomic instability and an aggressive hepatocellular carcinoma phenotype. <i>Cell Death and Disease</i> , 2015, 6, e1894-e1894.	6.3	64
26	Characterization of Heme Oxygenase 1 (Heat Shock Protein 32) Induction by Atrial Natriuretic Peptide in Human Endothelial Cells. <i>Endocrinology</i> , 2003, 144, 802-812.	2.8	63
27	Susceptibility of Different Mouse Wild Type Strains to Develop Diet-Induced NAFLD/AFLD-Associated Liver Disease. <i>PLoS ONE</i> , 2016, 11, e0155163.	2.5	62
28	Inhibition of Cyclooxygenase-2 by Natriuretic Peptides. <i>Endocrinology</i> , 2002, 143, 846-852.	2.8	61
29	Induction of I κ B: atrial natriuretic peptide as a regulator of the NF- κ B pathway. <i>Biochemical and Biophysical Research Communications</i> , 2002, 295, 1068-1076.	2.1	57
30	Atrial Natriuretic Peptide, a Regulator of Nuclear Factor- κ B Activation in Vivo. <i>Endocrinology</i> , 2007, 148, 332-336.	2.8	56
31	Overexpression of the IGF2-mRNA binding protein p62 in transgenic mice induces a steatotic phenotype. <i>Journal of Hepatology</i> , 2011, 54, 994-1001.	3.7	56
32	Glucocorticoid-induced leucine zipper is downregulated in human alveolar macrophages upon toll-like receptor activation. <i>European Journal of Immunology</i> , 2012, 42, 1282-1293.	2.9	55
33	The insulin-like growth factor 2 (IGF2) mRNA-binding protein p62/IGF2BP2-2 as a promoter of NAFLD and HCC?. <i>Gut</i> , 2014, 63, 861-863.	12.1	54
34	Downregulation of the glucocorticoid-induced leucine zipper (GILZ) promotes vascular inflammation. <i>Atherosclerosis</i> , 2014, 234, 391-400.	0.8	53
35	ANP inhibits TNF- α -induced endothelial MCP-1 expression-involvement of p38 MAPK and MKP-1. <i>Journal of Leukocyte Biology</i> , 2003, 74, 932-941.	3.3	52
36	Toll-Like Receptor 2 Release by Macrophages: An Anti-inflammatory Program Induced by Glucocorticoids and Lipopolysaccharide. <i>Frontiers in Immunology</i> , 2019, 10, 1634.	4.8	52

#	ARTICLE	IF	CITATIONS
37	Hsp72 protects against liver injury via attenuation of hepatocellular death, oxidative stress, and JNK signaling. <i>Journal of Hepatology</i> , 2018, 68, 996-1005.	3.7	51
38	The long non-coding RNA H19 suppresses carcinogenesis and chemoresistance in hepatocellular carcinoma. <i>Cell Stress</i> , 2017, 1, 37-54.	3.2	50
39	Low-molecular-weight hyaluronic acid induces nuclear factor- κ B-dependent resistance against tumor necrosis factor α -mediated liver injury in mice. <i>Hepatology</i> , 2001, 34, 535-547.	7.3	49
40	IGF2 mRNA binding protein p62/IMP2-2 in hepatocellular carcinoma: antiapoptotic action is independent of IGF2/PI3K signaling. <i>American Journal of Physiology - Renal Physiology</i> , 2013, 304, G328-G336.	3.4	49
41	Neurodevelopmental and behavioral toxicity via lactational exposure to the sum of six indicator non-dioxin-like-polychlorinated biphenyls (Σ 6 NDL-PCBs) in mice. <i>Toxicology</i> , 2012, 299, 44-54.	4.2	48
42	Superparamagnetic iron oxide nanoparticles impair endothelial integrity and inhibit nitric oxide production. <i>Acta Biomaterialia</i> , 2014, 10, 4896-4911.	8.3	47
43	Fatty Acid Elongation in Non-Alcoholic Steatohepatitis and Hepatocellular Carcinoma. <i>International Journal of Molecular Sciences</i> , 2014, 15, 5762-5773.	4.1	45
44	Attenuated Activation of Macrophage TLR9 by DNA from Virulent Mycobacteria. <i>Journal of Innate Immunity</i> , 2009, 1, 29-45.	3.8	44
45	Dysregulation of cholesterol homeostasis in human lung cancer tissue and tumour-associated macrophages. <i>EBioMedicine</i> , 2021, 72, 103578.	6.1	43
46	The IGF2 mRNA binding protein p62/IGF2BP2-2 induces fatty acid elongation as a critical feature of steatosis. <i>Journal of Lipid Research</i> , 2014, 55, 1087-1097.	4.2	42
47	The atrial natriuretic peptide and cGMP: Novel activators of the heat shock response in rat livers. <i>Hepatology</i> , 2002, 35, 88-94.	7.3	41
48	Induction of Glucocorticoid-induced Leucine Zipper (GILZ) Contributes to Anti-inflammatory Effects of the Natural Product Curcumin in Macrophages. <i>Journal of Biological Chemistry</i> , 2016, 291, 22949-22960.	3.4	41
49	Protein kinase A dependent signalling mediates anti-apoptotic effects of the atrial natriuretic peptide in ischemic livers. <i>Journal of Hepatology</i> , 2004, 41, 414-420.	3.7	38
50	Vasoprotective Actions of the Atrial Natriuretic Peptide. <i>Current Medicinal Chemistry Cardiovascular and Hematological Agents</i> , 2005, 3, 11-21.	1.7	36
51	Discovery and Optimization of 1,3,5-Trisubstituted Pyrazolines as Potent and Highly Selective Allosteric Inhibitors of Protein Kinase C- η . <i>Journal of Medicinal Chemistry</i> , 2014, 57, 6513-6530.	6.4	33
52	The Atrial Natriuretic Peptide as a Regular of Kupffer Cell Functions. <i>Shock</i> , 2002, 17, 365-371.	2.1	32
53	In vivoregulation of inducible NO synthase in immune-mediated liver injury in mice. <i>Hepatology</i> , 2002, 36, 1061-1069.	7.3	32
54	Elevation of intracellular calcium levels contributes to the inhibition of nitric oxide production by atrial natriuretic peptide. <i>Immunology and Cell Biology</i> , 2001, 79, 11-17.	2.3	30

#	ARTICLE	IF	CITATIONS
55	Metalloporphyrins inactivate caspase-3 and -8. <i>FASEB Journal</i> , 2005, 19, 1272-1279.	0.5	30
56	Nuclear Factor- κ B-Independent Anti-Inflammatory Action of Salicylate in Human Endothelial Cells: Induction of Heme Oxygenase-1 by the c-Jun N-Terminal Kinase/Activator Protein-1 Pathway. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006, 318, 389-394.	2.5	30
57	PROTECTION FROM HEPATIC ISCHEMIA/REPERFUSION INJURY AND IMPROVEMENT OF LIVER REGENERATION BY α -LIPOIC ACID. <i>Shock</i> , 2007, 27, 644-651.	2.1	30
58	Synthesis of amphiphilic, chalcogen-based redox modulators with in vitro cytotoxic activity against cancer cells, macrophages and microbes. <i>MedChemComm</i> , 2014, 5, 25-31.	3.4	30
59	IMP2/IGF2BP2 expression, but not IMP1 and IMP3, predicts poor outcome in patients and high tumor growth rate in xenograft models of gallbladder cancer. <i>Oncotarget</i> , 2017, 8, 89736-89745.	1.8	30
60	Inflammation-induced up-regulation of TLR2 expression in human endothelial cells is independent of differential methylation in the TLR2 promoter CpG island. <i>Innate Immunity</i> , 2012, 18, 112-123.	2.4	29
61	Myxobacteria-Derived Outer Membrane Vesicles: Potential Applicability Against Intracellular Infections. <i>Cells</i> , 2020, 9, 194.	4.1	29
62	Hepatocellular Carcinoma and Nuclear Paraspeckles: Induction in Chemoresistance and Prediction for Poor Survival. <i>Cellular Physiology and Biochemistry</i> , 2019, 52, 787-801.	1.6	29
63	Selenium- and tellurium-containing redox modulators with distinct activity against macrophages: possible implications for the treatment of inflammatory diseases. <i>Tetrahedron</i> , 2012, 68, 10577-10585.	1.9	28
64	Hepatic hepcidin expression is decreased in cirrhosis and HCC. <i>Journal of Hepatology</i> , 2015, 62, 977-979.	3.7	28
65	High Keratin 8/18 Ratio Predicts Aggressive Hepatocellular Cancer Phenotype. <i>Translational Oncology</i> , 2019, 12, 256-268.	3.7	28
66	Elevated free cholesterol in a p62 overexpression model of non-alcoholic steatohepatitis. <i>World Journal of Gastroenterology</i> , 2014, 20, 17839-17850.	3.3	28
67	Hepatic interleukin-6 production is maintained during endotoxin tolerance and facilitates lipid accumulation. <i>Immunobiology</i> , 2017, 222, 786-796.	1.9	26
68	CRUP: a comprehensive framework to predict condition-specific regulatory units. <i>Genome Biology</i> , 2019, 20, 227.	8.8	26
69	Insulin-Like Growth Factor 2 - The Oncogene and its Accomplices. <i>Current Pharmaceutical Design</i> , 2016, 22, 5948-5961.	1.9	26
70	Kupffer-cell specific induction of heme oxygenase 1 (hsp32) by the atrial natriuretic peptide - role of cGMP. <i>Journal of Hepatology</i> , 2003, 38, 490-498.	3.7	25
71	Atrial natriuretic peptide preconditioning protects against hepatic preservation injury by attenuating necrotic and apoptotic cell death. <i>Journal of Hepatology</i> , 2003, 39, 341-348.	3.7	25
72	Amplified Host Defense by Toll-Like Receptor-Mediated Downregulation of the Glucocorticoid-Induced Leucine Zipper (GILZ) in Macrophages. <i>Frontiers in Immunology</i> , 2018, 9, 3111.	4.8	25

#	ARTICLE	IF	CITATIONS
73	Glucocorticoid-induced leucine zipper (GILZ) in immuno suppression: master regulator or bystander?. <i>Oncotarget</i> , 2015, 6, 38446-38457.	1.8	25
74	Altered glucocorticoid metabolism represents a feature of macrophage aging. <i>Aging Cell</i> , 2020, 19, e13156.	6.7	24
75	First Small-Molecule Inhibitors Targeting the RNA-Binding Protein IGF2BP2/IMP2 for Cancer Therapy. <i>ACS Chemical Biology</i> , 2022, 17, 361-375.	3.4	23
76	Thioholgamide A, a New Anti-Proliferative Anti-Tumor Agent, Modulates Macrophage Polarization and Metabolism. <i>Cancers</i> , 2020, 12, 1288.	3.7	22
77	Rapid chromatographic method to decipher distinct alterations in lipid classes in NAFLD/NASH. <i>World Journal of Hepatology</i> , 2013, 5, 558.	2.0	22
78	Effects of Different Natriuretic Peptides on Nitric Oxide Synthesis in Macrophages. <i>Endocrinology</i> , 1997, 138, 4282-4290.	2.8	21
79	Inhibitory effects of teuclatriol, a sesquiterpene from <i>salvia mirzayanii</i> , on nuclear factor- κ B activation and expression of inflammatory mediators. <i>Journal of Ethnopharmacology</i> , 2015, 160, 94-100.	4.1	20
80	The mRNA-binding Protein TTP/ZFP36 in Hepatocarcinogenesis and Hepatocellular Carcinoma. <i>Cancers</i> , 2019, 11, 1754.	3.7	20
81	Protective effects of ischemic preconditioning and application of lipoic acid prior to 90 min of hepatic ischemia in a rat model. <i>World Journal of Gastroenterology</i> , 2007, 13, 3692.	3.3	20
82	Transient Hepatic Overexpression of Insulin-Like Growth Factor 2 Induces Free Cholesterol and Lipid Droplet Formation. <i>Frontiers in Physiology</i> , 2016, 7, 147.	2.8	19
83	Baikalomycins A-C, New Aquayamycin-Type Angucyclines Isolated from Lake Baikal Derived <i>Streptomyces</i> sp. IB201691-2A. <i>Microorganisms</i> , 2020, 8, 680.	3.6	19
84	The glucocorticoid-induced leucine zipper mediates statin-induced muscle damage. <i>FASEB Journal</i> , 2020, 34, 4684-4701.	0.5	19
85	Different Protection Mechanisms after Pretreatment with Glycine or \pm -Lipoic Acid in a Rat Model of Warm Hepatic Ischemia. <i>European Surgical Research</i> , 2006, 38, 503-512.	1.3	18
86	Activation of Rac1 GTPase by nanoparticulate structures in human macrophages. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2013, 84, 315-324.	4.3	18
87	Yeast-mediated mRNA delivery polarizes immuno-suppressive macrophages towards an immuno-stimulatory phenotype. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2017, 117, 1-13.	4.3	18
88	Stimulation of p38 MAPK by hormonal preconditioning with atrial natriuretic peptide. <i>World Journal of Gastroenterology</i> , 2002, 8, 707.	3.3	18
89	Parenchymal, But Not Leukocyte, TNF Receptor 2 Mediates T Cell-Dependent Hepatitis in Mice. <i>Journal of Immunology</i> , 2003, 170, 2129-2137.	0.8	17
90	Small BODIPY Probes for Combined Dual ¹⁹ F-MRI and Fluorescence Imaging. <i>ChemMedChem</i> , 2016, 11, 1568-1575.	3.2	16

#	ARTICLE	IF	CITATIONS
91	Inhibition of Cyclooxygenase-2 by Natriuretic Peptides. <i>Endocrinology</i> , 2002, 143, 846-852.	2.8	16
92	PI 3-kinase pathway is responsible for antiapoptotic effects of atrial natriuretic peptide in rat liver transplantation. <i>World Journal of Gastroenterology</i> , 2006, 12, 1049.	3.3	16
93	Non-invasive live-cell measurement of changes in macrophage NAD(P)H by two-photon microscopy. <i>Immunology Letters</i> , 2005, 96, 33-38.	2.5	15
94	Yeast (<i>Saccharomyces cerevisiae</i>) Polarizes Both M-CSF- and GM-CSF-Differentiated Macrophages Toward an M1-Like Phenotype. <i>Inflammation</i> , 2016, 39, 1690-1703.	3.8	15
95	Hepatocyte cytoskeleton during ischemia and reperfusion - influence of ANP-mediated p38 MAPK activation. <i>World Journal of Gastroenterology</i> , 2005, 11, 7418.	3.3	15
96	Benzo[\pm]pyrene-Induced Anti-Depressive-Like Behaviour in Adult Female Mice: Role of Monoaminergic Systems. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2012, 110, 544-550.	2.5	14
97	Pharmacological inhibition of protein kinase C (PKC) \uparrow downregulates the expression of cytokines involved in the pathogenesis of chronic obstructive pulmonary disease (COPD). <i>European Journal of Pharmaceutical Sciences</i> , 2016, 93, 405-409.	4.0	14
98	Facile Synthesis of Chrysin-derivatives with Promising Activities as Aromatase Inhibitors. <i>Natural Product Communications</i> , 2011, 6, 1934578X1100600.	0.5	13
99	Metabolic implication of tigecycline as an efficacious second-line treatment for sorafenib-resistant hepatocellular carcinoma. <i>FASEB Journal</i> , 2020, 34, 11860-11882.	0.5	13
100	Diterpenoid Alkaloids of <i>Delphinium buschianum</i> Grossh. <i>Helvetica Chimica Acta</i> , 2007, 90, 2217-2221.	1.6	12
101	Lipid Metabolism Signatures in NASH-Associated HCC. <i>Cancer Research</i> , 2014, 74, 2903-2904.	0.9	12
102	IGF2 mRNA Binding Protein 2 Transgenic Mice Are More Prone to Develop a Ductular Reaction and to Progress Toward Cirrhosis. <i>Frontiers in Medicine</i> , 2019, 6, 179.	2.6	12
103	Yields and Immunomodulatory Effects of Pneumococcal Membrane Vesicles Differ with the Bacterial Growth Phase. <i>Advanced Healthcare Materials</i> , 2022, 11, e2101151.	7.6	12
104	Lack of Kupffer cell depletion in diethylnitrosamine-induced hepatic inflammation. <i>Journal of Hepatology</i> , 2019, 70, 813-815.	3.7	11
105	Nano-Microparticles for Aerosol Delivery of Antibiotic-Loaded, Fucose-Derivatized, and Macrophage-Targeted Liposomes to Combat Mycobacterial Infections: In Vitro Deposition, Pulmonary Barrier Interactions, and Targeted Delivery. <i>Advanced Healthcare Materials</i> , 2022, 11, e2102117.	7.6	11
106	BCL-2 UPREGULATION AFTER 3-NITROPROPIONIC ACID PRECONDITIONING IN WARM RAT LIVER ISCHEMIA. <i>Shock</i> , 2008, 30, 699-704.	2.1	10
107	Perquinolines A-C: Unprecedented Bacterial Tetrahydroisoquinolines Involving an Intriguing Biosynthesis. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 12930-12934.	13.8	10
108	Statins and Bempedoic Acid: Different Actions of Cholesterol Inhibitors on Macrophage Activation. <i>International Journal of Molecular Sciences</i> , 2021, 22, 12480.	4.1	10

#	ARTICLE	IF	CITATIONS
109	A Correlative Analysis of Gold Nanoparticles Internalized by A549 Cells. <i>Particle and Particle Systems Characterization</i> , 2014, 31, 439-448.	2.3	9
110	Targeted delivery of functionalized PLGA nanoparticles to macrophages by complexation with the yeast <i>Saccharomyces cerevisiae</i> . <i>Biotechnology and Bioengineering</i> , 2020, 117, 776-788.	3.3	9
111	Comment on: The m6A Reader IGF2BP2 Regulates Macrophage Phenotypic Activation and Inflammatory Diseases by Stabilizing TSC1 and PPAR γ . <i>Advanced Science</i> , 2022, 9, e2104372.	11.2	9
112	Immunomodulatory and Cytoprotective Function of Atrial Natriuretic Peptide. <i>Critical Reviews in Immunology</i> , 2001, 21, 14.	0.5	8
113	Mechanical strain mimicking breathing amplifies alterations in gene expression induced by SiO ₂ NPs in lung epithelial cells. <i>Nanotoxicology</i> , 2019, 13, 1227-1243.	3.0	7
114	Alkaloids from the aerial parts of <i>Consolida anthoroidea</i> and <i>Delphinium linearilobum</i> . <i>Chemistry of Natural Compounds</i> , 2009, 45, 287-289.	0.8	6
115	A New Diterpenoid Alkaloid from the Roots of a White-flowering <i>Aconitum orientale</i> Sample. <i>Helvetica Chimica Acta</i> , 2012, 95, 314-319.	1.6	6
116	Spray-dried pneumococcal membrane vesicles are promising candidates for pulmonary immunization. <i>International Journal of Pharmaceutics</i> , 2022, 621, 121794.	5.2	6
117	Norditerpenoid alkaloids from <i>Consolida thirkeana</i> and <i>Consolida sulphurea</i> . <i>Chemistry of Natural Compounds</i> , 2012, 48, 525-526.	0.8	5
118	Chemical composition and antioxidant, cytotoxic, and insecticidal potential of <i>Valeriana alliariifolia</i> in Turkey. <i>Arhiv Za Higijenu Rada I Toksikologiju</i> , 2019, 70, 207-218.	0.7	5
119	Induction of Liver Size Reduction in Zebrafish Larvae by the Emerging Synthetic Cannabinoid 4F-MDMB-BINACA and Its Impact on Drug Metabolism. <i>Molecules</i> , 2022, 27, 1290.	3.8	5
120	ANP-induced decrease of iron regulatory protein activity is independent of HO-1 induction. <i>American Journal of Physiology - Renal Physiology</i> , 2004, 287, G518-G526.	3.4	4
121	Chemical composition and biological activities of <i>Valeriana dioscoridis</i> SM. roots. <i>South African Journal of Botany</i> , 2021, 141, 306-312.	2.5	4
122	Hepatocellular Injury of Nonischemic Liver Tissue after Selective Clamping in Rats – Protective Action by Pharmacological Pretreatment with Lipoic Acid. <i>European Surgical Research</i> , 2007, 39, 325-331.	1.3	3
123	Characterization of Anti-Cancer Activities of Violacein: Actions on Tumor Cells and the Tumor Microenvironment. <i>Frontiers in Oncology</i> , 2022, 12, .	2.8	3
124	Diterpenoid Alkaloids of <i>Aconitum vulparia</i> Rchb.. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2012, 67, 103-107.	1.4	2
125	Blockade of an innate immune amplifier to fight immune hyperactivation in COVID-19?. <i>EBioMedicine</i> , 2020, 61, 103086.	6.1	2
126	Diterpenoid Alkaloids of <i>Aconitum vulparia</i> Rchb.. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2012, 67, 0103.	1.4	2

#	ARTICLE	IF	CITATIONS
127	Î±-lipoic acid inhibits LPS-induced production of nitric oxide and TNF-Î± in isolated rat kupffer cells. <i>Journal of Hepatology</i> , 2000, 32, 122.	3.7	1
128	P0952 : Transient hepatic overexpression of the insuline-like growth factor 2 (IGF2) induces lipid droplet formation. <i>Journal of Hepatology</i> , 2015, 62, S702-S703.	3.7	1
129	Copy Number Alterations in Tumor Genomes Deleting Antineoplastic Drug Targets Partially Compensated by Complementary Amplifications. <i>Cancer Genomics and Proteomics</i> , 2018, 15, 365-378.	2.0	1
130	Kupffer cells are protective in alcoholic steatosis. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2022, 1868, 166398.	3.8	1
131	Redox-sensitive transcription factors NF-Î±B and AP-1 are involved in the hepatic protection from ischemia-reperfusion injury (IRPI) by the atrial natriuretic peptide (ANP). <i>Journal of Hepatology</i> , 1998, 28, 52.	3.7	0
132	Role of TNF receptor 2 expression on leukocytes in experimental T cell-dependent liver injury in mice. <i>Journal of Hepatology</i> , 2002, 36, 156.	3.7	0
133	Norditerpenoid Alkaloids from <i>Delphinium flexuosum</i> Bieb.. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2012, 67, 541-544.	1.4	0
134	1295 THE INSULIN-LIKE GROWTH FACTOR 2 (IGF2) mRNA BINDING PROTEIN p62/IMP2 ACCELERATES STEATOSIS, INFLAMMATION AND FIBROSIS IN A DIETARY MODEL OF NON-ALCOHOLIC STEATOHEPATITIS (NASH). <i>Journal of Hepatology</i> , 2013, 58, S523.	3.7	0
135	Alkaloids from the roots of <i>Aconitum anthora</i> and aerial parts of <i>Delphinium kurdicum</i> . <i>Chemistry of Natural Compounds</i> , 2013, 48, 1115-1116.	0.8	0
136	1270 ALTERED FATTY ACID PROFILE IN LIVERS OVEREXPRESSING THE IGF2 mRNA BINDING PROTEIN p62: INDUCTION OF FATTY ACID ELONGASE ELOVL6 VIA IGF2-DEPENDENT SREBP1 ACTIVATION. <i>Journal of Hepatology</i> , 2013, 58, S514.	3.7	0
137	1056 THE INSULIN-LIKE GROWTH FACTOR 2 (IGF2) mRNA BINDING PROTEIN (IMP) p62 PROMOTES HEPATOCARCINOGENESIS IN A TRANSGENIC MOUSE MODEL. <i>Journal of Hepatology</i> , 2013, 58, S433.	3.7	0
138	Fluorescence: A Correlative Analysis of Gold Nanoparticles Internalized by A549 Cells (Part. Part. Syst.) <i>Tj ETQq0 0 Q r g BT /Overlock 10 T</i>	2.3	0
139	P0269 : The insuline-like growth factor 2 (IGF2) MRNA binding protein (IMP) p62 promotes cirrhosis-linked hepatocarcinogenesis. <i>Journal of Hepatology</i> , 2015, 62, S407.	3.7	0
140	Hsp72 Overexpression Protects from Liver Injury via Attenuation of Jnk Signalling. <i>Journal of Hepatology</i> , 2016, 64, S170-S171.	3.7	0
141	The Insulin-Like Growth Factor 2 MRNA Binding Protein P62 Induces Liver Progenitor Cell Occurence. <i>Journal of Hepatology</i> , 2016, 64, S685.	3.7	0
142	The diacylglycerol acetyltransferase inhibitors xanthohumol and amidepsine D reveal lipid synthesis as a promoter of angiogenesis. <i>Atherosclerosis</i> , 2016, 252, e159-e160.	0.8	0
143	A Reinvestigation of Norditerpenoid Alkaloids from the Roots of <i>Delphinium formosum</i> . <i>Chemistry of Natural Compounds</i> , 2018, 54, 405-406.	0.8	0
144	Statin-induced myopathy: Role of the glucocorticoid-induced leucine zipper. <i>Atherosclerosis</i> , 2018, 275, e54-e55.	0.8	0

#	ARTICLE	IF	CITATIONS
145	Perquinolineâ€¦.Aâ€“C: neuartige bakterielle Tetrahydroisochinoline mit einer bemerkenswerten Biosynthese. <i>Angewandte Chemie</i> , 2019, 131, 13063-13068.	2.0	0
146	THU-470-The mRNA-binding protein tristetraprolin promotes hepatocarcinogenesis but inhibits tumour progression in liver cancer. <i>Journal of Hepatology</i> , 2019, 70, e367.	3.7	0
147	Natriuretic Peptides and Inflammation. , 2004, , 305-318.		0
148	Activation of Cytoprotective Signaling Pathways by Alpha-Lipoic Acid. <i>Oxidative Stress and Disease</i> , 2008, , .	0.3	0
149	Norditerpenoid Alkaloids from { <i>Delphinium flexuosum</i> } Bieb.. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2012, 67, 0541.	1.4	0
150	Mechanisms of MyD88- and TRIF-dependent downregulation of the glucocorticoid induced leucine zipper (GILZ) in macrophages i½ mRNA destabilization vs. microRNAs. <i>Frontiers in Immunology</i> , 0, 4, .	4.8	0
151	Abstract A38: Steatohepatitis-associated hepatocellular carcinoma: Evidence of a keratin-based disease.. , 2013, , .		0
152	Insulin Signaling Linking Metabolism and Malignancy. , 2017, , 61-75.		0
153	The Cytotoxicity and Insecticidal Activity of Extracts from <i>Delphinium formosum</i> Boiss. & Huet. <i>Istanbul Journal of Pharmacy</i> , 0, , .	0.5	0
154	Discovery of the First Small Molecules Targeting the RNA Binding Protein IGF2BP2/IMP2 as Potential Target in Cancer Therapy. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0