
Dawn A Skelton

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/585757/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Strength, Power and Related Functional Ability of Healthy People Aged 65–89 Years. Age and Ageing, 1994, 23, 371-377.	1.6	785
2	Combined Effects of Time Spent in Physical Activity, Sedentary Behaviors and Sleep on Obesity and Cardio-Metabolic Health Markers: A Novel Compositional Data Analysis Approach. PLoS ONE, 2015, 10, e0139984.	2.5	631
3	Explosive power and asymmetry in leg muscle function in frequent fallers and non-fallers aged over 65. Age and Ageing, 2002, 31, 119-125.	1.6	394
4	Effects of Resistance Training on Strength, Power, and Selected Functional Abilities of Women Aged 75 and Older. Journal of the American Geriatrics Society, 1995, 43, 1081-1087.	2.6	383
5	How Sedentary Are Older People? A Systematic Review of the Amount of Sedentary Behavior. Journal of Aging and Physical Activity, 2015, 23, 471-487.	1.0	374
6	Exercise for improving balance in older people. The Cochrane Library, 2011, , CD004963.	2.8	328
7	Prevalence of Sedentary Behavior in Older Adults: A Systematic Review. International Journal of Environmental Research and Public Health, 2013, 10, 6645-6661.	2.6	287
8	Promotion of physical activity interventions for community dwelling older adults: A systematic review of reviews. PLoS ONE, 2017, 12, e0180902.	2.5	270
9	Framework, principles and recommendations for utilising participatory methodologies in the co-creation and evaluation of public health interventions. Research Involvement and Engagement, 2019, 5, 2.	2.9	217
10	Exercise Studies with Elderly Volunteers. Age and Ageing, 1994, 23, 185-189.	1.6	203
11	Tailored group exercise (Falls Management Exercise — FaME) reduces falls in community-dwelling older frequent fallers (an RCT). Age and Ageing, 2005, 34, 636-639.	1.6	202
12	Exercise for reducing fear of falling in older people living in the community. The Cochrane Library, 2015, 2015, CD009848.	2.8	176
13	Exercise for reducing fear of falling in older people living in the community: Cochrane systematic review and meta-analysis. Age and Ageing, 2016, 45, 345-352.	1.6	174
14	Sedentary time in older adults: a critical review of measurement, associations with health, and interventions. British Journal of Sports Medicine, 2017, 51, 1539-1539.	6.7	155
15	Associations between objectively-measured sedentary behaviour and physical activity with bone mineral density in adults and older adults, the NHANES study. Bone, 2014, 64, 254-262.	2.9	135
16	The COVID-19 rehabilitation pandemic. Age and Ageing, 2020, 49, 696-700.	1.6	132
17	Exercise and injury prevention in older people. Scandinavian Journal of Medicine and Science in Sports, 2003, 13, 77-85.	2.9	119
18	Review of how we should define (and measure) adherence in studies examining older adults' participation in exercise classes. BMJ Open, 2016, 6, e011560.	1.9	119

#	Article	IF	CITATIONS
19	Do Dual Tasks Have an Added Value Over Single Tasks for Balance Assessment in Fall Prevention Programs? A Mini-Review. Gerontology, 2008, 54, 40-49.	2.8	116
20	Exercise for falls management: Rationale for an exercise programme aimed at reducing postural instability. Physiotherapy Theory and Practice, 1999, 15, 105-120.	1.3	112
21	Training Functional Ability in Old Age. Physiotherapy, 1996, 82, 159-167.	0.4	99
22	Increasing older adults' walking through primary care: results of a pilot randomized controlled trial. Family Practice, 2012, 29, 633-642.	1.9	93
23	Multiple Levels of Influence on Older Adults' Attendance and Adherence to Community Exercise Classes. Gerontologist, The, 2014, 54, 599-610.	3.9	88
24	Sedentary time in older men and women: an international consensus statement and research priorities. British Journal of Sports Medicine, 2017, 51, 1526-1532.	6.7	84
25	The effectiveness and cost-effectiveness of strength and balance Exergames to reduce falls risk for people aged 55 years and older in UK assisted living facilities: a multi-centre, cluster randomised controlled trial. BMC Medicine, 2019, 17, 49.	5.5	79
26	Development of a Consensus Taxonomy of Sedentary Behaviors (SIT): Report of Delphi Round 1. PLoS ONE, 2013, 8, e82313.	2.5	79
27	Risk Factors for Falls in Adults With Rheumatoid Arthritis: A Prospective Study. Arthritis Care and Research, 2013, 65, 1251-1258.	3.4	77
28	Exploring the context of sedentary behaviour in older adults (what, where, why, when and with) Tj ETQq0 0 0 rg	BT /Overlo 2.9	ock 10 Tf 50 38
29	Treadmill Walking in Old Age May Not Reproduce the Real Life Situation. Journal of the American Geriatrics Society, 1993, 41, 15-18.	2.6	72
30	What can we learn from patients with heart failure about exercise adherence? A systematic review of qualitative papers Health Psychology, 2011, 30, 401-410.	1.6	72
31	Older Adults' Uptake and Adherence to Exercise Classes: Instructors' Perspectives. Journal of Aging and Physical Activity, 2016, 24, 119-128.	1.0	71
32	Resistance exercise as a treatment for sarcopenia: prescription and delivery. Age and Ageing, 2022, 51, .	1.6	67
33	The association between lower urinary tract symptoms and falls: Forming a theoretical model for a research agenda. Neurourology and Urodynamics, 2018, 37, 501-509.	1.5	66
34	The influence of primary health care professionals in encouraging exercise and physical activity uptake among White and South Asian older adults: Experiences of young older adults. Patient Education and Counseling, 2010, 78, 97-103.	2.2	63
35	Frailty predicts short-term incidence of future falls among British community-dwelling older people: a prospective cohort study nested within a randomised controlled trial. BMC Geriatrics, 2015, 15, 155.	2.7	61
36	Fall Incidence and Outcomes of Falls in a Prospective Study of Adults With Rheumatoid Arthritis.	3.4	56

Fall Incidence and Outcomes of Falls in a Prospe Arthritis Care and Research, 2013, 65, 737-744.

#	Article	IF	CITATIONS
37	Suitability of Physical Activity Questionnaires for Older Adults in Fall-Prevention Trials: A Systematic Review. Journal of Aging and Physical Activity, 2005, 13, 461-481.	1.0	55
38	Frailty predicts trajectories of quality of life over time among British community-dwelling older people. Quality of Life Research, 2016, 25, 1743-1750.	3.1	52
39	Reliability, minimal detectable change and responsiveness to change: Indicators to select the best method to measure sedentary behaviour in older adults in different study designs. PLoS ONE, 2018, 13, e0195424.	2.5	50
40	New horizons in falls prevention and management for older adults: a global initiative. Age and Ageing, 2021, 50, 1499-1507.	1.6	50
41	Cross-cultural validation of the Falls Efficacy Scale International (FES-I) in Greek community-dwelling older adults. Disability and Rehabilitation, 2011, 33, 1776-1784.	1.8	49
42	Validity of Simple Gait-Related Dual-Task Tests in Predicting Falls in Community-Dwelling Older Adults. Archives of Physical Medicine and Rehabilitation, 2014, 95, 58-64.	0.9	49
43	Effects of a resistance and balance exercise programme on physical fitness, health-related quality of life and fear of falling in older women with osteoporosis and vertebral fracture: a randomized controlled trial. Osteoporosis International, 2020, 31, 1069-1078.	3.1	48
44	What do community-dwelling Caucasian and South Asian 60-70 year olds think about exercise for fall prevention?. Age and Ageing, 2008, 38, 68-73.	1.6	47
45	Day-to-Day Variability of Physical Activity of Older Adults Living in the Community. Journal of Aging and Physical Activity, 2010, 18, 75-86.	1.0	47
46	Promoting physical activity in older people in general practice: ProAct65+ cluster randomised controlled trial. British Journal of General Practice, 2015, 65, e731-e738.	1.4	47
47	The frequency of osteogenic activities and the pattern of intermittence between periods of physical activity and sedentary behaviour affects bone mineral content: the cross-sectional NHANES study. BMC Public Health, 2014, 14, 4.	2.9	46
48	Associations between health-related quality of life, physical function and fear of falling in older fallers receiving home care. BMC Geriatrics, 2018, 18, 253.	2.7	46
49	Reducing falls among older people in general practice: The ProAct65+ exercise intervention trial. Archives of Gerontology and Geriatrics, 2016, 67, 46-54.	3.0	45
50	A falls prevention programme to improve quality of life, physical function and falls efficacy in older people receiving home help services: study protocol for a randomised controlled trial. BMC Health Services Research, 2017, 17, 559.	2.2	45
51	Older Adults Recently Discharged from the Hospital: Effect of Aerobic Interval Exercise on Healthâ€Related Quality of Life, Physical Fitness, and Physical Activity. Journal of the American Geriatrics Society, 2013, 61, 1580-1585.	2.6	44
52	TAxonomy of Self-reported Sedentary behaviour Tools (TASST) framework for development, comparison and evaluation of self-report tools: content analysis and systematic review. BMJ Open, 2017, 7, e013844.	1.9	43
53	Gender perspectives on views and preferences of older people on exercise to prevent falls: a systematic mixed studies review. BMC Geriatrics, 2017, 17, 58.	2.7	41
54	Angiotensin-I Converting Enzyme Genotype-Dependent Benefit from Hormone Replacement Therapy in Isometric Muscle Strength and Bone Mineral Density. Journal of Clinical Endocrinology and Metabolism, 2001, 86, 2200-2204.	3.6	41

#	Article	IF	CITATIONS
55	Attitudes and beliefs to the uptake and maintenance of physical activity among community-dwelling South Asians aged 60–70 years: A qualitative study. Public Health, 2012, 126, 417-423.	2.9	37
56	Effect of cold indoor environment on physical performance of older women living in the community. Age and Ageing, 2014, 43, 571-575.	1.6	35
57	Experiences of older people with dementia participating in a high-intensity functional exercise program in nursing homes: "While it's tough, it's useful". PLoS ONE, 2017, 12, e0188225.	2.5	35
58	Strong, steady and straight: UK consensus statement on physical activity and exercise for osteoporosis. British Journal of Sports Medicine, 2022, 56, 837-846.	6.7	35
59	Perceived barriers to initiating and maintaining physical activity among South Asian and White British adults in their 60s living in the United Kingdom: a qualitative study. Ethnicity and Health, 2013, 18, 626-645.	2.5	34
60	Characteristics of a Protocol to Collect Objective Physical Activity/Sedentary Behavior Data in a Large Study: Seniors USP (Understanding Sedentary Patterns). Journal for the Measurement of Physical Behaviour, 2018, 1, 26-31.	0.8	34
61	Randomised controlled trial of the effectiveness of community group and home-based falls prevention exercise programmes on bone health in older people: the ProAct65+ bone study. Age and Ageing, 2015, 44, 573-579.	1.6	32
62	Co-creating a tailored public health intervention to reduce older adults' sedentary behaviour. Health Education Journal, 2017, 76, 595-608.	1.2	32
63	The causes of falls: views of older people with visual impairment. Health Expectations, 2015, 18, 2021-2031.	2.6	31
64	Effects of a falls prevention exercise programme on health-related quality of life in older home care recipients: a randomised controlled trial. Age and Ageing, 2019, 48, 213-219.	1.6	31
65	Older adults' preferences for, adherence to and experiences of two self-management falls prevention home exercise programmes: a comparison between a digital programme and a paper booklet. BMC Geriatrics, 2020, 20, 209.	2.7	31
66	The test–retest reliability of gait-related dual task performance in community-dwelling fallers and non-fallers. Gait and Posture, 2013, 38, 43-50.	1.4	30
67	The epigenetic clock and objectively measured sedentary and walking behavior in older adults: the Lothian Birth Cohort 1936. Clinical Epigenetics, 2018, 10, 4.	4.1	30
68	Effectiveness of general practice-based physical activity promotion for older adults: systematic review. Primary Health Care Research and Development, 2014, 15, 190-201.	1.2	29
69	"Keeping Moving― factors associated with sedentary behaviour among older people recruited to an exercise promotion trial in general practice. BMC Family Practice, 2015, 16, 67.	2.9	28
70	Breaking sedentary behaviour has the potential to increase / maintain function in frail older adults. Journal of Frailty, Sarcopenia and Falls, 2018, 03, 26-34.	1.2	28
71	Reach the Person behind the Dementia - Physical Therapists' Reflections and Strategies when Composing Physical Training. PLoS ONE, 2016, 11, e0166686.	2.5	27
72	A feasibility study to prevent falls in older people who are sight impaired: the VIP2UK randomised controlled trial. Trials, 2016, 17, 464.	1.6	27

#	Article	IF	CITATIONS
73	Efficacy of the Otago Exercise Programme to reduce falls in communityâ€dwelling adults aged 65–80 years old when delivered as group or individual training. Journal of Advanced Nursing, 2018, 74, 1700-1711.	3.3	27
74	Podiatry interventions to prevent falls in older people: a systematic review and meta-analysis. Age and Ageing, 2019, 48, 327-336.	1.6	27
75	What Do Older People Do When Sitting and Why? Implications for Decreasing Sedentary Behavior. Gerontologist, The, 2019, 59, 686-697.	3.9	26
76	â€~Managing pieces of a personal puzzle' — Older people's experiences of self-management falls prevention exercise guided by a digital program or a booklet. BMC Geriatrics, 2019, 19, 43.	2.7	26
77	Association Between Health-Related Quality of Life, Physical Fitness, and Physical Activity in Older Adults Recently Discharged From Hospital. Journal of Aging and Physical Activity, 2014, 22, 405-413.	1.0	25
78	The efficacy of counseling and progressive resistance home-exercises on adherence, health-related quality of life and function after discharge from a geriatric day-hospital. Archives of Gerontology and Geriatrics, 2012, 55, 453-459.	3.0	24
79	A cluster randomised controlled trial of advice, exercise or multifactorial assessment to prevent falls and fractures in community-dwelling older adults: protocol for the prevention of falls injury trial (PreFIT). BMJ Open, 2016, 6, e009362.	1.9	24
80	The Influence of Neighbourhoods and the Social Environment on Sedentary Behaviour in Older Adults in Three Prospective Cohorts. International Journal of Environmental Research and Public Health, 2017, 14, 557.	2.6	23
81	Physical fitness interventions for nonambulatory stroke survivors: A mixedâ€methods systematic review and metaâ€analysis. Brain and Behavior, 2018, 8, e01000.	2.2	23
82	WiFreeze: Multiresolution Scalograms for Freezing of Gait Detection in Parkinson's Leveraging 5G Spectrum with Deep Learning. Electronics (Switzerland), 2019, 8, 1433.	3.1	23
83	Physical fitness in older women with osteoporosis and vertebral fracture after a resistance and balance exercise programme: 3-month post-intervention follow-up of a randomised controlled trial. BMC Musculoskeletal Disorders, 2020, 21, 471.	1.9	23
84	West End Walkers 65+: A randomised controlled trial of a primary care-based walking intervention for older adults: Study rationale and design. BMC Public Health, 2011, 11, 120.	2.9	22
85	Gender Perspective on Older People's Exercise Preferences and Motivators in the Context of Falls Prevention: A Qualitative Study. BioMed Research International, 2018, 2018, 1-11.	1.9	22
86	Comparison of alternative falls data collection methods in the Prevention of Falls Injury Trial (PreFIT). Journal of Clinical Epidemiology, 2019, 106, 32-40.	5.0	21
87	Measuring foot placement and clearance during stair descent. Gait and Posture, 2011, 33, 504-506.	1.4	20
88	Effect of a Brief Heat Exposure on Blood Pressure and Physical Performance of Older Women Living in the Community—A Pilot-Study. International Journal of Environmental Research and Public Health, 2014, 11, 12623-12631.	2.6	20
89	Interventions for reducing sedentary behaviour in community-dwelling older adults. The Cochrane Library, 2021, 2021, CD012784.	2.8	20
90	Acceptability of novel lifelogging technology to determine context of sedentary behaviour in older adults. AIMS Public Health, 2016, 3, 158-171.	2.6	20

#	Article	IF	CITATIONS
91	Falls Prevention and the Value of Exercise. Clinical Nursing Research, 2014, 23, 94-110.	1.6	19
92	HRNN4F: HYBRID DEEP RANDOM NEURAL NETWORK FOR MULTI-CHANNEL FALL ACTIVITY DETECTION. Probability in the Engineering and Informational Sciences, 2021, 35, 37-50.	0.8	18
93	How do muscle and bone strengthening and balance activities (MBSBA) vary across the life course, and are there particular ages where MBSBA are most important?. Journal of Frailty, Sarcopenia and Falls, 2018, 03, 74-84.	1.2	18
94	Modifying Older Adults' Daily Sedentary Behaviour Using an Asset-based Solution: Views from Older Adults. AIMS Public Health, 2016, 3, 542-554.	2.6	18
95	Environmental and behavioural interventions for reducing physical activity limitation and preventing falls in older people with visual impairment. The Cochrane Library, 2020, 2020, CD009233.	2.8	17
96	Adverse events and safety issues associated with physical activity and exercise for adults with osteoporosis and osteopenia: A systematic review of observational studies and an updated review of interventional studies. Journal of Frailty, Sarcopenia and Falls, 2018, 03, 155-178.	1.2	17
97	A systematic review of interventions to increase physical activity among South Asian adults. Public Health, 2018, 162, 71-81.	2.9	16
98	Positive and negative well-being and objectively measured sedentary behaviour in older adults: evidence from three cohorts. BMC Geriatrics, 2019, 19, 28.	2.7	16
99	A Novel Approach to Reduce Sedentary Behaviour in Care Home Residents: The GET READY Study Utilising Service-Learning and Co-Creation. International Journal of Environmental Research and Public Health, 2019, 16, 418.	2.6	16
100	ls urinary incontinence associated with sedentary behaviour in older women? Analysis of data from the National Health and Nutrition Examination Survey. PLoS ONE, 2020, 15, e0227195.	2.5	16
101	Is loneliness a predictor of the modern geriatric giants? Analysis from the survey of health, ageing, and retirement in Europe. Maturitas, 2021, 144, 93-101.	2.4	16
102	Lessons learnt during a complex, multicentre cluster randomised controlled trial: the ProAct65+ trial. Trials, 2013, 14, 192.	1.6	15
103	Can the Otago falls prevention program be delivered by video? A feasibility study. BMJ Open Sport and Exercise Medicine, 2016, 2, e000059.	2.9	15
104	Relationships between socioeconomic position and objectively measured sedentary behaviour in older adults in three prospective cohorts. BMJ Open, 2017, 7, e016436.	1.9	15
105	Occupational Therapy for Caregivers of People with Dementia: A Review of the United Kingdom Literature. British Journal of Occupational Therapy, 2012, 75, 281-288.	0.9	14
106	Exploring gait-related dual task tests in community-dwelling fallers and non-faller: A pilot study. Physiotherapy Theory and Practice, 2013, 29, 351-370.	1.3	14
107	Effect of Indoor Temperature on Physical Performance in Older Adults during Days with Normal Temperature and Heat Waves. International Journal of Environmental Research and Public Health, 2017, 14, 186.	2.6	14
108	Effects of a multicomponent high intensity exercise program on physical function and health-related quality of life in older adults with or at risk of mobility disability after discharge from hospital: a randomised controlled trial. BMC Geriatrics, 2020, 20, 464.	2.7	14

#	Article	IF	CITATIONS
109	A systematic review of the physical activity levels of acutely ill older adults in Hospital At Home settings: an under-researched field. European Geriatric Medicine, 2021, 12, 227-238.	2.8	13
110	Effectiveness of a self-managed digital exercise programme to prevent falls in older community-dwelling adults: study protocol for the Safe Step randomised controlled trial. BMJ Open, 2020, 10, e036194.	1.9	13
111	Which strength and balance activities are safe and efficacious for individuals with specific challenges (osteoporosis, vertebral fractures, frailty, dementia)?: A Narrative review. Journal of Frailty, Sarcopenia and Falls, 2018, 03, 85-104.	1.2	13
112	Falls prevention advice and visual feedback to those at risk of falling: study protocol for a pilot randomized controlled trial. Trials, 2013, 14, 79.	1.6	12
113	A Pilot Randomised Clinical Trial of a Novel Approach to Reduce Sedentary Behaviour in Care Home Residents: Feasibility and Preliminary Effects of the GET READY Study. International Journal of Environmental Research and Public Health, 2020, 17, 2866.	2.6	12
114	Fall prevention interventions in primary care to reduce fractures and falls in people aged 70 years and over: the PreFIT three-arm cluster RCT. Health Technology Assessment, 2021, 25, 1-114.	2.8	12
115	Cognitive ability does not predict objectively measured sedentary behavior: Evidence from three older cohorts Psychology and Aging, 2018, 33, 288-296.	1.6	12
116	Beyond "#endpjparalysis― tackling sedentary behaviour in health care. AIMS Medical Science, 2019, 6, 67-75.	0.4	12
117	Environmental and behavioural interventions for reducing physical activity limitation in community-dwelling visually impaired older people. The Cochrane Library, 2013, , CD009233.	2.8	11
118	The circumstances and impact of injuries on adults with learning disabilities. British Journal of Occupational Therapy, 2014, 77, 400-409.	0.9	11
119	Interventions for reducing sedentary behaviour in community-dwelling older adults. The Cochrane Library, 2017, , .	2.8	11
120	Why Older Adults Spend Time Sedentary and Break Their Sedentary Behavior: A Mixed-Methods Approach Using Life-Logging Equipment. Journal of Aging and Physical Activity, 2018, 26, 259-266.	1.0	11
121	Feasibility of trial procedures for a randomised controlled trial of a community based group exercise intervention for falls prevention for visually impaired older people: the VIOLET study. BMC Geriatrics, 2018, 18, 307.	2.7	11
122	Urinary incontinence and sedentary behaviour in nursing home residents in Osona, Catalonia: protocol for the OsoNaH project, a multicentre observational study. BMJ Open, 2021, 11, e041152.	1.9	11
123	Thoughts on effective falls prevention intervention on a population basis. Zeitschrift Fur Gesundheitswissenschaften, 2005, 13, 196-202.	1.6	10
124	Are the Attitudes of Exercise Instructors Who Work With Older Adults Influenced by Training and Personal Characteristics?. Journal of Aging and Physical Activity, 2012, 20, 47-63.	1.0	10
125	Promoting Exercise as Part of a Physiotherapy‣ed Falls Pathway Service for Adults with Intellectual Disabilities: A Service Evaluation. Journal of Applied Research in Intellectual Disabilities, 2015, 28, 257-264.	2.0	10
126	Mission (im)possible: Engaging care homes, staff and residents in research studies. Journal of Frailty, Sarcopenia and Falls, 2020, 05, 6-9.	1.2	10

#	Article	IF	CITATIONS
127	Consensus on core outcome measures of function are needed to progress our knowledge of 'best practice' exercise components for older people. Age and Ageing, 2011, 40, 532-533.	1.6	9
128	Cross-sectional associations between personality traits and device-based measures of step count and sedentary behaviour in older age: the Lothian Birth Cohort 1936. BMC Geriatrics, 2019, 19, 302.	2.7	9
129	Sarcopenia and associated factors according to the EWGSOP2 criteria in older people living in nursing homes: a cross-sectional study. BMC Geriatrics, 2022, 22, 350.	2.7	9
130	Visually Impaired OLder people's Exercise programme for falls prevenTion (VIOLET): a feasibility study protocol. BMJ Open, 2016, 6, e011996.	1.9	8
131	Social participation and heat-related behavior in older adults during heat waves and on other days. Zeitschrift Fur Gerontologie Und Geriatrie, 2018, 51, 543-549.	1.8	8
132	Attitudes to ageing and objectively-measured sedentary and walking behaviour in older people: The Lothian Birth Cohort 1936. PLoS ONE, 2018, 13, e0197357.	2.5	8
133	Development and delivery of an exercise programme for falls prevention: the Prevention of Falls Injury Trial (PreFIT). Physiotherapy, 2018, 104, 72-79.	0.4	7
134	A Novel Functional Link Network Stacking Ensemble with Fractal Features for Multichannel Fall Detection. Cognitive Computation, 2020, 12, 1024-1042.	5.2	7
135	Associations between health-related quality of life and physical function in older adults with or at risk of mobility disability after discharge from the hospital. European Geriatric Medicine, 2021, 12, 1247-1256.	2.8	7
136	Sitting as a moral practice: Older adults' accounts from qualitative interviews on sedentary behaviours. Sociology of Health and Illness, 2021, 43, 2102-2120.	2.1	7
137	The health impacts of place-based creative programmes on older adults' health: A critical realist review. Health and Place, 2022, 76, 102839.	3.3	7
138	Muscle function of women aged 65–89 years meeting two sets of health criteria. Aging Clinical and Experimental Research, 1997, 9, 106-111.	2.9	6
139	Re: 'Falls Definition Validation'. Age and Ageing, 2006, 36, 111-112.	1.6	6
140	The quality of English-language websites offering falls-prevention advice to older members of the public and their families. Health Informatics Journal, 2012, 18, 50-65.	2.1	6
141	Injuries Reported and Recorded for Adults with Intellectual Disabilities Who Live with Paid Support in Scotland: a Comparison with Scottish Adults in the General Population. Journal of Applied Research in Intellectual Disabilities, 2017, 30, 408-415.	2.0	6
142	Health-related quality of life in home care recipients after a falls prevention intervention: a 6-month follow-up. European Journal of Public Health, 2019, 30, 64-69.	0.3	6
143	PHysical activity Implementation Study In Community-dwelling AduLts (PHISICAL): study protocol. Injury Prevention, 2019, 25, 453-458.	2.4	6
144	IL-6?174G/C genotype is associated with the bone mineral density response to oestrogen replacement therapy in post-menopausal women. European Journal of Applied Physiology, 2004, 92, 227-230.	2.5	5

#	Article	IF	CITATIONS
145	Older Adults' Experiences and Perceptions of Dual Tasking. British Journal of Occupational Therapy, 2010, 73, 405-412.	0.9	5
146	Associations of intention to undertake physical activity among community dwelling British South Asian adults aged 60 years and over: a cross-sectional study. Public Health, 2018, 162, 1-8.	2.9	5
147	Exploring purposeâ€designed audioâ€visual falls prevention messages on older people's capability and motivation to prevent falls. Health and Social Care in the Community, 2019, 27, e471-e482.	1.6	5
148	ELECtric Tibial nerve stimulation to Reduce Incontinence in Care homes: protocol for the ELECTRIC randomised trial. Trials, 2019, 20, 723.	1.6	5
149	Evaluating audio-visual falls prevention messages with community-dwelling older people using a World Café forum approach. BMC Geriatrics, 2019, 19, 345.	2.7	5
150	Hardware/Software Co-Design of Fractal Features Based Fall Detection System. Sensors, 2020, 20, 2322.	3.8	5
151	Tibial nerve stimulation compared with sham to reduce incontinence in care home residents: ELECTRIC RCT. Health Technology Assessment, 2021, 25, 1-110.	2.8	5
152	Implementation fidelity of the Falls Management Exercise Programme: a mixed methods analysis using a conceptual framework for implementation fidelity. Public Health, 2021, 197, 11-18.	2.9	5
153	Association between Health-Related Quality of Life, Physical Fitness, and Physical Activity in Older Adults Recently Discharged from Hospital. Journal of Aging and Physical Activity, 2014, 22, 405-413.	1.0	5
154	The Functional Fitness MOT Test Battery for Older Adults: Protocol for a Mixed-Method Feasibility Study. JMIR Research Protocols, 2016, 5, e108.	1.0	5
155	What happened to my legs when I broke my arm?. AIMS Medical Science, 2018, 5, 252-258.	0.4	5
156	Make Movement Your Mission: Evaluation of an online digital health initiative to increase physical activity in older people during the COVID-19 pandemic. Digital Health, 2022, 8, 205520762210844.	1.8	5
157	Feasibility of performance-based and self-reported outcomes in self-managed falls prevention exercise interventions for independent older adults living in the community. BMC Geriatrics, 2022, 22, 147.	2.7	5
158	Embedding Physical Activity Within Community Home Support Services for Older Adults in Ireland – A Qualitative Study of Barriers and Enablers. Clinical Interventions in Aging, 2022, Volume 17, 223-234.	2.9	5
159	A prospective cohort study measuring cost-benefit analysis of the Otago Exercise Programme in community dwelling adults with rheumatoid arthritis. BMC Health Services Research, 2018, 18, 574.	2.2	4
160	Co-Creating Recommendations to Redesign and Promote Strength and Balance Service Provision. International Journal of Environmental Research and Public Health, 2019, 16, 3169.	2.6	4
161	Views and experiences of visually impaired older people and exercise instructors about the Falls Management Exercise programme: a qualitative study. Disability and Rehabilitation, 2021, 43, 2561-2567.	1.8	4
162	A co-created intervention with care home residents and university students following a service-learning methodology to reduce sedentary behaviour: The GET READY project protocol. Journal of Frailty, Sarcopenia and Falls, 2018, 03, 132-137.	1.2	4

#	Article	IF	CITATIONS
163	Visually Impaired OLder people's Exercise programme for falls prevenTion (VIOLET): a feasibility study. Public Health Research, 2019, 7, 1-148.	1.3	4
164	The appeal of the Functional Fitness MOT to older adults and health professionals in an outpatient setting: a mixed-method feasibility study. Clinical Interventions in Aging, 2018, Volume 13, 1815-1829.	2.9	3
165	â€~Real world' effectiveness of the Falls Management Exercise (FaME) programme: an implementation study. Age and Ageing, 2021, 50, 1290-1297.	1.6	3
166	Enhancing existing formal home care to improve and maintain functional status in older adults: Protocol for a feasibility study on the implementation of the Care to Move (CTM) programme in an Irish healthcare setting. Journal of Frailty, Sarcopenia and Falls, 2020, 05, 10-16.	1.2	3
167	A Qualitative Study of Older Adults' Experiences of Embedding Physical Activity Within Their Home Care Services in Ireland. Journal of Multidisciplinary Healthcare, 0, Volume 15, 1163-1173.	2.7	3
168	MUSCLE FUNCTION IN HEALTHY WOMEN AGED 65 TO 84. Medicine and Science in Sports and Exercise, 1992, 24, S75.	0.4	2
169	Ageing and older people. , 2008, , 161-223.		2
170	Minimise sedentary behaviour at all ages for healthy ageing. BMJ, The, 2012, 344, e2451-e2451.	6.0	2
171	Reasonable adjustments to provide equitable and inclusive assessment, screening and treatment of osteoporosis for adults with intellectual disabilities: A feasibility study. Journal of Applied Research in Intellectual Disabilities, 2019, 32, 300-312.	2.0	2
172	Identifying the most reliable and valid bladder health screening tool: a systematic review. Disability and Rehabilitation, 2020, 42, 2451-2470.	1.8	2
173	Feet are second class citizens': exploring the perceptions of Scottish and Portuguese older adults about feet, falls and exercise―a qualitative study. Journal of Foot and Ankle Research, 2020, 13, 66.	1.9	2
174	Fear-of-falling and associated risk factors in persons with rheumatoid arthritis: a 1 year prospective study. BMC Musculoskeletal Disorders, 2021, 22, 260.	1.9	2
175	The Footfall Programme: participant experiences of a lower limb, foot and ankle exercise intervention for falls prevention - an exploratory study. Journal of Frailty, Sarcopenia and Falls, 2019, 4, 78-90.	1.2	2
176	An explorative study of current strategies to reduce sedentary behaviour in hospital wards. AIMS Medical Science, 2019, 6, 285-295.	0.4	2
177	Age and gender stratified normative values for the International Prostate Symptom Score for adults aged 60 years and over. Neurourology and Urodynamics, 2018, 37, 2732-2739.	1.5	1
178	The Role of the Instructor in Exercise and Physical Activity Programmes for Older People. , 2018, , 337-357.		1
179	Effects of a falls exercise intervention on strength, power, functional ability and bone in older frequent fallers: FaME (Falls Management Exercise) RCT secondary analysis. Journal of Frailty, Sarcopenia and Falls, 2019, 04, 11-19.	1.2	1
180	Knowledge about footâ€specific foot falls risk factors and exercise among physiotherapists in the UK and Portugal: A crossâ€sectional survey. Physiotherapy Research International, 2022, 27, .	1.5	1

#	Article	IF	CITATIONS
181	PERCEPTIONS OF EXERGAMES FOR FALLS PREVENTION AMONG SENIORS AND THERAPISTS IN ASSISTED LIVING FACILITIES. Innovation in Aging, 2019, 3, S59-S60.	0.1	0
182	Exploring osteoporosis sufferers knowledge on sedentary behaviour in the management of their disease. Journal of Frailty, Sarcopenia and Falls, 2021, 06, 36-42.	1.2	0
183	Physical Function and Health-Related Quality of Life in Older Adults With or at Risk of Mobility Disability Post-discharge: 8-Month Follow-Up of a Randomized Controlled Trial. Journal of Aging and Physical Activity, 2021, , 1-7.	1.0	0
184	Implementation of the Frailty Care Bundle (FCB) to promote mobilisation, nutrition and cognitive engagement in older people in acute care settings: protocol for an implementation science study. HRB Open Research, 0, 5, 3.	0.6	0