

Dawn A Skelton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/585757/publications.pdf>

Version: 2024-02-01

184
papers

9,100
citations

61984

43
h-index

48315

88
g-index

196
all docs

196
docs citations

196
times ranked

9941
citing authors

#	ARTICLE	IF	CITATIONS
1	Resistance exercise as a treatment for sarcopenia: prescription and delivery. <i>Age and Ageing</i> , 2022, 51, .	1.6	67
2	Make Movement Your Mission: Evaluation of an online digital health initiative to increase physical activity in older people during the COVID-19 pandemic. <i>Digital Health</i> , 2022, 8, 205520762210844.	1.8	5
3	Feasibility of performance-based and self-reported outcomes in self-managed falls prevention exercise interventions for independent older adults living in the community. <i>BMC Geriatrics</i> , 2022, 22, 147.	2.7	5
4	Embedding Physical Activity Within Community Home Support Services for Older Adults in Ireland â€“ A Qualitative Study of Barriers and Enablers. <i>Clinical Interventions in Aging</i> , 2022, Volume 17, 223-234.	2.9	5
5	Sarcopenia and associated factors according to the EWGSOP2 criteria in older people living in nursing homes: a cross-sectional study. <i>BMC Geriatrics</i> , 2022, 22, 350.	2.7	9
6	Strong, steady and straight: UK consensus statement on physical activity and exercise for osteoporosis. <i>British Journal of Sports Medicine</i> , 2022, 56, 837-846.	6.7	35
7	The health impacts of place-based creative programmes on older adultsâ€™ health: A critical realist review. <i>Health and Place</i> , 2022, 76, 102839.	3.3	7
8	Knowledge about foot-specific foot falls risk factors and exercise among physiotherapists in the UK and Portugal: A cross-sectional survey. <i>Physiotherapy Research International</i> , 2022, 27, .	1.5	1
9	Views and experiences of visually impaired older people and exercise instructors about the Falls Management Exercise programme: a qualitative study. <i>Disability and Rehabilitation</i> , 2021, 43, 2561-2567.	1.8	4
10	A systematic review of the physical activity levels of acutely ill older adults in Hospital At Home settings: an under-researched field. <i>European Geriatric Medicine</i> , 2021, 12, 227-238.	2.8	13
11	HRNN4F: HYBRID DEEP RANDOM NEURAL NETWORK FOR MULTI-CHANNEL FALL ACTIVITY DETECTION. <i>Probability in the Engineering and Informational Sciences</i> , 2021, 35, 37-50.	0.8	18
12	â€“Real worldâ€™ effectiveness of the Falls Management Exercise (FaME) programme: an implementation study. <i>Age and Ageing</i> , 2021, 50, 1290-1297.	1.6	3
13	Is loneliness a predictor of the modern geriatric giants? Analysis from the survey of health, ageing, and retirement in Europe. <i>Maturitas</i> , 2021, 144, 93-101.	2.4	16
14	Fear-of-falling and associated risk factors in persons with rheumatoid arthritis: a 1â€™%year prospective study. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 260.	1.9	2
15	Urinary incontinence and sedentary behaviour in nursing home residents in Osona, Catalonia: protocol for the OsoNaH project, a multicentre observational study. <i>BMJ Open</i> , 2021, 11, e041152.	1.9	11
16	Fall prevention interventions in primary care to reduce fractures and falls in people aged 70 years and over: the PreFIT three-arm cluster RCT. <i>Health Technology Assessment</i> , 2021, 25, 1-114.	2.8	12
17	New horizons in falls prevention and management for older adults: a global initiative. <i>Age and Ageing</i> , 2021, 50, 1499-1507.	1.6	50
18	Exploring osteoporosis sufferers knowledge on sedentary behaviour in the management of their disease. <i>Journal of Frailty, Sarcopenia and Falls</i> , 2021, 06, 36-42.	1.2	0

#	ARTICLE	IF	CITATIONS
19	Associations between health-related quality of life and physical function in older adults with or at risk of mobility disability after discharge from the hospital. <i>European Geriatric Medicine</i> , 2021, 12, 1247-1256.	2.8	7
20	Tibial nerve stimulation compared with sham to reduce incontinence in care home residents: ELECTRIC RCT. <i>Health Technology Assessment</i> , 2021, 25, 1-110.	2.8	5
21	Interventions for reducing sedentary behaviour in community-dwelling older adults. <i>The Cochrane Library</i> , 2021, 2021, CD012784.	2.8	20
22	Implementation fidelity of the Falls Management Exercise Programme: a mixed methods analysis using a conceptual framework for implementation fidelity. <i>Public Health</i> , 2021, 197, 11-18.	2.9	5
23	Physical Function and Health-Related Quality of Life in Older Adults With or at Risk of Mobility Disability Post-discharge: 8-Month Follow-Up of a Randomized Controlled Trial. <i>Journal of Aging and Physical Activity</i> , 2021, , 1-7.	1.0	0
24	Sitting as a moral practice: Older adults's accounts from qualitative interviews on sedentary behaviours. <i>Sociology of Health and Illness</i> , 2021, 43, 2102-2120.	2.1	7
25	Identifying the most reliable and valid bladder health screening tool: a systematic review. <i>Disability and Rehabilitation</i> , 2020, 42, 2451-2470.	1.8	2
26	Physical fitness in older women with osteoporosis and vertebral fracture after a resistance and balance exercise programme: 3-month post-intervention follow-up of a randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 471.	1.9	23
27	Effects of a multicomponent high intensity exercise program on physical function and health-related quality of life in older adults with or at risk of mobility disability after discharge from hospital: a randomised controlled trial. <i>BMC Geriatrics</i> , 2020, 20, 464.	2.7	14
28	'Feet are second class citizens': exploring the perceptions of Scottish and Portuguese older adults about feet, falls and exercise—a qualitative study. <i>Journal of Foot and Ankle Research</i> , 2020, 13, 66.	1.9	2
29	A Novel Functional Link Network Stacking Ensemble with Fractal Features for Multichannel Fall Detection. <i>Cognitive Computation</i> , 2020, 12, 1024-1042.	5.2	7
30	Environmental and behavioural interventions for reducing physical activity limitation and preventing falls in older people with visual impairment. <i>The Cochrane Library</i> , 2020, 2020, CD009233.	2.8	17
31	The COVID-19 rehabilitation pandemic. <i>Age and Ageing</i> , 2020, 49, 696-700.	1.6	132
32	Older adults's preferences for, adherence to and experiences of two self-management falls prevention home exercise programmes: a comparison between a digital programme and a paper booklet. <i>BMC Geriatrics</i> , 2020, 20, 209.	2.7	31
33	Effects of a resistance and balance exercise programme on physical fitness, health-related quality of life and fear of falling in older women with osteoporosis and vertebral fracture: a randomized controlled trial. <i>Osteoporosis International</i> , 2020, 31, 1069-1078.	3.1	48
34	Is urinary incontinence associated with sedentary behaviour in older women? Analysis of data from the National Health and Nutrition Examination Survey. <i>PLoS ONE</i> , 2020, 15, e0227195.	2.5	16
35	A Pilot Randomised Clinical Trial of a Novel Approach to Reduce Sedentary Behaviour in Care Home Residents: Feasibility and Preliminary Effects of the GET READY Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2866.	2.6	12
36	Hardware/Software Co-Design of Fractal Features Based Fall Detection System. <i>Sensors</i> , 2020, 20, 2322.	3.8	5

#	ARTICLE	IF	CITATIONS
37	Effectiveness of a self-managed digital exercise programme to prevent falls in older community-dwelling adults: study protocol for the Safe Step randomised controlled trial. <i>BMJ Open</i> , 2020, 10, e036194.	1.9	13
38	Mission (im)possible: Engaging care homes, staff and residents in research studies. <i>Journal of Frailty, Sarcopenia and Falls</i> , 2020, 05, 6-9.	1.2	10
39	Enhancing existing formal home care to improve and maintain functional status in older adults: Protocol for a feasibility study on the implementation of the Care to Move (CTM) programme in an Irish healthcare setting. <i>Journal of Frailty, Sarcopenia and Falls</i> , 2020, 05, 10-16.	1.2	3
40	What Do Older People Do When Sitting and Why? Implications for Decreasing Sedentary Behavior. <i>Gerontologist</i> , The, 2019, 59, 686-697.	3.9	26
41	Cross-sectional associations between personality traits and device-based measures of step count and sedentary behaviour in older age: the Lothian Birth Cohort 1936. <i>BMC Geriatrics</i> , 2019, 19, 302.	2.7	9
42	Co-Creating Recommendations to Redesign and Promote Strength and Balance Service Provision. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3169.	2.6	4
43	Health-related quality of life in home care recipients after a falls prevention intervention: a 6-month follow-up. <i>European Journal of Public Health</i> , 2019, 30, 64-69.	0.3	6
44	Comparison of alternative falls data collection methods in the Prevention of Falls Injury Trial (PreFIT). <i>Journal of Clinical Epidemiology</i> , 2019, 106, 32-40.	5.0	21
45	Positive and negative well-being and objectively measured sedentary behaviour in older adults: evidence from three cohorts. <i>BMC Geriatrics</i> , 2019, 19, 28.	2.7	16
46	Framework, principles and recommendations for utilising participatory methodologies in the co-creation and evaluation of public health interventions. <i>Research Involvement and Engagement</i> , 2019, 5, 2.	2.9	217
47	Exploring purpose-designed audio-visual falls prevention messages on older people's capability and motivation to prevent falls. <i>Health and Social Care in the Community</i> , 2019, 27, e471-e482.	1.6	5
48	The effectiveness and cost-effectiveness of strength and balance Exergames to reduce falls risk for people aged 55 years and older in UK assisted living facilities: a multi-centre, cluster randomised controlled trial. <i>BMC Medicine</i> , 2019, 17, 49.	5.5	79
49	A Novel Approach to Reduce Sedentary Behaviour in Care Home Residents: The GET READY Study Utilising Service-Learning and Co-Creation. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 418.	2.6	16
50	"Managing pieces of a personal puzzle" Older people's experiences of self-management falls prevention exercise guided by a digital program or a booklet. <i>BMC Geriatrics</i> , 2019, 19, 43.	2.7	26
51	PERCEPTIONS OF EXERGAMES FOR FALLS PREVENTION AMONG SENIORS AND THERAPISTS IN ASSISTED LIVING FACILITIES. <i>Innovation in Aging</i> , 2019, 3, S59-S60.	0.1	0
52	WiFreeze: Multiresolution Scalograms for Freezing of Gait Detection in Parkinson's Leveraging 5G Spectrum with Deep Learning. <i>Electronics (Switzerland)</i> , 2019, 8, 1433.	3.1	23
53	ELECTric Tibial nerve stimulation to Reduce Incontinence in Care homes: protocol for the ELECTRIC randomised trial. <i>Trials</i> , 2019, 20, 723.	1.6	5
54	Evaluating audio-visual falls prevention messages with community-dwelling older people using a World Caf� forum approach. <i>BMC Geriatrics</i> , 2019, 19, 345.	2.7	5

#	ARTICLE	IF	CITATIONS
55	Reasonable adjustments to provide equitable and inclusive assessment, screening and treatment of osteoporosis for adults with intellectual disabilities: A feasibility study. <i>Journal of Applied Research in Intellectual Disabilities</i> , 2019, 32, 300-312.	2.0	2
56	Podiatry interventions to prevent falls in older people: a systematic review and meta-analysis. <i>Age and Ageing</i> , 2019, 48, 327-336.	1.6	27
57	Effects of a falls prevention exercise programme on health-related quality of life in older home care recipients: a randomised controlled trial. <i>Age and Ageing</i> , 2019, 48, 213-219.	1.6	31
58	PHysical activity Implementation Study In Community-dwelling ADULTs (PHISICAL): study protocol. <i>Injury Prevention</i> , 2019, 25, 453-458.	2.4	6
59	The Footfall Programme: participant experiences of a lower limb, foot and ankle exercise intervention for falls prevention - an exploratory study. <i>Journal of Frailty, Sarcopenia and Falls</i> , 2019, 4, 78-90.	1.2	2
60	Visually Impaired OLder people's Exercise programme for falls prevenTion (VIOLET): a feasibility study. <i>Public Health Research</i> , 2019, 7, 1-148.	1.3	4
61	Beyond "paralysis", tackling sedentary behaviour in health care. <i>AIMS Medical Science</i> , 2019, 6, 67-75.	0.4	12
62	An explorative study of current strategies to reduce sedentary behaviour in hospital wards. <i>AIMS Medical Science</i> , 2019, 6, 285-295.	0.4	2
63	Effects of a falls exercise intervention on strength, power, functional ability and bone in older frequent fallers: FaME (Falls Management Exercise) RCT secondary analysis. <i>Journal of Frailty, Sarcopenia and Falls</i> , 2019, 04, 11-19.	1.2	1
64	Efficacy of the Otago Exercise Programme to reduce falls in community-dwelling adults aged 65-80 years old when delivered as group or individual training. <i>Journal of Advanced Nursing</i> , 2018, 74, 1700-1711.	3.3	27
65	The association between lower urinary tract symptoms and falls: Forming a theoretical model for a research agenda. <i>Neurourology and Urodynamics</i> , 2018, 37, 501-509.	1.5	66
66	Development and delivery of an exercise programme for falls prevention: the Prevention of Falls Injury Trial (PreFIT). <i>Physiotherapy</i> , 2018, 104, 72-79.	0.4	7
67	Why Older Adults Spend Time Sedentary and Break Their Sedentary Behavior: A Mixed-Methods Approach Using Life-Logging Equipment. <i>Journal of Aging and Physical Activity</i> , 2018, 26, 259-266.	1.0	11
68	Social participation and heat-related behavior in older adults during heat waves and on other days. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2018, 51, 543-549.	1.8	8
69	Feasibility of trial procedures for a randomised controlled trial of a community based group exercise intervention for falls prevention for visually impaired older people: the VIOLET study. <i>BMC Geriatrics</i> , 2018, 18, 307.	2.7	11
70	The appeal of the Functional Fitness MOT to older adults and health professionals in an outpatient setting: a mixed-method feasibility study. <i>Clinical Interventions in Aging</i> , 2018, Volume 13, 1815-1829.	2.9	3
71	Attitudes to ageing and objectively-measured sedentary and walking behaviour in older people: The Lothian Birth Cohort 1936. <i>PLoS ONE</i> , 2018, 13, e0197357.	2.5	8
72	Associations between health-related quality of life, physical function and fear of falling in older fallers receiving home care. <i>BMC Geriatrics</i> , 2018, 18, 253.	2.7	46

#	ARTICLE	IF	CITATIONS
73	Characteristics of a Protocol to Collect Objective Physical Activity/Sedentary Behavior Data in a Large Study: Seniors USP (Understanding Sedentary Patterns). <i>Journal for the Measurement of Physical Behaviour</i> , 2018, 1, 26-31.	0.8	34
74	Age and gender stratified normative values for the International Prostate Symptom Score for adults aged 60 years and over. <i>Neurourology and Urodynamics</i> , 2018, 37, 2732-2739.	1.5	1
75	A prospective cohort study measuring cost-benefit analysis of the Otago Exercise Programme in community dwelling adults with rheumatoid arthritis. <i>BMC Health Services Research</i> , 2018, 18, 574.	2.2	4
76	Reliability, minimal detectable change and responsiveness to change: Indicators to select the best method to measure sedentary behaviour in older adults in different study designs. <i>PLoS ONE</i> , 2018, 13, e0195424.	2.5	50
77	A systematic review of interventions to increase physical activity among South Asian adults. <i>Public Health</i> , 2018, 162, 71-81.	2.9	16
78	The epigenetic clock and objectively measured sedentary and walking behavior in older adults: the Lothian Birth Cohort 1936. <i>Clinical Epigenetics</i> , 2018, 10, 4.	4.1	30
79	Gender Perspective on Older People's Exercise Preferences and Motivators in the Context of Falls Prevention: A Qualitative Study. <i>BioMed Research International</i> , 2018, 2018, 1-11.	1.9	22
80	Associations of intention to undertake physical activity among community dwelling British South Asian adults aged 60 years and over: a cross-sectional study. <i>Public Health</i> , 2018, 162, 1-8.	2.9	5
81	Physical fitness interventions for nonambulatory stroke survivors: A mixed-methods systematic review and meta-analysis. <i>Brain and Behavior</i> , 2018, 8, e01000.	2.2	23
82	Cognitive ability does not predict objectively measured sedentary behavior: Evidence from three older cohorts. <i>Psychology and Aging</i> , 2018, 33, 288-296.	1.6	12
83	Breaking sedentary behaviour has the potential to increase / maintain function in frail older adults. <i>Journal of Frailty, Sarcopenia and Falls</i> , 2018, 03, 26-34.	1.2	28
84	How do muscle and bone strengthening and balance activities (MBSBA) vary across the life course, and are there particular ages where MBSBA are most important?. <i>Journal of Frailty, Sarcopenia and Falls</i> , 2018, 03, 74-84.	1.2	18
85	Which strength and balance activities are safe and efficacious for individuals with specific challenges (osteoporosis, vertebral fractures, frailty, dementia)? A Narrative review. <i>Journal of Frailty, Sarcopenia and Falls</i> , 2018, 03, 85-104.	1.2	13
86	A co-created intervention with care home residents and university students following a service-learning methodology to reduce sedentary behaviour: The GET READY project protocol. <i>Journal of Frailty, Sarcopenia and Falls</i> , 2018, 03, 132-137.	1.2	4
87	Adverse events and safety issues associated with physical activity and exercise for adults with osteoporosis and osteopenia: A systematic review of observational studies and an updated review of interventional studies. <i>Journal of Frailty, Sarcopenia and Falls</i> , 2018, 03, 155-178.	1.2	17
88	What happened to my legs when I broke my arm?. <i>AIMS Medical Science</i> , 2018, 5, 252-258.	0.4	5
89	The Role of the Instructor in Exercise and Physical Activity Programmes for Older People. , 2018, , 337-357.		1
90	Injuries Reported and Recorded for Adults with Intellectual Disabilities Who Live with Paid Support in Scotland: a Comparison with Scottish Adults in the General Population. <i>Journal of Applied Research in Intellectual Disabilities</i> , 2017, 30, 408-415.	2.0	6

#	ARTICLE	IF	CITATIONS
91	Gender perspectives on views and preferences of older people on exercise to prevent falls: a systematic mixed studies review. <i>BMC Geriatrics</i> , 2017, 17, 58.	2.7	41
92	Sedentary time in older adults: a critical review of measurement, associations with health, and interventions. <i>British Journal of Sports Medicine</i> , 2017, 51, 1539-1539.	6.7	155
93	Sedentary time in older men and women: an international consensus statement and research priorities. <i>British Journal of Sports Medicine</i> , 2017, 51, 1526-1532.	6.7	84
94	Relationships between socioeconomic position and objectively measured sedentary behaviour in older adults in three prospective cohorts. <i>BMJ Open</i> , 2017, 7, e016436.	1.9	15
95	TAXonomy of Self-reported Sedentary behaviour Tools (TASST) framework for development, comparison and evaluation of self-report tools: content analysis and systematic review. <i>BMJ Open</i> , 2017, 7, e013844.	1.9	43
96	Co-creating a tailored public health intervention to reduce older adults'™ sedentary behaviour. <i>Health Education Journal</i> , 2017, 76, 595-608.	1.2	32
97	Interventions for reducing sedentary behaviour in community-dwelling older adults. <i>The Cochrane Library</i> , 2017, , .	2.8	11
98	Effect of Indoor Temperature on Physical Performance in Older Adults during Days with Normal Temperature and Heat Waves. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 186.	2.6	14
99	The Influence of Neighbourhoods and the Social Environment on Sedentary Behaviour in Older Adults in Three Prospective Cohorts. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 557.	2.6	23
100	Promotion of physical activity interventions for community dwelling older adults: A systematic review of reviews. <i>PLoS ONE</i> , 2017, 12, e0180902.	2.5	270
101	A falls prevention programme to improve quality of life, physical function and falls efficacy in older people receiving home help services: study protocol for a randomised controlled trial. <i>BMC Health Services Research</i> , 2017, 17, 559.	2.2	45
102	Experiences of older people with dementia participating in a high-intensity functional exercise program in nursing homes: "While it's tough, it's useful". <i>PLoS ONE</i> , 2017, 12, e0188225.	2.5	35
103	Reach the Person behind the Dementia - Physical Therapists' Reflections and Strategies when Composing Physical Training. <i>PLoS ONE</i> , 2016, 11, e0166686.	2.5	27
104	Reducing falls among older people in general practice: The ProAct65+ exercise intervention trial. <i>Archives of Gerontology and Geriatrics</i> , 2016, 67, 46-54.	3.0	45
105	Visually Impaired OLder people's Exercise programme for falls prevenTion (VIOLET): a feasibility study protocol. <i>BMJ Open</i> , 2016, 6, e011996.	1.9	8
106	Can the Otago falls prevention program be delivered by video? A feasibility study. <i>BMJ Open Sport and Exercise Medicine</i> , 2016, 2, e000059.	2.9	15
107	Review of how we should define (and measure) adherence in studies examining older adults' participation in exercise classes. <i>BMJ Open</i> , 2016, 6, e011560.	1.9	119
108	A cluster randomised controlled trial of advice, exercise or multifactorial assessment to prevent falls and fractures in community-dwelling older adults: protocol for the prevention of falls injury trial (PreFIT). <i>BMJ Open</i> , 2016, 6, e009362.	1.9	24

#	ARTICLE	IF	CITATIONS
109	Exercise for reducing fear of falling in older people living in the community: Cochrane systematic review and meta-analysis. <i>Age and Ageing</i> , 2016, 45, 345-352.	1.6	174
110	Older Adults' Uptake and Adherence to Exercise Classes: Instructors' Perspectives. <i>Journal of Aging and Physical Activity</i> , 2016, 24, 119-128.	1.0	71
111	A feasibility study to prevent falls in older people who are sight impaired: the VIP2UK randomised controlled trial. <i>Trials</i> , 2016, 17, 464.	1.6	27
112	Frailty predicts trajectories of quality of life over time among British community-dwelling older people. <i>Quality of Life Research</i> , 2016, 25, 1743-1750.	3.1	52
113	The Functional Fitness MOT Test Battery for Older Adults: Protocol for a Mixed-Method Feasibility Study. <i>JMIR Research Protocols</i> , 2016, 5, e108.	1.0	5
114	Acceptability of novel lifelogging technology to determine context of sedentary behaviour in older adults. <i>AIMS Public Health</i> , 2016, 3, 158-171.	2.6	20
115	Modifying Older Adults' Daily Sedentary Behaviour Using an Asset-based Solution: Views from Older Adults. <i>AIMS Public Health</i> , 2016, 3, 542-554.	2.6	18
116	Exercise for reducing fear of falling in older people living in the community. <i>The Cochrane Library</i> , 2015, 2015, CD009848.	2.8	176
117	Promoting physical activity in older people in general practice: ProAct65+ cluster randomised controlled trial. <i>British Journal of General Practice</i> , 2015, 65, e731-e738.	1.4	47
118	Frailty predicts short-term incidence of future falls among British community-dwelling older people: a prospective cohort study nested within a randomised controlled trial. <i>BMC Geriatrics</i> , 2015, 15, 155.	2.7	61
119	How Sedentary Are Older People? A Systematic Review of the Amount of Sedentary Behavior. <i>Journal of Aging and Physical Activity</i> , 2015, 23, 471-487.	1.0	374
120	Exploring the context of sedentary behaviour in older adults (what, where, why, when and with) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 30</i>	2.9	75
121	Combined Effects of Time Spent in Physical Activity, Sedentary Behaviors and Sleep on Obesity and Cardio-Metabolic Health Markers: A Novel Compositional Data Analysis Approach. <i>PLoS ONE</i> , 2015, 10, e0139984.	2.5	631
122	Randomised controlled trial of the effectiveness of community group and home-based falls prevention exercise programmes on bone health in older people: the ProAct65+ bone study. <i>Age and Ageing</i> , 2015, 44, 573-579.	1.6	32
123	The causes of falls: views of older people with visual impairment. <i>Health Expectations</i> , 2015, 18, 2021-2031.	2.6	31
124	“Keeping Moving”: factors associated with sedentary behaviour among older people recruited to an exercise promotion trial in general practice. <i>BMC Family Practice</i> , 2015, 16, 67.	2.9	28
125	Promoting Exercise as Part of a Physiotherapy-Led Falls Pathway Service for Adults with Intellectual Disabilities: A Service Evaluation. <i>Journal of Applied Research in Intellectual Disabilities</i> , 2015, 28, 257-264.	2.0	10
126	Effect of a Brief Heat Exposure on Blood Pressure and Physical Performance of Older Women Living in the Community: A Pilot-Study. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 12623-12631.	2.6	20

#	ARTICLE	IF	CITATIONS
127	Effectiveness of general practice-based physical activity promotion for older adults: systematic review. <i>Primary Health Care Research and Development</i> , 2014, 15, 190-201.	1.2	29
128	Multiple Levels of Influence on Older Adults' Attendance and Adherence to Community Exercise Classes. <i>Gerontologist</i> , The, 2014, 54, 599-610.	3.9	88
129	Falls Prevention and the Value of Exercise. <i>Clinical Nursing Research</i> , 2014, 23, 94-110.	1.6	19
130	The circumstances and impact of injuries on adults with learning disabilities. <i>British Journal of Occupational Therapy</i> , 2014, 77, 400-409.	0.9	11
131	The frequency of osteogenic activities and the pattern of intermittence between periods of physical activity and sedentary behaviour affects bone mineral content: the cross-sectional NHANES study. <i>BMC Public Health</i> , 2014, 14, 4.	2.9	46
132	Validity of Simple Gait-Related Dual-Task Tests in Predicting Falls in Community-Dwelling Older Adults. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014, 95, 58-64.	0.9	49
133	Associations between objectively-measured sedentary behaviour and physical activity with bone mineral density in adults and older adults, the NHANES study. <i>Bone</i> , 2014, 64, 254-262.	2.9	135
134	Effect of cold indoor environment on physical performance of older women living in the community. <i>Age and Ageing</i> , 2014, 43, 571-575.	1.6	35
135	Association Between Health-Related Quality of Life, Physical Fitness, and Physical Activity in Older Adults Recently Discharged From Hospital. <i>Journal of Aging and Physical Activity</i> , 2014, 22, 405-413.	1.0	25
136	Association between Health-Related Quality of Life, Physical Fitness, and Physical Activity in Older Adults Recently Discharged from Hospital. <i>Journal of Aging and Physical Activity</i> , 2014, 22, 405-413.	1.0	5
137	Lessons learnt during a complex, multicentre cluster randomised controlled trial: the ProAct65+ trial. <i>Trials</i> , 2013, 14, 192.	1.6	15
138	Falls prevention advice and visual feedback to those at risk of falling: study protocol for a pilot randomized controlled trial. <i>Trials</i> , 2013, 14, 79.	1.6	12
139	Environmental and behavioural interventions for reducing physical activity limitation in community-dwelling visually impaired older people. <i>The Cochrane Library</i> , 2013, , CD009233.	2.8	11
140	Perceived barriers to initiating and maintaining physical activity among South Asian and White British adults in their 60s living in the United Kingdom: a qualitative study. <i>Ethnicity and Health</i> , 2013, 18, 626-645.	2.5	34
141	The test-retest reliability of gait-related dual task performance in community-dwelling fallers and non-fallers. <i>Gait and Posture</i> , 2013, 38, 43-50.	1.4	30
142	Fall Incidence and Outcomes of Falls in a Prospective Study of Adults With Rheumatoid Arthritis. <i>Arthritis Care and Research</i> , 2013, 65, 737-744.	3.4	56
143	Exploring gait-related dual task tests in community-dwelling fallers and non-faller: A pilot study. <i>Physiotherapy Theory and Practice</i> , 2013, 29, 351-370.	1.3	14
144	Older Adults Recently Discharged from the Hospital: Effect of Aerobic Interval Exercise on Health-Related Quality of Life, Physical Fitness, and Physical Activity. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 1580-1585.	2.6	44

#	ARTICLE	IF	CITATIONS
145	Risk Factors for Falls in Adults With Rheumatoid Arthritis: A Prospective Study. <i>Arthritis Care and Research</i> , 2013, 65, 1251-1258.	3.4	77
146	Prevalence of Sedentary Behavior in Older Adults: A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2013, 10, 6645-6661.	2.6	287
147	Development of a Consensus Taxonomy of Sedentary Behaviors (SIT): Report of Delphi Round 1. <i>PLoS ONE</i> , 2013, 8, e82313.	2.5	79
148	Occupational Therapy for Caregivers of People with Dementia: A Review of the United Kingdom Literature. <i>British Journal of Occupational Therapy</i> , 2012, 75, 281-288.	0.9	14
149	Increasing older adults' walking through primary care: results of a pilot randomized controlled trial. <i>Family Practice</i> , 2012, 29, 633-642.	1.9	93
150	The quality of English-language websites offering falls-prevention advice to older members of the public and their families. <i>Health Informatics Journal</i> , 2012, 18, 50-65.	2.1	6
151	Minimise sedentary behaviour at all ages for healthy ageing. <i>BMJ</i> , The, 2012, 344, e2451-e2451.	6.0	2
152	Are the Attitudes of Exercise Instructors Who Work With Older Adults Influenced by Training and Personal Characteristics?. <i>Journal of Aging and Physical Activity</i> , 2012, 20, 47-63.	1.0	10
153	Attitudes and beliefs to the uptake and maintenance of physical activity among community-dwelling South Asians aged 60-70 years: A qualitative study. <i>Public Health</i> , 2012, 126, 417-423.	2.9	37
154	The efficacy of counseling and progressive resistance home-exercises on adherence, health-related quality of life and function after discharge from a geriatric day-hospital. <i>Archives of Gerontology and Geriatrics</i> , 2012, 55, 453-459.	3.0	24
155	Exercise for improving balance in older people. <i>The Cochrane Library</i> , 2011, , CD004963.	2.8	328
156	West End Walkers 65+: A randomised controlled trial of a primary care-based walking intervention for older adults: Study rationale and design. <i>BMC Public Health</i> , 2011, 11, 120.	2.9	22
157	Measuring foot placement and clearance during stair descent. <i>Gait and Posture</i> , 2011, 33, 504-506.	1.4	20
158	What can we learn from patients with heart failure about exercise adherence? A systematic review of qualitative papers.. <i>Health Psychology</i> , 2011, 30, 401-410.	1.6	72
159	Cross-cultural validation of the Falls Efficacy Scale International (FES-I) in Greek community-dwelling older adults. <i>Disability and Rehabilitation</i> , 2011, 33, 1776-1784.	1.8	49
160	Consensus on core outcome measures of function are needed to progress our knowledge of 'best practice' exercise components for older people. <i>Age and Ageing</i> , 2011, 40, 532-533.	1.6	9
161	Older Adults' Experiences and Perceptions of Dual Tasking. <i>British Journal of Occupational Therapy</i> , 2010, 73, 405-412.	0.9	5
162	Day-to-Day Variability of Physical Activity of Older Adults Living in the Community. <i>Journal of Aging and Physical Activity</i> , 2010, 18, 75-86.	1.0	47

#	ARTICLE	IF	CITATIONS
163	The influence of primary health care professionals in encouraging exercise and physical activity uptake among White and South Asian older adults: Experiences of young older adults. <i>Patient Education and Counseling</i> , 2010, 78, 97-103.	2.2	63
164	Do Dual Tasks Have an Added Value Over Single Tasks for Balance Assessment in Fall Prevention Programs? A Mini-Review. <i>Gerontology</i> , 2008, 54, 40-49.	2.8	116
165	What do community-dwelling Caucasian and South Asian 60-70 year olds think about exercise for fall prevention?. <i>Age and Ageing</i> , 2008, 38, 68-73.	1.6	47
166	Ageing and older people. , 2008, , 161-223.		2
167	Re: 'Falls Definition Validation'. <i>Age and Ageing</i> , 2006, 36, 111-112.	1.6	6
168	Suitability of Physical Activity Questionnaires for Older Adults in Fall-Prevention Trials: A Systematic Review. <i>Journal of Aging and Physical Activity</i> , 2005, 13, 461-481.	1.0	55
169	Thoughts on effective falls prevention intervention on a population basis. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2005, 13, 196-202.	1.6	10
170	Tailored group exercise (Falls Management Exercise " FaME) reduces falls in community-dwelling older frequent fallers (an RCT). <i>Age and Ageing</i> , 2005, 34, 636-639.	1.6	202
171	IL-6/174G/C genotype is associated with the bone mineral density response to oestrogen replacement therapy in post-menopausal women. <i>European Journal of Applied Physiology</i> , 2004, 92, 227-230.	2.5	5
172	Exercise and injury prevention in older people. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2003, 13, 77-85.	2.9	119
173	Explosive power and asymmetry in leg muscle function in frequent fallers and non-fallers aged over 65. <i>Age and Ageing</i> , 2002, 31, 119-125.	1.6	394
174	Angiotensin-I Converting Enzyme Genotype-Dependent Benefit from Hormone Replacement Therapy in Isometric Muscle Strength and Bone Mineral Density. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 2200-2204.	3.6	41
175	Exercise for falls management: Rationale for an exercise programme aimed at reducing postural instability. <i>Physiotherapy Theory and Practice</i> , 1999, 15, 105-120.	1.3	112
176	Muscle function of women aged 65-89 years meeting two sets of health criteria. <i>Aging Clinical and Experimental Research</i> , 1997, 9, 106-111.	2.9	6
177	Training Functional Ability in Old Age. <i>Physiotherapy</i> , 1996, 82, 159-167.	0.4	99
178	Effects of Resistance Training on Strength, Power, and Selected Functional Abilities of Women Aged 75 and Older. <i>Journal of the American Geriatrics Society</i> , 1995, 43, 1081-1087.	2.6	383
179	Exercise Studies with Elderly Volunteers. <i>Age and Ageing</i> , 1994, 23, 185-189.	1.6	203
180	Strength, Power and Related Functional Ability of Healthy People Aged 65-89 Years. <i>Age and Ageing</i> , 1994, 23, 371-377.	1.6	785

#	ARTICLE	IF	CITATIONS
181	Treadmill Walking in Old Age May Not Reproduce the Real Life Situation. Journal of the American Geriatrics Society, 1993, 41, 15-18.	2.6	72
182	MUSCLE FUNCTION IN HEALTHY WOMEN AGED 65 TO 84. Medicine and Science in Sports and Exercise, 1992, 24, S75.	0.4	2
183	Implementation of the Frailty Care Bundle (FCB) to promote mobilisation, nutrition and cognitive engagement in older people in acute care settings: protocol for an implementation science study. HRB Open Research, 0, 5, 3.	0.6	0
184	A Qualitative Study of Older Adults's Experiences of Embedding Physical Activity Within Their Home Care Services in Ireland. Journal of Multidisciplinary Healthcare, 0, Volume 15, 1163-1173.	2.7	3