

Jim van Os

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5862892/publications.pdf>

Version: 2024-02-01

1,155
papers

121,574
citations

355

136
h-index

209

311
g-index

1274
all docs

1274
docs citations

1274
times ranked

88268
citing authors

#	ARTICLE	IF	CITATIONS
1	Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990â€“2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012, 380, 2197-2223.	6.3	7,061
2	Biological insights from 108 schizophrenia-associated genetic loci. <i>Nature</i> , 2014, 511, 421-427.	13.7	6,934
3	Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990â€“2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012, 380, 2163-2196.	6.3	6,376
4	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1659-1724.	6.3	4,203
5	The size and burden of mental disorders and other disorders of the brain in Europe 2010. <i>European Neuropsychopharmacology</i> , 2011, 21, 655-679.	0.3	2,930
6	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015, 386, 2287-2323.	6.3	2,184
7	Genetic relationship between five psychiatric disorders estimated from genome-wide SNPs. <i>Nature Genetics</i> , 2013, 45, 984-994.	9.4	2,067
8	Childhood Adversities Increase the Risk of Psychosis: A Meta-analysis of Patient-Control, Prospective- and Cross-sectional Cohort Studies. <i>Schizophrenia Bulletin</i> , 2012, 38, 661-671.	2.3	1,839
9	A systematic review and meta-analysis of the psychosis continuum: evidence for a psychosis pronenessâ€“persistenceâ€“impairment model of psychotic disorder. <i>Psychological Medicine</i> , 2009, 39, 179-195.	2.7	1,829
10	Schizophrenia. <i>Lancet, The</i> , 2009, 374, 635-645.	6.3	1,820
11	Genome-wide association study identifies five new schizophrenia loci. <i>Nature Genetics</i> , 2011, 43, 969-976.	9.4	1,758
12	Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1603-1658.	6.3	1,612
13	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990â€“2013: quantifying the epidemiological transition. <i>Lancet, The</i> , 2015, 386, 2145-2191.	6.3	1,544
14	The relationship between neurocognition and social cognition with functional outcomes in schizophrenia: A meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2011, 35, 573-588.	2.9	1,489
15	Genome-wide association analysis identifies 13 new risk loci for schizophrenia. <i>Nature Genetics</i> , 2013, 45, 1150-1159.	9.4	1,395
16	Childhood trauma, psychosis and schizophrenia: a literature review with theoretical and clinical implications. <i>Acta Psychiatrica Scandinavica</i> , 2005, 112, 330-350.	2.2	1,288
17	Cost of disorders of the brain in Europe 2010. <i>European Neuropsychopharmacology</i> , 2011, 21, 718-779.	0.3	1,253
18	The environment and schizophrenia. <i>Nature</i> , 2010, 468, 203-212.	13.7	1,249

#	ARTICLE	IF	CITATIONS
19	Analysis of shared heritability in common disorders of the brain. <i>Science</i> , 2018, 360, .	6.0	1,085
20	An updated and conservative systematic review and meta-analysis of epidemiological evidence on psychotic experiences in children and adults: on the pathway from proneness to persistence to dimensional expression across mental disorders. <i>Psychological Medicine</i> , 2013, 43, 1133-1149.	2.7	929
21	Mapping genomic loci implicates genes and synaptic biology in schizophrenia. <i>Nature</i> , 2022, 604, 502-508.	13.7	929
22	Contribution of copy number variants to schizophrenia from a genome-wide study of 41,321 subjects. <i>Nature Genetics</i> , 2017, 49, 27-35.	9.4	838
23	Strauss (1969) revisited: a psychosis continuum in the general population?. <i>Schizophrenia Research</i> , 2000, 45, 11-20.	1.1	805
24	THE CONTINUITY OF PSYCHOTIC EXPERIENCES IN THE GENERAL POPULATION. <i>Clinical Psychology Review</i> , 2001, 21, 1125-1141.	6.0	791
25	Evidence that three dimensions of psychosis have a distribution in the general population. <i>Psychological Medicine</i> , 2002, 32, 347-358.	2.7	772
26	Cannabis Use and Psychosis: A Longitudinal Population-based Study. <i>American Journal of Epidemiology</i> , 2002, 156, 319-327.	1.6	746
27	Schizophrenia. <i>Nature Reviews Disease Primers</i> , 2015, 1, 15067.	18.1	724
28	Childhood abuse as a risk factor for psychotic experiences. <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 38-45.	2.2	721
29	Psychiatric genome-wide association study analyses implicate neuronal, immune and histone pathways. <i>Nature Neuroscience</i> , 2015, 18, 199-209.	7.1	701
30	Prospective cohort study of cannabis use, predisposition for psychosis, and psychotic symptoms in young people. <i>BMJ: British Medical Journal</i> , 2005, 330, 11.	2.4	627
31	Genomic Dissection of Bipolar Disorder and Schizophrenia, Including 28 Subphenotypes. <i>Cell</i> , 2018, 173, 1705-1715.e16.	13.5	623
32	Experience sampling research in psychopathology: opening the black box of daily life. <i>Psychological Medicine</i> , 2009, 39, 1533-1547.	2.7	622
33	Meta-analyses of cognitive functioning in euthymic bipolar patients and their first-degree relatives. <i>Psychological Medicine</i> , 2008, 38, 771-785.	2.7	603
34	Gene-Environment Interactions in Schizophrenia: Review of Epidemiological Findings and Future Directions. <i>Schizophrenia Bulletin</i> , 2008, 34, 1066-1082.	2.3	595
35	Stress-reactivity in psychosis: Evidence for an affective pathway to psychosis. <i>Clinical Psychology Review</i> , 2007, 27, 409-424.	6.0	565
36	Emotional Reactivity to Daily Life Stress in Psychosis. <i>Archives of General Psychiatry</i> , 2001, 58, 1137.	13.8	543

#	ARTICLE	IF	CITATIONS
37	The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. <i>Lancet Psychiatry</i> , 2019, 6, 427-436.	3.7	528
38	Size of burden of schizophrenia and psychotic disorders. <i>European Neuropsychopharmacology</i> , 2005, 15, 399-409.	0.3	516
39	Prevalence of Psychotic Disorder and Community Level of Psychotic Symptoms. <i>Archives of General Psychiatry</i> , 2001, 58, 663.	13.8	497
40	Definition and description of schizophrenia in the DSM-5. <i>Schizophrenia Research</i> , 2013, 150, 3-10.	1.1	491
41	Psychotic symptoms in non-clinical populations and the continuum of psychosis. <i>Schizophrenia Research</i> , 2002, 54, 59-65.	1.1	463
42	Schizophrenia and Urbanicity: A Major Environmental Influence--Conditional on Genetic Risk. <i>Schizophrenia Bulletin</i> , 2005, 31, 795-799.	2.3	455
43	Prenatal exposure to maternal stress and subsequent schizophrenia. <i>British Journal of Psychiatry</i> , 1998, 172, 324-326.	1.7	446
44	A developmental model for similarities and dissimilarities between schizophrenia and bipolar disorder. <i>Schizophrenia Research</i> , 2004, 71, 405-416.	1.1	439
45	Validity and reliability of the CAPE: a self-report instrument for the measurement of psychotic experiences in the general population. <i>Acta Psychiatrica Scandinavica</i> , 2006, 114, 55-61.	2.2	423
46	Incidence of schizophrenia in ethnic minorities in London: ecological study into interactions with environment. <i>BMJ: British Medical Journal</i> , 2001, 323, 1336-1336.	2.4	401
47	Psychosis as a transdiagnostic and extended phenotype in the general population. <i>World Psychiatry</i> , 2016, 15, 118-124.	4.8	397
48	Almost All Antipsychotics Result in Weight Gain: A Meta-Analysis. <i>PLoS ONE</i> , 2014, 9, e94112.	1.1	382
49	The incidence and outcome of subclinical psychotic experiences in the general population. <i>British Journal of Clinical Psychology</i> , 2005, 44, 181-191.	1.7	377
50	Evidence That Onset of Clinical Psychosis Is an Outcome of Progressively More Persistent Subclinical Psychotic Experiences: An 8-Year Cohort Study. <i>Schizophrenia Bulletin</i> , 2011, 37, 84-93.	2.3	350
51	The Environment and Schizophrenia: The Role of Cannabis Use. <i>Schizophrenia Bulletin</i> , 2005, 31, 608-612.	2.3	349
52	Do subthreshold psychotic experiences predict clinical outcomes in unselected non-help-seeking population-based samples? A systematic review and meta-analysis, enriched with new results. <i>Psychological Medicine</i> , 2012, 42, 2239-2253.	2.7	341
53	Mindfulness training increases momentary positive emotions and reward experience in adults vulnerable to depression: A randomized controlled trial. <i>Journal of Consulting and Clinical Psychology</i> , 2011, 79, 618-628.	1.6	340
54	Further Evidence of Relation Between Prenatal Famine and Major Affective Disorder. <i>American Journal of Psychiatry</i> , 2000, 157, 190-195.	4.0	332

#	ARTICLE	IF	CITATIONS
55	The Effects of FreeSurfer Version, Workstation Type, and Macintosh Operating System Version on Anatomical Volume and Cortical Thickness Measurements. <i>PLoS ONE</i> , 2012, 7, e38234.	1.1	326
56	Evidence That Psychotic Symptoms Are Prevalent in Disorders of Anxiety and Depression, Impacting on Illness Onset, Risk, and Severity—Implications for Diagnosis and Ultra-High Risk Research. <i>Schizophrenia Bulletin</i> , 2012, 38, 247-257.	2.3	324
57	Children's health-related quality of life, neighbourhood socio-economic deprivation and social capital. A contextual analysis. <i>Social Science and Medicine</i> , 2003, 57, 825-841.	1.8	308
58	Emotional reactivity to daily life stress in psychosis and affective disorder: an experience sampling study. <i>Acta Psychiatrica Scandinavica</i> , 2003, 107, 124-131.	2.2	304
59	Ethnic Density of Neighborhoods and Incidence of Psychotic Disorders Among Immigrants. <i>American Journal of Psychiatry</i> , 2008, 165, 66-73.	4.0	290
60	An Experimental Study of Catechol-O-Methyltransferase Val158Met Moderation of Δ^9 -Tetrahydrocannabinol-Induced Effects on Psychosis and Cognition. <i>Neuropsychopharmacology</i> , 2006, 31, 2748-2757.	2.8	288
61	Resilience in mental health: linking psychological and neurobiological perspectives. <i>Acta Psychiatrica Scandinavica</i> , 2013, 128, 3-20.	2.2	286
62	Early adolescent cannabis exposure and positive and negative dimensions of psychosis. <i>Addiction</i> , 2004, 99, 1333-1341.	1.7	279
63	Cognitive functioning in patients with schizophrenia and bipolar disorder: A quantitative review. <i>Schizophrenia Research</i> , 2005, 80, 137-149.	1.1	275
64	Impact of psychological trauma on the development of psychotic symptoms: relationship with psychosis proneness. <i>British Journal of Psychiatry</i> , 2006, 188, 527-533.	1.7	274
65	Psychotic experiences in the general population: A twenty-year prospective community study. <i>Schizophrenia Research</i> , 2007, 92, 1-14.	1.1	265
66	Epigenetic regulation of the BDNF gene: implications for psychiatric disorders. <i>Molecular Psychiatry</i> , 2012, 17, 584-596.	4.1	262
67	Urbanization and psychosis: a study of 1942–1978 birth cohorts in The Netherlands. <i>Psychological Medicine</i> , 1998, 28, 871-879.	2.7	258
68	Neuroticism as a risk factor for schizophrenia. <i>Psychological Medicine</i> , 2001, 31, 1129-1134.	2.7	258
69	Developmental Precursors of Affective Illness in a General Population Birth Cohort. <i>Archives of General Psychiatry</i> , 1997, 54, 625.	13.8	256
70	Discrimination and delusional ideation. <i>British Journal of Psychiatry</i> , 2003, 182, 71-76.	1.7	253
71	Behavioural sensitization to daily life stress in psychosis. <i>Psychological Medicine</i> , 2005, 35, 733-741.	2.7	253
72	Determinants of occurrence and recovery from hallucinations in daily life. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2002, 37, 97-104.	1.6	247

#	ARTICLE	IF	CITATIONS
73	Systematic Reviews of Categorical Versus Continuum Models in Psychosis: Evidence for Discontinuous Subpopulations Underlying a Psychometric Continuum. Implications for DSM-V, DSM-VI, and DSM-VII. <i>Annual Review of Clinical Psychology</i> , 2010, 6, 391-419.	6.3	245
74	Are psychotic psychopathology and neurocognition orthogonal? A systematic review of their associations.. <i>Psychological Bulletin</i> , 2009, 135, 157-171.	5.5	241
75	Continued cannabis use and risk of incidence and persistence of psychotic symptoms: 10 year follow-up cohort study. <i>BMJ: British Medical Journal</i> , 2011, 342, d738-d738.	2.4	241
76	A comparison of the utility of dimensional and categorical representations of psychosis. <i>Psychological Medicine</i> , 1999, 29, 595-606.	2.7	239
77	Standardized remission criteria in schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2006, 113, 91-95.	2.2	238
78	Early adversity and 5-HTT/BDNF genes: new evidence of gene-environment interactions on depressive symptoms in a general population. <i>Psychological Medicine</i> , 2009, 39, 1425-1432.	2.7	237
79	Epigenetic regulation in the pathophysiology of Alzheimer's disease. <i>Progress in Neurobiology</i> , 2010, 90, 498-510.	2.8	237
80	Treated Incidence of Psychotic Disorders in the Multinational EU-GEI Study. <i>JAMA Psychiatry</i> , 2018, 75, 36.	6.0	235
81	Does normal developmental expression of psychosis combine with environmental risk to cause persistence of psychosis? A psychosis proneness-persistence model. <i>Psychological Medicine</i> , 2007, 37, 513.	2.7	231
82	Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. <i>Schizophrenia Bulletin</i> , 2014, 40, 729-736.	2.3	229
83	Stress Sensitivity, Aberrant Salience, and Threat Anticipation in Early Psychosis: An Experience Sampling Study. <i>Schizophrenia Bulletin</i> , 2016, 42, 712-722.	2.3	225
84	Neuroticism and low self-esteem as risk factors for psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2002, 37, 1-6.	1.6	224
85	Rumination and worrying as possible mediators in the relation between neuroticism and symptoms of depression and anxiety in clinically depressed individuals. <i>Behaviour Research and Therapy</i> , 2008, 46, 1283-1289.	1.6	224
86	Genetic Risk and Outcome of Psychosis (GROUP), a multi site longitudinal cohort study focused on gene-environment interaction: objectives, sample characteristics, recruitment and assessment methods. <i>International Journal of Methods in Psychiatric Research</i> , 2012, 21, 205-221.	1.1	224
87	Childhood trauma and emotional reactivity to daily life stress in adult frequent attenders of general practitioners. <i>Journal of Psychosomatic Research</i> , 2006, 61, 229-236.	1.2	223
88	The slow death of the concept of schizophrenia and the painful birth of the psychosis spectrum. <i>Psychological Medicine</i> , 2018, 48, 229-244.	2.7	216
89	Alterations in theory of mind in patients with schizophrenia and non-psychotic relatives. <i>Acta Psychiatrica Scandinavica</i> , 2003, 108, 110-117.	2.2	209
90	The 20-Year Longitudinal Trajectories of Social Functioning in Individuals With Psychotic Disorders. <i>American Journal of Psychiatry</i> , 2017, 174, 1075-1085.	4.0	209

#	ARTICLE	IF	CITATIONS
91	Childhood trauma and increased stress sensitivity in psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2011, 123, 28-35.	2.2	208
92	A critique of the "ultra-high risk" and "transition" paradigm. <i>World Psychiatry</i> , 2017, 16, 200-206.	4.8	206
93	Does the Concept of "Sensitization" Provide a Plausible Mechanism for the Putative Link Between the Environment and Schizophrenia?. <i>Schizophrenia Bulletin</i> , 2007, 34, 220-225.	2.3	205
94	Cortical patterning of abnormal morphometric similarity in psychosis is associated with brain expression of schizophrenia-related genes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 9604-9609.	3.3	200
95	Fluctuations in self-esteem and paranoia in the context of daily life.. <i>Journal of Abnormal Psychology</i> , 2008, 117, 143-153.	2.0	199
96	Cannabis use and outcome of recent onset psychosis. <i>European Psychiatry</i> , 2005, 20, 349-353.	0.1	196
97	Catatonia in DSM-5. <i>Schizophrenia Research</i> , 2013, 150, 26-30.	1.1	194
98	A therapeutic application of the experience sampling method in the treatment of depression: a randomized controlled trial. <i>World Psychiatry</i> , 2014, 13, 68-77.	4.8	194
99	Should psychiatrists be more cautious about the long-term prophylactic use of antipsychotics?. <i>British Journal of Psychiatry</i> , 2016, 209, 361-365.	1.7	193
100	A survey of delusional ideation in primary-care patients. <i>Psychological Medicine</i> , 1998, 28, 127-134.	2.7	192
101	Neighbourhood variation in incidence of schizophrenia. <i>British Journal of Psychiatry</i> , 2000, 176, 243-248.	1.7	191
102	Emotions, self-esteem, and paranoid episodes: An experience sampling study. <i>British Journal of Clinical Psychology</i> , 2011, 50, 178-195.	1.7	188
103	Defeat stress in rodents: From behavior to molecules. <i>Neuroscience and Biobehavioral Reviews</i> , 2015, 59, 111-140.	2.9	185
104	Psychopathological syndromes in the functional psychoses: associations with course and outcome. <i>Psychological Medicine</i> , 1996, 26, 161-176.	2.7	182
105	Insight and Psychotic Illness. <i>British Journal of Psychiatry</i> , 1995, 167, 621-628.	1.7	181
106	Medication adherence in psychosis: predictors and impact on outcome.A 2-year follow-up of first-admitted subjects. <i>Acta Psychiatrica Scandinavica</i> , 2000, 102, 203-210.	2.2	179
107	Data Gathering: Biased in Psychosis?. <i>Schizophrenia Bulletin</i> , 2006, 32, 341-351.	2.3	178
108	Childhood victimisation and developmental expression of non-clinical delusional ideation and hallucinatory experiences. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 423-428.	1.6	177

#	ARTICLE	IF	CITATIONS
109	Pediatric delirium in critical illness: phenomenology, clinical correlates and treatment response in 40 cases in the pediatric intensive care unit. <i>Intensive Care Medicine</i> , 2007, 33, 1033-1040.	3.9	177
110	Self-reported Attenuated Psychotic Symptoms as Forerunners of Severe Mental Disorders Later in Life. <i>Archives of General Psychiatry</i> , 2012, 69, 467.	13.8	177
111	Redeeming diagnosis in psychiatry: timing versus specificity. <i>Lancet, The</i> , 2013, 381, 343-345.	6.3	177
112	Introduction: The Extended Psychosis Phenotype--Relationship With Schizophrenia and With Ultrahigh Risk Status for Psychosis. <i>Schizophrenia Bulletin</i> , 2012, 38, 227-230.	2.3	176
113	Lessons learned from the psychosis high-risk state: towards a general staging model of prodromal intervention. <i>Psychological Medicine</i> , 2014, 44, 17-24.	2.7	174
114	Stress-Related Negative Affectivity and Genetically Altered Serotonin Transporter Function. <i>Archives of General Psychiatry</i> , 2006, 63, 989.	13.8	172
115	A momentary assessment study of the relationship between affective and adrenocortical stress responses in daily life. <i>Biological Psychology</i> , 2007, 74, 60-66.	1.1	170
116	Childhood Trauma and Psychosis: A Case-Control and Case-Sibling Comparison Across Different Levels of Genetic Liability, Psychopathology, and Type of Trauma. <i>American Journal of Psychiatry</i> , 2011, 168, 1286-1294.	4.0	170
117	Structure of the psychotic disorders classification in DSM-5. <i>Schizophrenia Research</i> , 2013, 150, 11-14.	1.1	170
118	Is early adulthood a critical developmental stage for psychosis proneness? A survey of delusional ideation in normal subjects. <i>Schizophrenia Research</i> , 1998, 29, 247-254.	1.1	168
119	The Structure of The Extended Psychosis Phenotype in Early Adolescence--A Cross-sample Replication. <i>Schizophrenia Bulletin</i> , 2011, 37, 850-860.	2.3	168
120	Logic and justification for dimensional assessment of symptoms and related clinical phenomena in psychosis: Relevance to DSM-5. <i>Schizophrenia Research</i> , 2013, 150, 15-20.	1.1	165
121	Early Expression of Negative/Disorganized Symptoms Predicting Psychotic Experiences and Subsequent Clinical Psychosis: A 10-Year Study. <i>American Journal of Psychiatry</i> , 2010, 167, 1075-1082.	4.0	159
122	Do Urbanicity and Familial Liability Coparticipate in Causing Psychosis?. <i>American Journal of Psychiatry</i> , 2003, 160, 477-482.	4.0	158
123	Mental health research priorities for Europe. <i>Lancet Psychiatry,the</i> , 2015, 2, 1036-1042.	3.7	158
124	How to Boost Positive Interpretations? A Meta-Analysis of the Effectiveness of Cognitive Bias Modification for Interpretation. <i>PLoS ONE</i> , 2014, 9, e100925.	1.1	157
125	Psychotic illness in ethnic minorities: clarification from the 1991 census. <i>Psychological Medicine</i> , 1996, 26, 203-208.	2.7	155
126	Attenuated psychosis syndrome in DSM-5. <i>Schizophrenia Research</i> , 2013, 150, 31-35.	1.1	155

#	ARTICLE	IF	CITATIONS
127	Gene expression imputation across multiple brain regions provides insights into schizophrenia risk. <i>Nature Genetics</i> , 2019, 51, 659-674.	9.4	154
128	Cannabis use and expression of mania in the general population. <i>Journal of Affective Disorders</i> , 2006, 95, 103-110.	2.0	153
129	The clinical characterization of the patient with primary psychosis aimed at personalization of management. <i>World Psychiatry</i> , 2021, 20, 4-33.	4.8	153
130	A time-lagged momentary assessment study on daily life physical activity and affect.. <i>Health Psychology</i> , 2012, 31, 135-144.	1.3	152
131	Social cognition and neurocognition as independent domains in psychosis. <i>Schizophrenia Research</i> , 2008, 103, 257-265.	1.1	150
132	Confirmation of Synergy Between Urbanicity and Familial Liability in the Causation of Psychosis. <i>American Journal of Psychiatry</i> , 2004, 161, 2312-2314.	4.0	147
133	Prevalence, psychosocial correlates and service utilization of depressive and anxiety disorders in Hong Kong: the Hong Kong Mental Morbidity Survey (HKMMS). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 1379-1388.	1.6	147
134	Self-reported psychosis-like symptoms and the continuum of psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1999, 34, 459-463.	1.6	146
135	How psychotic are individuals with non-psychotic disorders?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003, 38, 149-154.	1.6	146
136	Genetic risk of depression and stress-induced negative affect in daily life. <i>British Journal of Psychiatry</i> , 2007, 191, 218-223.	1.7	146
137	Evidence that moment-to-moment variation in positive emotions buffer genetic risk for depression: a momentary assessment twin study. <i>Acta Psychiatrica Scandinavica</i> , 2007, 115, 451-457.	2.2	144
138	Gender Differences in Incidence and Age at Onset of Mania and Bipolar Disorder Over a 35-Year Period in Camberwell, England. <i>American Journal of Psychiatry</i> , 2005, 162, 257-262.	4.0	141
139	Electronic monitoring of salivary cortisol sampling compliance in daily life. <i>Life Sciences</i> , 2005, 76, 2431-2443.	2.0	141
140	Antipsychotic-induced tardive dyskinesia and polymorphic variations in COMT, DRD2, CYP1A2 and MnSOD genes: a meta-analysis of pharmacogenetic interactions. <i>Molecular Psychiatry</i> , 2008, 13, 544-556.	4.1	141
141	Does the urban environment cause psychosis?. <i>British Journal of Psychiatry</i> , 2004, 184, 287-288.	1.7	140
142	Emotional Experience in Negative Symptoms of Schizophrenia—No Evidence for a Generalized Hedonic Deficit. <i>Schizophrenia Bulletin</i> , 2013, 39, 217-225.	2.3	140
143	Psychological responses during the COVID-19 outbreak among university students in Bangladesh. <i>PLoS ONE</i> , 2020, 15, e0245083.	1.1	140
144	Meta-analysis of MTHFR gene variants in schizophrenia, bipolar disorder and unipolar depressive disorder: Evidence for a common genetic vulnerability?. <i>Brain, Behavior, and Immunity</i> , 2011, 25, 1530-1543.	2.0	139

#	ARTICLE	IF	CITATIONS
145	Daily cortisol, stress reactivity and psychotic experiences in individuals at above average genetic risk for psychosis. <i>Psychological Medicine</i> , 2011, 41, 2305-2315.	2.7	139
146	Unveiling patterns of affective responses in daily life may improve outcome prediction in depression: A momentary assessment study. <i>Journal of Affective Disorders</i> , 2010, 124, 191-195.	2.0	137
147	The evidence-based group-level symptom-reduction model as the organizing principle for mental health care: time for change?. <i>World Psychiatry</i> , 2019, 18, 88-96.	4.8	137
148	Urbanization and risk for schizophrenia: does the effect operate before or around the time of illness onset?. <i>Psychological Medicine</i> , 1999, 29, 1197-1203.	2.7	136
149	Is the association between duration of untreated psychosis and outcome confounded? A two year follow-up study of first-admitted patients. <i>Schizophrenia Research</i> , 2001, 49, 231-241.	1.1	135
150	The experience sampling method as an mHealth tool to support self-monitoring, self-insight, and personalized health care in clinical practice. <i>Depression and Anxiety</i> , 2017, 34, 481-493.	2.0	135
151	Early risk factors and adult person-environment relationships in affective disorder. <i>Psychological Medicine</i> , 1999, 29, 1055-1067.	2.7	134
152	Neighbourhood level and individual level SES effects on child problem behaviour: a multilevel analysis. <i>Journal of Epidemiology and Community Health</i> , 2001, 55, 246-250.	2.0	134
153	Antipsychotic-induced tardive dyskinesia and the Ser9Gly polymorphism in the DRD3 gene: A meta analysis. <i>Schizophrenia Research</i> , 2006, 83, 185-192.	1.1	134
154	"Salience syndrome" replaces "schizophrenia" in DSM-V and ICD-11: psychiatry's evidence-based entry into the 21st century?. <i>Acta Psychiatrica Scandinavica</i> , 2009, 120, 363-372.	2.2	132
155	Affective Dysregulation and Reality Distortion: A 10-Year Prospective Study of Their Association and Clinical Relevance. <i>Schizophrenia Bulletin</i> , 2011, 37, 561-571.	2.3	132
156	Use of the experience sampling method in the context of clinical trials: Table 1. <i>Evidence-Based Mental Health</i> , 2016, 19, 86-89.	2.2	132
157	Variation in catechol-o-methyltransferase val158 met genotype associated with schizotypy but not cognition: A population study in 543 young men. <i>Biological Psychiatry</i> , 2004, 56, 510-515.	0.7	131
158	Independent course of childhood auditory hallucinations: A sequential 3-year follow-up study. <i>British Journal of Psychiatry</i> , 2002, 181, s10-s18.	1.7	129
159	A Network Approach to Environmental Impact in Psychotic Disorder: Brief Theoretical Framework. <i>Schizophrenia Bulletin</i> , 2016, 42, 870-873.	2.3	128
160	Exploring the underlying structure of mental disorders: cross-diagnostic differences and similarities from a network perspective using both a top-down and a bottom-up approach. <i>Psychological Medicine</i> , 2015, 45, 2375-2387.	2.7	127
161	Examining the independent and joint effects of molecular genetic liability and environmental exposures in schizophrenia: results from the EUGEI study. <i>World Psychiatry</i> , 2019, 18, 173-182.	4.8	127
162	Self-reported psychotic experiences in the general population: a valid screening tool for DSM-III-R psychotic disorders?. <i>Acta Psychiatrica Scandinavica</i> , 2003, 107, 369-377.	2.2	126

#	ARTICLE	IF	CITATIONS
163	Development of depressed mood predicts onset of psychotic disorder in individuals who report hallucinatory experiences. <i>British Journal of Clinical Psychology</i> , 2005, 44, 113-125.	1.7	124
164	Transition from stress sensitivity to a depressive state: longitudinal twin study. <i>British Journal of Psychiatry</i> , 2009, 195, 498-503.	1.7	123
165	Systematic review and collaborative recalculation of 133 693 incident cases of schizophrenia. <i>Psychological Medicine</i> , 2014, 44, 9-16.	2.7	123
166	The schizophrenia envirome. <i>Current Opinion in Psychiatry</i> , 2005, 18, 141-145.	3.1	122
167	Reduced Cortical Thickness as an Outcome of Differential Sensitivity to Environmental Risks in Schizophrenia. <i>Biological Psychiatry</i> , 2011, 69, 487-494.	0.7	122
168	The BDNF Val66Met—5-HTTLPR—child adversity interaction and depressive symptoms: An attempt at replication. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 120-123.	1.1	121
169	Gene regulation by hypoxia and the neurodevelopmental origin of schizophrenia. <i>Schizophrenia Research</i> , 2006, 84, 253-271.	1.1	119
170	A salience dysregulation syndrome. <i>British Journal of Psychiatry</i> , 2009, 194, 101-103.	1.7	117
171	[¹⁸ F]MK-09470 PET measurement of cannabinoid CB ₁ receptor availability in chronic cannabis users. <i>Addiction Biology</i> , 2015, 20, 357-367.	1.4	117
172	Neighbourhood socioeconomic disadvantage and behavioural problems from late childhood into early adolescence. <i>Journal of Epidemiology and Community Health</i> , 2003, 57, 699-703.	2.0	116
173	Time-Lagged Moment-to-Moment Interplay Between Negative Affect and Paranoia: New Insights in the Affective Pathway to Psychosis. <i>Schizophrenia Bulletin</i> , 2014, 40, 278-286.	2.3	116
174	Evidence That Patients With Single Versus Recurrent Depressive Episodes Are Differentially Sensitive to Treatment Discontinuation. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 1423-1436.	1.1	115
175	Is there a continuum of psychotic experiences in the general population?. <i>Epidemiology and Psychiatric Sciences</i> , 2003, 12, 242-252.	1.8	114
176	Affective symptoms and the overactive bladder – A systematic review. <i>Journal of Psychosomatic Research</i> , 2015, 78, 95-108.	1.2	114
177	Reduced Stress-Sensitivity or Increased Reward Experience: The Psychological Mechanism of Response to Antidepressant Medication. <i>Neuropsychopharmacology</i> , 2009, 34, 923-931.	2.8	113
178	The Dynamics of Subthreshold Psychopathology: Implications for Diagnosis and Treatment. <i>American Journal of Psychiatry</i> , 2013, 170, 695-698.	4.0	112
179	Depressive Symptoms and Cognitive Decline in Community-Dwelling Older Adults. <i>Journal of the American Geriatrics Society</i> , 2010, 58, 873-879.	1.3	111
180	Mechanisms of gene-environment interactions in depression: evidence that genes potentiate multiple sources of adversity. <i>Psychological Medicine</i> , 2009, 39, 1077.	2.7	109

#	ARTICLE	IF	CITATIONS
181	Childhood Trauma as a Cause of Psychosis: Linking Genes, Psychology, and Biology. <i>Canadian Journal of Psychiatry</i> , 2013, 58, 44-51.	0.9	109
182	ROAMER: roadmap for mental health research in Europe. <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 1-14.	1.1	109
183	Social capital and young adolescents' perceived health in different sociocultural settings. <i>Social Science and Medicine</i> , 2005, 61, 185-198.	1.8	108
184	Momentary assessment technology as a tool to help patients with depression help themselves. <i>Acta Psychiatrica Scandinavica</i> , 2011, 124, 262-272.	2.2	108
185	COMT Val ¹⁵⁸ Met moderation of cannabis-induced psychosis: a momentary assessment study of "switching on" hallucinations in the flow of daily life. <i>Acta Psychiatrica Scandinavica</i> , 2009, 119, 156-160.	2.2	106
186	Evidence That Familial Liability for Psychosis Is Expressed as Differential Sensitivity to Cannabis. <i>Archives of General Psychiatry</i> , 2011, 68, 138.	13.8	106
187	Schizoaffective Disorder in the DSM-5. <i>Schizophrenia Research</i> , 2013, 150, 21-25.	1.1	106
188	Environmental Social Stress, Paranoia and Psychosis Liability: A Virtual Reality Study. <i>Schizophrenia Bulletin</i> , 2016, 42, 1363-1371.	2.3	106
189	Risk factors and peripheral biomarkers for schizophrenia spectrum disorders: an umbrella review of meta-analyses. <i>Acta Psychiatrica Scandinavica</i> , 2018, 137, 88-97.	2.2	106
190	Are Impaired Childhood Motor Skills a Risk Factor for Adolescent Anxiety? Results From the 1958 U.K. Birth Cohort and the National Child Development Study. <i>American Journal of Psychiatry</i> , 2002, 159, 1044-1046.	4.0	104
191	Evidence that the COMT Val158Met polymorphism moderates sensitivity to stress in psychosis: An experience-sampling study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 10-17.	1.1	104
192	Psychosis reactivity to cannabis use in daily life: an experience sampling study. <i>British Journal of Psychiatry</i> , 2010, 196, 447-453.	1.7	104
193	Sex differences in symptoms of psychosis in a non-selected, general population sample. <i>Schizophrenia Research</i> , 2003, 63, 89-95.	1.1	103
194	Are Cognitive Impairments Associated With Sensitivity to Stress in Schizophrenia? An Experience Sampling Study. <i>American Journal of Psychiatry</i> , 2002, 159, 443-449.	4.0	101
195	Dyskinesia and Parkinsonism in Antipsychotic-Naive Patients With Schizophrenia, First-Degree Relatives and Healthy Controls: A Meta-analysis. <i>Schizophrenia Bulletin</i> , 2010, 36, 723-731.	2.3	100
196	Does dopamine mediate the psychosis-inducing effects of cannabis? A review and integration of findings across disciplines. <i>Schizophrenia Research</i> , 2010, 121, 107-117.	1.1	100
197	Risk factors for onset and persistence of psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1998, 33, 596-605.	1.6	99
198	Minor physical anomalies in psychoses: associations with clinical and putative aetiological variables. <i>Schizophrenia Research</i> , 1995, 18, 9-20.	1.1	97

#	ARTICLE	IF	CITATIONS
199	Increased occurrence of depression in psychosis-prone subjects: A follow-up study in primary care settings. <i>Comprehensive Psychiatry</i> , 1999, 40, 462-468.	1.5	97
200	Incidence and distribution of first-episode mania by age: results from a 35-year study. <i>Psychological Medicine</i> , 2005, 35, 855-863.	2.7	97
201	Subtle Fluctuations in Psychotic Phenomena as Functional States of Abnormal Dopamine Reactivity in Individuals at Risk. <i>Biological Psychiatry</i> , 2005, 58, 105-110.	0.7	96
202	Mediators of neighbourhood socioeconomic deprivation and quality of life. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003, 38, 698-706.	1.6	95
203	Cannabis use and dimensions of psychosis in a nonclinical population of female subjects. <i>Schizophrenia Research</i> , 2003, 59, 77-84.	1.1	95
204	Early trauma may increase the risk for psychotic experiences by impacting on emotional response and perception of control. <i>Acta Psychiatrica Scandinavica</i> , 2005, 112, 360-366.	2.2	95
205	Mood changes after delivery: role of the serotonin transporter gene. <i>British Journal of Psychiatry</i> , 2008, 193, 383-388.	1.7	95
206	Psychosocial stress is associated with in vivo dopamine release in human ventromedial prefrontal cortex: A positron emission tomography study using [¹⁸ F]fallypride. <i>NeuroImage</i> , 2011, 58, 1081-1089.	2.1	95
207	An environmental analysis of genes associated with schizophrenia: hypoxia and vascular factors as interacting elements in the neurodevelopmental model. <i>Molecular Psychiatry</i> , 2012, 17, 1194-1205.	4.1	95
208	Psychopathological Mechanisms Linking Childhood Traumatic Experiences to Risk of Psychotic Symptoms: Analysis of a Large, Representative Population-Based Sample. <i>Schizophrenia Bulletin</i> , 2014, 40, S123-S130.	2.3	95
209	Psychosis with good prognosis in Afro-Caribbean people now living in the United Kingdom. <i>BMJ: British Medical Journal</i> , 1995, 311, 1325-1327.	2.4	95
210	Predictors and outcome characteristics associated with suicidal behaviour in early psychosis: a two-year follow-up of first-admitted subjects. <i>Acta Psychiatrica Scandinavica</i> , 2001, 103, 347-354.	2.2	94
211	Validation of Remission Criteria for Schizophrenia. <i>American Journal of Psychiatry</i> , 2006, 163, 2000-2002.	4.0	94
212	Remission criteria for schizophrenia: Evaluation in a large naturalistic cohort. <i>Schizophrenia Research</i> , 2007, 92, 68-73.	1.1	94
213	Does Cannabis Use Affect Treatment Outcome in Bipolar Disorder?. <i>Journal of Nervous and Mental Disease</i> , 2009, 197, 35-40.	0.5	94
214	Early improvement in positive rather than negative emotion predicts remission from depression after pharmacotherapy. <i>European Neuropsychopharmacology</i> , 2011, 21, 241-247.	0.3	94
215	A 2-year naturalistic study on cognitive functioning in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2011, 123, 190-205.	2.2	94
216	Incidence of schizophrenia in south-east London between 1965 and 1997. <i>British Journal of Psychiatry</i> , 2003, 182, 45-49.	1.7	93

#	ARTICLE	IF	CITATIONS
217	Evidence for a persistent, environment-dependent and deteriorating subtype of subclinical psychotic experiences: a 6-year longitudinal general population study. <i>Psychological Medicine</i> , 2011, 41, 2317-2329.	2.7	93
218	Increased morbid risk for schizophrenia in families of in-patients with bipolar illness. <i>Schizophrenia Research</i> , 2000, 42, 83-90.	1.1	92
219	Meeting risk with resilience: high daily life reward experience preserves mental health. <i>Acta Psychiatrica Scandinavica</i> , 2010, 122, 129-138.	2.2	92
220	Prediction of transition from common adolescent bipolar experiences to bipolar disorder: 10-year study. <i>British Journal of Psychiatry</i> , 2010, 196, 102-108.	1.7	92
221	Course of auditory vocal hallucinations in childhood: 5-year follow-up study. <i>British Journal of Psychiatry</i> , 2011, 199, 296-302.	1.7	92
222	Beyond DSM and ICD: introducing "precision diagnosis" for psychiatry using momentary assessment technology. <i>World Psychiatry</i> , 2013, 12, 113-117.	4.8	92
223	Dimensions of depression, mania and psychosis in the general population. <i>Psychological Medicine</i> , 2004, 34, 1177-1186.	2.7	91
224	First cannabis use: does onset shift to younger ages? Findings from 1988 to 2003 from the Dutch National School Survey on Substance Use. <i>Addiction</i> , 2005, 100, 963-970.	1.7	91
225	Persistence and outcome of auditory hallucinations in adolescence: A longitudinal general population study of 1800 individuals. <i>Schizophrenia Research</i> , 2011, 127, 252-256.	1.1	91
226	Do life events have their effect on psychosis by influencing the emotional reactivity to daily life stress?. <i>Psychological Medicine</i> , 2003, 33, 327-333.	2.7	90
227	Dimensions and the psychosis phenotype. <i>International Journal of Methods in Psychiatric Research</i> , 2007, 16, S34-S40.	1.1	90
228	Prevalence and correlates of auditory vocal hallucinations in middle childhood. <i>British Journal of Psychiatry</i> , 2010, 196, 41-46.	1.7	90
229	Age-Related Increase in Levels of 5-Hydroxymethylcytosine in Mouse Hippocampus is Prevented by Caloric Restriction. <i>Current Alzheimer Research</i> , 2012, 9, 536-544.	0.7	90
230	Cerebral ventricle dimensions as risk factors for schizophrenia and affective psychosis: an epidemiological approach to analysis. <i>Psychological Medicine</i> , 1994, 24, 995-1011.	2.7	88
231	The ecogenetics of schizophrenia: a review. <i>Schizophrenia Research</i> , 1998, 32, 127-135.	1.1	88
232	The association of inequality with the incidence of schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 597-599.	1.6	88
233	Suicide and other causes of mortality in bipolar disorder: a longitudinal study. <i>Psychological Medicine</i> , 2007, 37, 839-847.	2.7	88
234	Early exposure to cannabis and risk for psychosis in young adolescents in Trinidad. <i>Acta Psychiatrica Scandinavica</i> , 2008, 118, 209-213.	2.2	88

#	ARTICLE	IF	CITATIONS
235	Adversity and psychosis: a 10-year prospective study investigating synergism between early and recent adversity in psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2012, 125, 388-399.	2.2	88
236	Replication in two independent population-based samples that childhood maltreatment and cannabis use synergistically impact on psychosis risk. <i>Psychological Medicine</i> , 2012, 42, 149-159.	2.7	87
237	Psychopathological syndromes and familial morbid risk of psychosis. <i>British Journal of Psychiatry</i> , 1997, 170, 241-246.	1.7	86
238	Formation of delusional ideation in adolescents hearing voices: A prospective study. <i>American Journal of Medical Genetics Part A</i> , 2002, 114, 913-920.	2.4	86
239	Childhood abuse and neglect in relation to the presence and persistence of psychotic and depressive symptomatology. <i>Psychological Medicine</i> , 2015, 45, 1363-1377.	2.7	86
240	Phenotypically Continuous With Clinical Psychosis, Discontinuous in Need for Care: Evidence for an Extended Psychosis Phenotype. <i>Schizophrenia Bulletin</i> , 2012, 38, 231-238.	2.3	85
241	Common variant at 16p11.2 conferring risk of psychosis. <i>Molecular Psychiatry</i> , 2014, 19, 108-114.	4.1	85
242	MTHFR and risk of metabolic syndrome in patients with schizophrenia. <i>Schizophrenia Research</i> , 2010, 121, 193-198.	1.1	84
243	Should Attenuated Psychosis Syndrome Be a DSM-5 Diagnosis?. <i>American Journal of Psychiatry</i> , 2011, 168, 460-463.	4.0	84
244	Evidence That Onset of Psychosis in the Population Reflects Early Hallucinatory Experiences That Through Environmental Risks and Affective Dysregulation Become Complicated by Delusions. <i>Schizophrenia Bulletin</i> , 2012, 38, 531-542.	2.3	84
245	Day-to-day associations between subjective sleep and affect in regard to future depression in a female population-based sample. <i>British Journal of Psychiatry</i> , 2013, 202, 407-412.	1.7	84
246	Neuroticism, life events and mental health: evidence for person-environment correlation. <i>British Journal of Psychiatry</i> , 2001, 178, s72-s77.	1.7	83
247	Increased stress reactivity: a mechanism specifically associated with the positive symptoms of psychotic disorder. <i>Psychological Medicine</i> , 2013, 43, 1389-1400.	2.7	83
248	Application of network methods for understanding mental disorders: pitfalls and promise. <i>Psychological Medicine</i> , 2017, 47, 2743-2752.	2.7	83
249	Evidence for instrument and family-specific variation of subclinical psychosis dimensions in the general population.. <i>Journal of Abnormal Psychology</i> , 2006, 115, 5-14.	2.0	82
250	Psychotic reactivity in borderline personality disorder. <i>Acta Psychiatrica Scandinavica</i> , 2010, 121, 125-134.	2.2	82
251	Testing the Psychosis Continuum: Differential Impact of Genetic and Nongenetic Risk Factors and Comorbid Psychopathology Across the Entire Spectrum of Psychosis. <i>Schizophrenia Bulletin</i> , 2012, 38, 992-1002.	2.3	82
252	Increasing age is a risk factor for psychosis in the elderly. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1995, 30, 161-164.	1.6	81

#	ARTICLE	IF	CITATIONS
253	Does Familiarity Predispose to both Emergence and Persistence of Psychosis?. <i>British Journal of Psychiatry</i> , 1996, 168, 620-626.	1.7	81
254	FKBP5 as a possible moderator of the psychosis-inducing effects of childhood trauma. <i>British Journal of Psychiatry</i> , 2013, 202, 261-268.	1.7	81
255	Psychotic experiences and risk of self-injurious behaviour in the general population: a systematic review and meta-analysis. <i>Psychological Medicine</i> , 2016, 46, 237-251.	2.7	81
256	When Does Experience of Psychosis Result in a Need for Care? A Prospective General Population Study. <i>Schizophrenia Bulletin</i> , 2003, 29, 349-358.	2.3	80
257	Molecular genetic gene-environment studies using candidate genes in schizophrenia: A systematic review. <i>Schizophrenia Research</i> , 2013, 150, 356-365.	1.1	80
258	Puberty and the onset of psychosis. <i>Schizophrenia Research</i> , 1993, 10, 7-14.	1.1	79
259	On the utility of diagnostic instruments for pediatric delirium in critical illness: an evaluation of the Pediatric Anesthesia Emergence Delirium Scale, the Delirium Rating Scale 88, and the Delirium Rating Scale-Revised R-98. <i>Intensive Care Medicine</i> , 2011, 37, 1331-1337.	3.9	79
260	Symptomatic remission in psychosis and real-life functioning. <i>British Journal of Psychiatry</i> , 2012, 201, 215-220.	1.7	79
261	Neurocognitive Functioning as Intermediary Phenotype and Predictor of Psychosocial Functioning Across the Psychosis Continuum. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 764-774.	1.1	79
262	Sex differences in psychosis: normal or pathological?. <i>Schizophrenia Research</i> , 2003, 62, 45-49.	1.1	78
263	Are sexual side effects of prolactin-raising antipsychotics reducible to serum prolactin?. <i>Psychoneuroendocrinology</i> , 2008, 33, 711-717.	1.3	78
264	Caloric restriction attenuates age-related changes of DNA methyltransferase 3a in mouse hippocampus. <i>Brain, Behavior, and Immunity</i> , 2011, 25, 616-623.	2.0	78
265	Psychological processes underlying the association between childhood trauma and psychosis in daily life: an experience sampling study. <i>Psychological Medicine</i> , 2016, 46, 2799-2813.	2.7	78
266	Mood reactivity to daily negative events in early adolescence: Relationship to risk for psychopathology.. <i>Developmental Psychology</i> , 2006, 42, 543-554.	1.2	77
267	Does reactivity to stress cosegregate with subclinical psychosis? A general population twin study. <i>Acta Psychiatrica Scandinavica</i> , 2009, 119, 45-53.	2.2	77
268	Psychiatric Diagnosis Revisited: Towards a System of Staging and Profiling Combining Nomothetic and Idiographic Parameters of Momentary Mental States. <i>PLoS ONE</i> , 2013, 8, e59559.	1.1	77
269	Are women better mindreaders? Sex differences in neural correlates of mentalizing detected with functional MRI. <i>BMC Neuroscience</i> , 2009, 10, 9.	0.8	76
270	Evidence That Early Extrapyramidal Symptoms Predict Later Tardive Dyskinesia: A Prospective Analysis of 10,000 Patients in the European Schizophrenia Outpatient Health Outcomes (SOHO) Study. <i>American Journal of Psychiatry</i> , 2006, 163, 1438-1440.	4.0	75

#	ARTICLE	IF	CITATIONS
271	Evidence for three distinct classes of 'typical', 'psychotic' and 'dual' mania: results from the EMBLEM study. <i>Acta Psychiatrica Scandinavica</i> , 2006, 113, 112-120.	2.2	75
272	Subtle gene-environment interactions driving paranoia in daily life. <i>Genes, Brain and Behavior</i> , 2009, 8, 5-12.	1.1	75
273	The psychoses: Cluster 3 of the proposed meta-structure for DSM-V and ICD-11. <i>Psychological Medicine</i> , 2009, 39, 2025-2042.	2.7	74
274	Diagnostic considerations regarding pediatric delirium: a review and a proposal for an algorithm for pediatric intensive care units. <i>Intensive Care Medicine</i> , 2009, 35, 1843-1849.	3.9	74
275	Prolonged stay at the paediatric intensive care unit associated with paediatric delirium. <i>European Child and Adolescent Psychiatry</i> , 2010, 19, 389-393.	2.8	74
276	Functional urological disorders: a sensitized defence response in the bladder-gut-brain axis. <i>Nature Reviews Urology</i> , 2017, 14, 153-163.	1.9	74
277	A prospective twin study of birth weight discordance and child problem behavior. <i>Biological Psychiatry</i> , 2001, 50, 593-599.	0.7	73
278	Pediatric illness severity measures predict delirium in a pediatric intensive care unit. <i>Critical Care Medicine</i> , 2008, 36, 1933-1936.	0.4	73
279	Online mentalising investigated with functional MRI. <i>Neuroscience Letters</i> , 2009, 454, 176-181.	1.0	73
280	Prevention of age-related changes in hippocampal levels of 5-methylcytidine by caloric restriction. <i>Neurobiology of Aging</i> , 2012, 33, 1672-1681.	1.5	73
281	How Does MBCT for Depression Work? Studying Cognitive and Affective Mediation Pathways. <i>PLoS ONE</i> , 2013, 8, e72778.	1.1	73
282	Dermatoglyphic a-b ridge count as a possible marker for developmental disturbance in schizophrenia: replication in two samples. <i>Schizophrenia Research</i> , 1996, 20, 307-314.	1.1	72
283	Effect of COMT Val158Met Polymorphism on the Continuous Performance Test, Identical Pairs Version: Tuning Rather Than Improving Performance. <i>American Journal of Psychiatry</i> , 2005, 162, 1752-1754.	4.0	72
284	Attribution style and psychosis: evidence for an externalizing bias in patients but not in individuals at high risk. <i>Psychological Medicine</i> , 2006, 36, 771-778.	2.7	72
285	Extended psychosis phenotype - yes: single continuum - unlikely. <i>Psychological Medicine</i> , 2010, 40, 1963-1966.	2.7	72
286	Evidence that the presence of psychosis in non-psychotic disorder is environment-dependent and mediated by severity of non-psychotic psychopathology. <i>Psychological Medicine</i> , 2015, 45, 2389-2401.	2.7	72
287	The Exposome Paradigm and the Complexities of Environmental Research in Psychiatry. <i>JAMA Psychiatry</i> , 2018, 75, 985.	6.0	72
288	DNA methylation meta-analysis reveals cellular alterations in psychosis and markers of treatment-resistant schizophrenia. <i>ELife</i> , 2021, 10, .	2.8	72

#	ARTICLE	IF	CITATIONS
289	Tardive dyskinesia: who is at risk?. <i>Acta Psychiatrica Scandinavica</i> , 1997, 96, 206-216.	2.2	71
290	COMT Val158Metâ€“Stress Interaction in Psychosis: Role of Background Psychosis Risk. <i>CNS Neuroscience and Therapeutics</i> , 2011, 17, 612-619.	1.9	71
291	To cut a short test even shorter: Reliability and validity of a brief assessment of intellectual ability in Schizophreniaâ€“a control-case family study. <i>Cognitive Neuropsychiatry</i> , 2013, 18, 574-593.	0.7	71
292	Psychotic experiences coâ€“occur with sleep problems, negative affect and mental disorders in preadolescence. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2015, 56, 558-565.	3.1	71
293	Comparison of the incidence of schizophrenia in rural Dumfries and Galloway and urban Camberwell. <i>British Journal of Psychiatry</i> , 2001, 179, 335-339.	1.7	70
294	Childrenâ€™s mental health service use, neighbourhood socioeconomic deprivation, and social capital. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003, 38, 507-514.	1.6	70
295	Hallucinatory experiences and onset of psychotic disorder: evidence that the risk is mediated by delusion formation. <i>Acta Psychiatrica Scandinavica</i> , 2004, 110, 264-272.	2.2	70
296	The Catechol-O-Methyl Transferase Val158Met Polymorphism and Experience of Reward in the Flow of Daily Life. <i>Neuropsychopharmacology</i> , 2008, 33, 3030-3036.	2.8	70
297	Efficacy of mindfulness-based cognitive therapy in relation to prior history of depression: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2012, 201, 320-325.	1.7	70
298	Does urbanicity shift the population expression of psychosis?. <i>Journal of Psychiatric Research</i> , 2004, 38, 613-618.	1.5	69
299	Suicidality and substance misuse in first-admitted subjects with psychotic disorder. <i>Acta Psychiatrica Scandinavica</i> , 2007, 100, 389-395.	2.2	69
300	Transdiagnostic dimensions of psychopathology at first episode psychosis: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2019, 49, 1378-1391.	2.7	69
301	Prediction of duration of psychosis before first admission. <i>European Psychiatry</i> , 1998, 13, 346-352.	0.1	68
302	Comparison of the Outcome and Treatment of Psychosis in People of Caribbean Origin Living in the Uk and British Whites. <i>British Journal of Psychiatry</i> , 2001, 178, 160-165.	1.7	68
303	Scars in depression: is a conceptual shift necessary to solve the puzzle?. <i>Psychological Medicine</i> , 2010, 40, 359-365.	2.7	68
304	Social world interactions: how company connects to paranoia. <i>Psychological Medicine</i> , 2011, 41, 911-921.	2.7	68
305	Sexual minority status and psychotic symptoms: findings from the Netherlands Mental Health Survey and Incidence Studies (NEMESIS). <i>Psychological Medicine</i> , 2014, 44, 421-433.	2.7	68
306	From Epidemiology to Daily Life: Linking Daily Life Stress Reactivity to Persistence of Psychotic Experiences in a Longitudinal General Population Study. <i>PLoS ONE</i> , 2013, 8, e62688.	1.1	68

#	ARTICLE	IF	CITATIONS
307	Searching for a structural endophenotype in psychosis using computational morphometry. <i>Psychiatry Research - Neuroimaging</i> , 2003, 122, 153-167.	0.9	67
308	Evidence that the outcome of developmental expression of psychosis is worse for adolescents growing up in an urban environment. <i>Psychological Medicine</i> , 2006, 36, 407-415.	2.7	67
309	Evidence for a relationship between mentalising deficits and paranoia over the psychosis continuum. <i>Schizophrenia Research</i> , 2008, 99, 103-110.	1.1	67
310	Delta-9-Tetrahydrocannabinol-Induced Dopamine Release as a Function of Psychosis Risk: 18F-Fallypride Positron Emission Tomography Study. <i>PLoS ONE</i> , 2013, 8, e70378.	1.1	67
311	The Association Between Familial Risk and Brain Abnormalities Is Disease Specific: An ENIGMA-Relatives Study of Schizophrenia and Bipolar Disorder. <i>Biological Psychiatry</i> , 2019, 86, 545-556.	0.7	67
312	Psychiatric Diagnosis as an Independent Risk Factor for Metabolic Disturbances. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 1319-1327.	1.1	67
313	Shared social environment and psychiatric disorder: a multilevel analysis of individual and ecological effects. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1998, 33, 606-612.	1.6	66
314	Social and clinical consequences of cognitive deficits in early psychosis: a two-year follow-up study of first-admitted patients. <i>Schizophrenia Research</i> , 2002, 56, 149-159.	1.1	66
315	Risk factors predicting onset and persistence of subthreshold expression of bipolar psychopathology among youth from the community. <i>Acta Psychiatrica Scandinavica</i> , 2010, 122, 255-266.	2.2	66
316	COMT Val158Met moderation of stress-induced psychosis. <i>Psychological Medicine</i> , 2007, 37, 1651-1656.	2.7	65
317	Effects of acute metabolic stress on the dopaminergic and pituitary-adrenal axis activity in patients with schizophrenia, their unaffected siblings and controls. <i>Schizophrenia Research</i> , 2008, 100, 206-211.	1.1	65
318	Late onset autism and anti-NMDA-receptor encephalitis. <i>Lancet</i> , The, 2011, 378, 98.	6.3	65
319	Does social defeat mediate the association between childhood trauma and psychosis? Evidence from the NEMESIS study. <i>Acta Psychiatrica Scandinavica</i> , 2014, 129, 467-476.	2.2	65
320	Single or multiple familial cognitive risk factors in schizophrenia?. <i>American Journal of Medical Genetics Part A</i> , 2001, 105, 183-188.	2.4	64
321	Moment-to-Moment Transfer of Positive Emotions in Daily Life Predicts Future Course of Depression in Both General Population and Patient Samples. <i>PLoS ONE</i> , 2013, 8, e75655.	1.1	64
322	Sex Differences in Emotional Reactivity to Daily Life Stress in Psychosis. <i>Journal of Clinical Psychiatry</i> , 2004, 65, 805-809.	1.1	64
323	Allelic association analysis of the 5-HT2C receptor gene in bipolar affective disorder. <i>Neuroscience Letters</i> , 1996, 212, 65-67.	1.0	63
324	The incidence of mania: time trends in relation to gender and ethnicity. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1996, 31, 129-136.	1.6	63

#	ARTICLE	IF	CITATIONS
325	Special Feature: Childhood Personality Characteristics of Schizophrenia: Manifestations of, or Risk Factors for, the Disorder?. <i>Journal of Personality Disorders</i> , 1998, 12, 247-261.	0.8	63
326	Trends in cannabis use prior to first presentation with schizophrenia, in South-East London between 1965 and 1999. <i>Psychological Medicine</i> , 2006, 36, 1441-1446.	2.7	63
327	The relationship between coping and subclinical psychotic experiences in adolescents from the general population – a longitudinal study. <i>Psychological Medicine</i> , 2011, 41, 2535-2546.	2.7	63
328	Evidence that polygenic risk for psychotic disorder is expressed in the domain of neurodevelopment, emotion regulation and attribution of salience. <i>Psychological Medicine</i> , 2017, 47, 2421-2437.	2.7	63
329	Modeling the Interplay Between Psychological Processes and Adverse, Stressful Contexts and Experiences in Pathways to Psychosis: An Experience Sampling Study. <i>Schizophrenia Bulletin</i> , 2017, 43, 302-315.	2.3	63
330	Behavioral pattern separation and its link to the neural mechanisms of fear generalization. <i>Social Cognitive and Affective Neuroscience</i> , 2017, 12, 1720-1729.	1.5	63
331	Predictors of Outcome in Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 1998, 18, 2S-4S.	0.7	62
332	A prospective study of the transition rates of subthreshold (hypo)mania and depression in the general population. <i>Psychological Medicine</i> , 2006, 36, 619.	2.7	62
333	Social and cognitive functioning, urbanicity and risk for schizophrenia. <i>British Journal of Psychiatry</i> , 2007, 191, 320-324.	1.7	62
334	Affectively Salient Meaning in Random Noise: A Task Sensitive to Psychosis Liability. <i>Schizophrenia Bulletin</i> , 2011, 37, 1179-1186.	2.3	62
335	The effect of childhood maltreatment and cannabis use on adult psychotic symptoms is modified by the COMT Val158Met polymorphism. <i>Schizophrenia Research</i> , 2013, 150, 303-311.	1.1	62
336	The Immune System and Electroconvulsive Therapy for Depression. <i>Journal of ECT</i> , 2014, 30, 132-137.	0.3	62
337	Ethnic differences in first clinical presentation of bipolar disorder: results from an epidemiological study. <i>Journal of Affective Disorders</i> , 2004, 83, 161-168.	2.0	61
338	Relationship between DHA status at birth and child problem behaviour at 7 years of age. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2007, 76, 29-34.	1.0	61
339	A community study of psychosocial functioning and weight in young children and adolescents. <i>Pediatric Obesity</i> , 2009, 4, 91-97.	3.2	61
340	REVIEW: Genome-Wide Findings in Schizophrenia and the Role of Gene-Environment Interplay. <i>CNS Neuroscience and Therapeutics</i> , 2010, 16, e185-92.	1.9	61
341	Effects of mindfulness-based cognitive therapy on self-reported suicidal ideation: results from a randomised controlled trial in patients with residual depressive symptoms. <i>Comprehensive Psychiatry</i> , 2014, 55, 1883-1890.	1.5	61
342	Obstetric complications and familial morbid risk of psychiatric disorders. , 1998, 81, 29-36.		60

#	ARTICLE	IF	CITATIONS
343	Explaining Transitions Over the Hypothesized Psychosis Continuum. Australian and New Zealand Journal of Psychiatry, 2005, 39, 180-186.	1.3	60
344	Serotonin transporter polymorphisms and the occurrence of adverse events during treatment with selective serotonin reuptake inhibitors. International Clinical Psychopharmacology, 2007, 22, 137-143.	0.9	60
345	Cannabis use and vulnerability for psychosis in early adolescenceâ€”a <scp>TRAILS</scp> study. Addiction, 2013, 108, 733-740.	1.7	60
346	The Relationship Between Polygenic Risk Scores and Cognition in Schizophrenia. Schizophrenia Bulletin, 2020, 46, 336-344.	2.3	60
347	Evidence That Environmental and Familial Risks for Psychosis Additively Impact a Multidimensional Subthreshold Psychosis Syndrome. Schizophrenia Bulletin, 2018, 44, 710-719.	2.3	59
348	The influence of life events on the subsequent course of psychotic illness: A prospective follow-up of the Camberwell Collaborative Psychosis Study. Psychological Medicine, 1994, 24, 503-513.	2.7	58
349	Association between short birth intervals and schizophrenia in the offspring. Schizophrenia Research, 2004, 70, 49-56.	1.1	58
350	Lower birth weight of Dutch neonates who were in utero at the time of the 9/11 attacks. Journal of Psychosomatic Research, 2006, 61, 715-717.	1.2	58
351	Nonâ€”therapeutic risk factors for onset of tardive dyskinesia in schizophrenia: A metaâ€”analysis. Movement Disorders, 2009, 24, 2309-2315.	2.2	58
352	Evidence for a familial correlation between increased reactivity to stress and positive psychotic symptoms. Acta Psychiatrica Scandinavica, 2010, 122, 395-404.	2.2	58
353	A state-independent network of depressive, negative and positive symptoms in male patients with schizophrenia spectrum disorders. Schizophrenia Research, 2018, 193, 232-239.	1.1	58
354	Social disadvantage, linguistic distance, ethnic minority status and first-episode psychosis: results from the EU-GEI caseâ€”control study. Psychological Medicine, 2021, 51, 1536-1548.	2.7	58
355	Life events, ethnicity and perceptions of discrimination in patients with severe mental illness. Social Psychiatry and Psychiatric Epidemiology, 1999, 34, 600-608.	1.6	57
356	Evaluation of the Two-Way Communication Checklist as a clinical intervention. British Journal of Psychiatry, 2004, 184, 79-83.	1.7	57
357	Pleasurable auditory hallucinations. Acta Psychiatrica Scandinavica, 2004, 110, 273-278.	2.2	57
358	Evidence that bipolar disorder is the poor outcome fraction of a common developmental phenotype: an 8-year cohort study in young people. Psychological Medicine, 2010, 40, 289-299.	2.7	57
359	Do cannabis and urbanicity co-participate in causing psychosis? Evidence from a 10-year follow-up cohort study. Psychological Medicine, 2011, 41, 2121-2129.	2.7	57
360	The social defeat hypothesis of schizophrenia: issues of measurement and reverse causality. World Psychiatry, 2016, 15, 294-295.	4.8	57

#	ARTICLE	IF	CITATIONS
361	A polygenic risk score analysis of psychosis endophenotypes across brain functional, structural, and cognitive domains. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018, 177, 21-34.	1.1	57
362	Affective processes in the onset and persistence of psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2005, 255, 185-189.	1.8	56
363	Experimentally Induced Stress Validated by EMG Activity. <i>PLoS ONE</i> , 2014, 9, e95215.	1.1	56
364	An n=1 Clinical Network Analysis of Symptoms and Treatment in Psychosis. <i>PLoS ONE</i> , 2016, 11, e0162811.	1.1	56
365	The psychology of psychiatric genetics: Evidence that positive emotions in females moderate genetic sensitivity to social stress associated with the BDNF Val66Met polymorphism.. <i>Journal of Abnormal Psychology</i> , 2008, 117, 699-704.	2.0	55
366	Cognition as predictor of current and follow-up depressive symptoms in the general population. <i>Acta Psychiatrica Scandinavica</i> , 2009, 120, 45-52.	2.2	55
367	Are psychiatric diagnoses of psychosis scientific and useful? The case of schizophrenia. <i>Journal of Mental Health</i> , 2010, 19, 305-317.	1.0	55
368	Lost in transition: setting the psychosis threshold in prodromal research. <i>Acta Psychiatrica Scandinavica</i> , 2013, 127, 248-252.	2.2	55
369	Validation of a neurofeedback paradigm: Manipulating frontal EEG alpha-activity and its impact on mood. <i>International Journal of Psychophysiology</i> , 2014, 93, 116-120.	0.5	55
370	A Transdiagnostic Network Approach to Psychosis. <i>Schizophrenia Bulletin</i> , 2017, 43, 122-132.	2.3	55
371	Lifetime Prevalence and Correlates of Schizophrenia-Spectrum, Affective, and Other Non-affective Psychotic Disorders in the Chinese Adult Population. <i>Schizophrenia Bulletin</i> , 2017, 43, 1280-1290.	2.3	55
372	Prevalence and correlates of anxiety and depression in frontline healthcare workers treating people with COVID-19 in Bangladesh. <i>BMC Psychiatry</i> , 2021, 21, 271.	1.1	55
373	Do different psychotic experiences differentially predict need for care in the general population?. <i>Comprehensive Psychiatry</i> , 2005, 46, 192-199.	1.5	54
374	Neuroticism explained? From a non-informative vulnerability marker to informative person-context interactions in the realm of daily life. <i>British Journal of Clinical Psychology</i> , 2011, 50, 19-32.	1.7	54
375	Age at onset of psychotic disorder: Cannabis, BDNF Val66Met, and sex-specific models of gene-environment interaction. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 363-369.	1.1	54
376	Stress sensitivity as a putative mechanism linking childhood trauma and psychopathology in youth's daily life. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 373-388.	2.2	54
377	Can mindfulness-based interventions influence cognitive functioning in older adults? A review and considerations for future research. <i>Aging and Mental Health</i> , 2017, 21, 1113-1120.	1.5	54
378	Psychotic Experiences and Related Distress: A Cross-national Comparison and Network Analysis Based on 7141 Participants From 13 Countries. <i>Schizophrenia Bulletin</i> , 2018, 44, 1185-1194.	2.3	54

#	ARTICLE	IF	CITATIONS
379	Time for a shift in focus in schizophrenia: From narrow phenotypes to broad endophenotypes. <i>British Journal of Psychiatry</i> , 2005, 187, 203-205.	1.7	53
380	New data and an old puzzle: the negative association between schizophrenia and rheumatoid arthritis. <i>International Journal of Epidemiology</i> , 2015, 44, 1706-1721.	0.9	53
381	Association of preceding psychosis risk states and non-€psychotic mental disorders with incidence of clinical psychosis in the general population: a prospective study in the NEMESIS-2 cohort. <i>World Psychiatry</i> , 2020, 19, 199-205.	4.8	53
382	Schizophrenia After Prenatal Famine. <i>Archives of General Psychiatry</i> , 1997, 54, 577.	13.8	52
383	Can the social environment cause schizophrenia?. <i>British Journal of Psychiatry</i> , 2003, 182, 291-292.	1.7	52
384	Do symptom dimensions or categorical diagnoses best discriminate between known risk factors for psychosis?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 429-437.	1.6	52
385	The influence of 5-HTTLPR and STin2 polymorphisms in the serotonin transporter gene on treatment effect of selective serotonin reuptake inhibitors in depressive patients. <i>Psychiatric Genetics</i> , 2008, 18, 184-190.	0.6	52
386	The cumulative needs for care monitor: a unique monitoring system in the south of the Netherlands. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010, 45, 475-485.	1.6	52
387	Early trauma and familial risk in the development of the extended psychosis phenotype in adolescence. <i>Acta Psychiatrica Scandinavica</i> , 2012, 126, 266-273.	2.2	52
388	Increased Release of Dopamine in the Striata of Young Adults With Hearing Impairment and Its Relevance for the Social Defeat Hypothesis of Schizophrenia. <i>JAMA Psychiatry</i> , 2014, 71, 1364.	6.0	52
389	The impact of electroconvulsive therapy on the tryptophan-€kynurenine metabolic pathway. <i>Brain, Behavior, and Immunity</i> , 2015, 48, 48-52.	2.0	52
390	The Complexities of Evaluating the Exposome in Psychiatry: A Data-Driven Illustration of Challenges and Some Propositions for Amendments. <i>Schizophrenia Bulletin</i> , 2018, 44, 1175-1179.	2.3	52
391	How false are €false-€positive psychotic symptoms?. <i>Schizophrenia Research</i> , 2003, 62, 187-189.	1.1	51
392	Managing complex patients on a medical psychiatric unit: An observational study of university hospital costs associated with medical service use, length of stay, and psychiatric intervention. <i>Journal of Psychosomatic Research</i> , 2010, 68, 295-302.	1.2	51
393	Toward incorporating genetic risk scores into symptom networks of psychosis. <i>Psychological Medicine</i> , 2020, 50, 636-643.	2.7	51
394	The Genetic Influence on the Cortical Processing of Experimental Pain and the Moderating Effect of Pain Status. <i>PLoS ONE</i> , 2010, 5, e13641.	1.1	51
395	Effects of Antipsychotic Treatment on Tardive Dyskinesia. <i>Journal of Clinical Psychiatry</i> , 2005, 66, 1130-1133.	1.1	51
396	Childhood negative experiences and subclinical psychosis in adolescence: a longitudinal general population study. <i>Microbial Biotechnology</i> , 2007, 1, 201-207.	0.9	50

#	ARTICLE	IF	CITATIONS
397	A momentary assessment study of the reputed emotional phenotype associated with borderline personality disorder. <i>Psychological Medicine</i> , 2008, 38, 1231-1239.	2.7	50
398	Evidence that interactive effects of COMT and MTHFR moderate psychotic response to environmental stress. <i>Acta Psychiatrica Scandinavica</i> , 2012, 125, 247-256.	2.2	50
399	Dermatoglyphics and Schizophrenia: A meta-analysis and investigation of the impact of obstetric complications upon a "b ridge count. <i>Schizophrenia Research</i> , 2005, 75, 399-404.	1.1	49
400	Instability in self-esteem and paranoia in a general population sample. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 1-5.	1.6	49
401	MTHFR genotype and differential evolution of metabolic parameters after initiation of a second generation antipsychotic: an observational study. <i>International Clinical Psychopharmacology</i> , 2010, 25, 270-276.	0.9	49
402	Effectively Working on Rehabilitation Goals: 24-Month Outcome of a Randomized Controlled Trial of the Boston Psychiatric Rehabilitation Approach. <i>Canadian Journal of Psychiatry</i> , 2011, 56, 751-760.	0.9	49
403	Genetic moderation of CO ₂ -induced fear by 5-HTTLPR genotype. <i>Journal of Psychopharmacology</i> , 2011, 25, 37-42.	2.0	49
404	From laboratory to life: associating brain reward processing with real-life motivated behaviour and symptoms of depression in non-help-seeking young adults. <i>Psychological Medicine</i> , 2019, 49, 2441-2451.	2.7	49
405	Toward a world consensus on prevention of schizophrenia. <i>Dialogues in Clinical Neuroscience</i> , 2005, 7, 53-67.	1.8	49
406	Social disadvantage and schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 595-604.	1.6	48
407	"Schizophrenia" does not exist. <i>BMJ, The</i> , 2016, 352, i375.	3.0	48
408	Prevalence of anxiety and depressive symptoms and their association with pelvic floor dysfunctions-A cross sectional cohort study at a Pelvic Care Centre. <i>Neurourology and Urodynamics</i> , 2017, 36, 1816-1823.	0.8	48
409	Genetic variation of the 5-HT 2A receptor gene and bipolar affective disorder. <i>Human Genetics</i> , 1997, 100, 582-584.	1.8	47
410	Early maternal stress and health behaviours and offspring expression of psychosis in adolescence. <i>Acta Psychiatrica Scandinavica</i> , 2004, 110, 356-364.	2.2	47
411	Associations between hallucinations and personality structure in a non-clinical sample: Comparison between young and elderly samples. <i>Personality and Individual Differences</i> , 2005, 39, 189-200.	1.6	47
412	Depressive symptoms following interferon- α therapy: mediated by immune-induced reductions in brain-derived neurotrophic factor?. <i>International Journal of Neuropsychopharmacology</i> , 2011, 14, 247-253.	1.0	47
413	The association between social phobia, social anxiety cognitions and paranoid symptoms. <i>Acta Psychiatrica Scandinavica</i> , 2012, 125, 213-227.	2.2	47
414	Histone Deacetylase 2 in the Mouse Hippocampus: Attenuation of Age- Related Increase by Caloric Restriction. <i>Current Alzheimer Research</i> , 2013, 10, 868-876.	0.7	47

#	ARTICLE	IF	CITATIONS
415	The association between cognition and functional outcome in first-episode patients with schizophrenia: mystery resolved?. <i>Acta Psychiatrica Scandinavica</i> , 2007, 116, 119-124.	2.2	46
416	The use of the Camberwell Assessment of Need in treatment: what unmet needs can be met?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 410-417.	1.6	46
417	Emotion recognition in psychosis: No evidence for an association with real world social functioning. <i>Schizophrenia Research</i> , 2012, 142, 116-121.	1.1	46
418	Subclinical psychotic experiences and bipolar spectrum features in depression: association with outcome of psychotherapy. <i>Psychological Medicine</i> , 2014, 44, 325-336.	2.7	46
419	The Experience Sampling Method â€”a new digital tool for momentary symptom assessment in <scp>IBS</scp>: an exploratory study. <i>Neurogastroenterology and Motility</i> , 2015, 27, 1295-1302.	1.6	46
420	A user-developed, user run recovery programme for people with severe mental illness: A randomised control trial. <i>Psychosis</i> , 2016, 8, 287-300.	0.4	46
421	Course of auditory vocal hallucinations in childhood: 11â€”year followâ€”up study. <i>Acta Psychiatrica Scandinavica</i> , 2016, 134, 6-15.	2.2	46
422	Estimating Exposome Score for Schizophrenia Using Predictive Modeling Approach in Two Independent Samples: The Results From the EUGEI Study. <i>Schizophrenia Bulletin</i> , 2019, 45, 960-965.	2.3	46
423	Improvements in stable patients with psychotic disorders switched from oral conventional antipsychotics therapy to long-acting risperidone. <i>International Clinical Psychopharmacology</i> , 2004, 19, 229-232.	0.9	45
424	Abnormal response to metabolic stress in schizophrenia: marker of vulnerability or acquired sensitization?. <i>Psychological Medicine</i> , 2004, 34, 1103-1111.	2.7	45
425	Hearing impairment and psychosis revisited. <i>Schizophrenia Research</i> , 2005, 76, 99-103.	1.1	45
426	A twin study of genetic and environmental determinants of abnormal persistence of psychotic experiences in young adulthood. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 546-552.	1.1	45
427	Neurofeedback As a Treatment for Major Depressive Disorder â€” A Pilot Study. <i>PLoS ONE</i> , 2014, 9, e91837.	1.1	45
428	Childhood trauma, psychosis liability and social stress reactivity: a virtual reality study. <i>Psychological Medicine</i> , 2016, 46, 3339-3348.	2.7	45
429	Neural responses during extinction learning predict exposure therapy outcome in phobia: results from a randomized-controlled trial. <i>Neuropsychopharmacology</i> , 2020, 45, 534-541.	2.8	45
430	Tardive dyskinesia in psychosis: are women really more at risk?. <i>Acta Psychiatrica Scandinavica</i> , 1999, 99, 288-293.	2.2	44
431	Prenatal life and post-natal psychopathology: evidence for negative geneâ€”birth weight interaction. <i>Psychological Medicine</i> , 2002, 32, 1165-1174.	2.7	44
432	Evidence for an association between tumor necrosis factor-alpha levels and lithium response. <i>Journal of Affective Disorders</i> , 2012, 143, 148-152.	2.0	44

#	ARTICLE	IF	CITATIONS
433	Evidence That a Psychopathology Interactome Has Diagnostic Value, Predicting Clinical Needs: An Experience Sampling Study. <i>PLoS ONE</i> , 2014, 9, e86652.	1.1	44
434	A Genome-wide Association Analysis of a Broad Psychosis Phenotype Identifies Three Loci for Further Investigation. <i>Biological Psychiatry</i> , 2014, 75, 386-397.	0.7	44
435	Understanding urbanicity: how interdisciplinary methods help to unravel the effects of the city on mental health. <i>Psychological Medicine</i> , 2021, 51, 1099-1110.	2.7	44
436	Long-Stay Psychiatric Patients: A Prospective Study Revealing Persistent Antipsychotic-Induced Movement Disorder. <i>PLoS ONE</i> , 2011, 6, e25588.	1.1	44
437	Deconstructing Psychosis. <i>Schizophrenia Bulletin</i> , 2007, 33, 861-862.	2.3	43
438	Translating assessments of the film of daily life into person-tailored feedback interventions in depression. <i>Acta Psychiatrica Scandinavica</i> , 2011, 123, 402-403.	2.2	43
439	Risk of psychiatric treatment for mood disorders and psychotic disorders among migrants and Dutch nationals in Utrecht, The Netherlands. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 271-278.	1.6	43
440	Experience Sampling-Based Personalized Feedback and Positive Affect: A Randomized Controlled Trial in Depressed Patients. <i>PLoS ONE</i> , 2015, 10, e0128095.	1.1	43
441	Association of Recent Stressful Life Events With Mental and Physical Health in the Context of Genomic and Exposomic Liability for Schizophrenia. <i>JAMA Psychiatry</i> , 2020, 77, 1296.	6.0	43
442	EEG Changes Due to Experimentally Induced 3G Mobile Phone Radiation. <i>PLoS ONE</i> , 2015, 10, e0129496.	1.1	43
443	Maastricht Assessment of Coping Strategies (MACS-I): a brief instrument to assess coping with psychotic symptoms. <i>Acta Psychiatrica Scandinavica</i> , 2001, 103, 453-459.	2.2	42
444	The influence of inequality on the incidence of schizophrenia – An ecological study. <i>Schizophrenia Research</i> , 2003, 60, 33-34.	1.1	42
445	The role of dopamine D3, 5-HT2A and 5-HT2C receptor variants as pharmacogenetic determinants in tardive dyskinesia in African-Caribbean patients under chronic antipsychotic treatment. <i>Journal of Psychopharmacology</i> , 2009, 23, 652-659.	2.0	42
446	More potential in statistical analyses of event-related potentials: a mixed regression approach. <i>International Journal of Methods in Psychiatric Research</i> , 2011, 20, e56-68.	1.1	42
447	Testing the hypothesis that psychotic illness begins when subthreshold hallucinations combine with delusional ideation. <i>Acta Psychiatrica Scandinavica</i> , 2013, 127, 34-47.	2.2	42
448	Evidence for the early clinical relevance of hallucinatory and delusional states in the general population. <i>Acta Psychiatrica Scandinavica</i> , 2013, 127, 482-493.	2.2	42
449	The CCC2000 Birth Cohort Study of Register-Based Family History of Mental Disorders and Psychotic Experiences in Offspring. <i>Schizophrenia Bulletin</i> , 2015, 41, 1084-1094.	2.3	42
450	Dysregulated Lipid Metabolism Precedes Onset of Psychosis. <i>Biological Psychiatry</i> , 2021, 89, 288-297.	0.7	42

#	ARTICLE	IF	CITATIONS
451	Increased Intracerebral Cerebrospinal Fluid Spaces Predict Unemployment and Negative Symptoms in Psychotic Illness a Prospective Study. <i>British Journal of Psychiatry</i> , 1995, 166, 750-758.	1.7	41
452	Gender, psychopathology, and development: from puberty to early adulthood. <i>Schizophrenia Research</i> , 1995, 14, 105-112.	1.1	41
453	To what extent does symptomatic improvement result in better outcome in psychotic illness?. <i>Psychological Medicine</i> , 1999, 29, 1183-1195.	2.7	41
454	Familial covariation of the subclinical psychosis phenotype and verbal fluency in the general population. <i>Schizophrenia Research</i> , 2005, 74, 37-41.	1.1	41
455	Subclinical psychosis and depression: Co-occurring phenomena that do not predict each other over time. <i>Schizophrenia Research</i> , 2011, 130, 277-281.	1.1	41
456	Cannabis use and subclinical positive psychotic experiences in early adolescence: findings from a Dutch survey. <i>Addiction</i> , 2012, 107, 381-387.	1.7	41
457	To continue or not to continue? Antipsychotic medication maintenance versus dose-reduction/discontinuation in first episode psychosis: HAMLETT, a pragmatic multicenter single-blind randomized controlled trial. <i>Trials</i> , 2020, 21, 147.	0.7	41
458	Mental Health Service Use and Psychopharmacological Treatment Following Psychotic Experiences in Preadolescence. <i>American Journal of Psychiatry</i> , 2020, 177, 318-326.	4.0	41
459	The European Network of National Schizophrenia Networks Studying Gene-Environment Interactions (EU-GEI): Incidence and First-Episode Case-Control Programme. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 645-657.	1.6	41
460	Schizophrenia sans frontieres: concepts of schizophrenia among French and British psychiatrists.. <i>BMJ: British Medical Journal</i> , 1993, 307, 489-492.	2.4	40
461	Gene-Environment-Wide Interaction Studies in Psychiatry. <i>American Journal of Psychiatry</i> , 2009, 166, 964-966.	4.0	40
462	Investigating the association between neurocognition and psychosis in bipolar disorder: further evidence for the overlap with schizophrenia. <i>Bipolar Disorders</i> , 2009, 11, 166-177.	1.1	40
463	Can obsessions drive you mad? Longitudinal evidence that obsessive-compulsive symptoms worsen the outcome of early psychotic experiences. <i>Acta Psychiatrica Scandinavica</i> , 2011, 123, 136-146.	2.2	40
464	Targeted Sequencing of 10,198 Samples Confirms Abnormalities in Neuronal Activity and Implicates Voltage-Gated Sodium Channels in Schizophrenia Pathogenesis. <i>Biological Psychiatry</i> , 2019, 85, 554-562.	0.7	40
465	“False-positive” self-reported psychotic experiences in the general population: an investigation of outcome, predictive factors and clinical relevance. <i>Epidemiology and Psychiatric Sciences</i> , 2019, 28, 532-543.	1.8	40
466	Schizophrenia is not disappearing in south-west Scotland. <i>British Journal of Psychiatry</i> , 2000, 177, 38-41.	1.7	39
467	Does socioeconomic status predict course and outcome in patients with psychosis?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2001, 36, 573-581.	1.6	39
468	Does the urban environment independently increase the risk for both negative and positive features of psychosis?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2002, 37, 460-464.	1.6	39

#	ARTICLE	IF	CITATIONS
469	Seeking Verisimilitude in a Class: A Systematic Review of Evidence That the Criterial Clinical Symptoms of Schizophrenia Are Taxonic. <i>Schizophrenia Bulletin</i> , 2010, 36, 811-829.	2.3	39
470	Genetic Variation Underlying Psychosis-inducing Effects of Cannabis: Critical Review and Future Directions. <i>Current Pharmaceutical Design</i> , 2012, 18, 5015-5023.	0.9	39
471	Depressive Symptoms in Crohn's Disease: Relationship with Immune Activation and Tryptophan Availability. <i>PLoS ONE</i> , 2013, 8, e60435.	1.1	39
472	Maternal exposure to influenza and risk of schizophrenia: A 22 year study from The Netherlands. <i>Journal of Psychiatric Research</i> , 1995, 29, 435-445.	1.5	38
473	Is the excess risk of psychosis-like experiences in urban areas attributable to altered cognitive development?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 364-368.	1.6	38
474	Is our concept of schizophrenia influenced by Berkson's bias?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 600-605.	1.6	38
475	Premorbid IQ as a predictor for the course of IQ in first onset patients with schizophrenia: A 10-year follow-up study. <i>Schizophrenia Research</i> , 2006, 88, 47-54.	1.1	38
476	Evidence that self-reported psychotic experiences represent the transitory developmental expression of genetic liability to psychosis in the general population. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009, 150B, 1078-1084.	1.1	38
477	Effects of momentary self-monitoring on empowerment in a randomized controlled trial in patients with depression. <i>European Psychiatry</i> , 2015, 30, 900-906.	0.1	38
478	Child Maltreatment and Clinical Outcome in Individuals at Ultra-High Risk for Psychosis in the EU-GEI High Risk Study. <i>Schizophrenia Bulletin</i> , 2018, 44, 584-592.	2.3	38
479	Antidepressant tapering strips to help people come off medication more safely. <i>Psychosis</i> , 2018, 10, 142-145.	0.4	38
480	Mindfulness Training for People With Dementia and Their Caregivers: Rationale, Current Research, and Future Directions. <i>Frontiers in Psychology</i> , 2018, 9, 982.	1.1	38
481	Daily use of high-potency cannabis is associated with more positive symptoms in first-episode psychosis patients: the EU-GEI case-control study. <i>Psychological Medicine</i> , 2021, 51, 1329-1337.	2.7	38
482	Hyper-Theory-of-Mind in Children with Psychotic Experiences. <i>PLoS ONE</i> , 2014, 9, e113082.	1.1	38
483	Demonstrating the reliability of transdiagnostic mHealth Routine Outcome Monitoring in mental health services using experience sampling technology. <i>PLoS ONE</i> , 2017, 12, e0186294.	1.1	38
484	Age-dependence of Schneiderian psychotic symptoms in bipolar patients. <i>Schizophrenia Research</i> , 2003, 61, 157-162.	1.1	37
485	Role of distress in delusion formation. <i>British Journal of Psychiatry</i> , 2005, 187, s55-s58.	1.7	37
486	Subclinical psychotic experiences and cognitive functioning as a bivariate phenotype for genetic studies in the general population. <i>Schizophrenia Research</i> , 2007, 92, 24-31.	1.1	37

#	ARTICLE	IF	CITATIONS
487	Use of schizophrenia and bipolar disorder polygenic risk scores to identify psychotic disorders. <i>British Journal of Psychiatry</i> , 2018, 213, 535-541.	1.7	37
488	An ecological momentary intervention incorporating personalised feedback to improve symptoms and social functioning in schizophrenia spectrum disorders. <i>Psychiatry Research</i> , 2020, 284, 112695.	1.7	37
489	Altered Transfer of Momentary Mental States (ATOMS) as the Basic Unit of Psychosis Liability in Interaction with Environment and Emotions. <i>PLoS ONE</i> , 2013, 8, e54653.	1.1	37
490	Congenital dermatoglyphic malformations in severe bipolar disorder. <i>Psychiatry Research</i> , 1998, 78, 133-140.	1.7	36
491	Increased left striatal dopamine transmission in unaffected siblings of schizophrenia patients in response to acute metabolic stress. <i>Psychiatry Research - Neuroimaging</i> , 2010, 181, 130-135.	0.9	36
492	Pituitary volume, stress reactivity and genetic risk for psychotic disorder. <i>Psychological Medicine</i> , 2012, 42, 1523-1533.	2.7	36
493	Can we identify and treat "schizophrenia light" to prevent true psychotic illness?. <i>BMJ, The</i> , 2013, 346, f304-f304.	3.0	36
494	Stress reactivity links childhood trauma exposure to an admixture of depressive, anxiety, and psychosis symptoms. <i>Psychiatry Research</i> , 2018, 260, 451-457.	1.7	36
495	Examining the independent and joint effects of genomic and exposomic liabilities for schizophrenia across the psychosis spectrum. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e182.	1.8	36
496	The Association between Negative Symptoms, Psychotic Experiences and Later Schizophrenia: A Population-Based Longitudinal Study. <i>PLoS ONE</i> , 2015, 10, e0119852.	1.1	36
497	Flexible Assertive Community Treatment, Severity of Symptoms and Psychiatric Health Service Use, a Real life Observational Study. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2013, 9, 202-209.	0.6	36
498	Early intervention service systems for youth mental health: integrating pluripotentiality, clinical staging, and transdiagnostic lessons from early psychosis. <i>Lancet Psychiatry</i> , 2022, 9, 413-422.	3.7	36
499	Premorbid abnormalities in mania, schizomania, acute schizophrenia and chronic schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1995, 30, 274-278.	1.6	35
500	High expressed emotion: Marker for a caring family?. <i>Comprehensive Psychiatry</i> , 2001, 42, 504-507.	1.5	35
501	Mood in Daily Contexts: Relationship With Risk in Early Adolescence. <i>Journal of Research on Adolescence</i> , 2007, 17, 697-722.	1.9	35
502	Cannabis use and genetic predisposition for schizophrenia: a case-control study. <i>Psychological Medicine</i> , 2008, 38, 1251-1256.	2.7	35
503	COMT Val158Met Genotype Selectively Alters Prefrontal [18F]Fallypride Displacement and Subjective Feelings of Stress in Response to a Psychosocial Stress Challenge. <i>PLoS ONE</i> , 2013, 8, e65662.	1.1	35
504	Current concepts in chronic inflammatory diseases: Interactions between microbes, cellular metabolism, and inflammation. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 138, 47-56.	1.5	35

#	ARTICLE	IF	CITATIONS
505	Emotional Experience and Estimates of D2Receptor Occupancy in Psychotic Patients Treated With Haloperidol, Risperidone, or Olanzapine. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 1397-1404.	1.1	35
506	An association study of a neurotrophic3 (NTâ€³) gene polymorphism with schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 1995, 92, 425-428.	2.2	34
507	Continuity of psychotic symptoms in the community. <i>Current Opinion in Psychiatry</i> , 2003, 16, 443-449.	3.1	34
508	The impact of subclinical psychosis on the transition from subclinical mania to bipolar disorder. <i>Journal of Affective Disorders</i> , 2007, 98, 55-64.	2.0	34
509	Refractory agitation as a marker for pediatric delirium in very young infants at a pediatric intensive care unit. <i>Intensive Care Medicine</i> , 2010, 36, 1982-1983.	3.9	34
510	Incidence and persistence of tardive dyskinesia and extrapyramidal symptoms in schizophrenia. <i>Journal of Psychopharmacology</i> , 2010, 24, 1031-1035.	2.0	34
511	High-level production of Bacillus cereus phospholipase C in Corynebacterium glutamicum. <i>Journal of Biotechnology</i> , 2015, 216, 142-148.	1.9	34
512	Psychotic experiences and hyper-theory-of-mind in preadolescence â€“ a birth cohort study. <i>Psychological Medicine</i> , 2016, 46, 87-101.	2.7	34
513	Jumping to conclusions, general intelligence, and psychosis liability: findings from the multi-centre EU-GEI case-control study. <i>Psychological Medicine</i> , 2021, 51, 623-633.	2.7	34
514	5HT2A receptor gene and bipolar affective disorder. <i>Lancet, The</i> , 1995, 346, 969.	6.3	33
515	Diagnostic value of the DSM and ICD categories of psychosis: an evidence-based approach. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2000, 35, 305-311.	1.6	33
516	Genes Making One Feel Blue in the Flow of Daily Life: A Momentary Assessment Study of Gene-Stress Interaction. <i>Psychosomatic Medicine</i> , 2006, 68, 201-206.	1.3	33
517	A real-life observational study of the effectiveness of FACT in a Dutch mental health region. <i>BMC Psychiatry</i> , 2008, 8, 93.	1.1	33
518	The Validity of the DSM-IV Diagnostic Classification System of Non-Affective Psychoses. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 1061-1068.	1.3	33
519	An incidence study of diagnosed autismâ€“spectrum disorders among immigrants to the Netherlands. <i>Acta Psychiatrica Scandinavica</i> , 2013, 128, 54-60.	2.2	33
520	The Many Continua of Psychosis. <i>JAMA Psychiatry</i> , 2014, 71, 985.	6.0	33
521	Impact of variation in the BDNF gene on social stress sensitivity and the buffering impact of positive emotions: Replication and extension of a geneâ€“environment interaction. <i>European Neuropsychopharmacology</i> , 2014, 24, 930-938.	0.3	33
522	Effect of Antipsychotic Type and Dose Changes on Tardive Dyskinesia and Parkinsonism Severity in Patients With a Serious Mental Illness. <i>Journal of Clinical Psychiatry</i> , 2017, 78, e279-e285.	1.1	33

#	ARTICLE	IF	CITATIONS
523	An observational, "cereal life" trial of the introduction of assertive community treatment in a geographically defined area using clinical rather than service use outcome criteria. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 125-130.	1.6	32
524	Better theory-of-mind skills in children hearing voices mitigate the risk of secondary delusion formation. <i>Acta Psychiatrica Scandinavica</i> , 2011, 124, 193-197.	2.2	32
525	Evidence that genes for depression impact on the pathway from trauma to psychotic-like symptoms by occasioning emotional dysregulation. <i>Psychological Medicine</i> , 2012, 42, 283-294.	2.7	32
526	Familial Liability to Psychosis Is Associated With Attenuated Dopamine Stress Signaling in Ventromedial Prefrontal Cortex. <i>Schizophrenia Bulletin</i> , 2014, 40, 66-77.	2.3	32
527	Relation between psychotic symptoms, parental care and childhood trauma in severe mental disorders. <i>Psychiatry Research</i> , 2017, 251, 78-84.	1.7	32
528	Evidence That the Impact of Childhood Trauma on IQ Is Substantial in Controls, Moderate in Siblings, and Absent in Patients With Psychotic Disorder. <i>Schizophrenia Bulletin</i> , 2017, 43, 316-324.	2.3	32
529	Blended care in the treatment of subthreshold symptoms of depression and psychosis in emerging adults: A randomised controlled trial of Acceptance and Commitment Therapy in Daily-Life (ACT-DL). <i>Behaviour Research and Therapy</i> , 2020, 128, 103592.	1.6	32
530	Parasuicide in Camberwell-ethnic differences. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1996, 31, 284-287.	1.6	31
531	Congenital Dermatoglyphic Malformations and Psychosis: A Twin Study. <i>American Journal of Psychiatry</i> , 2000, 157, 1511-1513.	4.0	31
532	Developmental instability and schizotypy. <i>Schizophrenia Research</i> , 2000, 43, 125-134.	1.1	31
533	MACS-II: does coping enhance subjective control over psychotic symptoms?. <i>Acta Psychiatrica Scandinavica</i> , 2001, 103, 460-464.	2.2	31
534	Determinants of outcome in the pathways through care for children hearing voices. <i>International Journal of Social Welfare</i> , 2004, 13, 208-222.	1.0	31
535	Evidence that the urban environment specifically impacts on the psychotic but not the affective dimension of bipolar disorder. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 679-685.	1.6	31
536	Associations between Delusion Proneness and Personality Structure in Non-Clinical Participants: Comparison between Young and Elderly Samples. <i>Psychopathology</i> , 2006, 39, 218-226.	1.1	31
537	Ethnic composition of schools affects episodic heavy drinking only in ethnic-minority students. <i>Addiction</i> , 2007, 102, 722-729.	1.7	31
538	Cognitive processes and attitudes in bipolar disorder: A study into personality, dysfunctional attitudes and attention bias in patients with bipolar disorder and their relatives. <i>Journal of Affective Disorders</i> , 2012, 143, 265-268.	2.0	31
539	Genetic association study of the P300 endophenotype in schizophrenia. <i>Schizophrenia Research</i> , 2012, 141, 54-59.	1.1	31
540	The epigenome and postnatal environmental influences in psychotic disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 337-348.	1.6	31

#	ARTICLE	IF	CITATIONS
541	Default Mode Network Connectivity as a Function of Familial and Environmental Risk for Psychotic Disorder. <i>PLoS ONE</i> , 2015, 10, e0120030.	1.1	31
542	Is sensitivity to daily stress predictive of onset or persistence of psychopathology?. <i>European Psychiatry</i> , 2017, 45, 167-173.	0.1	31
543	Polygenic liability for schizophrenia and childhood adversity influences daily life emotion dysregulation and psychosis proneness. <i>Acta Psychiatrica Scandinavica</i> , 2020, 141, 465-475.	2.2	31
544	Testing an mHealth Momentary Assessment Routine Outcome Monitoring Application: A Focus on Restoration of Daily Life Positive Mood States. <i>PLoS ONE</i> , 2014, 9, e115254.	1.1	31
545	Incidence of Tardive Dyskinesia and Tardive Dystonia in African Caribbean Patients on Long-Term Antipsychotic Treatment. <i>Journal of Clinical Psychiatry</i> , 2006, 67, 1920-1927.	1.1	31
546	The Experience Sampling Method in psychosis research. <i>Current Opinion in Psychiatry</i> , 2003, 16, S33-S38.	3.1	30
547	The impact of maternal stress on pregnancy outcome in a well-educated Caucasian population. <i>Paediatric and Perinatal Epidemiology</i> , 2005, 19, 421-425.	0.8	30
548	Evidence That Trait-Anxiety and Trait-Depression Differentially Moderate Cortical Processing of Pain. <i>Clinical Journal of Pain</i> , 2006, 22, 725-729.	0.8	30
549	Pharmacogenetics of parkinsonism, rigidity, rest tremor, and bradykinesia in African Caribbean inpatients: Differences in association with dopamine and serotonin receptors. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 890-897.	1.1	30
550	Heritability of Structural Brain Traits. <i>International Review of Neurobiology</i> , 2009, 89, 85-130.	0.9	30
551	Positive and Negative Beliefs About Depressive Rumination: A Psychometric Evaluation of Two Self-Report Scales and a Test of a Clinical Metacognitive Model of Rumination and Depression. <i>Cognitive Therapy and Research</i> , 2010, 34, 196-205.	1.2	30
552	Social needs in daily life in adults with Pervasive Developmental Disorders. <i>Psychiatry Research</i> , 2010, 179, 75-80.	1.7	30
553	Does monitoring need for care in patients diagnosed with severe mental illness impact on Psychiatric Service Use? Comparison of monitored patients with matched controls. <i>BMC Psychiatry</i> , 2011, 11, 45.	1.1	30
554	Differences in craving for cannabis between schizophrenia patients using risperidone, olanzapine or clozapine. <i>Journal of Psychopharmacology</i> , 2012, 26, 189-195.	2.0	30
555	Evidence that the wider social environment moderates the association between familial liability and psychosis spectrum outcome. <i>Psychological Medicine</i> , 2012, 42, 2499-2510.	2.7	30
556	Follow-up factor structure of schizotypy and its clinical associations in a help-seeking sample meeting ultra-high risk for psychosis criteria at baseline. <i>Comprehensive Psychiatry</i> , 2013, 54, 173-180.	1.5	30
557	Interaction between environmental and familial affective risk impacts psychosis admixture in states of affective dysregulation. <i>Psychological Medicine</i> , 2019, 49, 1879-1889.	2.7	30
558	Treatment of Cognitive Impairment in Schizophrenia: Potential Value of Phosphodiesterase Inhibitors in Prefrontal Dysfunction. <i>Current Pharmaceutical Design</i> , 2015, 21, 3813-3828.	0.9	30

#	ARTICLE	IF	CITATIONS
559	Acceptance and Commitment Therapy in Daily Life Training: A Feasibility Study of an mHealth Intervention. <i>JMIR MHealth and UHealth</i> , 2016, 4, e103.	1.8	30
560	Impact of Birth Weight and Genetic Liability on Psychopathology in Children of Bipolar Parents. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2003, 42, 1116-1121.	0.3	29
561	Mild hearing impairment and psychotic experiences in a normal aging population. <i>Schizophrenia Research</i> , 2007, 94, 180-186.	1.1	29
562	Auditory hallucinations in childhood: associations with adversity and delusional ideation. <i>Psychological Medicine</i> , 2012, 42, 583-593.	2.7	29
563	Age at onset of non-affective psychosis in relation to cannabis use, other drug use and gender. <i>Psychological Medicine</i> , 2012, 42, 1903-1911.	2.7	29
564	Replication of the five-dimensional structure of positive psychotic experiences in young adulthood. <i>Psychiatry Research</i> , 2012, 197, 353-355.	1.7	29
565	Evidence That Transition from Health to Psychotic Disorder Can Be Traced to Semi-Ubiquitous Environmental Effects Operating against Background Genetic Risk. <i>PLoS ONE</i> , 2013, 8, e76690.	1.1	29
566	Measuring resilience prospectively as the speed of affect recovery in daily life: a complex systems perspective on mental health. <i>BMC Medicine</i> , 2020, 18, 36.	2.3	29
567	Differences in Facial Emotion Recognition between First Episode Psychosis, Borderline Personality Disorder and Healthy Controls. <i>PLoS ONE</i> , 2016, 11, e0160056.	1.1	29
568	Childhood social and early developmental factors associated with mental health service use. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003, 38, 101-108.	1.6	28
569	The wider social environment and mental health service use. <i>Acta Psychiatrica Scandinavica</i> , 2004, 110, 119-129.	2.2	28
570	S100 and Impact of ECT on Depression and Cognition. <i>Journal of ECT</i> , 2006, 22, 206-212.	0.3	28
571	Worsening of psychosis in schizophrenia is longitudinally associated with tardive dyskinesia in the European Schizophrenia Outpatient Health Outcomes study. <i>Comprehensive Psychiatry</i> , 2007, 48, 436-440.	1.5	28
572	The clinical effectiveness of evidence-based interventions for depression: A pragmatic trial in routine practice. <i>Journal of Affective Disorders</i> , 2013, 145, 349-355.	2.0	28
573	Factors contributing to the duration of untreated psychosis. <i>Schizophrenia Research</i> , 2014, 158, 76-81.	1.1	28
574	Levels of Red Blood Cell Fatty Acids in Patients With Psychosis, Their Unaffected Siblings, and Healthy Controls. <i>Schizophrenia Bulletin</i> , 2016, 42, 358-368.	2.3	28
575	Replicated evidence that endophenotypic expression of schizophrenia polygenic risk is greater in healthy siblings of patients compared to controls, suggesting gene-environment interaction. The EUGEI study. <i>Psychological Medicine</i> , 2020, 50, 1884-1897.	2.7	28
576	Coping defence and depression in adolescents hearing voices. <i>Journal of Mental Health</i> , 2003, 12, 91-99.	1.0	27

#	ARTICLE	IF	CITATIONS
577	Suicide and attempted suicide among people of Caribbean origin with psychosis living in the UK. <i>British Journal of Psychiatry</i> , 2003, 183, 40-44.	1.7	27
578	Residential instability in socioeconomically deprived neighbourhoods, good or bad?. <i>Health and Place</i> , 2005, 11, 121-129.	1.5	27
579	Cumulative exposure to estrogen and psychosis: a peak bone mass, case-control study in first-episode psychosis. <i>Schizophrenia Research</i> , 2005, 73, 351-355.	1.1	27
580	Experience in the first four years of Rapid Recovery; is it safe?. <i>Injury</i> , 2006, 37, S37-S40.	0.7	27
581	Hearing impairment and psychosis: A replication in a cohort of young adults. <i>Schizophrenia Research</i> , 2006, 85, 266-272.	1.1	27
582	Is an Angoff Standard an Indication of Minimal Competence of Examinees or of Judges?. <i>Advances in Health Sciences Education</i> , 2008, 13, 203-211.	1.7	27
583	Auditory P300 and N100 components as intermediate phenotypes for psychotic disorder: Familial liability and reliability. <i>Clinical Neurophysiology</i> , 2011, 122, 1984-1990.	0.7	27
584	All-Cause Mortality and Medication Risk Factors in Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2012, 32, 31-35.	0.7	27
585	Does Assessment Type Matter? A Measurement Invariance Analysis of Online and Paper and Pencil Assessment of the Community Assessment of Psychic Experiences (CAPE). <i>PLoS ONE</i> , 2014, 9, e84011.	1.1	27
586	Epigenetic Genes and Emotional Reactivity to Daily Life Events: A Multi-Step Gene-Environment Interaction Study. <i>PLoS ONE</i> , 2014, 9, e100935.	1.1	27
587	Personality Compensates for Impaired Quality of Life and Social Functioning in Patients With Psychotic Disorders Who Experienced Traumatic Events. <i>Schizophrenia Bulletin</i> , 2014, 40, 1356-1365.	2.3	27
588	Differential susceptibility to chronic social defeat stress relates to the number of Dnmt3a-immunoreactive neurons in the hippocampal dentate gyrus. <i>Psychoneuroendocrinology</i> , 2015, 51, 547-556.	1.3	27
589	Testing Årdegaard's selective migration hypothesis: a longitudinal cohort study of risk factors for non-affective psychotic disorders among prospective emigrants. <i>Psychological Medicine</i> , 2015, 45, 727-734.	2.7	27
590	Cultural differences in positive psychotic experiences assessed with the Community Assessment of Psychic Experiences-42 (CAPE-42): a comparison of student populations in the Netherlands, Nigeria and Norway. <i>BMC Psychiatry</i> , 2019, 19, 244.	1.1	27
591	Meta-analysis of auditory P50 sensory gating in schizophrenia and bipolar disorder. <i>Psychiatry Research - Neuroimaging</i> , 2020, 300, 111078.	0.9	27
592	Posttraumatic stress disorder during the COVID-19 pandemic: Upcoming challenges in Bangladesh and preventive strategies. <i>International Journal of Social Psychiatry</i> , 2021, 67, 205-206.	1.6	27
593	Prevalence of depression, anxiety and associated factors among school going adolescents in Bangladesh: Findings from a cross-sectional study. <i>PLoS ONE</i> , 2021, 16, e0247898.	1.1	27
594	Antipsychotic-Induced Movement Disorders in Long-Stay Psychiatric Patients and 45 Tag SNPs in 7 Candidate Genes: A Prospective Study. <i>PLoS ONE</i> , 2012, 7, e50970.	1.1	27

#	ARTICLE	IF	CITATIONS
595	Neurobehavioural mechanisms of threat generalization moderate the link between childhood maltreatment and psychopathology in emerging adulthood. <i>Journal of Psychiatry and Neuroscience</i> , 2019, 44, 185-194.	1.4	27
596	The wider social environment and changes in self-reported quality of life in the transition from late childhood to early adolescence: a cohort study. <i>BMC Public Health</i> , 2006, 6, 133.	1.2	26
597	Verbal self-monitoring in psychosis: a non-replication. <i>Psychological Medicine</i> , 2007, 37, 569.	2.7	26
598	Psychosis risk as a function of age at onset. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 288-294.	1.6	26
599	Evidence that better outcome of psychosis in women is reversed with increasing age of onset: A population-based 5-year follow-up study. <i>Schizophrenia Research</i> , 2009, 113, 226-232.	1.1	26
600	Emotion processing in schizophrenia is state and trait dependent. <i>Schizophrenia Research</i> , 2015, 161, 392-398.	1.1	26
601	White noise speech illusion and psychosis expression: An experimental investigation of psychosis liability. <i>PLoS ONE</i> , 2017, 12, e0183695.	1.1	26
602	Clinical guidelines on antidepressant withdrawal urgently need updating. <i>BMJ: British Medical Journal</i> , 2019, 365, l2238.	2.4	26
603	Childhood adversities and psychotic symptoms: The potential mediating or moderating role of neurocognition and social cognition. <i>Schizophrenia Research</i> , 2019, 206, 183-193.	1.1	26
604	Schizophrenia and the Environment: Within-Person Analyses May be Required to Yield Evidence of Unconfounded and Causal Associationâ€”The Example of Cannabis and Psychosis. <i>Schizophrenia Bulletin</i> , 2021, 47, 594-603.	2.3	26
605	Relationship of birth season to clinical features, family history, and obstetric complications in schizophrenia. <i>Psychiatry Research</i> , 1996, 64, 11-17.	1.7	25
606	Subjective Experience of Cognitive Failures as Possible Risk Factor for Negative Symptoms of Psychosis in the General Population. <i>Schizophrenia Bulletin</i> , 2009, 35, 766-774.	2.3	25
607	Evidence that the impact of hearing impairment on psychosis risk is moderated by the level of complexity of the social environment. <i>Schizophrenia Research</i> , 2010, 122, 193-198.	1.1	25
608	Psychotic experiences and incident suicidal ideation and behaviour: Disentangling the longitudinal associations from connected psychopathology. <i>Psychiatry Research</i> , 2016, 245, 267-275.	1.7	25
609	Mindfulness-based stress reduction in middle-aged and older adults with memory complaints: a mixed-methods study. <i>Aging and Mental Health</i> , 2018, 22, 1113-1120.	1.5	25
610	DSM outcomes of psychotic experiences and associated risk factors: 6-year follow-up study in a community-based sample. <i>Psychological Medicine</i> , 2019, 49, 1346-1356.	2.7	25
611	Analysis of GWAS-Derived Schizophrenia Genes for Links to Ischemia-Hypoxia Response of the Brain. <i>Frontiers in Psychiatry</i> , 2020, 11, 393.	1.3	25
612	Life events before psychotic episodes: do clinical and social variables affect the relationship?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1996, 31, 122-128.	1.6	24

#	ARTICLE	IF	CITATIONS
613	Follow-up studies of schizophrenia I: Natural history and non-psychopathological predictors of outcome. <i>European Psychiatry</i> , 1997, 12, 327s-341s.	0.1	24
614	Susceptibility to Depression Expressed as Alterations in Cortisol Day Curve: A Cross-Twin, Cross-Trait Study. <i>Psychosomatic Medicine</i> , 2008, 70, 314-318.	1.3	24
615	Plasma concentrations of soluble cytokine receptors in euthymic bipolar patients with and without subsyndromal symptoms. <i>BMC Psychiatry</i> , 2012, 12, 158.	1.1	24
616	Network Approach to Understanding Emotion Dynamics in Relation to Childhood Trauma and Genetic Liability to Psychopathology: Replication of a Prospective Experience Sampling Analysis. <i>Frontiers in Psychology</i> , 2017, 8, 1908.	1.1	24
617	Explaining sex differences in course and outcome in the functional psychoses. <i>Schizophrenia Research</i> , 1996, 21, 161-170.	1.1	23
618	2-COM: an instrument to facilitate patient-professional communication in routine clinical practice. <i>Acta Psychiatrica Scandinavica</i> , 2002, 106, 446-452.	2.2	23
619	Multiple dimensions of familial psychopathology affect risk of mood disorder in children of bipolar parents. <i>American Journal of Medical Genetics Part A</i> , 2004, 127B, 35-41.	2.4	23
620	Are apparent associations between parental representations and psychosis risk mediated by early trauma?. <i>Acta Psychiatrica Scandinavica</i> , 2005, 112, 372-375.	2.2	23
621	Cognitive functioning and age at onset in non-affective psychotic disorder. <i>Acta Psychiatrica Scandinavica</i> , 2012, 126, 274-281.	2.2	23
622	Genetic and Environmental Causes of Individual Differences in Daily Life Positive Affect and Reward Experience and Its Overlap with Stress-Sensitivity. <i>Behavior Genetics</i> , 2012, 42, 778-786.	1.4	23
623	Dynamic Association Between Interpersonal Functioning and Positive Symptom Dimensions of Psychosis Over Time: A Longitudinal Study of Healthy Adolescents. <i>Schizophrenia Bulletin</i> , 2013, 39, 179-185.	2.3	23
624	The Influence of Perceived Stress on Cortical Reactivity: A Proof-Of-Principle Study. <i>PLoS ONE</i> , 2015, 10, e0129220.	1.1	23
625	DNMT3A moderates cognitive decline in subjects with mild cognitive impairment: replicated evidence from two mild cognitive impairment cohorts. <i>Epigenomics</i> , 2015, 7, 533-537.	1.0	23
626	Association of Adverse Outcomes With Emotion Processing and Its Neural Substrate in Individuals at Clinical High Risk for Psychosis. <i>JAMA Psychiatry</i> , 2020, 77, 190.	6.0	23
627	Bullying victimization and stress sensitivity in help-seeking youth: findings from an experience sampling study. <i>European Child and Adolescent Psychiatry</i> , 2021, 30, 591-605.	2.8	23
628	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021, 26, 4529-4543.	4.1	23
629	Unraveling the Relationship between Motor Symptoms, Affective States and Contextual Factors in Parkinson's Disease: A Feasibility Study of the Experience Sampling Method. <i>PLoS ONE</i> , 2016, 11, e0151195.	1.1	23
630	Dosimetry of cytostatics in hyperthermic regional isolated perfusion. <i>Cancer</i> , 1985, 55, 698-701.	2.0	22

#	ARTICLE	IF	CITATIONS
631	Persons with intellectual disability receiving psychiatric treatment. <i>Journal of Intellectual Disability Research</i> , 1997, 41, 512-518.	1.2	22
632	Income inequality at neighbourhood level and quality of life. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 457-463.	1.6	22
633	Evidence that brain tissue volumes are associated with HVA reactivity to metabolic stress in schizophrenia. <i>Schizophrenia Research</i> , 2006, 86, 45-53.	1.1	22
634	Depression: Too Much Negative Affect or Too Little Positive Affect?. <i>Twin Research and Human Genetics</i> , 2007, 10, 19-20.	0.3	22
635	Chronic mania revisited: Factors associated with treatment non-response during prospective follow-up of a large European cohort (EMBLEM). <i>World Journal of Biological Psychiatry</i> , 2008, 9, 313-320.	1.3	22
636	Using the Stroop task to investigate the neural correlates of symptom change in schizophrenia. <i>British Journal of Psychiatry</i> , 2009, 194, 373-374.	1.7	22
637	Gene-Environment Interaction Research and Transgenic Mouse Models of Alzheimer's Disease (Erratum). <i>International Journal of Alzheimer's Disease</i> , 2010, 2010, 1-1.	1.1	22
638	Integrated medical psychiatric outpatient care in functional gastrointestinal disorders improves outcome. <i>European Journal of Gastroenterology and Hepatology</i> , 2015, 27, 721-727.	0.8	22
639	Comparative Study of Clinical and Neuropsychological Characteristics Between Early-, Late and Very-Late-Onset Schizophrenia-Spectrum Disorders. <i>American Journal of Geriatric Psychiatry</i> , 2015, 23, 852-862.	0.6	22
640	Theory of Mind and attachment styles in people with psychotic disorders, their siblings, and controls. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 171-180.	1.3	22
641	Do Current Measures of Polygenic Risk for Mental Disorders Contribute to Population Variance in Mental Health?. <i>Schizophrenia Bulletin</i> , 2020, 46, 1353-1362.	2.3	22
642	Migration history and risk of psychosis: results from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2022, 52, 2972-2984.	2.7	22
643	Real-life validation of reduced reward processing in emerging adults with depressive symptoms.. <i>Journal of Abnormal Psychology</i> , 2017, 126, 713-725.	2.0	22
644	Candidate Gene-Based Association Study of Antipsychotic-Induced Movement Disorders in Long-Stay Psychiatric Patients: A Prospective Study. <i>PLoS ONE</i> , 2012, 7, e36561.	1.1	22
645	The dynamics of symptomatic and non-symptomatic coping with psychotic symptoms in the flow of daily life. <i>Acta Psychiatrica Scandinavica</i> , 2007, 116, 71-75.	2.2	21
646	Murray et al. (2004) revisited: is bipolar disorder identical to schizophrenia without developmental impairment?. <i>Acta Psychiatrica Scandinavica</i> , 2009, 120, 249-252.	2.2	21
647	Psychiatry beyond labels: introducing contextual precision diagnosis across stages of psychopathology. <i>Psychological Medicine</i> , 2013, 43, 1563-1567.	2.7	21
648	Deconstructing the familiarity of variability in momentary negative and positive affect. <i>Acta Psychiatrica Scandinavica</i> , 2013, 127, 318-327.	2.2	21

#	ARTICLE	IF	CITATIONS
649	Evidence that reduced gray matter volume in psychotic disorder is associated with exposure to environmental risk factors. <i>Psychiatry Research - Neuroimaging</i> , 2018, 271, 100-110.	0.9	21
650	Concordance of child self-reported psychotic experiences with interviewer- and observer-based psychotic experiences. <i>Microbial Biotechnology</i> , 2019, 13, 619-626.	0.9	21
651	Putting a Hold on the Downward Spiral of Paranoia in the Social World: A Randomized Controlled Trial of Mindfulness-Based Cognitive Therapy in Individuals with a History of Depression. <i>PLoS ONE</i> , 2013, 8, e66747.	1.1	21
652	First admissions for mood disorders in immigrants to the Netherlands. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003, 38, 547-550.	1.6	20
653	Tardive Dyskinesia in Schizophrenia is Associated with Prolactin-Related Sexual Disturbances. <i>Neuropsychopharmacology</i> , 2006, 31, 1832-1837.	2.8	20
654	Non-replication of interaction between cannabis use and trauma in predicting psychosis. <i>Schizophrenia Research</i> , 2011, 131, 262-263.	1.1	20
655	Novel Evidence That Attributing Affectively Salient Signal to Random Noise Is Associated with Psychosis. <i>PLoS ONE</i> , 2014, 9, e102520.	1.1	20
656	Horizon 2020 Priorities in Clinical Mental Health Research: Results of a Consensus-Based ROAMER Expert Survey. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 10915-10939.	1.2	20
657	Towards Horizon 2020: challenges and advances for clinical mental health research – outcome of an expert survey. <i>Neuropsychiatric Disease and Treatment</i> , 2014, 10, 1057.	1.0	20
658	Epigenetic Effects of Electroconvulsive Seizures. <i>Journal of ECT</i> , 2014, 30, 152-159.	0.3	20
659	Exposure to environmental factors increases connectivity between symptom domains in the psychopathology network. <i>BMC Psychiatry</i> , 2016, 16, 223.	1.1	20
660	Prevalence of anxiety disorders in community dwelling older adults in Hong Kong. <i>International Psychogeriatrics</i> , 2017, 29, 259-267.	0.6	20
661	Development, content validity, and cross-cultural adaptation of a patient-reported outcome measure for real-time symptom assessment in irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , 2018, 30, e13244.	1.6	20
662	How user knowledge of psychotropic drug withdrawal resulted in the development of person-specific tapering medication. <i>Therapeutic Advances in Psychopharmacology</i> , 2020, 10, 204512532093245.	1.2	20
663	The Kraepelinian Dichotomy. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2000, 12, 398-405.	0.9	19
664	Association between cerebral structural abnormalities and dermatoglyphic ridge counts in schizophrenia. <i>Comprehensive Psychiatry</i> , 2000, 41, 380-384.	1.5	19
665	Diagnosis and classification of schizophrenia: categories versus dimensions, distributions versus disease. , 2002, , 364-410.		19
666	The psychosis proneness: psychosis persistence model as an explanation for the association between urbanicity and psychosis. <i>Epidemiology and Psychiatric Sciences</i> , 2006, 15, 252-257.	1.8	19

#	ARTICLE	IF	CITATIONS
667	Evidence that lithium protects against tardive dyskinesia: The CuraÃ§ao Extrapiramidal Syndromes study VI. <i>European Neuropsychopharmacology</i> , 2008, 18, 152-155.	0.3	19
668	Adolescent development of psychosis as an outcome of hearing impairment: a 10-year longitudinal study. <i>Psychological Medicine</i> , 2011, 41, 477-485.	2.7	19
669	Microstructural white matter alterations in psychotic disorder: A family-based diffusion tensor imaging study. <i>Schizophrenia Research</i> , 2013, 146, 291-300.	1.1	19
670	Therapygenetics in mindfulness-based cognitive therapy: do genes have an impact on therapy-induced change in real-life positive affective experiences?. <i>Translational Psychiatry</i> , 2014, 4, e384-e384.	2.4	19
671	Psychotic reactivity to daily life stress and the dopamine system: A study combining experience sampling and [18F]fallypride positron emission tomography.. <i>Journal of Abnormal Psychology</i> , 2015, 124, 27-37.	2.0	19
672	Childhood trauma, BDNF Val66Met and subclinical psychotic experiences. Attempt at replication in two independent samples. <i>Journal of Psychiatric Research</i> , 2016, 83, 121-129.	1.5	19
673	Differential Time Course of Microstructural White Matter in Patients With Psychotic Disorder and Individuals at Risk: A 3-Year Follow-up Study. <i>Schizophrenia Bulletin</i> , 2017, 43, 160-170.	2.3	19
674	Evidence that the association of childhood trauma with psychosis and related psychopathology is not explained by gene-environment correlation: A monozygotic twin differences approach. <i>Schizophrenia Research</i> , 2019, 205, 58-62.	1.1	19
675	Gender differences of patients at-risk for psychosis regarding symptomatology, drug use, comorbidity and functioning â€“ Results from the EU-GEI study. <i>European Psychiatry</i> , 2019, 59, 52-59.	0.1	19
676	Psychotic experiences from preadolescence to adolescence: when should we be worried about adolescent risk behaviors?. <i>European Child and Adolescent Psychiatry</i> , 2020, 29, 1251-1264.	2.8	19
677	Early warning signals in psychopathology: what do they tell?. <i>BMC Medicine</i> , 2020, 18, 269.	2.3	19
678	From Affective Experience to Motivated Action: Tracking Reward-Seeking and Punishment-Avoidant Behaviour in Real-Life. <i>PLoS ONE</i> , 2015, 10, e0129722.	1.1	19
679	Characteristics of early- and late-diagnosed schizophrenia: implications for first-episode studies. <i>Schizophrenia Research</i> , 1998, 33, 27-34.	1.1	18
680	The role of age in the development of Schneiderian symptoms in patients with a first psychotic episode. <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 264-268.	2.2	18
681	Associations between COMT Val158Met polymorphism and cognition: direct or indirect effects?. <i>European Psychiatry</i> , 2006, 21, 338-342.	0.1	18
682	Stability and treatment outcome of distinct classes of mania. <i>European Psychiatry</i> , 2008, 23, 360-367.	0.1	18
683	Case registers in psychiatry: do they still have a role for research and service monitoring?. <i>Current Opinion in Psychiatry</i> , 2008, 21, 379-384.	3.1	18
684	Function assertive community treatment (FACT) and psychiatric service use in patients diagnosed with severe mental illness. <i>Epidemiology and Psychiatric Sciences</i> , 2011, 20, 273-278.	1.8	18

#	ARTICLE	IF	CITATIONS
685	Evidence for the impact of the CACNA1C risk allele rs1006737 on 2-year cognitive functioning in bipolar disorder. <i>Psychiatric Genetics</i> , 2013, 23, 41-42.	0.6	18
686	Familial covariation of facial emotion recognition and IQ in schizophrenia. <i>Psychiatry Research</i> , 2016, 246, 52-57.	1.7	18
687	Differences Between Self-Reported Psychotic Experiences, Clinically Relevant Psychotic Experiences, and Attenuated Psychotic Symptoms in the General Population. <i>Frontiers in Psychiatry</i> , 2019, 10, 782.	1.3	18
688	Reasoning bias, working memory performance and a transdiagnostic phenotype of affective disturbances and psychotic experiences in the general population. <i>Psychological Medicine</i> , 2019, 49, 1799-1809.	2.7	18
689	Functional neuroimaging of associative learning and generalization in specific phobia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 89, 275-285.	2.5	18
690	Outcome of antidepressant drug discontinuation with taperingstrips after 1-5 years. <i>Therapeutic Advances in Psychopharmacology</i> , 2020, 10, 204512532095460.	1.2	18
691	Genetic copy number variants, cognition and psychosis: a meta-analysis and a family study. <i>Molecular Psychiatry</i> , 2021, 26, 5307-5319.	4.1	18
692	Examining the association between exposome score for schizophrenia and functioning in schizophrenia, siblings, and healthy controls: Results from the EUGEI study. <i>European Psychiatry</i> , 2021, 64, e25.	0.1	18
693	Psychosis as an Extreme of Continuous Variation in Dimensions of Psychopathology. , 1999, , 59-79.		18
694	Predictive Performance of Exposome Score for Schizophrenia in the General Population. <i>Schizophrenia Bulletin</i> , 2021, 47, 277-283.	2.3	18
695	Dermatoglyphic abnormalities in psychosis: A twin study. <i>Biological Psychiatry</i> , 1997, 41, 624-626.	0.7	17
696	Strauss (1969) revisited: A psychosis continuum in the general population?. <i>Schizophrenia Research</i> , 2000, 41, 8.	1.1	17
697	Further Evidence That Congenital Dermatoglyphic Abnormalities Are Associated With Psychosis: A Twin Study. <i>Schizophrenia Bulletin</i> , 2002, 28, 697-701.	2.3	17
698	Berkson's bias and the mood dimensions of bipolar disorder. <i>International Journal of Methods in Psychiatric Research</i> , 2009, 18, 279-286.	1.1	17
699	Are social phobia and paranoia related, and which comes first?. <i>Psychosis</i> , 2009, 1, 29-38.	0.4	17
700	Systematic monitoring of needs for care and global outcomes in patients with severe mental illness. <i>BMC Psychiatry</i> , 2010, 10, 36.	1.1	17
701	Gene-Environment Interaction Research and Transgenic Mouse Models of Alzheimer's Disease. <i>International Journal of Alzheimer's Disease</i> , 2010, 2010, 1-27.	1.1	17
702	A cognitive intermediate phenotype study confirming possible gene-early adversity interaction in psychosis outcome: A general population twin study. <i>Psychosis</i> , 2010, 2, 1-11.	0.4	17

#	ARTICLE	IF	CITATIONS
703	Brain-Derived Neurotrophic Factor/FK506-Binding Protein 5 Genotype by Childhood Trauma Interactions Do Not Impact on Hippocampal Volume and Cognitive Performance. PLoS ONE, 2014, 9, e92722.	1.1	17
704	Neuroticism and facial emotion recognition in healthy adults. Microbial Biotechnology, 2016, 10, 160-164.	0.9	17
705	The interaction between cannabis use and the Val158Met polymorphism of the COMT gene in psychosis: A transdiagnostic meta-analysis. PLoS ONE, 2018, 13, e0192658.	1.1	17
706	Identifying psychosis spectrum disorder from experience sampling data using machine learning approaches. Schizophrenia Research, 2019, 209, 156-163.	1.1	17
707	Psychometric liability to psychosis and childhood adversities are associated with shorter telomere length: A study on schizophrenia patients, unaffected siblings, and non-clinical controls. Journal of Psychiatric Research, 2019, 111, 169-185.	1.5	17
708	The incidence of psychotic disorders among migrants and minority ethnic groups in Europe: findings from the multinational EU-GEI study. Psychological Medicine, 2022, 52, 1376-1385.	2.7	17
709	Stress reactivity as a putative mechanism linking childhood trauma with clinical outcomes in individuals at ultra-high-risk for psychosis: Findings from the EU-GEI High Risk Study. Epidemiology and Psychiatric Sciences, 2021, 30, e40.	1.8	17
710	It is not enough to sing its praises: the very foundations of precision psychiatry may be scientifically unsound and require examination. Psychological Medicine, 2021, 51, 1415-1417.	2.7	17
711	The Independent Effects of Psychosocial Stressors on Subclinical Psychosis: Findings From the Multinational EU-GEI Study. Schizophrenia Bulletin, 2021, 47, 1674-1684.	2.3	17
712	Estimating Aggregate Environmental Risk Score in Psychiatry: The Exposome Score for Schizophrenia. Frontiers in Psychiatry, 2021, 12, 671334.	1.3	17
713	Data Gathering Bias: Trait Vulnerability to Psychotic Symptoms?. PLoS ONE, 2015, 10, e0132442.	1.1	17
714	The Hong Kong mental morbidity survey: background and study design. East Asian Archives of Psychiatry, 2014, 24, 30-6.	0.5	17
715	Child psychopathology and lower cognitive ability: a general population twin study of the causes of association. Molecular Psychiatry, 2002, 7, 368-374.	4.1	16
716	Jaspers was right after all – delusions are distinct from normal beliefs. British Journal of Psychiatry, 2003, 183, 285-286.	1.7	16
717	Disentangling associations between poverty at various levels of aggregation and mental health. Epidemiologia E Psichiatria Sociale, 2007, 16, 3-9.	1.0	16
718	Impairment of self-monitoring: part of the endophenotypic risk for psychosis. British Journal of Psychiatry, 2007, 191, s58-s62.	1.7	16
719	An application of item response mixture modelling to psychosis indicators in two large community samples. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 771-779.	1.6	16
720	Antipsychotic medications and cognitive functioning in bipolar disorder: moderating effects of COMT Val108/158Met genotype. BMC Psychiatry, 2013, 13, 63.	1.1	16

#	ARTICLE	IF	CITATIONS
721	Unemployment, ethnicity and psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2013, 127, 202-209.	2.2	16
722	Predicting response to cognitive therapy and interpersonal therapy, with or without antidepressant medication, for major depression: A pragmatic trial in routine practice. <i>Journal of Affective Disorders</i> , 2014, 152-154, 146-154.	2.0	16
723	Remission criteria and functional outcome in patients with schizophrenia, a longitudinal study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 266-274.	1.3	16
724	Disturbed Experience of Self: Psychometric Analysis of the Self-Experience Lifetime Frequency Scale (SELF). <i>Psychopathology</i> , 2016, 49, 69-76.	1.1	16
725	Subjective quality of life in psychosis: Evidence for an association with real world functioning?. <i>Psychiatry Research</i> , 2018, 261, 116-123.	1.7	16
726	Need for evidence-based early intervention programmes: a public health perspective. <i>Evidence-Based Mental Health</i> , 2018, 21, 128-130.	2.2	16
727	Longitudinal evidence for a relation between depressive symptoms and quality of life in schizophrenia using structural equation modeling. <i>Schizophrenia Research</i> , 2019, 208, 82-89.	1.1	16
728	Renaming schizophrenia: 5 Å– 5. <i>Epidemiology and Psychiatric Sciences</i> , 2019, 28, 254-257.	1.8	16
729	Clinical, cognitive and neuroanatomical associations of serum NMDAR autoantibodies in people at clinical high risk for psychosis. <i>Molecular Psychiatry</i> , 2021, 26, 2590-2604.	4.1	16
730	Comparing psychotic experiences in low-and-middle-income-countries and high-income-countries with a focus on measurement invariance. <i>Psychological Medicine</i> , 2022, 52, 1509-1516.	2.7	16
731	A Network of Psychopathological, Cognitive, and Motor Symptoms in Schizophrenia Spectrum Disorders. <i>Schizophrenia Bulletin</i> , 2021, 47, 915-926.	2.3	16
732	Precision psychiatry: promise for the future or rehash of a fossilised foundation?. <i>Psychological Medicine</i> , 2021, 51, 1409-1411.	2.7	16
733	Autistic Symptoms and Social Functioning in Psychosis: A Network Approach. <i>Schizophrenia Bulletin</i> , 2021, , .	2.3	16
734	Aggressive Behavior, Hostility, and Associated Care Needs in Patients With Psychotic Disorders: A 6-Year Follow-Up Study. <i>Frontiers in Psychiatry</i> , 2019, 10, 934.	1.3	16
735	Study protocol for a prospective cohort study examining the predictive potential of dynamic symptom networks for the onset and progression of psychosis: the Mapping Individual Routes of Risk and Resilience (Mirorr) study. <i>BMJ Open</i> , 2018, 8, e019059.	0.8	16
736	Gender differences in the association between environment and psychosis. <i>Schizophrenia Research</i> , 2022, 243, 120-137.	1.1	16
737	Clinical Correlates of Depression following Myocardial Infarction. <i>International Journal of Psychiatry in Medicine</i> , 2001, 31, 255-264.	0.8	15
738	Can cognitive deficits explain differential sensitivity to life events in psychosis?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003, 38, 262-268.	1.6	15

#	ARTICLE	IF	CITATIONS
739	Deconstructing the familiarity of the emotive component of psychotic experiences in the general population. <i>Acta Psychiatrica Scandinavica</i> , 2005, 112, 394-401.	2.2	15
740	Cognitive alterations in groups at risk for psychosis: neutral markers of genetic risk or indicators of social disability?. <i>Acta Psychiatrica Scandinavica</i> , 2007, 116, 253-262.	2.2	15
741	The relationship between cognitive dysfunction and stress sensitivity in schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 284-287.	1.6	15
742	Does illness attribution affect treatment assignment in depression?. <i>Clinical Psychology and Psychotherapy</i> , 2010, 17, 418-426.	1.4	15
743	Self-monitoring as a familial vulnerability marker for psychosis: an analysis of patients, unaffected siblings and healthy controls. <i>Psychological Medicine</i> , 2012, 42, 235-245.	2.7	15
744	Schizophrenia Candidate Gene ERBB4: Covert Routes of Vulnerability to Psychosis Detected at the Population Level. <i>Schizophrenia Bulletin</i> , 2013, 39, 349-357.	2.3	15
745	Is psychotic disorder associated with increased levels of craving for cannabis? An Experience Sampling study. <i>Acta Psychiatrica Scandinavica</i> , 2013, 128, 448-456.	2.2	15
746	The serotonin transporter 5-HTTLPR polymorphism in the association between sleep quality and affect. <i>European Neuropsychopharmacology</i> , 2014, 24, 1086-1090.	0.3	15
747	No Evidence of Association between Childhood Urban Environment and Cortical Thinning in Psychotic Disorder. <i>PLoS ONE</i> , 2017, 12, e0166651.	1.1	15
748	Enhancing Psychosis-Spectrum Nosology Through an International Data Sharing Initiative. <i>Schizophrenia Bulletin</i> , 2018, 44, S460-S467.	2.3	15
749	Mindfulness-Based Intervention for People With Dementia and Their Partners: Results of a Mixed-Methods Study. <i>Frontiers in Aging Neuroscience</i> , 2019, 11, 92.	1.7	15
750	Effects of antipsychotic treatment on tardive dyskinesia: a 6-month evaluation of patients from the European Schizophrenia Outpatient Health Outcomes (SOHO) Study. <i>Journal of Clinical Psychiatry</i> , 2005, 66, 1130-3.	1.1	15
751	Ethical issues in European psychiatry. <i>European Psychiatry</i> , 1996, 11, 1-6.	0.1	14
752	Social influences on risk for disorder and natural history. <i>Current Opinion in Psychiatry</i> , 2000, 13, 209-213.	3.1	14
753	Bidirectional associations between depression/anxiety and bowel disease in a population based cohort. <i>Journal of Epidemiology and Community Health</i> , 2005, 59, 434-434.	2.0	14
754	Psychotic exacerbation and emotional dampening in the daily life of patients with schizophrenia switched to aripiprazole therapy: a collection of standardized case reports. <i>Therapeutic Advances in Psychopharmacology</i> , 2011, 1, 145-151.	1.2	14
755	Autoantibodies to neurotransmitter receptors and ion channels: from neuromuscular to neuropsychiatric disorders. <i>Frontiers in Genetics</i> , 2013, 4, 181.	1.1	14
756	Does Habituation Differ in Chronic Low Back Pain Subjects Compared to Pain-Free Controls? A Cross-Sectional Pain Rating ERP Study Reanalyzed with the ERFIA Multilevel Method. <i>Medicine (United States)</i> , 2019, 98, 17.	0.4	14

#	ARTICLE	IF	CITATIONS
757	Psychotic reactions to daily life stress and dopamine function in people with severe hearing impairment. <i>Psychological Medicine</i> , 2015, 45, 1665-1674.	2.7	14
758	Likelihood of mechanistic roles for dopaminergic, serotonergic and glutamatergic receptors in tardive dyskinesia: A comparison of genetic variants in two independent patient populations. <i>SAGE Open Medicine</i> , 2016, 4, 205031211664367.	0.7	14
759	Intimacy and its barriers: A qualitative exploration of intimacy and related struggles among people diagnosed with psychosis. <i>Psychosis</i> , 2017, 9, 301-309.	0.4	14
760	Evidence That the Urban Environment Moderates the Level of Familial Clustering of Positive Psychotic Symptoms. <i>Schizophrenia Bulletin</i> , 2017, 43, 325-331.	2.3	14
761	Economic evaluation of an experience sampling method intervention in depression compared with treatment as usual using data from a randomized controlled trial. <i>BMC Psychiatry</i> , 2017, 17, 415.	1.1	14
762	Associations between psychosis endophenotypes across brain functional, structural, and cognitive domains. <i>Psychological Medicine</i> , 2018, 48, 1325-1340.	2.7	14
763	Evidence that self-reported psychotic experiences in children are clinically relevant. <i>Schizophrenia Research</i> , 2019, 204, 415-416.	1.1	14
764	Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. <i>Schizophrenia Bulletin</i> , 2020, 46, 517-529.	2.3	14
765	Intelligence, educational attainment, and brain structure in those at familial high risk for schizophrenia or bipolar disorder. <i>Human Brain Mapping</i> , 2022, 43, 414-430.	1.9	14
766	Evidence, and replication thereof, that molecular-genetic and environmental risks for psychosis impact through an affective pathway. <i>Psychological Medicine</i> , 2022, 52, 1910-1922.	2.7	14
767	Sex differences in cognitive functioning of patients at-risk for psychosis and healthy controls: Results from the European Gene-Environment Interactions study. <i>European Psychiatry</i> , 2020, 63, e25.	0.1	14
768	Emotion Recognition and Adverse Childhood Experiences in Individuals at Clinical High Risk of Psychosis. <i>Schizophrenia Bulletin</i> , 2020, 46, 823-833.	2.3	14
769	Association of the kynurenine pathway metabolites with clinical, cognitive features and IL-1 β levels in patients with schizophrenia spectrum disorder and their siblings. <i>Schizophrenia Research</i> , 2021, 229, 27-37.	1.1	14
770	Individualized prediction of three- and six-year outcomes of psychosis in a longitudinal multicenter study: a machine learning approach. <i>NPJ Schizophrenia</i> , 2021, 7, 34.	2.0	14
771	Psychotic Experiences and Risk of Violence Perpetration and Arrest in the General Population: A Prospective Study. <i>PLoS ONE</i> , 2016, 11, e0159023.	1.1	14
772	No association between RFLPs at the porphobilinogen deaminase gene and schizophrenia. <i>Human Genetics</i> , 1992, 90, 131-132.	1.8	13
773	a-b ridge count and schizophrenia. <i>Schizophrenia Research</i> , 2000, 46, 285-286.	1.1	13
774	CANNABIS-RELATED PSYCHOSIS AND THE GENE-ENVIRONMENT INTERACTION: COMMENTS ON FERDINANDTAL.2005. <i>Addiction</i> , 2005, 100, 874-875.	1.7	13

#	ARTICLE	IF	CITATIONS
775	Hospital comorbidity bias and the concept of schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 817-821.	1.6	13
776	Pets or meds: how to tackle misery in a paediatric intensive care unit. <i>Intensive Care Medicine</i> , 2007, 33, 1492-1493.	3.9	13
777	The course of tardive dystonia in Afro Caribbean patients, a population-based study. <i>Schizophrenia Research</i> , 2008, 98, 79-83.	1.1	13
778	Introduction. <i>Schizophrenia Bulletin</i> , 2008, 34, 1064-1065.	2.3	13
779	Neighborhood Socioeconomic and Social Factors and School Achievement in Boys and Girls. <i>Journal of Early Adolescence</i> , 2009, 29, 285-306.	1.1	13
780	Bipolar disorder and dopamine dysfunction: an indirect approach focusing on tardive movement syndromes in a naturalistic setting. <i>BMC Psychiatry</i> , 2009, 9, 16.	1.1	13
781	Preface: Treatment optimization in schizophrenia through active patient management – proceedings from two European consensus meetings. <i>Acta Psychiatrica Scandinavica</i> , 2009, 119, 5-6.	2.2	13
782	Psychotic experiences: disadvantaged and different from the norm. <i>British Journal of Psychiatry</i> , 2012, 201, 258-259.	1.7	13
783	Stereotype Awareness, Self-Esteem and Psychopathology in People with Psychosis. <i>PLoS ONE</i> , 2014, 9, e88586.	1.1	13
784	Evidence that childhood urban environment is associated with blunted stress reactivity across groups of patients with psychosis, relatives of patients and controls. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1579-1587.	1.6	13
785	Cognitive correlates of frontoparietal network connectivity at rest in individuals with differential risk for psychotic disorder. <i>European Neuropsychopharmacology</i> , 2015, 25, 1922-1932.	0.3	13
786	A Psychometric Evaluation of the Danish Version of the Theory of Mind Storybook for 8-14 Year-Old Children. <i>Frontiers in Psychology</i> , 2016, 7, 330.	1.1	13
787	National funding for mental health research in Finland, France, Spain and the United Kingdom. <i>European Neuropsychopharmacology</i> , 2017, 27, 892-899.	0.3	13
788	The association between psychotic experiences and traumatic life events: the role of the intention to harm. <i>Psychological Medicine</i> , 2018, 48, 2235-2246.	2.7	13
789	Sexual Expression and Its Determinants, in People Diagnosed with Psychotic Disorders. <i>Community Mental Health Journal</i> , 2018, 54, 1082-1088.	1.1	13
790	Are theory of mind and bullying separately associated with later academic performance among preadolescents?. <i>British Journal of Educational Psychology</i> , 2020, 90, 62-76.	1.6	13
791	Caring for mentally ill people. <i>BMJ: British Medical Journal</i> , 1994, 309, 1218-1221.	2.4	13
792	Does the Brain Detect 3G Mobile Phone Radiation Peaks? An Explorative In-Depth Analysis of an Experimental Study. <i>PLoS ONE</i> , 2015, 10, e0125390.	1.1	13

#	ARTICLE	IF	CITATIONS
793	Longitudinal clinical and functional outcome in distinct cognitive subgroups of first-episode psychosis: a cluster analysis. <i>Psychological Medicine</i> , 2023, 53, 2317-2327.	2.7	13
794	Cognitive Performance and Grey Matter Density in Psychosis: Functional Relevance of a Structural Endophenotype. <i>Neuropsychobiology</i> , 2008, 58, 128-137.	0.9	12
795	Capturing coping with symptoms in people with a diagnosis of schizophrenia: introducing the MACS. <i>International Journal of Methods in Psychiatric Research</i> , 2009, 18, 4-12.	1.1	12
796	G×E interaction and neurodevelopment I. Focus on maltreatment. <i>Epidemiology and Psychiatric Sciences</i> , 2012, 21, 347-351.	1.8	12
797	The interplay of psychosis and victimisation across the life course: a prospective study in the general population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 1363-1374.	1.6	12
798	The Latent Taxonicity of Schizotypy in Biological Siblings of Proband With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2018, 44, 922-932.	2.3	12
799	Does pain hypervigilance further impact the lack of habituation to pain in individuals with chronic pain? A cross-sectional pain ERP study. <i>Journal of Pain Research</i> , 2018, Volume 11, 395-405.	0.8	12
800	Development of a real-time patient-reported outcome measure for symptom assessment in patients with functional dyspepsia using the experience sampling method. <i>Neurogastroenterology and Motility</i> , 2019, 31, e13496.	1.6	12
801	The Experience Sampling Method—Evaluation of treatment effect of escitalopram in IBS with comorbid panic disorder. <i>Neurogastroenterology and Motility</i> , 2019, 31, e13515.	1.6	12
802	Childhood trauma and coping in patients with psychotic disorders and obsessive-compulsive symptoms and in un-affected siblings. <i>Child Abuse and Neglect</i> , 2020, 99, 104243.	1.3	12
803	Successful use of tapering strips for hyperbolic reduction of antidepressant dose: a cohort study. <i>Therapeutic Advances in Psychopharmacology</i> , 2021, 11, 204512532110393.	1.2	12
804	The continuity of effect of schizophrenia polygenic risk score and patterns of cannabis use on transdiagnostic symptom dimensions at first-episode psychosis: findings from the EU-GEI study. <i>Translational Psychiatry</i> , 2021, 11, 423.	2.4	12
805	What is the relationship between substance abuse and schizophrenia?. , 2002, , 317-342.		11
806	Serotonergic response to stress: A protective factor against abnormal dopaminergic reactivity in schizophrenia?. <i>European Psychiatry</i> , 2007, 22, 362-364.	0.1	11
807	No ecological effect modification of the association between negative life experiences and later psychopathology in adolescence: A longitudinal community study in adolescents. <i>European Psychiatry</i> , 2007, 22, 296-304.	0.1	11
808	Bone mineral density as a marker of cumulative endogenous estrogen exposure: Relationship to background genetic risk of psychotic disorder. <i>Schizophrenia Research</i> , 2013, 143, 25-31.	1.1	11
809	Novel directions for psychiatric diagnosis: from psychopathology to motor function to monitoring technology. <i>Epidemiology and Psychiatric Sciences</i> , 2013, 22, 289-295.	1.8	11
810	Replicated Evidence of Absence of Association between Serum S100B and (Risk of) Psychotic Disorder. <i>PLoS ONE</i> , 2013, 8, e82535.	1.1	11

#	ARTICLE	IF	CITATIONS
811	Relevance of Five-Factor Model personality traits for obsessive-compulsive symptoms in patients with psychotic disorders and their un-affected siblings. <i>Psychiatry Research</i> , 2015, 225, 464-470.	1.7	11
812	Introducing the White Noise task in childhood: associations between speech illusions and psychosis vulnerability. <i>Psychological Medicine</i> , 2016, 46, 2731-2740.	2.7	11
813	Cannabis and a lower BMI in psychosis: What is the role of AKT1?. <i>Schizophrenia Research</i> , 2016, 176, 95-99.	1.1	11
814	Predicting Psychosis Using the Experience Sampling Method with Mobile Apps. , 2017, , .		11
815	Putting the psychotherapy spotlight back on the self-reflecting actors who make it work. <i>World Psychiatry</i> , 2019, 18, 292-293.	4.8	11
816	TwinsCan â€” Gene-Environment Interaction in Psychotic and Depressive Intermediate Phenotypes: Risk and Protective Factors in a General Population Twin Sample. <i>Twin Research and Human Genetics</i> , 2019, 22, 460-466.	0.3	11
817	Obsessive-compulsive symptoms in psychotic disorders: longitudinal associations of symptom clusters on between- and within-subject levels. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 245-255.	1.8	11
818	Relationship between jumping to conclusions and clinical outcomes in people at clinical high-risk for psychosis. <i>Psychological Medicine</i> , 2022, 52, 1569-1577.	2.7	11
819	The complex and dynamic interplay between self-esteem, belongingness and physical activity in daily life: An experience sampling study in adolescence and young adulthood. <i>Mental Health and Physical Activity</i> , 2021, 21, 100413.	0.9	11
820	What makes the psychosis â€”clinical high riskâ€” state risky: psychosis itself or the co-presence of a non-psychotic disorder?. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, e53.	1.8	11
821	Cultural differences in pathways to care, service use and treated outcomes. <i>Current Opinion in Psychiatry</i> , 1997, 10, 178-182.	3.1	11
822	Principles of Practice from the European Expert Panel on the Contemporary Treatment of Schizophrenia. <i>International Journal of Psychiatry in Clinical Practice</i> , 2000, 4, 1-11.	1.2	10
823	Associations between nonshared environment and child problem behaviour. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2001, 36, 319-323.	1.6	10
824	Social capital and mental health v. objective measures of health in the Netherlands. <i>British Journal of Psychiatry</i> , 2003, 183, 174-174.	1.7	10
825	Evidence that the COMT ^{Val158Met} Polymorphism Moderates Subclinical Psychotic and Affective Symptoms in Unaffected First-Degree Relatives of Patients With Schizophrenia. <i>European Psychiatry</i> , 2008, 23, 219-222.	0.1	10
826	The role of cognitive functioning in the relationship between childhood trauma and a mixed phenotype of affective-anxious-psychotic symptoms in psychotic disorders. <i>Schizophrenia Research</i> , 2018, 192, 262-268.	1.1	10
827	Childhood trauma- and cannabis-associated microstructural white matter changes in patients with psychotic disorder: a longitudinal family-based diffusion imaging study. <i>Psychological Medicine</i> , 2019, 49, 628-638.	2.7	10
828	Decreasing Stigmatization: Reducing the Discrepancy Between â€”Usâ€” and â€”Themâ€”. An Intervention for Mental Health Care Professionals. <i>Frontiers in Psychiatry</i> , 2019, 10, 243.	1.3	10

#	ARTICLE	IF	CITATIONS
829	Early Parental Death and Risk of Psychosis in Offspring: A Six-Country Case-Control Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 1081.	1.0	10
830	Assessing cross-national invariance of the Community Assessment of Psychic Experiences (CAPE). <i>Psychological Medicine</i> , 2019, 49, 2600-2607.	2.7	10
831	Organization framework and preliminary findings from the Athens First-Episode Psychosis Research Study. <i>Microbial Biotechnology</i> , 2020, 14, 343-355.	0.9	10
832	A replication study of JTC bias, genetic liability for psychosis and delusional ideation. <i>Psychological Medicine</i> , 2022, 52, 1777-1783.	2.7	10
833	Functional Magnetic Resonance Imaging Connectivity Accurately Distinguishes Cases With Psychotic Disorders From Healthy Controls, Based on Cortical Features Associated With Brain Network Development. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021, 6, 1125-1134.	1.1	10
834	Obsessive-Compulsive Symptoms and Other Symptoms of the At-risk Mental State for Psychosis: A Network Perspective. <i>Schizophrenia Bulletin</i> , 2021, 47, 1018-1028.	2.3	10
835	Synergistic effects of childhood adversity and polygenic risk in first-episode psychosis: the EU-GEI study. <i>Psychological Medicine</i> , 0, , 1-9.	2.7	10
836	Emotion regulation in response to daily negative and positive events in youth: The role of event intensity and psychopathology. <i>Behaviour Research and Therapy</i> , 2021, 144, 103916.	1.6	10
837	Examining facial emotion recognition as an intermediate phenotype for psychosis: Findings from the EUGEI study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 113, 110440.	2.5	10
838	Verbal memory performance predicts remission and functional outcome in people at clinical high-risk for psychosis. <i>Schizophrenia Research: Cognition</i> , 2022, 28, 100222.	0.7	10
839	Schizophrenia as a symptom of psychiatry's reluctance to enter the moral era of medicine. <i>Schizophrenia Research</i> , 2022, 242, 138-140.	1.1	10
840	Stroke and mental health care: a record linkage study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2001, 36, 608-612.	1.6	9
841	Cerebral tissue alterations and daily life stress experience in psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2003, 107, 54-59.	2.2	9
842	The social, psychopathological and consumer context of rate of symptom improvement in acute mania. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 631-638.	1.6	9
843	Executive function does not predict coping with symptoms in stable patients with a diagnosis of schizophrenia. <i>BMC Psychiatry</i> , 2008, 8, 39.	1.1	9
844	DSM-5 and the "Psychosis Risk Syndrome": Babylonian confusion. <i>Psychosis</i> , 2010, 2, 100-103.	0.4	9
845	Introducing the Event Related Fixed Interval Area (ERFIA) Multilevel Technique: a Method to Analyze the Complete Epoch of Event-Related Potentials at Single Trial Level. <i>PLoS ONE</i> , 2013, 8, e79905.	1.1	9
846	Semi-metric analysis of the functional brain network: Relationship with familial risk for psychotic disorder. <i>NeuroImage: Clinical</i> , 2015, 9, 607-616.	1.4	9

#	ARTICLE	IF	CITATIONS
847	Positive affect and cognitive decline: a 12-year follow-up of the Maastricht Aging Study. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, 1305-1311.	1.3	9
848	Alpha7 acetylcholine receptor autoantibodies are rare in sera of patients diagnosed with schizophrenia or bipolar disorder. <i>PLoS ONE</i> , 2018, 13, e0208412.	1.1	9
849	European mental health research resources: Picture and recommendations of the ROAMER project. <i>European Neuropsychopharmacology</i> , 2019, 29, 179-194.	0.3	9
850	Psychotic experiences are associated with health anxiety and functional somatic symptoms in preadolescence. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019, 60, 524-532.	3.1	9
851	Trust and the city: Linking urban upbringing to neural mechanisms of trust in psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 138-149.	1.3	9
852	Expressive deficits and amotivation as mediators of the associations between cognitive problems and functional outcomes: Results from two independent cohorts. <i>Schizophrenia Research</i> , 2020, 218, 283-291.	1.1	9
853	A comparison of depressive symptom profiles between current major depressive disorder and schizophrenia spectrum disorder. <i>Journal of Psychiatric Research</i> , 2021, 135, 143-151.	1.5	9
854	The Community Assessment of Psychic Experiences: Optimal cutoff scores for detecting individuals with a psychotic disorder. <i>International Journal of Methods in Psychiatric Research</i> , 2021, 30, e1893.	1.1	9
855	Impact of Comorbid Affective Disorders on Longitudinal Clinical Outcomes in Individuals at Ultra-high Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2022, 48, 100-110.	2.3	9
856	Chorion Type and Twin Similarity for Child Psychiatric Symptoms. <i>Archives of General Psychiatry</i> , 2002, 59, 562-564.	13.8	9
857	Healthcare Costs, School Performance, and Health-related Quality of Life in Adolescence Following Psychotic Experiences in Preadolescence: A Longitudinal Cohort Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 682-691.	2.3	9
858	Association between exposome score for schizophrenia and functioning in first-episode psychosis: results from the Athens first-episode psychosis research study. <i>Psychological Medicine</i> , 2023, 53, 2609-2618.	2.7	9
859	Childhood Maltreatment, Educational Attainment, and IQ: Findings From a Multicentric Case-control Study of First-episode Psychosis (EU-GEI). <i>Schizophrenia Bulletin</i> , 2022, 48, 575-589.	2.3	9
860	Use of multiple polygenic risk scores for distinguishing schizophrenia-spectrum disorder and affective psychosis categories in a first-episode sample; the EU-GEI study. <i>Psychological Medicine</i> , 2023, 53, 3396-3405.	2.7	9
861	Facial Emotion Recognition in Psychosis and Associations With Polygenic Risk for Schizophrenia: Findings From the Multi-Center EU-GEI Case-Control Study. <i>Schizophrenia Bulletin</i> , 2022, 48, 1104-1114.	2.3	9
862	Early detection of schizophrenia. <i>British Journal of Psychiatry</i> , 1997, 170, 579-579.	1.7	8
863	No association between MTHFR C677T or A1298C and age at onset of schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 1362-1363.	1.1	8
864	Electrophysiological correlates of automatic spreading of activation in patients with psychotic disorder and first-degree relatives. <i>International Journal of Psychophysiology</i> , 2012, 84, 102-112.	0.5	8

#	ARTICLE	IF	CITATIONS
865	Testing the estrogen hypothesis of schizophrenia: Associations between cumulative estrogen exposure and cerebral structural measures. <i>Schizophrenia Research</i> , 2013, 150, 114-120.	1.1	8
866	Predicting the incidence of antipsychotic-induced movement disorders in long-stay patients: A prospective study. <i>Epidemiology and Psychiatric Sciences</i> , 2013, 22, 375-379.	1.8	8
867	Positive emotions from social company in women with persisting subclinical psychosis: lessons from daily life. <i>Acta Psychiatrica Scandinavica</i> , 2014, 129, 202-210.	2.2	8
868	Can Assertive Community Treatment Remedy Patients Dropping Out of Treatment Due to Fragmented Services?. <i>Community Mental Health Journal</i> , 2014, 50, 454-459.	1.1	8
869	Longitudinal association between cognitive performance and obsessive-compulsive symptoms in patients with psychosis and unaffected siblings. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 399-409.	2.2	8
870	The Search for Environmental Mechanisms Underlying the Expression of Psychosis: Introduction. <i>Schizophrenia Bulletin</i> , 2016, 43, sbw178.	2.3	8
871	Developmental course of subclinical positive and negative psychotic symptoms and their associations with genetic risk status and impairment. <i>Schizophrenia Research</i> , 2016, 174, 177-182.	1.1	8
872	Reduced specialized processing in psychotic disorder: a graph theoretical analysis of cerebral functional connectivity. <i>Brain and Behavior</i> , 2016, 6, e00508.	1.0	8
873	Familial liability to psychosis is a risk factor for multimorbidity in people with psychotic disorders and their unaffected siblings. <i>European Psychiatry</i> , 2017, 45, 81-89.	0.1	8
874	Sensitivity to Peer Evaluation and Its Genetic and Environmental Determinants: Findings from a Population-Based Twin Study. <i>Child Psychiatry and Human Development</i> , 2018, 49, 766-778.	1.1	8
875	No differences in olanzapine- and risperidone-related weight gain between women and men: a meta-analysis of short- and middle-term treatment. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 110-122.	2.2	8
876	Evidence for interaction between genetic liability and childhood trauma in the development of psychotic symptoms. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 1045-1054.	1.6	8
877	Psychotic experiences and mood episodes predict each other bidirectionally: a 6-year follow-up study in a community-based population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 331-341.	1.6	8
878	The predictive value of neural reward processing on exposure therapy outcome: Results from a randomized controlled trial. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 92, 339-346.	2.5	8
879	Vitamin D concentration and psychotic disorder: associations with disease status, clinical variables and urbanicity. <i>Psychological Medicine</i> , 2020, 50, 1680-1686.	2.7	8
880	Network approach of mood and functional gastrointestinal symptom dynamics in relation to childhood trauma in patients with irritable bowel syndrome and comorbid panic disorder. <i>Journal of Psychosomatic Research</i> , 2020, 139, 110261.	1.2	8
881	The jumping to conclusions reasoning bias as a cognitive factor contributing to psychosis progression and persistence: findings from NEMESIS-2. <i>Psychological Medicine</i> , 2021, 51, 1696-1703.	2.7	8
882	The genetics of drug-related movement disorders, an umbrella review of meta-analyses. <i>Molecular Psychiatry</i> , 2020, 25, 2237-2250.	4.1	8

#	ARTICLE	IF	CITATIONS
883	Symptom-network dynamics in irritable bowel syndrome with comorbid panic disorder using electronic momentary assessment: A randomized controlled trial of escitalopram vs. placebo. <i>Journal of Psychosomatic Research</i> , 2021, 141, 110351.	1.2	8
884	Relationship between social cognition, general cognition, and risk for suicide in individuals with a psychotic disorder. <i>Schizophrenia Research</i> , 2021, 231, 227-236.	1.1	8
885	Context <i>v.</i> algorithm: evidence that a transdiagnostic framework of contextual clinical characterization is of more clinical value than categorical diagnosis. <i>Psychological Medicine</i> , 2023, 53, 1825-1833.	2.7	8
886	Lower emotional complexity as a prospective predictor of psychopathology in adolescents from the general population.. <i>Emotion</i> , 2022, 22, 836-843.	1.5	8
887	The transdiagnostic dimension of psychosis: implications for psychiatric nosology and research. <i>Shanghai Archives of Psychiatry</i> , 2015, 27, 82-6.	0.7	8
888	Psychological and Biological Validation of a Novel Digital Social Peer Evaluation Experiment (digi-SPEE). <i>Noropsikiyatri Arsivi</i> , 2017, 54, 3-10.	0.7	8
889	Title is missing!. <i>Current Opinion in Psychiatry</i> , 2003, 16, 443-449.	3.1	7
890	Evidence that the Twoâ€Way Communication Checklist identifies patientâ€doctor needs discordance resulting in better 6â€month outcome. <i>Acta Psychiatrica Scandinavica</i> , 2008, 118, 322-326.	2.2	7
891	Letter to the Editor: The coherence of the evidence linking cannabis with psychosis. <i>Psychological Medicine</i> , 2008, 38, 461-464.	2.7	7
892	Delinquency in context; neighbourhood and gender interactions among adolescents. <i>Epidemiologia E Psichiatria Sociale</i> , 2010, 19, 148-158.	1.0	7
893	From schizophrenia metafacts to non-schizophrenia facts. <i>Schizophrenia Research</i> , 2011, 127, 16-17.	1.1	7
894	Observational evidence that urbanisation and neighbourhood deprivation are associated with escalation in chronic pharmacological pain treatment: a longitudinal population-based study in the Netherlands. <i>BMJ Open</i> , 2012, 2, e000731.	0.8	7
895	Altered mesocorticolimbic functional connectivity in psychotic disorder: an analysis of proxy genetic and environmental effects. <i>Psychological Medicine</i> , 2015, 45, 2157-2169.	2.7	7
896	Impact of early life adversity on EMG stress reactivity of the trapezius muscle. <i>Medicine (United Tj ETQq0 0 0 rgBT /Overlock_10 Tf 50 2</i>	0.4	7
897	Double hits in schizophrenia. <i>Human Molecular Genetics</i> , 2018, 27, 2755-2761.	1.4	7
898	Association of extent of cannabis use and psychotic like intoxication experiences in a multi-national sample of first episode psychosis patients and controls. <i>Psychological Medicine</i> , 2021, 51, 2074-2082.	2.7	7
899	Promoting a patient-centered, transdiagnostic approach to prevention of severe mental illness. <i>European Child and Adolescent Psychiatry</i> , 2021, 30, 823-824.	2.8	7
900	Perceived major experiences of discrimination, ethnic group, and risk of psychosis in a six-country caseâ€control study. <i>Psychological Medicine</i> , 2022, 52, 3668-3676.	2.7	7

#	ARTICLE	IF	CITATIONS
901	Functional recovery of individuals with serious mental illnesses: Development and testing of a new short instrument for routine outcome monitoring.. <i>Psychiatric Rehabilitation Journal</i> , 2018, 41, 341-350.	0.8	7
902	Validation of the Portuguese version of the Community Assessment of Psychic Experiences and characterization of psychotic experiences in a Brazilian sample. <i>Revista Brasileira De Psiquiatria</i> , 2020, 42, 389-397.	0.9	7
903	Izmir mental health survey for gene-environment interaction in psychoses (TÅ¼rkSch): objectives and methodology. <i>Turk Psikiyatri Dergisi</i> , 2011, 22, 65-76.	0.2	7
904	Exposome and Trans-syndromal Developmental Trajectories Toward Psychosis. <i>Biological Psychiatry Global Open Science</i> , 2022, 2, 197-205.	1.0	7
905	Childhood maltreatment mediates the effect of the genetic background on psychosis risk in young adults. <i>Translational Psychiatry</i> , 2022, 12, .	2.4	7
906	S36.01 A Comparison of the Utility of Dimensional and Categorical Representations of Psychosis. <i>European Psychiatry</i> , 2000, 15, 286s-286s.	0.1	6
907	Neuropsychological performance of psychotic patients in community care: results from the UK700 study. <i>Acta Psychiatrica Scandinavica</i> , 2001, 104, 81-91.	2.2	6
908	Is processing speed predictive of functional outcome in psychosis?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 437-444.	1.6	6
909	AUDITORY HALLUCINATIONS IN ADOLESCENCE: A LONGITUDINAL GENERAL POPULATION STUDY. <i>Schizophrenia Research</i> , 2008, 102, 229-230.	1.1	6
910	Mental Health Care Use in Parkinsonâ€™s Disease: A Record Linkage Study. <i>Neuroepidemiology</i> , 2008, 30, 71-75.	1.1	6
911	No major role for Xâ€œinactivation in variations of intelligence and behavioral problems at middle childhood. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 1311-1317.	1.1	6
912	The use of a Cumulative Needs for Care Monitor for individual treatment <i>v</i>. care as usual for patients diagnosed with severe mental illness, a cost-effectiveness analysis from the health care perspective. <i>Epidemiology and Psychiatric Sciences</i> , 2012, 21, 381-392.	1.8	6
913	The Forthcoming DSM-5, Critical Care Medicine, and Pediatric Neuropsychiatry: Which New Concepts Do We Need?. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2013, 25, 111-114.	0.9	6
914	GÃ—Ã— interaction and neurodevelopment II. Focus on adversities in paediatric depression: the moderating role of serotonin transporter. <i>Epidemiology and Psychiatric Sciences</i> , 2013, 22, 21-28.	1.8	6
915	Intrauterine environment and cognitive development in young twins. <i>Journal of Developmental Origins of Health and Disease</i> , 2013, 4, 513-521.	0.7	6
916	No association between genetic or epigenetic variation in insulin growth factors and antipsychotic-induced metabolic disturbances in a cross-sectional sample. <i>Pharmacogenomics</i> , 2014, 15, 951-962.	0.6	6
917	Clinical Network Analysis in a Bipolar Patient Using an Experience Sampling Mobile Health Tool: An n=1 Study. <i>Bipolar Disorder Open Access</i> , 2018, 04, .	0.1	6
918	Dr. Strangelove, or how we learned to stop worrying and love uncertainty. <i>World Psychiatry</i> , 2020, 19, 395-396.	4.8	6

#	ARTICLE	IF	CITATIONS
919	Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. <i>Schizophrenia Research</i> , 2020, 230, 104-107.	1.1	6
920	Network dynamics of momentary affect states and future course of psychopathology in adolescents. <i>PLoS ONE</i> , 2021, 16, e0247458.	1.1	6
921	Emerging Processes Within Peer-Support Hearing Voices Groups: A Qualitative Study in the Dutch Context. <i>Frontiers in Psychiatry</i> , 2021, 12, 647969.	1.3	6
922	En attendant Godot: Waiting for the Funeral of "Schizophrenia" and the Baby Shower of the Psychosis Spectrum. <i>Frontiers in Psychiatry</i> , 2021, 12, 618842.	1.3	6
923	Longitudinal associations between alcohol use, smoking, genetic risk scoring and symptoms of depression in the general population: a prospective 6-year cohort study. <i>Psychological Medicine</i> , 2023, 53, 1409-1417.	2.7	6
924	Psychotic features in the general population. Risk factors for what?. , 2004, , 54-78.		6
925	Association Between Event-Related Potentials and Pain Ratings. <i>Journal of Psychophysiology</i> , 2011, 25, 18-25.	0.3	6
926	Can an experimental white noise task assess psychosis vulnerability in adult healthy controls?. <i>PLoS ONE</i> , 2018, 13, e0192373.	1.1	6
927	Izmir Mental Health Survey for Gene-Environment in Psychoses (TurkSch): Objectives and Methodology. <i>Turk Psikiyatri Dergisi</i> , 2011, , .	0.2	6
928	Study protocol for a prospective cohort study examining the predictive potential of dynamic symptom networks for the onset and progression of psychosis: the Mapping Individual Routes of Risk and Resilience (Mirorr) study. <i>BMJ Open</i> , 2018, 8, e019059.	0.8	6
929	Ecological momentary assessment and other digital technologies for capturing daily life in mental health. , 2022, , 81-108.		6
930	Discrepancies on prescribing antipsychotics. <i>British Journal of Psychiatry</i> , 1995, 166, 263-264.	1.7	5
931	Prenatal and perinatal risk factors for schizophrenia. , 2002, , 74-99.		5
932	Adult adversity: do early environment and genotype create lasting vulnerabilities for adult social adversity in psychosis?. , 0, , 127-142.		5
933	Does antidepressant medication in patients with hepatitis C undergoing interferon α treatment reduce therapeutic efficacy?. <i>Gut</i> , 2009, 58, 145-145.	6.1	5
934	Treatment of hallucinations: A comment. <i>Psychosis</i> , 2013, 5, 98-102.	0.4	5
935	Subcortical brain volume differences in participants with attention deficit hyperactivity disorder in children and adults. <i>Lancet Psychiatry</i> , 2017, 4, 437.	3.7	5
936	The details of structural disconnectivity in psychotic disorder: A family-based study of non-FA diffusion weighted imaging measures. <i>Brain Research</i> , 2017, 1671, 121-130.	1.1	5

#	ARTICLE	IF	CITATIONS
937	Age-related disturbances in DNA (hydroxy)methylation in APP/PS1 mice. <i>Translational Neuroscience</i> , 2018, 9, 190-202.	0.7	5
938	Genetic and Environmental Influences on the Affective Regulation Network: A Prospective Experience Sampling Analysis. <i>Frontiers in Psychiatry</i> , 2018, 9, 602.	1.3	5
939	Longitudinal association between motor and obsessive compulsive symptoms in patients with psychosis and their unaffected siblings. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 257-268.	1.8	5
940	Social functioning and subclinical psychosis in adolescence: a longitudinal general adolescent population study. <i>Acta Psychiatrica Scandinavica</i> , 2019, 140, 275-282.	2.2	5
941	White Noise Speech Illusions: A Trait-Dependent Risk Marker for Psychotic Disorder?. <i>Frontiers in Psychiatry</i> , 2019, 10, 676.	1.3	5
942	White noise speech illusions in the general population: The association with psychosis expression and risk factors for psychosis. <i>PLoS ONE</i> , 2019, 14, e0211914.	1.1	5
943	Psychotic Experiences Are Associated With Paternal Age But Not With Delayed Fatherhood in a Large, Multinational, Community Sample. <i>Schizophrenia Bulletin</i> , 2020, 46, 1327-1334.	2.3	5
944	Evidence for an interrelated cluster of Hallucinatory experiences in the general population: an incidence study. <i>Psychological Medicine</i> , 2020, , 1-10.	2.7	5
945	Resurrection of the Follow-Back Method to Study the Transdiagnostic Origins of Psychosis. <i>Schizophrenia Bulletin</i> , 2021, 47, 583-585.	2.3	5
946	Validation of the Chinese Version of the Revised Clinical Interview Schedule: Findings from Hong Kong Mental Morbidity Survey. <i>East Asian Archives of Psychiatry</i> , 2017, 27, 3-10.	0.5	5
947	Be(com)ing social: Daily-life social interactions and parental bonding.. <i>Developmental Psychology</i> , 2022, 58, 792-805.	1.2	5
948	Do we need a European consensus on the use of antipsychotic medication?. <i>European Psychiatry</i> , 1996, 11, 400-402.	0.1	4
949	Is early adulthood a critical developmental stage for psychosis proneness? A survey of delusional ideation in normal subjects. <i>Schizophrenia Research</i> , 1998, 29, 24.	1.1	4
950	At Issue: Commentary on "A Default Analysis for Schizophrenia Research". <i>Schizophrenia Bulletin</i> , 2000, 26, 163-165.	2.3	4
951	Nonreplication of the association between ab-ridge count and cerebral structural measures in schizophrenia. <i>Comprehensive Psychiatry</i> , 2003, 44, 459-461.	1.5	4
952	Psychosis Research at Maastricht University, The Netherlands. <i>British Journal of Psychiatry</i> , 2003, 183, 559-560.	1.7	4
953	Association of mental health problems in childhood with prenatal and postnatal physical growth. <i>European Psychiatry</i> , 2005, 20, 277-286.	0.1	4
954	Prediction of change in level of problem behavior among children of bipolar parents.. <i>Acta Psychiatrica Scandinavica</i> , 2006, 113, 23-30.	2.2	4

#	ARTICLE	IF	CITATIONS
955	Schizophrenia treatment: content versus delivery. <i>Acta Psychiatrica Scandinavica</i> , 2009, 119, 29-32.	2.2	4
956	Comment on Re-Analysis of Data by Terluin, de Boer and de Vet. <i>PLoS ONE</i> , 2016, 11, e0162329.	1.1	4
957	Measures of Psychosis Proneness and Genetic Risk for Schizophrenia. <i>JAMA Psychiatry</i> , 2016, 73, 638.	6.0	4
958	An experience sampling study on the ecological validity of the SWN-20: Indication that subjective well-being is associated with momentary affective states above and beyond psychosis susceptibility. <i>Psychiatry Research</i> , 2017, 258, 234-238.	1.7	4
959	Childhood theory of mind does not predict psychotic experiences and social functioning in a general population sample of adolescents. <i>PLoS ONE</i> , 2019, 14, e0213165.	1.1	4
960	Duration of Untreated Psychosis in First-Episode Psychosis is not Associated With Common Genetic Variants for Major Psychiatric Conditions: Results From the Multi-Center EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 1653-1662.	2.3	4
961	The relationship of symptom dimensions with premorbid adjustment and cognitive characteristics at first episode psychosis: Findings from the EU-GEI study. <i>Schizophrenia Research</i> , 2021, 236, 69-79.	1.1	4
962	Cognitive epidemiology: psychological and social risk mechanisms for psychosis. , 2002, , 39-57.		4
963	Psychosis Research at Maastricht University, The Netherlands. <i>British Journal of Psychiatry</i> , 2003, 183, 559-560.	1.7	4
964	Bone Mineral Density as a Marker of Cumulative Estrogen Exposure in Psychotic Disorder: A 3 Year Follow-Up Study. <i>PLoS ONE</i> , 2015, 10, e0136320.	1.1	4
965	Momentary Manifestations of Negative Symptoms as Predictors of Clinical Outcomes in People at High Risk for Psychosis: Experience Sampling Study. <i>JMIR Mental Health</i> , 2021, 8, e30309.	1.7	4
966	Changes in negative symptoms and the risk of tardive dyskinesia: a longitudinal study. UK700 Group. <i>Acta Psychiatrica Scandinavica</i> , 2000, 101, 300-6.	2.2	4
967	General psychopathology and its social correlates in the daily lives of youth. <i>Journal of Affective Disorders</i> , 2022, 309, 428-436.	2.0	4
968	City birth and schizophrenia incidence: Is the relationship diagnosis-specific?. <i>Schizophrenia Research</i> , 1997, 24, 260.	1.1	3
969	Urbanization, migration and risk of schizophrenia. , 2002, , 49-68.		3
970	Prodrome, onset and early course of schizophrenia. , 2002, , 124-147.		3
971	Gene-environment correlation and interaction in schizophrenia. , 2002, , 235-253.		3
972	Life events and depression: is there a causal connection?. , 2004, , 38-58.		3

#	ARTICLE	IF	CITATIONS
973	The aetiological continuum of psychosis. , 2004, , 342-366.		3
974	Commentary on Residential Location Papers by Whitfield et al. (2005) and Willemsen et al. (2005). Twin Research and Human Genetics, 2005, 8, 318-319.	0.3	3
975	The combination of shared family environment and individual-specific developmental deviance as a cause for treated psychiatric morbidity in children. Acta Psychiatrica Scandinavica, 2005, 112, 376-384.	2.2	3
976	Environmental vulnerability and genetic-environmental interactions. , 0, , 47-60.		3
977	THE PREDICTIVE VALUE OF PAIN EVENT-RELATED POTENTIALS FOR THE CLINICAL EXPERIENCE OF PAIN. Journal of Integrative Neuroscience, 2010, 09, 1-10.	0.8	3
978	Daily life moment-to-moment variation in coping in people with a diagnosis of schizophrenia: state within trait psychosis. Psychosis, 2012, 4, 115-125.	0.4	3
979	A new public health genomics model for common complex diseases, with an application to common behavioral disorders. Personalized Medicine, 2012, 9, 29-38.	0.8	3
980	Epigenetic epidemiology in psychiatry: A translational neuroscience perspective. Translational Neuroscience, 2012, 3, .	0.7	3
981	Mental disorder: a public health problem stuck in an individual-level brain disease perspective?. World Psychiatry, 2015, 14, 47-48.	4.8	3
982	Structure of the Psychotic Disorders Classification in DSM-5. Focus (American Psychiatric) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 382 Td	0.4	3
983	Higher schizotypy predicts better metabolic profile in unaffected siblings of patients with schizophrenia. Psychopharmacology, 2018, 235, 1029-1039.	1.5	3
984	Steinberg and Durell (1968) revisited: increased rates of First Episode Psychosis following military induction in Greek Army Recruits. Psychological Medicine, 2018, 48, 728-736.	2.7	3
985	Validation of short instruments assessing parental and caregiversâ€™ perceptions on child health and development for personalized prevention. Clinical Child Psychology and Psychiatry, 2019, 24, 608-630.	0.8	3
986	Tackling rising numbers of opioid prescriptions users. Lancet Public Health, The, 2020, 5, e16.	4.7	3
987	Study protocol of a randomized, double-blind, placebo-controlled, multi-center trial to treat antipsychotic-induced weight gain: the Metformin-Lifestyle in antipsychotic users (MELIA) trial. BMC Psychiatry, 2021, 21, 4.	1.1	3
988	Continua or Classes? Vexed Questions on the Latent Structure of Schizophrenia. , 2010, , 333-355.		3
989	European Union government legislation affecting psychiatric practice. Psychiatric Bulletin, 1994, 18, 390-394.	0.3	3
990	Prenatal Famine and the Spectrum of Psychosis. Psychiatric Annals, 1999, 29, 145-150.	0.1	3

#	ARTICLE	IF	CITATIONS
991	Negative life events and stress sensitivity in youth's daily life: an ecological momentary assessment study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1641-1657.	1.6	3
992	Long-term treatment of antipsychotics and combined therapy with other psychotropic medications inducing weight gain in patients with non-affective psychotic disorder: Evidence from GROUP, a longitudinal study. <i>Psychiatry Research</i> , 2022, 314, 114680.	1.7	3
993	The feasibility of a psychiatric common market. <i>Psychiatric Bulletin</i> , 1994, 18, 193-195.	0.3	2
994	Response to comments on 'Puberty and the onset of psychosis' by Galdos et al.. <i>Schizophrenia Research</i> , 1994, 13, 85-86.	1.1	2
995	From first episode to long-term care: The need for sustained clinical commitment. <i>International Journal of Psychiatry in Clinical Practice</i> , 2000, 4, 19-24.	1.2	2
996	Neighbourhood variation in schizophrenia incidence: Evidence for person-environment interaction. <i>Schizophrenia Research</i> , 2000, 41, 66.	1.1	2
997	Patients' Perceptions of Intensive Case Management. <i>Psychiatric Services</i> , 2002, 53, 1432-1437.	1.1	2
998	Evidence that ethnic group effects on psychosis risk are confounded by experience of discrimination. <i>European Psychiatry</i> , 2002, 17, 83-84.	0.1	2
999	Temporal variation in the incidence, course and outcome of schizophrenia. , 2002, , 34-48.		2
1000	Childhood abuse as a risk factor for psychotic experiences. <i>Schizophrenia Research</i> , 2003, 60, 40.	1.1	2
1001	P.3.a.031 Prospective cohort study of cannabis use, predisposition for psychosis, and psychotic symptoms in young people. <i>European Neuropsychopharmacology</i> , 2006, 16, S381.	0.3	2
1002	Antipsychotic drugs for prevention of relapse. <i>Lancet, The</i> , 2012, 379, 2030-2031.	6.3	2
1003	S.22.03 Positive affect and recovery from depression. <i>European Neuropsychopharmacology</i> , 2012, 22, S140.	0.3	2
1004	Genotype-based prevention of psychosis onset and schizophrenia: a personalized approach in a target population. <i>Personalized Medicine</i> , 2014, 11, 167-172.	0.8	2
1005	Sexuality and intimacy among people with serious mental illness in hospital and community settings. <i>JBI Database of Systematic Reviews and Implementation Reports</i> , 2018, 16, 324-327.	1.7	2
1006	5.4 BIOLOGICAL AND EPIDEMIOLOGICAL EXAMINATION OF TRANSDIAGNOSTIC AND SPECIFIC SYMPTOM DIMENSIONS AT PSYCHOSIS ONSET: FINDINGS FROM THE EUGEI STUDY. <i>Schizophrenia Bulletin</i> , 2018, 44, S7-S7.	2.3	2
1007	Is BDNF Val66Met polymorphism associated with psychotic experiences and psychotic disorder outcome? Evidence from a 6 years prospective population-based cohort study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019, 180, 113-121.	1.1	2
1008	Izmir Mental Health Cohort for Gene-Environment Interaction in Psychosis (TARKSCH): Assessment of the Extended and Transdiagnostic Psychosis Phenotype and Analysis of Attrition in a 6-Year Follow-Up of a Community-Based Sample. <i>Frontiers in Psychiatry</i> , 2019, 10, 554.	1.3	2

#	ARTICLE	IF	CITATIONS
1009	Microstructural white matter network-connectivity in individuals with psychotic disorder, unaffected siblings and controls. <i>NeuroImage: Clinical</i> , 2019, 23, 101931.	1.4	2
1010	The impact of adverse childhood experiences on EMG reactivity: A proof of concept study. <i>PLoS ONE</i> , 2019, 14, e0216657.	1.1	2
1011	Population-based identity-by-descent mapping combined with exome sequencing to detect rare risk variants for schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019, 180, 223-231.	1.1	2
1012	White matter microstructure and network-connectivity in emerging adults with subclinical psychotic experiences. <i>Brain Imaging and Behavior</i> , 2020, 14, 1876-1888.	1.1	2
1013	Precursors of self-reported subclinical hypomania in adolescence: A longitudinal general population study. <i>PLoS ONE</i> , 2021, 16, e0253507.	1.1	2
1014	The impact of childhood sexual trauma on intimacy and sexuality needs among people with non-affective psychosis. <i>Schizophrenia Research</i> , 2021, 236, 97-103.	1.1	2
1015	The Natural History of the Course and Outcome of Schizophrenia. , 2010, , 51-65.		2
1016	Is there a role for social factors in a comprehensive development model for schizophrenia?. , 2004, , 224-247.		2
1017	The role of affective processing in vulnerability to and resilience against depression. , 2009, , 181-192.		2
1018	Serum S100B: A proxy marker for grey and white matter status in the absence and presence of (increased risk of) psychotic disorder?. <i>PLoS ONE</i> , 2017, 12, e0174752.	1.1	2
1019	Identifying at-risk states beyond positive symptoms: a brief task assessing how neurocognitive impairments impact on misrepresentation of the social world through blunted emotional appraisal. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, s175-s196.	0.9	2
1020	The Association Between The Extended Psychosis Phenotype and COMT val158met and BDNF val66met Polymorphisms. <i>Turk Psikiyatri Dergisi</i> , 2018, , .	0.2	2
1021	Home-based versus in/out-patient care for people with serious mental illness. <i>British Journal of Psychiatry</i> , 1995, 166, 543-544.	1.7	1
1022	Minor physical anomalies in the functional psychoses: Associations with clinical and putative aetiological variables. <i>Schizophrenia Research</i> , 1995, 15, 17-18.	1.1	1
1023	Does familiarity predispose to both emergence and persistence of psychosis? A prospective study. <i>Schizophrenia Research</i> , 1996, 18, 113.	1.1	1
1024	Dermatoglyphic a-b ridge count and risk for schizophrenia. <i>Schizophrenia Research</i> , 1996, 18, 169.	1.1	1
1025	Increased morbid risk of schizophrenia in relatives of patients with severe bipolar disorder. <i>European Psychiatry</i> , 1996, 11, 306s-307s.	0.1	1
1026	What can we learn from the epidemic of schizophrenia in African-Caribbeans in the UK?. <i>Schizophrenia Research</i> , 1997, 24, 255.	1.1	1

#	ARTICLE	IF	CITATIONS
1027	High rates of psychosis in urban areas: Effect of urban birth or residence?. Schizophrenia Research, 1998, 29, 27.	1.1	1
1028	Are psychotic symptoms in the general population useful as a diagnostic test for schizophrenia?. Schizophrenia Research, 2000, 41, 10.	1.1	1
1029	Increased occurrence of depression in psychosis-prone subjects. A follow-up study in primary care settings. Schizophrenia Research, 2000, 41, 76.	1.1	1
1030	The "classical" genetic epidemiology of schizophrenia. , 2002, , 195-219.		1
1031	Prevention of schizophrenia " not an impossible dream. , 2002, , 427-440.		1
1032	Genetics of depression. , 2004, , 59-77.		1
1033	Diagnosing depression. , 2004, , 1-11.		1
1034	Cannabis and psychosis. British Journal of Psychiatry, 2004, 185, 352-352.	1.7	1
1035	TC16C DISCRIMINATION AND ETHNIC DENSITY AS RISK FACTORS OF PSYCHOTIC DISORDERS IN ETHNIC MINORITIES. Schizophrenia Research, 2006, 86, S57.	1.1	1
1036	Childhood victimization and developmental expression of sub-clinical psychosis. European Psychiatry, 2007, 22, S19.	0.1	1
1037	Exploring the Causal Relationship Between Cannabis and Schizophrenia: What is the Role of Genes and Environment?. European Psychiatry, 2009, 24, .	0.1	1
1038	THE DEFICIT SYNDROME IN SCHIZOPHRENIA: ASSOCIATIONS WITH HIPPOCAMPAL VOLUME AND PREFRONTAL CORTICAL THICKNESS. Schizophrenia Research, 2010, 117, 226.	1.1	1
1039	THE STRUCTURE OF THE EXTENDED PSYCHOSIS PHENOTYPE IN EARLY ADOLESCENCE. Schizophrenia Research, 2010, 117, 322.	1.1	1
1040	WIDESPREAD, HERITABLE, BRAIN ALTERATIONS IN INDIVIDUALS WITH SCHIZOPHRENIA AND INDIVIDUALS 'AT RISK': EVIDENCE FOR A CORTICAL THICKNESS INTERMEDIATE PHENOTYPE. Schizophrenia Research, 2010, 117, 339-340.	1.1	1
1041	Which cannabis users develop psychosis?. , 2011, , 137-143.		1
1042	Response to Rietdijk et al. Letter. American Journal of Psychiatry, 2011, 168, 1221-1221.	4.0	1
1043	¿Media la dopamina los efectos psic3ticos del Cannabis? Revisi3n e integraci3n de los hallazgos a trav3s de disciplinas. Psiquiatría Biológica, 2012, 19, 49-58.	0.0	1
1044	Genotype by environment interaction and neurodevelopment III. Focus on the child's broader social ecology. Epidemiology and Psychiatric Sciences, 2013, 22, 125-129.	1.8	1

#	ARTICLE	IF	CITATIONS
1045	Poster #T195 PSYCHOLOGICAL MECHANISMS UNDERLYING THE ASSOCIATION BETWEEN CHILDHOOD ADVERSITY AND PSYCHOSIS: AN EXPERIENCE SAMPLING STUDY. <i>Schizophrenia Research</i> , 2014, 153, S358.	1.1	1
1046	Maternal C-Reactive Protein and Schizophrenia. <i>American Journal of Psychiatry</i> , 2015, 172, 200-200.	4.0	1
1047	Long-term Outcome in Schizophrenia: a Six-year Follow-up in over 1000 Patients. <i>European Psychiatry</i> , 2015, 30, 238.	0.1	1
1048	Cortical processes of speech illusions in the general population. <i>BMC Neuroscience</i> , 2016, 17, 65.	0.8	1
1049	922. Reward Anticipation in Early Expression of Psychotic Disorder: A Functional MRI Approach. <i>Biological Psychiatry</i> , 2017, 81, S373.	0.7	1
1050	Blink rate is associated with drug-induced parkinsonism in patients with severe mental illness, but does not meet requirements to serve as a clinical test: the Curacao extrapyramidal syndromes study XIII. <i>Journal of Negative Results in BioMedicine</i> , 2017, 16, 15.	1.4	1
1051	Authors'™ reply: Psychosis Spectrum Disorder is a clinical diagnosis. <i>Psychological Medicine</i> , 2018, 48, 523-524.	2.7	1
1052	O2.2. CHILDHOOD ADVERSITIES AND PSYCHOTIC SYMPTOMS: THE POTENTIAL MEDIATING OR MODERATING ROLE OF NEUROCOGNITION AND SOCIAL COGNITION. <i>Schizophrenia Bulletin</i> , 2018, 44, S76-S76.	2.3	1
1053	T110. FIRST EPISODE PSYCHOTIC PATIENTS WITH A HISTORY OF FREQUENT CANNABIS USE EXPRESS MORE POSITIVE SYMPTOMS AT ILLNESS ONSET THAN THOSE WHO NEVER USED CANNABIS. <i>Schizophrenia Bulletin</i> , 2018, 44, S158-S159.	2.3	1
1054	Reward anticipation in individuals with subclinical psychotic experiences: A functional MRI approach. <i>European Neuropsychopharmacology</i> , 2019, 29, 1374-1385.	0.3	1
1055	7.4 PSYCHOTIC EXPERIENCES IN CHILDHOOD AND SUBSEQUENT SUICIDAL BEHAVIOR IN ADOLESCENCE " A COPENHAGEN CHILD COHORT 2000 STUDY. <i>Schizophrenia Bulletin</i> , 2019, 45, S98-S99.	2.3	1
1056	7.3 POLYGENIC RISK FOR SCHIZOPHRENIA MODERATES THE INFLUENCE OF CHILDHOOD ADVERSITY ON DAILY-LIFE EMOTIONAL DYSREGULATION AND PSYCHOSIS PRONENESS. <i>Schizophrenia Bulletin</i> , 2019, 45, S98-S98.	2.3	1
1057	Patterns of obsessive-compulsive symptoms and social functioning in schizophrenia; a replication study. <i>Psychiatry Research</i> , 2019, 271, 421-427.	1.7	1
1058	M126. THE MAIN AND INTERACTIVE EFFECTS OF ADULT STRESSFUL LIFE EVENTS WITH GENOMIC AND EXPOSOMIC LIABILITY FOR SCHIZOPHRENIA ON MENTAL AND PHYSICAL HEALTH: A PROSPECTIVE COHORT STUDY. <i>Schizophrenia Bulletin</i> , 2020, 46, S183-S183.	2.3	1
1059	Symptomatic Remission Along the Clinical Psychosis Spectrum: A Historical and Conceptual Review. <i>Noropsikiyatri Arsivi</i> , 2021, 58, S3-S6.	0.2	1
1060	Social Defeat, Psychotic Symptoms, and Crime in Young Caribbean Immigrants to Rotterdam. <i>Frontiers in Psychiatry</i> , 2021, 12, 498096.	1.3	1
1061	Gene"Environment Interactions for Searchers: Collaboration between Epidemiology and Molecular Genetics. , 2010, , 19-50.		1
1062	Investigating Associations Between Changes in Mobile Phone Use and Emotions Using the Experience Sampling Method: Pilot Study. <i>JMIR Formative Research</i> , 2018, 2, e12.	0.7	1

#	ARTICLE	IF	CITATIONS
1063	Movement Disorders and Mortality in Severely Mentally Ill Patients: The Curacao Extrapyramidal Syndromes Study XIV. <i>Schizophrenia Bulletin</i> , 2022, 48, 766-773.	2.3	1
1064	Home alone: Social functioning as a transdiagnostic marker of mental health in youth, exploring retrospective and daily life measurements. <i>Comprehensive Psychiatry</i> , 2022, 115, 152309.	1.5	1
1065	Commentary on Residential Location Papers by Whitfield et al. (2005) and Willemsen et al. (2005). <i>Twin Research and Human Genetics</i> , 2005, 8, 318-319.	0.3	1
1066	Community psychiatric nurse teams. <i>British Journal of Psychiatry</i> , 1994, 165, 839-840.	1.7	0
1067	Increased intra-cerebral CSF spaces as a risk factor for unemployment and negative symptoms in psychotic illness: A prospective study. <i>Schizophrenia Research</i> , 1995, 15, 201.	1.1	0
1068	A study of monozygotic twins discordant and concordant for psychotic illness examining dermatoglyphic risk factors for psychosis. <i>Schizophrenia Research</i> , 1996, 18, 172.	1.1	0
1069	Affective illness in the mother as a risk factor for obstetric complications. <i>Schizophrenia Research</i> , 1997, 24, 47-48.	1.1	0
1070	Psychopathological dimensions and familial morbid risk of psychosis. <i>Schizophrenia Research</i> , 1997, 24, 48.	1.1	0
1071	Temporal origin of cerebral structural abnormalities in schizophrenia: Associations with second trimester dermatoglyphic ridge counts. <i>Schizophrenia Research</i> , 1997, 24, 158.	1.1	0
1072	Higher schizophrenia incidence in deprived urban areas: Evidence for a mechanism of social deterioration. <i>Schizophrenia Research</i> , 1998, 29, 26.	1.1	0
1073	A family study of psychiatric morbidity in a sample of bipolar patients showing increased risk of schizophrenia. <i>Schizophrenia Research</i> , 1998, 29, 141.	1.1	0
1074	The shared social environment and psychiatric disorder: Ecological or individual effect?. <i>Schizophrenia Research</i> , 1998, 29, 190.	1.1	0
1075	Early antecedents of functional psychoses. <i>European Psychiatry</i> , 1998, 13, 143s-143s.	0.1	0
1076	Commentary on "Outcome of Schizophrenia in Relation to Brain Abnormalities" by Staal et al.. <i>Schizophrenia Bulletin</i> , 2000, 26, 515-516.	2.3	0
1077	Diagnostic properties of the DSM and ICD categories of psychosis: An evidence-based approach. <i>Schizophrenia Research</i> , 2000, 41, 51.	1.1	0
1078	Negative dimension of schizotypy associated with early developmental instability in normal adolescents. <i>Schizophrenia Research</i> , 2000, 41, 84.	1.1	0
1079	Shared genes or shared placenta: What makes MZ twins more similar than DZ twins?. <i>Schizophrenia Research</i> , 2000, 41, 101.	1.1	0
1080	Metabolic stress and cerebral grey matter in psychosis. <i>Schizophrenia Research</i> , 2000, 41, 123.	1.1	0

#	ARTICLE	IF	CITATIONS
1081	Psychosis consultation team: Consultation to general practitioners to facilitate early detection and treatment. Schizophrenia Research, 2000, 41, 182.	1.1	0
1082	Predictors and impact on outcome of medication compliance in first-admitted subjects with psychosis. Schizophrenia Research, 2000, 41, 223.	1.1	0
1083	SES01.01 Developmental precursors of affective illness in a general population birth cohort. European Psychiatry, 2000, 15, 213s-213s.	0.1	0
1084	S36.03 Delusions in the General Population. European Psychiatry, 2000, 15, 286s-286s.	0.1	0
1085	FC12.03 Recent dermatoglyphic studies in twin samples: Further evidences for an environmental risk factor in schizophrenia. European Psychiatry, 2000, 15, 305s-306s.	0.1	0
1086	The value of first-episode studies in schizophrenia. , 2002, , 148-166.		0
1087	The implications of epidemiology for service planning in schizophrenia. , 2002, , 411-426.		0
1088	Hallucinatory experiences and onset of psychotic disorder: The role of cognitive appraisals. Schizophrenia Research, 2003, 60, 42.	1.1	0
1089	Gene-environment correlation and interaction in depression. , 2004, , 78-90.		0
1090	Psychiatry in Europe. British Journal of Psychiatry, 2005, 187, 92-92.	1.7	0
1091	P.2.e.006 Outcomes of acute mania: 12 months results from the European mania in bipolar longitudinal evaluation of medication (EMBLEM) study. European Neuropsychopharmacology, 2006, 16, S349.	0.3	0
1092	P.3.a.015 Elaboration on the association between urbanicity and schizophrenia. European Neuropsychopharmacology, 2006, 16, S372.	0.3	0
1093	WC6D SUBCLINICAL PSYCHOTIC EXPERIENCES IN THE GENERAL POPULATION: EVIDENCE FROM WESTERN EUROPE. Schizophrenia Research, 2006, 86, S16.	1.1	0
1094	TC2A COMT VAL 158MET MODERATION OF CANNABIS INDUCED PSYCHOSIS: AN EXPERIENCE SAMPLING STUDY (ESM). Schizophrenia Research, 2006, 86, S25.	1.1	0
1095	TC9B AFFECTIVE PROCESSES IN THE ONSET AND PERSISTENCE OF PSYCHOSIS. Schizophrenia Research, 2006, 86, S29-S30.	1.1	0
1096	TC15A BEHAVIOURAL AND DOPAMINE SENSITIZATION TO STRESS IN INDIVIDUALS AT RISK FOR PSYCHOSIS. Schizophrenia Research, 2006, 86, S32.	1.1	0
1097	TC15D HPA AXIS AND THE STRESS RESPONSE IN PSYCHOSIS. Schizophrenia Research, 2006, 86, S32-S33.	1.1	0
1098	Challenges and options in the treatment of schizophrenia. European Psychiatry, 2007, 22, S122.	0.1	0

#	ARTICLE	IF	CITATIONS
1099	EMOTIONAL CHANGES AND PARANOIA: AN EXPERIENCE SAMPLING STUDY. Schizophrenia Research, 2008, 102, 129-130.	1.1	0
1100	VOICE HEARING IN CHILDHOOD: PREVALENCE RATES AND ASSOCIATIONS WITH OBSTETRIC COMPLICATIONS, EARLY DEVELOPMENT AND SOCIAL BEHAVIOUR. Schizophrenia Research, 2008, 102, 163.	1.1	0
1101	EMOTIONAL REACTIVITY TO STRESS IN DAILY LIFE, COGNITIVE FUNCTIONING AND THE SYMPTOMS OF PSYCHOSIS: EVIDENCE FOR A POSITIVE VERSUS NEGATIVE SYNDROME. Schizophrenia Research, 2008, 102, 226.	1.1	0
1102	NEGATIVE SYMPTOMS IN PSYCHOSIS: DO THEY REALLY EXIST?. Schizophrenia Research, 2008, 102, 229.	1.1	0
1103	OBSESSIVE-COMPULSIVE SYMPTOMS ARE ASSOCIATED WITH BUT DO NOT PREDICT PSYCHOTIC SYMPTOMS IN PATIENTS WITH PSYCHOSIS. Schizophrenia Research, 2008, 102, 230.	1.1	0
1104	OCD PREDICTS PSYCHOTIC SYMPTOMS IN THE GENERAL POPULATION. Schizophrenia Research, 2008, 102, 230-231.	1.1	0
1105	IS INCREASED REACTIVITY TO STRESS AN ENDOPHENOTYPE FOR PSYCHOSIS?. Schizophrenia Research, 2008, 102, 179-180.	1.1	0
1106	Research methods in psychiatry. , 0, , 53-67.		0
1107	MURRAY ET AL (2004) REVISITED: IS BIPOLAR DISORDER SCHIZOPHRENIA WITHOUT DEVELOPMENTAL IMPAIRMENT?. Schizophrenia Research, 2010, 117, 128.	1.1	0
1108	COMTVAL158MET POLYMORPHISM IN INTERACTION WITH DAILY STRESS: HOW COMT CONNECTS TO PSYCHOSIS. Schizophrenia Research, 2010, 117, 296-297.	1.1	0
1109	SYSTEMATIC REVIEW & STANDARDISED RECALCULATION OF INCIDENCE RATES FOR SCHIZOPHRENIA ACROSS THE LIFE SPAN. Schizophrenia Research, 2010, 117, 297.	1.1	0
1110	MOMENTARY ASSESSMENT TECHNOLOGY TO ASSESS GENE-ENVIRONMENT INTERACTIONS UNDERLYING THE AFFECTIVE INTERMEDIARY PHENOTYPE OF STRESS SENSITIVITY IN SCHIZOPHRENIA. Schizophrenia Research, 2010, 117, 160-161.	1.1	0
1111	EVIDENCE FOR THE BEHAVIORAL SENSITIZATION HYPOTHESIS OF PSYCHOSIS: AN 8-YEAR LONGITUDINAL COHORT STUDY INVESTIGATING THE EFFECTS OF CASCADING PSYCHOLOGICAL STRESSORS ON PSYCHOSIS OUTCOME. Schizophrenia Research, 2010, 117, 183.	1.1	0
1112	ONSET OF PSYCHOTIC ILLNESS: NEGATIVE SYMPTOMS INCREASING RISK FOR POSITIVE SYMPTOMS INCREASING RISK FOR IMPAIRMENT?. Schizophrenia Research, 2010, 117, 196-197.	1.1	0
1113	MTHFR GENOTYPE AND DIFFERENTIAL EVOLUTION OF METABOLIC PARAMETERS AFTER INITIATION OF A SECOND GENERATION ANTIPSYCHOTIC. Schizophrenia Research, 2010, 117, 218.	1.1	0
1114	ARE SOCIAL ANXIETY AND PARANOIA ASSOCIATED, AND WHICH COMES FIRST?. Schizophrenia Research, 2010, 117, 317-318.	1.1	0
1115	Risk factors of auditory hallucinations in childhood: adversity and the formation of psychotic-like ideation. European Psychiatry, 2011, 26, 1343-1343.	0.1	0
1116	Evidence that better theory of mind skills in children with auditory hallucinations mitigate the risk of secondary delusion formation. European Psychiatry, 2011, 26, 267-267.	0.1	0

#	ARTICLE	IF	CITATIONS
1117	FC06-03 - Course of auditory vocal hallucinations in childhood: A 5-year follow-up study. <i>European Psychiatry</i> , 2011, 26, 1842-1842.	0.1	0
1118	P.2.a.012 Evidence that self-reported sleep impacts on momentary affect in daily life and predicts follow-up depressive symptomatology. <i>European Neuropsychopharmacology</i> , 2012, 22, S230-S231.	0.3	0
1119	Epigenetic Epidemiology of Psychiatric Disorders. , 2012, , 343-376.		0
1120	Poster #81 GENETIC VARIATION IN ABCB1 ASSOCIATED WITH P300 AMPLITUDE IN SCHIZOPHRENIA. <i>Schizophrenia Research</i> , 2012, 136, S120.	1.1	0
1121	Poster #197 FACTOR STRUCTURE OF SCHIZOTYPY AND ASSOCIATIONS WITH PSYCHOPATHOLOGY AND FUNCTIONING IN A GROUP PREVIOUSLY AT ULTRA-HIGH RISK FOR PSYCHOSIS. <i>Schizophrenia Research</i> , 2012, 136, S256.	1.1	0
1122	Poster #24 FROM LAB TO LIFE: PREFRONTAL DOPAMINERGIC HYPOREACTIVITY TO PSYCHOSOCIAL STRESS PREDICTS PSYCHOTIC EXPERIENCES IN RESPONSE TO DAILY LIFE STRESS IN INDIVIDUALS WITH A FAMILIAL RISK OF PSYCHOSIS. <i>Schizophrenia Research</i> , 2012, 136, S289.	1.1	0
1123	Poster #31 FUNCTIONAL CONNECTIVITY IN RELATION TO DIFFERENT GENETIC RISK LEVELS FOR PSYCHOTIC DISORDER: A RESTING STATE FMRI STUDY. <i>Schizophrenia Research</i> , 2012, 136, S291-S292.	1.1	0
1124	826 " An incidence study of diagnosed autism-spectrum disorders among immigrants to the netherlands. <i>European Psychiatry</i> , 2013, 28, 1.	0.1	0
1125	Analysis of pathogenic autoantibodies against the N-methyl-d-aspartate glutamate receptor in schizophrenia. <i>Journal of Neuroimmunology</i> , 2014, 275, 101.	1.1	0
1126	Analysis of auto-antibodies in schizophrenia. <i>Journal of Neuroimmunology</i> , 2014, 275, 101.	1.1	0
1127	PWE-239"Developing a patient reported outcome measure for symptom assessment in irritable bowel syndrome by experience sampling methodoutcomeof focus groups. <i>Gut</i> , 2015, 64, A317.1-A317.	6.1	0
1128	Long-Term Results after Bariatric Surgery: A Patient-Centered Analysis. <i>Bariatric Surgical Patient Care</i> , 2016, 11, 177-182.	0.1	0
1129	P.3.009 Quitting cannabis decreases but does not eliminate psychosis risk: evidence from a 7 years large population-based cohort. <i>European Neuropsychopharmacology</i> , 2016, 26, S53-S54.	0.3	0
1130	O42. Gene-Environment Correlation Does not Explain Away the Association Between Childhood Trauma and Psychopathology: A Monozygotic Twin Differences Approach. <i>Biological Psychiatry</i> , 2018, 83, S125-S126.	0.7	0
1131	T132. ASSESSMENT OF CROSS-NATIONAL EQUIVALENCE OF THE COMMUNITY ASSESSMENT OF PSYCHIC EXPERIENCES (CAPE). <i>Schizophrenia Bulletin</i> , 2018, 44, S166-S167.	2.3	0
1132	F4. LINKING LIFE EVENTS WITH NEGATIVE AFFECT AND PSYCHOTIC EXPERIENCES IN DAILY LIVES OF YOUTH: STRESS SENSITIVITY AS A PUTATIVE MECHANISM?. <i>Schizophrenia Bulletin</i> , 2018, 44, S219-S219.	2.3	0
1133	T115. REASONING BIAS, WORKING MEMORY PERFORMANCE, AND A TRANSDIAGNOSTIC PHENOTYPE OF AFFECTIVE DISTURBANCES AND PSYCHOTIC EXPERIENCES IN THE GENERAL POPULATION. <i>Schizophrenia Bulletin</i> , 2018, 44, S160-S161.	2.3	0
1134	F215. Gene- and Pathway-Based Analysis of the Ischemia-Hypoxia Response to Developmental Adversities: Testing the Developmental Origins of Health and Disease (DOHaD) Model in Mental Health. <i>Biological Psychiatry</i> , 2018, 83, S322-S323.	0.7	0

#	ARTICLE	IF	CITATIONS
1135	S94. MUTATION-INTOLERANT GENES AND MONOGENIC DISEASE GENES IN 145 LOCI OF SCHIZOPHRENIA (SCZ) GWAS ARE LINKED TO THE ISCHEMIA-HYPOXIA RESPONSE. Schizophrenia Bulletin, 2019, 45, S342-S343.	2.3	0
1136	O7.8. TRUST AND THE CITY â€“ LINKING URBAN UPBRINGING TO NEURAL MECHANISMS OF TRUST IN PSYCHOSIS. Schizophrenia Bulletin, 2019, 45, S182-S183.	2.3	0
1137	O6.7. TESTING THE HIGH RISK AND TRANSITION FRAMEWORK IN THE GENERAL POPULATION: POPULATION-BASED MEASURES OF RISK AND TRANSITION FOR PSYCHOSIS 6-YEAR LONGITUDINAL FOLLOW-UP. Schizophrenia Bulletin, 2019, 45, S178-S178.	2.3	0
1138	20.4 EXAMINING THE ASSOCIATION BETWEEN CANNABIS USE AND PSYCHOSIS ACROSS THE SPECTRA OF EXPOSURE AND PHENOTYPE. Schizophrenia Bulletin, 2019, 45, S122-S123.	2.3	0
1139	20.3 DNA METHYLATION PROFILING MIGHT SHED LIGHT ON THE BIOLOGY OF CANNABIS ASSOCIATED PSYCHOSIS. Schizophrenia Bulletin, 2019, 45, S122-S122.	2.3	0
1140	O3.1. ASSOCIATION OF EXTENT OF CANNABIS USE AND ACUTE INTOXICATION EXPERIENCES IN A MULTI-NATIONAL SAMPLE OF FIRST EPISODE PSYCHOSIS PATIENTS AND CONTROLS. Schizophrenia Bulletin, 2019, 45, S165-S166.	2.3	0
1141	O6.5. INVESTIGATING VARIABLES FROM THE NAPLS RISK CALCULATOR FOR PSYCHOSIS IN THE EU-GEI HIGH RISK STUDY. Schizophrenia Bulletin, 2019, 45, S177-S178.	2.3	0
1142	Preschool Social Participation, the Impact of Early Life Stress and Parental Health. Child Care in Practice, 0, , 1-18.	0.5	0
1143	The genetics of drug-related movement disorders (DRMD), reply to comment: Antipsychotic-induced catatonia and neuroleptic malignant syndrome: The dark side of the moon. Molecular Psychiatry, 2021, 26, 6115-6115.	4.1	0
1144	Asociaci3n de los problemas de salud mental en la infancia con el crecimiento f3sico prenatal y posnatal. European Psychiatry (Ed Espa±ola), 2005, 12, 396-406.	0.0	0
1145	On the linkage of impact damage to modeling of ballistic performance. WIT Transactions on Modelling and Simulation, 2007, , .	0.0	0
1146	Lifetime prevalences and correlates of psychotic and bipolar I disorders in general population of Izmir, Turkey. Turk Psikiyatri Dergisi, 2012, , .	0.2	0
1147	Cuestiones 3ticas en psiquiatr3a europea. European Psychiatry (Ed Espa±ola), 1996, 3, 320-328.	0.0	0
1148	Psychiatric training in the Netherlands. Psychiatric Bulletin, 1997, 21, 58-58.	0.3	0
1149	¿Necesitamos un consenso europeo sobre el uso de medicaci3n antipsic3tica?. European Psychiatry (Ed Tj ETQq1 1 0.784314 rgBT 0.0)	0.0	0
1150	Predicci3n de la duraci3n de la psicosis antes de la primera admisi3n. European Psychiatry (Ed Tj ETQq0 0 0 rgBT 0.0 Overlock 10 Tf 50)	0.0	0
1151	Het bio-psycho-sociale conflict in de ziel van de psychiater. , 2018, , 155-169.		0
1152	8.8 Psychosesyndroom. , 2018, , 375-385.		0

#	ARTICLE	IF	CITATIONS
1153	Risk Factors for Tremor in a Population of Patients with Severe Mental Illness: An 18-year Prospective Study in a Geographically Representative Sample (The Curacao Extrapyramidal Syndromes Study XI). Tremor and Other Hyperkinetic Movements, 2017, 7, 468.	1.1	0
1154	Editorial: Gone to Pot: Examining the Association Between Cannabis Use and Medical/Psychiatric Disorders. Frontiers in Psychiatry, 2022, 13, 837757.	1.3	0
1155	A 6-year follow-up study in a community-based population: Is neighbourhood-level social capital associated with the risk of emergence and persistence of psychotic experiences and transition to psychotic disorder?. Psychological Medicine, 2022, , 1-13.	2.7	0