

# Jim van Os

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5862892/publications.pdf>

Version: 2024-02-01

1,155  
papers

121,574  
citations

355

136  
h-index

209

311  
g-index

1274  
all docs

1274  
docs citations

1274  
times ranked

88268  
citing authors

#	ARTICLE	IF	CITATIONS
1	Longitudinal associations between alcohol use, smoking, genetic risk scoring and symptoms of depression in the general population: a prospective 6-year cohort study. <i>Psychological Medicine</i> , 2023, 53, 1409-1417.	2.7	6
2	Context <i>v.</i> algorithm: evidence that a transdiagnostic framework of contextual clinical characterization is of more clinical value than categorical diagnosis. <i>Psychological Medicine</i> , 2023, 53, 1825-1833.	2.7	8
3	Longitudinal clinical and functional outcome in distinct cognitive subgroups of first-episode psychosis: a cluster analysis. <i>Psychological Medicine</i> , 2023, 53, 2317-2327.	2.7	13
4	Association between exposome score for schizophrenia and functioning in first-episode psychosis: results from the Athens first-episode psychosis research study. <i>Psychological Medicine</i> , 2023, 53, 2609-2618.	2.7	9
5	Use of multiple polygenic risk scores for distinguishing schizophrenia-spectrum disorder and affective psychosis categories in a first-episode sample; the EU-GEI study. <i>Psychological Medicine</i> , 2023, 53, 3396-3405.	2.7	9
6	Intelligence, educational attainment, and brain structure in those at familial high-risk for schizophrenia or bipolar disorder. <i>Human Brain Mapping</i> , 2022, 43, 414-430.	1.9	14
7	Comparing psychotic experiences in low-and-middle-income-countries and high-income-countries with a focus on measurement invariance. <i>Psychological Medicine</i> , 2022, 52, 1509-1516.	2.7	16
8	A replication study of JTC bias, genetic liability for psychosis and delusional ideation. <i>Psychological Medicine</i> , 2022, 52, 1777-1783.	2.7	10
9	Relationship between jumping to conclusions and clinical outcomes in people at clinical high-risk for psychosis. <i>Psychological Medicine</i> , 2022, 52, 1569-1577.	2.7	11
10	Evidence, and replication thereof, that molecular-genetic and environmental risks for psychosis impact through an affective pathway. <i>Psychological Medicine</i> , 2022, 52, 1910-1922.	2.7	14
11	The incidence of psychotic disorders among migrants and minority ethnic groups in Europe: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2022, 52, 1376-1385.	2.7	17
12	Migration history and risk of psychosis: results from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2022, 52, 2972-2984.	2.7	22
13	Perceived major experiences of discrimination, ethnic group, and risk of psychosis in a six-country case-control study. <i>Psychological Medicine</i> , 2022, 52, 3668-3676.	2.7	7
14	Impact of Comorbid Affective Disorders on Longitudinal Clinical Outcomes in Individuals at Ultra-high Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2022, 48, 100-110.	2.3	9
15	Examining facial emotion recognition as an intermediate phenotype for psychosis: Findings from the EUGEI study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 113, 110440.	2.5	10
16	Lower emotional complexity as a prospective predictor of psychopathology in adolescents from the general population.. <i>Emotion</i> , 2022, 22, 836-843.	1.5	8
17	Verbal memory performance predicts remission and functional outcome in people at clinical high-risk for psychosis. <i>Schizophrenia Research: Cognition</i> , 2022, 28, 100222.	0.7	10
18	Ecological momentary assessment and other digital technologies for capturing daily life in mental health. , 2022, , 81-108.		6

#	ARTICLE	IF	CITATIONS
19	Schizophrenia as a symptom of psychiatry's reluctance to enter the moral era of medicine. <i>Schizophrenia Research</i> , 2022, 242, 138-140.	1.1	10
20	Childhood Maltreatment, Educational Attainment, and IQ: Findings From a Multicentric Case-control Study of First-episode Psychosis (EU-GEI). <i>Schizophrenia Bulletin</i> , 2022, 48, 575-589.	2.3	9
21	Facial Emotion Recognition in Psychosis and Associations With Polygenic Risk for Schizophrenia: Findings From the Multi-Center EU-GEI Case-Control Study. <i>Schizophrenia Bulletin</i> , 2022, 48, 1104-1114.	2.3	9
22	Editorial: Gone to Pot: Examining the Association Between Cannabis Use and Medical/Psychiatric Disorders. <i>Frontiers in Psychiatry</i> , 2022, 13, 837757.	1.3	0
23	Movement Disorders and Mortality in Severely Mentally Ill Patients: The Curacao Extrapyramidal Syndromes Study XIV. <i>Schizophrenia Bulletin</i> , 2022, 48, 766-773.	2.3	1
24	A 6-year follow-up study in a community-based population: Is neighbourhood-level social capital associated with the risk of emergence and persistence of psychotic experiences and transition to psychotic disorder?. <i>Psychological Medicine</i> , 2022, , 1-13.	2.7	0
25	Mapping genomic loci implicates genes and synaptic biology in schizophrenia. <i>Nature</i> , 2022, 604, 502-508.	13.7	929
26	Be(com)ing social: Daily-life social interactions and parental bonding. <i>Developmental Psychology</i> , 2022, 58, 792-805.	1.2	5
27	Gender differences in the association between environment and psychosis. <i>Schizophrenia Research</i> , 2022, 243, 120-137.	1.1	16
28	Home alone: Social functioning as a transdiagnostic marker of mental health in youth, exploring retrospective and daily life measurements. <i>Comprehensive Psychiatry</i> , 2022, 115, 152309.	1.5	1
29	Early intervention service systems for youth mental health: integrating pluripotentiality, clinical staging, and transdiagnostic lessons from early psychosis. <i>Lancet Psychiatry</i> , 2022, 9, 413-422.	3.7	36
30	Negative life events and stress sensitivity in youth's daily life: an ecological momentary assessment study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1641-1657.	1.6	3
31	General psychopathology and its social correlates in the daily lives of youth. <i>Journal of Affective Disorders</i> , 2022, 309, 428-436.	2.0	4
32	Exposome and Trans-syndromal Developmental Trajectories Toward Psychosis. <i>Biological Psychiatry Global Open Science</i> , 2022, 2, 197-205.	1.0	7
33	Childhood maltreatment mediates the effect of the genetic background on psychosis risk in young adults. <i>Translational Psychiatry</i> , 2022, 12, .	2.4	7
34	Long-term treatment of antipsychotics and combined therapy with other psychotropic medications inducing weight gain in patients with non-affective psychotic disorder: Evidence from GROUP, a longitudinal study. <i>Psychiatry Research</i> , 2022, 314, 114680.	1.7	3
35	Clinical, cognitive and neuroanatomical associations of serum NMDAR autoantibodies in people at clinical high risk for psychosis. <i>Molecular Psychiatry</i> , 2021, 26, 2590-2604.	4.1	16
36	Functional Magnetic Resonance Imaging Connectivity Accurately Distinguishes Cases With Psychotic Disorders From Healthy Controls, Based on Cortical Features Associated With Brain Network Development. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021, 6, 1125-1134.	1.1	10

#	ARTICLE	IF	CITATIONS
37	Genetic copy number variants, cognition and psychosis: a meta-analysis and a family study. <i>Molecular Psychiatry</i> , 2021, 26, 5307-5319.	4.1	18
38	Association of extent of cannabis use and psychotic like intoxication experiences in a multi-national sample of first episode psychosis patients and controls. <i>Psychological Medicine</i> , 2021, 51, 2074-2082.	2.7	7
39	The jumping to conclusions reasoning bias as a cognitive factor contributing to psychosis progression and persistence: findings from NEMESIS-2. <i>Psychological Medicine</i> , 2021, 51, 1696-1703.	2.7	8
40	Daily use of high-potency cannabis is associated with more positive symptoms in first-episode psychosis patients: the EU-GEI case-control study. <i>Psychological Medicine</i> , 2021, 51, 1329-1337.	2.7	38
41	Social disadvantage, linguistic distance, ethnic minority status and first-episode psychosis: results from the EU-GEI case-control study. <i>Psychological Medicine</i> , 2021, 51, 1536-1548.	2.7	58
42	Jumping to conclusions, general intelligence, and psychosis liability: findings from the multi-centre EU-GEI case-control study. <i>Psychological Medicine</i> , 2021, 51, 623-633.	2.7	34
43	Understanding urbanicity: how interdisciplinary methods help to unravel the effects of the city on mental health. <i>Psychological Medicine</i> , 2021, 51, 1099-1110.	2.7	44
44	Bullying victimization and stress sensitivity in help-seeking youth: findings from an experience sampling study. <i>European Child and Adolescent Psychiatry</i> , 2021, 30, 591-605.	2.8	23
45	Promoting a patient-centered, transdiagnostic approach to prevention of severe mental illness. <i>European Child and Adolescent Psychiatry</i> , 2021, 30, 823-824.	2.8	7
46	Dysregulated Lipid Metabolism Precedes Onset of Psychosis. <i>Biological Psychiatry</i> , 2021, 89, 288-297.	0.7	42
47	A comparison of depressive symptom profiles between current major depressive disorder and schizophrenia spectrum disorder. <i>Journal of Psychiatric Research</i> , 2021, 135, 143-151.	1.5	9
48	Posttraumatic stress disorder during the COVID-19 pandemic: Upcoming challenges in Bangladesh and preventive strategies. <i>International Journal of Social Psychiatry</i> , 2021, 67, 205-206.	1.6	27
49	Study protocol of a randomized, double-blind, placebo-controlled, multi-center trial to treat antipsychotic-induced weight gain: the Metformin-Lifestyle in antipsychotic users (MELIA) trial. <i>BMC Psychiatry</i> , 2021, 21, 4.	1.1	3
50	Stress reactivity as a putative mechanism linking childhood trauma with clinical outcomes in individuals at ultra-high-risk for psychosis: Findings from the EU-GEI High Risk Study. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, e40.	1.8	17
51	Successful use of tapering strips for hyperbolic reduction of antidepressant dose: a cohort study. <i>Therapeutic Advances in Psychopharmacology</i> , 2021, 11, 204512532110393.	1.2	12
52	Examining the association between exposome score for schizophrenia and functioning in schizophrenia, siblings, and healthy controls: Results from the EUGEI study. <i>European Psychiatry</i> , 2021, 64, e25.	0.1	18
53	Symptomatic Remission Along the Clinical Psychosis Spectrum: A Historical and Conceptual Review. <i>Noropsikiyatri Arsivi</i> , 2021, 58, S3-S6.	0.2	1
54	Resurrection of the Follow-Back Method to Study the Transdiagnostic Origins of Psychosis. <i>Schizophrenia Bulletin</i> , 2021, 47, 583-585.	2.3	5

#	ARTICLE	IF	CITATIONS
55	DNA methylation meta-analysis reveals cellular alterations in psychosis and markers of treatment-resistant schizophrenia. <i>ELife</i> , 2021, 10, .	2.8	72
56	A Network of Psychopathological, Cognitive, and Motor Symptoms in Schizophrenia Spectrum Disorders. <i>Schizophrenia Bulletin</i> , 2021, 47, 915-926.	2.3	16
57	Precision psychiatry: promise for the future or rehash of a fossilised foundation?. <i>Psychological Medicine</i> , 2021, 51, 1409-1411.	2.7	16
58	Obsessive-Compulsive Symptoms and Other Symptoms of the At-risk Mental State for Psychosis: A Network Perspective. <i>Schizophrenia Bulletin</i> , 2021, 47, 1018-1028.	2.3	10
59	Symptom-network dynamics in irritable bowel syndrome with comorbid panic disorder using electronic momentary assessment: A randomized controlled trial of escitalopram vs. placebo. <i>Journal of Psychosomatic Research</i> , 2021, 141, 110351.	1.2	8
60	It is not enough to sing its praises: the very foundations of precision psychiatry may be scientifically unsound and require examination. <i>Psychological Medicine</i> , 2021, 51, 1415-1417.	2.7	17
61	Network dynamics of momentary affect states and future course of psychopathology in adolescents. <i>PLoS ONE</i> , 2021, 16, e0247458.	1.1	6
62	Association of the kynurenine pathway metabolites with clinical, cognitive features and IL-1 $\beta$ levels in patients with schizophrenia spectrum disorder and their siblings. <i>Schizophrenia Research</i> , 2021, 229, 27-37.	1.1	14
63	Schizophrenia and the Environment: Within-Person Analyses May be Required to Yield Evidence of Unconfounded and Causal Associationâ€”The Example of Cannabis and Psychosis. <i>Schizophrenia Bulletin</i> , 2021, 47, 594-603.	2.3	26
64	Emerging Processes Within Peer-Support Hearing Voices Groups: A Qualitative Study in the Dutch Context. <i>Frontiers in Psychiatry</i> , 2021, 12, 647969.	1.3	6
65	Social Defeat, Psychotic Symptoms, and Crime in Young Caribbean Immigrants to Rotterdam. <i>Frontiers in Psychiatry</i> , 2021, 12, 498096.	1.3	1
66	Prevalence of depression, anxiety and associated factors among school going adolescents in Bangladesh: Findings from a cross-sectional study. <i>PLoS ONE</i> , 2021, 16, e0247898.	1.1	27
67	En attendant Godot: Waiting for the Funeral of â€œSchizophreniaâ€ and the Baby Shower of the Psychosis Spectrum. <i>Frontiers in Psychiatry</i> , 2021, 12, 618842.	1.3	6
68	Relationship between social cognition, general cognition, and risk for suicide in individuals with a psychotic disorder. <i>Schizophrenia Research</i> , 2021, 231, 227-236.	1.1	8
69	The Independent Effects of Psychosocial Stressors on Subclinical Psychosis: Findings From the Multinational EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 1674-1684.	2.3	17
70	Duration of Untreated Psychosis in First-Episode Psychosis is not Associated With Common Genetic Variants for Major Psychiatric Conditions: Results From the Multi-Center EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 1653-1662.	2.3	4
71	Estimating Aggregate Environmental Risk Score in Psychiatry: The Exposome Score for Schizophrenia. <i>Frontiers in Psychiatry</i> , 2021, 12, 671334.	1.3	17
72	Prevalence and correlates of anxiety and depression in frontline healthcare workers treating people with COVID-19 in Bangladesh. <i>BMC Psychiatry</i> , 2021, 21, 271.	1.1	55

#	ARTICLE	IF	CITATIONS
73	Precursors of self-reported subclinical hypomania in adolescence: A longitudinal general population study. <i>PLoS ONE</i> , 2021, 16, e0253507.	1.1	2
74	Autistic Symptoms and Social Functioning in Psychosis: A Network Approach. <i>Schizophrenia Bulletin</i> , 2021, , .	2.3	16
75	The genetics of drug-related movement disorders (DRMD), reply to comment: Antipsychotic-induced catatonia and neuroleptic malignant syndrome: The dark side of the moon. <i>Molecular Psychiatry</i> , 2021, 26, 6115-6115.	4.1	0
76	Individualized prediction of three- and six-year outcomes of psychosis in a longitudinal multicenter study: a machine learning approach. <i>NPJ Schizophrenia</i> , 2021, 7, 34.	2.0	14
77	The Community Assessment of Psychic Experiences: Optimal cut-off scores for detecting individuals with a psychotic disorder. <i>International Journal of Methods in Psychiatric Research</i> , 2021, 30, e1893.	1.1	9
78	The continuity of effect of schizophrenia polygenic risk score and patterns of cannabis use on transdiagnostic symptom dimensions at first-episode psychosis: findings from the EU-GEI study. <i>Translational Psychiatry</i> , 2021, 11, 423.	2.4	12
79	Emotion regulation in response to daily negative and positive events in youth: The role of event intensity and psychopathology. <i>Behaviour Research and Therapy</i> , 2021, 144, 103916.	1.6	10
80	The relationship of symptom dimensions with premorbid adjustment and cognitive characteristics at first episode psychosis: Findings from the EU-GEI study. <i>Schizophrenia Research</i> , 2021, 236, 69-79.	1.1	4
81	The complex and dynamic interplay between self-esteem, belongingness and physical activity in daily life: An experience sampling study in adolescence and young adulthood. <i>Mental Health and Physical Activity</i> , 2021, 21, 100413.	0.9	11
82	The impact of childhood sexual trauma on intimacy and sexuality needs among people with non-affective psychosis. <i>Schizophrenia Research</i> , 2021, 236, 97-103.	1.1	2
83	What makes the psychosis "clinical high risk" state risky: psychosis itself or the co-presence of a non-psychotic disorder?. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, e53.	1.8	11
84	The clinical characterization of the patient with primary psychosis aimed at personalization of management. <i>World Psychiatry</i> , 2021, 20, 4-33.	4.8	153
85	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021, 26, 4529-4543.	4.1	23
86	Predictive Performance of Exposome Score for Schizophrenia in the General Population. <i>Schizophrenia Bulletin</i> , 2021, 47, 277-283.	2.3	18
87	Healthcare Costs, School Performance, and Health-related Quality of Life in Adolescence Following Psychotic Experiences in Preadolescence: A Longitudinal Cohort Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 682-691.	2.3	9
88	Momentary Manifestations of Negative Symptoms as Predictors of Clinical Outcomes in People at High Risk for Psychosis: Experience Sampling Study. <i>JMIR Mental Health</i> , 2021, 8, e30309.	1.7	4
89	The Relationship Between Polygenic Risk Scores and Cognition in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020, 46, 336-344.	2.3	60
90	Are theory of mind and bullying separately associated with later academic performance among preadolescents?. <i>British Journal of Educational Psychology</i> , 2020, 90, 62-76.	1.6	13

#	ARTICLE	IF	CITATIONS
91	White matter microstructure and network-connectivity in emerging adults with subclinical psychotic experiences. <i>Brain Imaging and Behavior</i> , 2020, 14, 1876-1888.	1.1	2
92	Toward incorporating genetic risk scores into symptom networks of psychosis. <i>Psychological Medicine</i> , 2020, 50, 636-643.	2.7	51
93	Neural responses during extinction learning predict exposure therapy outcome in phobia: results from a randomized-controlled trial. <i>Neuropsychopharmacology</i> , 2020, 45, 534-541.	2.8	45
94	Replicated evidence that endophenotypic expression of schizophrenia polygenic risk is greater in healthy siblings of patients compared to controls, suggesting gene-environment interaction. The EUGEI study. <i>Psychological Medicine</i> , 2020, 50, 1884-1897.	2.7	28
95	Vitamin D concentration and psychotic disorder: associations with disease status, clinical variables and urbanicity. <i>Psychological Medicine</i> , 2020, 50, 1680-1686.	2.7	8
96	Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. <i>Schizophrenia Bulletin</i> , 2020, 46, 517-529.	2.3	14
97	Trust and the city: Linking urban upbringing to neural mechanisms of trust in psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 138-149.	1.3	9
98	Organization framework and preliminary findings from the Athens First-Episode Psychosis Research Study. <i>Microbial Biotechnology</i> , 2020, 14, 343-355.	0.9	10
99	Association of Adverse Outcomes With Emotion Processing and Its Neural Substrate in Individuals at Clinical High Risk for Psychosis. <i>JAMA Psychiatry</i> , 2020, 77, 190.	6.0	23
100	Tackling rising numbers of opioid prescriptions users. <i>Lancet Public Health</i> , The, 2020, 5, e16.	4.7	3
101	Psychotic experiences from preadolescence to adolescence: when should we be worried about adolescent risk behaviors?. <i>European Child and Adolescent Psychiatry</i> , 2020, 29, 1251-1264.	2.8	19
102	Childhood trauma and coping in patients with psychotic disorders and obsessive-compulsive symptoms and in un-affected siblings. <i>Child Abuse and Neglect</i> , 2020, 99, 104243.	1.3	12
103	An ecological momentary intervention incorporating personalised feedback to improve symptoms and social functioning in schizophrenia spectrum disorders. <i>Psychiatry Research</i> , 2020, 284, 112695.	1.7	37
104	M126. THE MAIN AND INTERACTIVE EFFECTS OF ADULT STRESSFUL LIFE EVENTS WITH GENOMIC AND EXPOSOMIC LIABILITY FOR SCHIZOPHRENIA ON MENTAL AND PHYSICAL HEALTH: A PROSPECTIVE COHORT STUDY. <i>Schizophrenia Bulletin</i> , 2020, 46, S183-S183.	2.3	1
105	Outcome of antidepressant drug discontinuation with taperingstrips after 1-5 years. <i>Therapeutic Advances in Psychopharmacology</i> , 2020, 10, 204512532095460.	1.2	18
106	Dr. Strangelove, or how we learned to stop worrying and love uncertainty. <i>World Psychiatry</i> , 2020, 19, 395-396.	4.8	6
107	Do Current Measures of Polygenic Risk for Mental Disorders Contribute to Population Variance in Mental Health?. <i>Schizophrenia Bulletin</i> , 2020, 46, 1353-1362.	2.3	22
108	Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. <i>Schizophrenia Research</i> , 2020, 230, 104-107.	1.1	6

#	ARTICLE	IF	CITATIONS
109	Examining the independent and joint effects of genomic and exposomic liabilities for schizophrenia across the psychosis spectrum. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e182.	1.8	36
110	How user knowledge of psychotropic drug withdrawal resulted in the development of person-specific tapering medication. <i>Therapeutic Advances in Psychopharmacology</i> , 2020, 10, 204512532093245.	1.2	20
111	Association of Recent Stressful Life Events With Mental and Physical Health in the Context of Genomic and Exposomic Liability for Schizophrenia. <i>JAMA Psychiatry</i> , 2020, 77, 1296.	6.0	43
112	Network approach of mood and functional gastrointestinal symptom dynamics in relation to childhood trauma in patients with irritable bowel syndrome and comorbid panic disorder. <i>Journal of Psychosomatic Research</i> , 2020, 139, 110261.	1.2	8
113	Early warning signals in psychopathology: what do they tell?. <i>BMC Medicine</i> , 2020, 18, 269.	2.3	19
114	Association of preceding psychosis risk states and non- $\psi$ psychotic mental disorders with incidence of clinical psychosis in the general population: a prospective study in the NEMESIS-2 cohort. <i>World Psychiatry</i> , 2020, 19, 199-205.	4.8	53
115	Meta-analysis of auditory P50 sensory gating in schizophrenia and bipolar disorder. <i>Psychiatry Research - Neuroimaging</i> , 2020, 300, 111078.	0.9	27
116	Analysis of GWAS-Derived Schizophrenia Genes for Links to Ischemia-Hypoxia Response of the Brain. <i>Frontiers in Psychiatry</i> , 2020, 11, 393.	1.3	25
117	Sex differences in cognitive functioning of patients at-risk for psychosis and healthy controls: Results from the European Gene-Environment Interactions study. <i>European Psychiatry</i> , 2020, 63, e25.	0.1	14
118	Polygenic liability for schizophrenia and childhood adversity influences daily-life emotion dysregulation and psychosis proneness. <i>Acta Psychiatrica Scandinavica</i> , 2020, 141, 465-475.	2.2	31
119	To continue or not to continue? Antipsychotic medication maintenance versus dose-reduction/discontinuation in first episode psychosis: HAMLETT, a pragmatic multicenter single-blind randomized controlled trial. <i>Trials</i> , 2020, 21, 147.	0.7	41
120	Mental Health Service Use and Psychopharmacological Treatment Following Psychotic Experiences in Preadolescence. <i>American Journal of Psychiatry</i> , 2020, 177, 318-326.	4.0	41
121	Blended care in the treatment of subthreshold symptoms of depression and psychosis in emerging adults: A randomised controlled trial of Acceptance and Commitment Therapy in Daily-Life (ACT-DL). <i>Behaviour Research and Therapy</i> , 2020, 128, 103592.	1.6	32
122	Emotion Recognition and Adverse Childhood Experiences in Individuals at Clinical High Risk of Psychosis. <i>Schizophrenia Bulletin</i> , 2020, 46, 823-833.	2.3	14
123	The genetics of drug-related movement disorders, an umbrella review of meta-analyses. <i>Molecular Psychiatry</i> , 2020, 25, 2237-2250.	4.1	8
124	Psychotic Experiences Are Associated With Paternal Age But Not With Delayed Fatherhood in a Large, Multinational, Community Sample. <i>Schizophrenia Bulletin</i> , 2020, 46, 1327-1334.	2.3	5
125	Expressive deficits and amotivation as mediators of the associations between cognitive problems and functional outcomes: Results from two independent cohorts. <i>Schizophrenia Research</i> , 2020, 218, 283-291.	1.1	9
126	The EUropean Network of National Schizophrenia Networks Studying Gene-Environment Interactions (EU-GEI): Incidence and First-Episode Case-Control Programme. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 645-657.	1.6	41



#	ARTICLE	IF	CITATIONS
127	Evidence for an interrelated cluster of Hallucinatory experiences in the general population: an incidence study. <i>Psychological Medicine</i> , 2020, , 1-10.	2.7	5
128	Measuring resilience prospectively as the speed of affect recovery in daily life: a complex systems perspective on mental health. <i>BMC Medicine</i> , 2020, 18, 36.	2.3	29
129	Psychological responses during the COVID-19 outbreak among university students in Bangladesh. <i>PLoS ONE</i> , 2020, 15, e0245083.	1.1	140
130	Validation of the Portuguese version of the Community Assessment of Psychic Experiences and characterization of psychotic experiences in a Brazilian sample. <i>Revista Brasileira De Psiquiatria</i> , 2020, 42, 389-397.	0.9	7
131	Is BDNF Val66Met polymorphism associated with psychotic experiences and psychotic disorder outcome? Evidence from a 6 years prospective population-based cohort study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019, 180, 113-121.	1.1	2
132	Evidence that the association of childhood trauma with psychosis and related psychopathology is not explained by gene-environment correlation: A monozygotic twin differences approach. <i>Schizophrenia Research</i> , 2019, 205, 58-62.	1.1	19
133	Childhood trauma- and cannabis-associated microstructural white matter changes in patients with psychotic disorder: a longitudinal family-based diffusion imaging study. <i>Psychological Medicine</i> , 2019, 49, 628-638.	2.7	10
134	Longitudinal association between motor and obsessive compulsive symptoms in patients with psychosis and their unaffected siblings. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 257-268.	1.8	5
135	Evidence that self-reported psychotic experiences in children are clinically relevant. <i>Schizophrenia Research</i> , 2019, 204, 415-416.	1.1	14
136	DSM outcomes of psychotic experiences and associated risk factors: 6-year follow-up study in a community-based sample. <i>Psychological Medicine</i> , 2019, 49, 1346-1356.	2.7	25
137	Cultural differences in positive psychotic experiences assessed with the Community Assessment of Psychic Experiences-42 (CAPE-42): a comparison of student populations in the Netherlands, Nigeria and Norway. <i>BMC Psychiatry</i> , 2019, 19, 244.	1.1	27
138	Decreasing Stigmatization: Reducing the Discrepancy Between "Us" and "Them": An Intervention for Mental Health Care Professionals. <i>Frontiers in Psychiatry</i> , 2019, 10, 243.	1.3	10
139	Early Parental Death and Risk of Psychosis in Offspring: A Six-Country Case-Control Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 1081.	1.0	10
140	Estimating Exposome Score for Schizophrenia Using Predictive Modeling Approach in Two Independent Samples: The Results From the EUGEI Study. <i>Schizophrenia Bulletin</i> , 2019, 45, 960-965.	2.3	46
141	Social functioning and subclinical psychosis in adolescence: a longitudinal general adolescent population study. <i>Acta Psychiatrica Scandinavica</i> , 2019, 140, 275-282.	2.2	5
142	Putting the psychotherapy spotlight back on the self-reflecting actors who make it work. <i>World Psychiatry</i> , 2019, 18, 292-293.	4.8	11
143	Reward anticipation in individuals with subclinical psychotic experiences: A functional MRI approach. <i>European Neuropsychopharmacology</i> , 2019, 29, 1374-1385.	0.3	1
144	S94. MUTATION-INTOLERANT GENES AND MONOGENIC DISEASE GENES IN 145 LOCI OF SCHIZOPHRENIA (SCZ) GWAS ARE LINKED TO THE ISCHEMIA-HYPOXIA RESPONSE. <i>Schizophrenia Bulletin</i> , 2019, 45, S342-S343.	2.3	0

#	ARTICLE	IF	CITATIONS
145	O7.8. TRUST AND THE CITY â€“ LINKING URBAN UPBRINGING TO NEURAL MECHANISMS OF TRUST IN PSYCHOSIS. Schizophrenia Bulletin, 2019, 45, S182-S183.	2.3	0
146	Izmir Mental Health Cohort for Gene-Environment Interaction in Psychosis (TÃ¼rkSch): Assessment of the Extended and Transdiagnostic Psychosis Phenotype and Analysis of Attrition in a 6-Year Follow-Up of a Community-Based Sample. Frontiers in Psychiatry, 2019, 10, 554.	1.3	2
147	Microstructural white matter network-connectivity in individuals with psychotic disorder, unaffected siblings and controls. NeuroImage: Clinical, 2019, 23, 101931.	1.4	2
148	White Noise Speech Illusions: A Trait-Dependent Risk Marker for Psychotic Disorder?. Frontiers in Psychiatry, 2019, 10, 676.	1.3	5
149	O6.7. TESTING THE HIGH RISK AND TRANSITION FRAMEWORK IN THE GENERAL POPULATION: POPULATION-BASED MEASURES OF RISK AND TRANSITION FOR PSYCHOSIS 6-YEAR LONGITUDINAL FOLLOW-UP. Schizophrenia Bulletin, 2019, 45, S178-S178.	2.3	0
150	Evidence for interaction between genetic liability and childhood trauma in the development of psychotic symptoms. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 1045-1054.	1.6	8
151	The Association Between Familial Risk and Brain Abnormalities Is Disease Specific: An ENIGMA-Relatives Study of Schizophrenia and Bipolar Disorder. Biological Psychiatry, 2019, 86, 545-556.	0.7	67
152	Identifying psychosis spectrum disorder from experience sampling data using machine learning approaches. Schizophrenia Research, 2019, 209, 156-163.	1.1	17
153	20.4 EXAMINING THE ASSOCIATION BETWEEN CANNABIS USE AND PSYCHOSIS ACROSS THE SPECTRA OF EXPOSURE AND PHENOTYPE. Schizophrenia Bulletin, 2019, 45, S122-S123.	2.3	0
154	Clinical guidelines on antidepressant withdrawal urgently need updating. BMJ: British Medical Journal, 2019, 365, l2238.	2.4	26
155	Gender differences of patients at-risk for psychosis regarding symptomatology, drug use, comorbidity and functioning â€“ Results from the EU-GEI study. European Psychiatry, 2019, 59, 52-59.	0.1	19
156	7.4 PSYCHOTIC EXPERIENCES IN CHILDHOOD AND SUBSEQUENT SUICIDAL BEHAVIOR IN ADOLESCENCE â€“ A COPENHAGEN CHILD COHORT 2000 STUDY. Schizophrenia Bulletin, 2019, 45, S98-S99.	2.3	1
157	The impact of adverse childhood experiences on EMG reactivity: A proof of concept study. PLoS ONE, 2019, 14, e0216657.	1.1	2
158	Mindfulness-Based Intervention for People With Dementia and Their Partners: Results of a Mixed-Methods Study. Frontiers in Aging Neuroscience, 2019, 11, 92.	1.7	15
159	20.3 DNA METHYLATION PROFILING MIGHT SHED LIGHT ON THE BIOLOGY OF CANNABIS ASSOCIATED PSYCHOSIS. Schizophrenia Bulletin, 2019, 45, S122-S122.	2.3	0
160	7.3 POLYGENIC RISK FOR SCHIZOPHRENIA MODERATES THE INFLUENCE OF CHILDHOOD ADVERSITY ON DAILY-LIFE EMOTIONAL DYSREGULATION AND PSYCHOSIS PRONENESS. Schizophrenia Bulletin, 2019, 45, S98-S98.	2.3	1
161	Cortical patterning of abnormal morphometric similarity in psychosis is associated with brain expression of schizophrenia-related genes. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 9604-9609.	3.3	200
162	Examining the independent and joint effects of molecular genetic liability and environmental exposures in schizophrenia: results from the EUGEI study. World Psychiatry, 2019, 18, 173-182.	4.8	127

#	ARTICLE	IF	CITATIONS
163	Longitudinal evidence for a relation between depressive symptoms and quality of life in schizophrenia using structural equation modeling. <i>Schizophrenia Research</i> , 2019, 208, 82-89.	1.1	16
164	The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. <i>Lancet Psychiatry</i> , 2019, 6, 427-436.	3.7	528
165	Childhood theory of mind does not predict psychotic experiences and social functioning in a general population sample of adolescents. <i>PLoS ONE</i> , 2019, 14, e0213165.	1.1	4
166	Gene expression imputation across multiple brain regions provides insights into schizophrenia risk. <i>Nature Genetics</i> , 2019, 51, 659-674.	9.4	154
167	White noise speech illusions in the general population: The association with psychosis expression and risk factors for psychosis. <i>PLoS ONE</i> , 2019, 14, e0211914.	1.1	5
168	O3.1. ASSOCIATION OF EXTENT OF CANNABIS USE AND ACUTE INTOXICATION EXPERIENCES IN A MULTI-NATIONAL SAMPLE OF FIRST EPISODE PSYCHOSIS PATIENTS AND CONTROLS. <i>Schizophrenia Bulletin</i> , 2019, 45, S165-S166.	2.3	0
169	O6.5. INVESTIGATING VARIABLES FROM THE NAPLS RISK CALCULATOR FOR PSYCHOSIS IN THE EU-GEI HIGH RISK STUDY. <i>Schizophrenia Bulletin</i> , 2019, 45, S177-S178.	2.3	0
170	Population-based identity-by-descent mapping combined with exome sequencing to detect rare risk variants for schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019, 180, 223-231.	1.1	2
171	Psychotic experiences and mood episodes predict each other bidirectionally: a 6-year follow-up study in a community-based population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 331-341.	1.6	8
172	The predictive value of neural reward processing on exposure therapy outcome: Results from a randomized controlled trial. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 92, 339-346.	2.5	8
173	Psychometric liability to psychosis and childhood adversities are associated with shorter telomere length: A study on schizophrenia patients, unaffected siblings, and non-clinical controls. <i>Journal of Psychiatric Research</i> , 2019, 111, 169-185.	1.5	17
174	TwinsCan " Gene-Environment Interaction in Psychotic and Depressive Intermediate Phenotypes: Risk and Protective Factors in a General Population Twin Sample. <i>Twin Research and Human Genetics</i> , 2019, 22, 460-466.	0.3	11
175	Differences Between Self-Reported Psychotic Experiences, Clinically Relevant Psychotic Experiences, and Attenuated Psychotic Symptoms in the General Population. <i>Frontiers in Psychiatry</i> , 2019, 10, 782.	1.3	18
176	Reasoning bias, working memory performance and a transdiagnostic phenotype of affective disturbances and psychotic experiences in the general population. <i>Psychological Medicine</i> , 2019, 49, 1799-1809.	2.7	18
177	The evidence-based group-level symptom-reduction model as the organizing principle for mental health care: time for change?. <i>World Psychiatry</i> , 2019, 18, 88-96.	4.8	137
178	European mental health research resources: Picture and recommendations of the ROAMER project. <i>European Neuropsychopharmacology</i> , 2019, 29, 179-194.	0.3	9
179	Development of a real-time patient-reported outcome measure for symptom assessment in patients with functional dyspepsia using the experience sampling method. <i>Neurogastroenterology and Motility</i> , 2019, 31, e13496.	1.6	12
180	Targeted Sequencing of 10,198 Samples Confirms Abnormalities in Neuronal Activity and Implicates Voltage-Gated Sodium Channels in Schizophrenia Pathogenesis. <i>Biological Psychiatry</i> , 2019, 85, 554-562.	0.7	40

#	ARTICLE	IF	CITATIONS
181	The Experience Sampling Methodâ€™ Evaluation of treatment effect of escitalopram in IBS with comorbid panic disorder. <i>Neurogastroenterology and Motility</i> , 2019, 31, e13515.	1.6	12
182	Validation of short instruments assessing parental and caregiversâ€™ perceptions on child health and development for personalized prevention. <i>Clinical Child Psychology and Psychiatry</i> , 2019, 24, 608-630.	0.8	3
183	Renaming schizophrenia: 5 Å— 5. <i>Epidemiology and Psychiatric Sciences</i> , 2019, 28, 254-257.	1.8	16
184	Assessing cross-national invariance of the Community Assessment of Psychic Experiences (CAPE). <i>Psychological Medicine</i> , 2019, 49, 2600-2607.	2.7	10
185	From laboratory to life: associating brain reward processing with real-life motivated behaviour and symptoms of depression in non-help-seeking young adults. <i>Psychological Medicine</i> , 2019, 49, 2441-2451.	2.7	49
186	Patterns of obsessive-compulsive symptoms and social functioning in schizophrenia; a replication study. <i>Psychiatry Research</i> , 2019, 271, 421-427.	1.7	1
187	Childhood adversities and psychotic symptoms: The potential mediating or moderating role of neurocognition and social cognition. <i>Schizophrenia Research</i> , 2019, 206, 183-193.	1.1	26
188	Psychotic experiences are associated with health anxiety and functional somatic symptoms in preadolescence. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019, 60, 524-532.	3.1	9
189	Functional neuroimaging of associative learning and generalization in specific phobia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 89, 275-285.	2.5	18
190	Transdiagnostic dimensions of psychopathology at first episode psychosis: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2019, 49, 1378-1391.	2.7	69
191	Interaction between environmental and familial affective risk impacts psychosis admixture in states of affective dysregulation. <i>Psychological Medicine</i> , 2019, 49, 1879-1889.	2.7	30
192	Obsessiveâ€™ compulsive symptoms in psychotic disorders: longitudinal associations of symptom clusters on between- and within-subject levels. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 245-255.	1.8	11
193	Concordance of child selfâ€™reported psychotic experiences with interviewâ€™and observerâ€™based psychotic experiences. <i>Microbial Biotechnology</i> , 2019, 13, 619-626.	0.9	21
194	â€™False-positiveâ€™ self-reported psychotic experiences in the general population: an investigation of outcome, predictive factors and clinical relevance. <i>Epidemiology and Psychiatric Sciences</i> , 2019, 28, 532-543.	1.8	40
195	Neurobehavioural mechanisms of threat generalization moderate the link between childhood maltreatment and psychopathology in emerging adulthood. <i>Journal of Psychiatry and Neuroscience</i> , 2019, 44, 185-194.	1.4	27
196	Aggressive Behavior, Hostility, and Associated Care Needs in Patients With Psychotic Disorders: A 6-Year Follow-Up Study. <i>Frontiers in Psychiatry</i> , 2019, 10, 934.	1.3	16
197	Sensitivity to Peer Evaluation and Its Genetic and Environmental Determinants: Findings from a Population-Based Twin Study. <i>Child Psychiatry and Human Development</i> , 2018, 49, 766-778.	1.1	8
198	No differences in olanzapineâ€™and risperidoneâ€™related weight gain between women and men: a metaâ€™analysis of shortâ€™and middleâ€™term treatment. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 110-122.	2.2	8

#	ARTICLE	IF	CITATIONS
199	Sexuality and intimacy among people with serious mental illness in hospital and community settings. JBI Database of Systematic Reviews and Implementation Reports, 2018, 16, 324-327.	1.7	2
200	Evidence that reduced gray matter volume in psychotic disorder is associated with exposure to environmental risk factors. Psychiatry Research - Neuroimaging, 2018, 271, 100-110.	0.9	21
201	Risk factors and peripheral biomarkers for schizophrenia spectrum disorders: an umbrella review of meta-analyses. Acta Psychiatrica Scandinavica, 2018, 137, 88-97.	2.2	106
202	The association between psychotic experiences and traumatic life events: the role of the intention to harm. Psychological Medicine, 2018, 48, 2235-2246.	2.7	13
203	Higher schizotypy predicts better metabolic profile in unaffected siblings of patients with schizophrenia. Psychopharmacology, 2018, 235, 1029-1039.	1.5	3
204	Subjective quality of life in psychosis: Evidence for an association with real world functioning?. Psychiatry Research, 2018, 261, 116-123.	1.7	16
205	Evidence That Environmental and Familial Risks for Psychosis Additively Impact a Multidimensional Subthreshold Psychosis Syndrome. Schizophrenia Bulletin, 2018, 44, 710-719.	2.3	59
206	Steinberg and Durell (1968) revisited: increased rates of First Episode Psychosis following military induction in Greek Army Recruits. Psychological Medicine, 2018, 48, 728-736.	2.7	3
207	The role of cognitive functioning in the relationship between childhood trauma and a mixed phenotype of affective-anxious-psychotic symptoms in psychotic disorders. Schizophrenia Research, 2018, 192, 262-268.	1.1	10
208	Child Maltreatment and Clinical Outcome in Individuals at Ultra-High Risk for Psychosis in the EU-GEI High Risk Study. Schizophrenia Bulletin, 2018, 44, 584-592.	2.3	38
209	The slow death of the concept of schizophrenia and the painful birth of the psychosis spectrum. Psychological Medicine, 2018, 48, 229-244.	2.7	216
210	Mindfulness-based stress reduction in middle-aged and older adults with memory complaints: a mixed-methods study. Aging and Mental Health, 2018, 22, 1113-1120.	1.5	25
211	A polygenic risk score analysis of psychosis endophenotypes across brain functional, structural, and cognitive domains. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2018, 177, 21-34.	1.1	57
212	A state-independent network of depressive, negative and positive symptoms in male patients with schizophrenia spectrum disorders. Schizophrenia Research, 2018, 193, 232-239.	1.1	58
213	Authors' reply: Psychosis Spectrum Disorder is a clinical diagnosis. Psychological Medicine, 2018, 48, 523-524.	2.7	1
214	Associations between psychosis endophenotypes across brain functional, structural, and cognitive domains. Psychological Medicine, 2018, 48, 1325-1340.	2.7	14
215	Treated Incidence of Psychotic Disorders in the Multinational EU-GEI Study. JAMA Psychiatry, 2018, 75, 36.	6.0	235
216	Stress reactivity links childhood trauma exposure to an admixture of depressive, anxiety, and psychosis symptoms. Psychiatry Research, 2018, 260, 451-457.	1.7	36

#	ARTICLE	IF	CITATIONS
217	Development, content validity, and cross-cultural adaptation of a patient-reported outcome measure for real-time symptom assessment in irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , 2018, 30, e13244.	1.6	20
218	Age-related disturbances in DNA (hydroxy)methylation in APP/PS1 mice. <i>Translational Neuroscience</i> , 2018, 9, 190-202.	0.7	5
219	O42. Gene-Environment Correlation Does not Explain Away the Association Between Childhood Trauma and Psychopathology: A Monozygotic Twin Differences Approach. <i>Biological Psychiatry</i> , 2018, 83, S125-S126.	0.7	0
220	5.4 BIOLOGICAL AND EPIDEMIOLOGICAL EXAMINATION OF TRANSDIAGNOSTIC AND SPECIFIC SYMPTOM DIMENSIONS AT PSYCHOSIS ONSET: FINDINGS FROM THE EUGEI STUDY. <i>Schizophrenia Bulletin</i> , 2018, 44, S7-S7.	2.3	2
221	T132. ASSESSMENT OF CROSS-NATIONAL EQUIVALENCE OF THE COMMUNITY ASSESSMENT OF PSYCHIC EXPERIENCES (CAPE). <i>Schizophrenia Bulletin</i> , 2018, 44, S166-S167.	2.3	0
222	F4. LINKING LIFE EVENTS WITH NEGATIVE AFFECT AND PSYCHOTIC EXPERIENCES IN DAILY LIVES OF YOUTH: STRESS SENSITIVITY AS A PUTATIVE MECHANISM?. <i>Schizophrenia Bulletin</i> , 2018, 44, S219-S219.	2.3	0
223	Alpha7 acetylcholine receptor autoantibodies are rare in sera of patients diagnosed with schizophrenia or bipolar disorder. <i>PLoS ONE</i> , 2018, 13, e0208412.	1.1	9
224	Genetic and Environmental Influences on the Affective Regulation Network: A Prospective Experience Sampling Analysis. <i>Frontiers in Psychiatry</i> , 2018, 9, 602.	1.3	5
225	Need for evidence-based early intervention programmes: a public health perspective. <i>Evidence-Based Mental Health</i> , 2018, 21, 128-130.	2.2	16
226	Clinical Network Analysis in a Bipolar Patient Using an Experience Sampling Mobile Health Tool: An n=1 Study. <i>Bipolar Disorder Open Access</i> , 2018, 04, .	0.1	6
227	O2.2. CHILDHOOD ADVERSITIES AND PSYCHOTIC SYMPTOMS: THE POTENTIAL MEDIATING OR MODERATING ROLE OF NEUROCOGNITION AND SOCIAL COGNITION. <i>Schizophrenia Bulletin</i> , 2018, 44, S76-S76.	2.3	1
228	T110. FIRST EPISODE PSYCHOTIC PATIENTS WITH A HISTORY OF FREQUENT CANNABIS USE EXPRESS MORE POSITIVE SYMPTOMS AT ILLNESS ONSET THAN THOSE WHO NEVER USED CANNABIS. <i>Schizophrenia Bulletin</i> , 2018, 44, S158-S159.	2.3	1
229	T115. REASONING BIAS, WORKING MEMORY PERFORMANCE, AND A TRANSDIAGNOSTIC PHENOTYPE OF AFFECTIVE DISTURBANCES AND PSYCHOTIC EXPERIENCES IN THE GENERAL POPULATION. <i>Schizophrenia Bulletin</i> , 2018, 44, S160-S161.	2.3	0
230	The Complexities of Evaluating the Exposome in Psychiatry: A Data-Driven Illustration of Challenges and Some Propositions for Amendments. <i>Schizophrenia Bulletin</i> , 2018, 44, 1175-1179.	2.3	52
231	The Latent Taxonicity of Schizotypy in Biological Siblings of Proband With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2018, 44, 922-932.	2.3	12
232	Enhancing Psychosis-Spectrum Nosology Through an International Data Sharing Initiative. <i>Schizophrenia Bulletin</i> , 2018, 44, S460-S467.	2.3	15
233	Antidepressant tapering strips to help people come off medication more safely. <i>Psychosis</i> , 2018, 10, 142-145.	0.4	38
234	Double hits in schizophrenia. <i>Human Molecular Genetics</i> , 2018, 27, 2755-2761.	1.4	7

#	ARTICLE	IF	CITATIONS
235	Sexual Expression and Its Determinants, in People Diagnosed with Psychotic Disorders. <i>Community Mental Health Journal</i> , 2018, 54, 1082-1088.	1.1	13
236	Psychotic Experiences and Related Distress: A Cross-national Comparison and Network Analysis Based on 7141 Participants From 13 Countries. <i>Schizophrenia Bulletin</i> , 2018, 44, 1185-1194.	2.3	54
237	Mindfulness Training for People With Dementia and Their Caregivers: Rationale, Current Research, and Future Directions. <i>Frontiers in Psychology</i> , 2018, 9, 982.	1.1	38
238	F215. Gene- and Pathway-Based Analysis of the Ischemia-Hypoxia Response to Developmental Adversities: Testing the Developmental Origins of Health and Disease (DOHaD) Model in Mental Health. <i>Biological Psychiatry</i> , 2018, 83, S322-S323.	0.7	0
239	Analysis of shared heritability in common disorders of the brain. <i>Science</i> , 2018, 360, .	6.0	1,085
240	Does pain hypervigilance further impact the lack of habituation to pain in individuals with chronic pain? A cross-sectional pain ERP study. <i>Journal of Pain Research</i> , 2018, Volume 11, 395-405.	0.8	12
241	Use of schizophrenia and bipolar disorder polygenic risk scores to identify psychotic disorders. <i>British Journal of Psychiatry</i> , 2018, 213, 535-541.	1.7	37
242	The Exposome Paradigm and the Complexities of Environmental Research in Psychiatry. <i>JAMA Psychiatry</i> , 2018, 75, 985.	6.0	72
243	Genomic Dissection of Bipolar Disorder and Schizophrenia, Including 28 Subphenotypes. <i>Cell</i> , 2018, 173, 1705-1715.e16.	13.5	623
244	The interaction between cannabis use and the Val158Met polymorphism of the COMT gene in psychosis: A transdiagnostic meta-analysis. <i>PLoS ONE</i> , 2018, 13, e0192658.	1.1	17
245	Functional recovery of individuals with serious mental illnesses: Development and testing of a new short instrument for routine outcome monitoring. <i>Psychiatric Rehabilitation Journal</i> , 2018, 41, 341-350.	0.8	7
246	Can an experimental white noise task assess psychosis vulnerability in adult healthy controls?. <i>PLoS ONE</i> , 2018, 13, e0192373.	1.1	6
247	The Association Between The Extended Psychosis Phenotype and COMT val158met and BDNF val66met Polymorphisms. <i>Turk Psikiyatri Dergisi</i> , 2018, , .	0.2	2
248	Het bio-psycho-sociale conflict in de ziel van de psychiater. , 2018, , 155-169.		0
249	Investigating Associations Between Changes in Mobile Phone Use and Emotions Using the Experience Sampling Method: Pilot Study. <i>JMIR Formative Research</i> , 2018, 2, e12.	0.7	1
250	8.8 Psychosesyndroom. , 2018, , 375-385.		0
251	Study protocol for a prospective cohort study examining the predictive potential of dynamic symptom networks for the onset and progression of psychosis: the Mapping Individual Routes of Risk and Resilience (Mirorr) study. <i>BMJ Open</i> , 2018, 8, e019059.	0.8	6
252	Study protocol for a prospective cohort study examining the predictive potential of dynamic symptom networks for the onset and progression of psychosis: the Mapping Individual Routes of Risk and Resilience (Mirorr) study. <i>BMJ Open</i> , 2018, 8, e019059.	0.8	16

#	ARTICLE	IF	CITATIONS
253	Differential Time Course of Microstructural White Matter in Patients With Psychotic Disorder and Individuals at Risk: A 3-Year Follow-up Study. <i>Schizophrenia Bulletin</i> , 2017, 43, 160-170.	2.3	19
254	A Transdiagnostic Network Approach to Psychosis. <i>Schizophrenia Bulletin</i> , 2017, 43, 122-132.	2.3	55
255	Prevalence of anxiety and depressive symptoms and their association with pelvic floor dysfunctions-A cross sectional cohort study at a Pelvic Care Centre. <i>Neurourology and Urodynamics</i> , 2017, 36, 1816-1823.	0.8	48
256	Relation between psychotic symptoms, parental care and childhood trauma in severe mental disorders. <i>Psychiatry Research</i> , 2017, 251, 78-84.	1.7	32
257	A critique of the "ultra-high risk" and "transition" paradigm. <i>World Psychiatry</i> , 2017, 16, 200-206.	4.8	206
258	Evidence that polygenic risk for psychotic disorder is expressed in the domain of neurodevelopment, emotion regulation and attribution of salience. <i>Psychological Medicine</i> , 2017, 47, 2421-2437.	2.7	63
259	Evidence That the Impact of Childhood Trauma on IQ Is Substantial in Controls, Moderate in Siblings, and Absent in Patients With Psychotic Disorder. <i>Schizophrenia Bulletin</i> , 2017, 43, 316-324.	2.3	32
260	Familial liability to psychosis is a risk factor for multimorbidity in people with psychotic disorders and their unaffected siblings. <i>European Psychiatry</i> , 2017, 45, 81-89.	0.1	8
261	Application of network methods for understanding mental disorders: pitfalls and promise. <i>Psychological Medicine</i> , 2017, 47, 2743-2752.	2.7	83
262	Intimacy and its barriers: A qualitative exploration of intimacy and related struggles among people diagnosed with psychosis. <i>Psychosis</i> , 2017, 9, 301-309.	0.4	14
263	The experience sampling method as an mHealth tool to support self-monitoring, self-insight, and personalized health care in clinical practice. <i>Depression and Anxiety</i> , 2017, 34, 481-493.	2.0	135
264	Lifetime Prevalence and Correlates of Schizophrenia-Spectrum, Affective, and Other Non-affective Psychotic Disorders in the Chinese Adult Population. <i>Schizophrenia Bulletin</i> , 2017, 43, 1280-1290.	2.3	55
265	Modeling the Interplay Between Psychological Processes and Adverse, Stressful Contexts and Experiences in Pathways to Psychosis: An Experience Sampling Study. <i>Schizophrenia Bulletin</i> , 2017, 43, 302-315.	2.3	63
266	Functional urological disorders: a sensitized defence response in the bladder-gut-brain axis. <i>Nature Reviews Urology</i> , 2017, 14, 153-163.	1.9	74
267	Prevalence of anxiety disorders in community dwelling older adults in Hong Kong. <i>International Psychogeriatrics</i> , 2017, 29, 259-267.	0.6	20
268	The 20-Year Longitudinal Trajectories of Social Functioning in Individuals With Psychotic Disorders. <i>American Journal of Psychiatry</i> , 2017, 174, 1075-1085.	4.0	209
269	Behavioral pattern separation and its link to the neural mechanisms of fear generalization. <i>Social Cognitive and Affective Neuroscience</i> , 2017, 12, 1720-1729.	1.5	63
270	The interplay of psychosis and victimisation across the life course: a prospective study in the general population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 1363-1374.	1.6	12



#	ARTICLE	IF	CITATIONS
271	An experience sampling study on the ecological validity of the SWN-20: Indication that subjective well-being is associated with momentary affective states above and beyond psychosis susceptibility. <i>Psychiatry Research</i> , 2017, 258, 234-238.	1.7	4
272	Subcortical brain volume differences in participants with attention deficit hyperactivity disorder in children and adults. <i>Lancet Psychiatry</i> , 2017, 4, 437.	3.7	5
273	922. Reward Anticipation in Early Expression of Psychotic Disorder: A Functional MRI Approach. <i>Biological Psychiatry</i> , 2017, 81, S373.	0.7	1
274	The details of structural disconnectivity in psychotic disorder: A family-based study of non-FA diffusion weighted imaging measures. <i>Brain Research</i> , 2017, 1671, 121-130.	1.1	5
275	National funding for mental health research in Finland, France, Spain and the United Kingdom. <i>European Neuropsychopharmacology</i> , 2017, 27, 892-899.	0.3	13
276	Is sensitivity to daily stress predictive of onset or persistence of psychopathology?. <i>European Psychiatry</i> , 2017, 45, 167-173.	0.1	31
277	Stress sensitivity as a putative mechanism linking childhood trauma and psychopathology in youth's daily life. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 373-388.	2.2	54
278	Can mindfulness-based interventions influence cognitive functioning in older adults? A review and considerations for future research. <i>Aging and Mental Health</i> , 2017, 21, 1113-1120.	1.5	54
279	Positive affect and cognitive decline: a 12-year follow-up of the Maastricht Aging Study. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, 1305-1311.	1.3	9
280	Contribution of copy number variants to schizophrenia from a genome-wide study of 41,321 subjects. <i>Nature Genetics</i> , 2017, 49, 27-35.	9.4	838
281	Predicting Psychosis Using the Experience Sampling Method with Mobile Apps. , 2017, , .		11
282	Network Approach to Understanding Emotion Dynamics in Relation to Childhood Trauma and Genetic Liability to Psychopathology: Replication of a Prospective Experience Sampling Analysis. <i>Frontiers in Psychology</i> , 2017, 8, 1908.	1.1	24
283	Evidence That the Urban Environment Moderates the Level of Familial Clustering of Positive Psychotic Symptoms. <i>Schizophrenia Bulletin</i> , 2017, 43, 325-331.	2.3	14
284	No Evidence of Association between Childhood Urban Environment and Cortical Thinning in Psychotic Disorder. <i>PLoS ONE</i> , 2017, 12, e0166651.	1.1	15
285	White noise speech illusion and psychosis expression: An experimental investigation of psychosis liability. <i>PLoS ONE</i> , 2017, 12, e0183695.	1.1	26
286	Blink rate is associated with drug-induced parkinsonism in patients with severe mental illness, but does not meet requirements to serve as a clinical test: the Curacao extrapyramidal syndromes study XIII. <i>Journal of Negative Results in BioMedicine</i> , 2017, 16, 15.	1.4	1
287	Economic evaluation of an experience sampling method intervention in depression compared with treatment as usual using data from a randomized controlled trial. <i>BMC Psychiatry</i> , 2017, 17, 415.	1.1	14
288	Real-life validation of reduced reward processing in emerging adults with depressive symptoms.. <i>Journal of Abnormal Psychology</i> , 2017, 126, 713-725.	2.0	22

#	ARTICLE	IF	CITATIONS
289	Serum S100B: A proxy marker for grey and white matter status in the absence and presence of (increased risk of) psychotic disorder?. PLoS ONE, 2017, 12, e0174752.	1.1	2
290	Demonstrating the reliability of transdiagnostic mHealth Routine Outcome Monitoring in mental health services using experience sampling technology. PLoS ONE, 2017, 12, e0186294.	1.1	38
291	Effect of Antipsychotic Type and Dose Changes on Tardive Dyskinesia and Parkinsonism Severity in Patients With a Serious Mental Illness. Journal of Clinical Psychiatry, 2017, 78, e279-e285.	1.1	33
292	Psychological and Biological Validation of a Novel Digital Social Peer Evaluation Experiment (digi-SPEE). Noropsikiyatri Arsivi, 2017, 54, 3-10.	0.7	8
293	Risk Factors for Tremor in a Population of Patients with Severe Mental Illness: An 18-year Prospective Study in a Geographically Representative Sample (The Curacao Extrapyramidal Syndromes Study XI). Tremor and Other Hyperkinetic Movements, 2017, 7, 468.	1.1	0
294	Validation of the Chinese Version of the Revised Clinical Interview Schedule: Findings from Hong Kong Mental Morbidity Survey. East Asian Archives of Psychiatry, 2017, 27, 3-10.	0.5	5
295	Comment on Re-Analysis of Data by Terluin, de Boer and de Vet. PLoS ONE, 2016, 11, e0162329.	1.1	4
296	A Psychometric Evaluation of the Danish Version of the Theory of Mind Storybook for 8-14 Year-Old Children. Frontiers in Psychology, 2016, 7, 330.	1.1	13
297	Longitudinal association between cognitive performance and obsessive-compulsive symptoms in patients with psychosis and unaffected siblings. Acta Psychiatrica Scandinavica, 2016, 133, 399-409.	2.2	8
298	Likelihood of mechanistic roles for dopaminergic, serotonergic and glutamatergic receptors in tardive dyskinesia: A comparison of genetic variants in two independent patient populations. SAGE Open Medicine, 2016, 4, 205031211664367.	0.7	14
299	A user-developed, user run recovery programme for people with severe mental illness: A randomised control trial. Psychosis, 2016, 8, 287-300.	0.4	46
300	Measures of Psychosis Proneness and Genetic Risk for Schizophrenia. JAMA Psychiatry, 2016, 73, 638.	6.0	4
301	Course of auditory vocal hallucinations in childhood: 11-year follow-up study. Acta Psychiatrica Scandinavica, 2016, 134, 6-15.	2.2	46
302	The Search for Environmental Mechanisms Underlying the Expression of Psychosis: Introduction. Schizophrenia Bulletin, 2016, 43, sbw178.	2.3	8
303	Introducing the White Noise task in childhood: associations between speech illusions and psychosis vulnerability. Psychological Medicine, 2016, 46, 2731-2740.	2.7	11
304	Childhood trauma, psychosis liability and social stress reactivity: a virtual reality study. Psychological Medicine, 2016, 46, 3339-3348.	2.7	45
305	Psychological processes underlying the association between childhood trauma and psychosis in daily life: an experience sampling study. Psychological Medicine, 2016, 46, 2799-2813.	2.7	78
306	Use of the experience sampling method in the context of clinical trials: Table 1. Evidence-Based Mental Health, 2016, 19, 86-89.	2.2	132

#	ARTICLE	IF	CITATIONS
307	Environmental Social Stress, Paranoia and Psychosis Liability: A Virtual Reality Study. Schizophrenia Bulletin, 2016, 42, 1363-1371.	2.3	106
308	Psychotic experiences and risk of self-injurious behaviour in the general population: a systematic review and meta-analysis. Psychological Medicine, 2016, 46, 237-251.	2.7	81
309	Psychotic experiences and hyper-theory-of-mind in preadolescence – a birth cohort study. Psychological Medicine, 2016, 46, 87-101.	2.7	34
310	A Network Approach to Environmental Impact in Psychotic Disorder: Brief Theoretical Framework. Schizophrenia Bulletin, 2016, 42, 870-873.	2.3	128
311	Developmental course of subclinical positive and negative psychotic symptoms and their associations with genetic risk status and impairment. Schizophrenia Research, 2016, 174, 177-182.	1.1	8
312	Cannabis and a lower BMI in psychosis: What is the role of AKT1?. Schizophrenia Research, 2016, 176, 95-99.	1.1	11
313	Childhood trauma, BDNF Val66Met and subclinical psychotic experiences. Attempt at replication in two independent samples. Journal of Psychiatric Research, 2016, 83, 121-129.	1.5	19
314	Psychosis as a transdiagnostic and extended phenotype in the general population. World Psychiatry, 2016, 15, 118-124.	4.8	397
315	Long-Term Results after Bariatric Surgery: A Patient-Centered Analysis. Bariatric Surgical Patient Care, 2016, 11, 177-182.	0.1	0
316	Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1603-1658.	6.3	1,612
317	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1659-1724.	6.3	4,203
318	Familial covariation of facial emotion recognition and IQ in schizophrenia. Psychiatry Research, 2016, 246, 52-57.	1.7	18
319	Psychotic experiences and incident suicidal ideation and behaviour: Disentangling the longitudinal associations from connected psychopathology. Psychiatry Research, 2016, 245, 267-275.	1.7	25
320	Exposure to environmental factors increases connectivity between symptom domains in the psychopathology network. BMC Psychiatry, 2016, 16, 223.	1.1	20
321	Current concepts in chronic inflammatory diseases: Interactions between microbes, cellular metabolism, and inflammation. Journal of Allergy and Clinical Immunology, 2016, 138, 47-56.	1.5	35
322	Structure of the Psychotic Disorders Classification in DSM-5. Focus (American Psychiatric) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 142 Td	0.4	3
323	The social defeat hypothesis of schizophrenia: issues of measurement and reverse causality. World Psychiatry, 2016, 15, 294-295.	4.8	57
324	Should psychiatrists be more cautious about the long-term prophylactic use of antipsychotics?. British Journal of Psychiatry, 2016, 209, 361-365.	1.7	193

#	ARTICLE	IF	CITATIONS
325	Reduced specialized processing in psychotic disorder: a graph theoretical analysis of cerebral functional connectivity. <i>Brain and Behavior</i> , 2016, 6, e00508.	1.0	8
326	Cortical processes of speech illusions in the general population. <i>BMC Neuroscience</i> , 2016, 17, 65.	0.8	1
327	Impact of early life adversity on EMG stress reactivity of the trapezius muscle. <i>Medicine (United Tj ETQq1 1 0.784314 rgBT /Overlock</i>	0.4	7
328	P.3.009 Quitting cannabis decreases but does not eliminate psychosis risk: evidence from a 7 years large population-based cohort. <i>European Neuropsychopharmacology</i> , 2016, 26, S53-S54.	0.3	0
329	Stress Sensitivity, Aberrant Salience, and Threat Anticipation in Early Psychosis: An Experience Sampling Study. <i>Schizophrenia Bulletin</i> , 2016, 42, 712-722.	2.3	225
330	Disturbed Experience of Self: Psychometric Analysis of the Self-Experience Lifetime Frequency Scale (SELF). <i>Psychopathology</i> , 2016, 49, 69-76.	1.1	16
331	“Schizophrenia” does not exist. <i>BMJ, The</i> , 2016, 352, i375.	3.0	48
332	Levels of Red Blood Cell Fatty Acids in Patients With Psychosis, Their Unaffected Siblings, and Healthy Controls. <i>Schizophrenia Bulletin</i> , 2016, 42, 358-368.	2.3	28
333	Neuroticism and facial emotion recognition in healthy adults. <i>Microbial Biotechnology</i> , 2016, 10, 160-164.	0.9	17
334	Unraveling the Relationship between Motor Symptoms, Affective States and Contextual Factors in Parkinson’s Disease: A Feasibility Study of the Experience Sampling Method. <i>PLoS ONE</i> , 2016, 11, e0151195.	1.1	23
335	Psychotic Experiences and Risk of Violence Perpetration and Arrest in the General Population: A Prospective Study. <i>PLoS ONE</i> , 2016, 11, e0159023.	1.1	14
336	Differences in Facial Emotion Recognition between First Episode Psychosis, Borderline Personality Disorder and Healthy Controls. <i>PLoS ONE</i> , 2016, 11, e0160056.	1.1	29
337	An n=1 Clinical Network Analysis of Symptoms and Treatment in Psychosis. <i>PLoS ONE</i> , 2016, 11, e0162811.	1.1	56
338	Acceptance and Commitment Therapy in Daily Life Training: A Feasibility Study of an mHealth Intervention. <i>JMIR MHealth and UHealth</i> , 2016, 4, e103.	1.8	30
339	Exploring the underlying structure of mental disorders: cross-diagnostic differences and similarities from a network perspective using both a top-down and a bottom-up approach. <i>Psychological Medicine</i> , 2015, 45, 2375-2387.	2.7	127
340	Schizophrenia. <i>Nature Reviews Disease Primers</i> , 2015, 1, 15067.	18.1	724
341	Integrated medical “psychiatric outpatient care in functional gastrointestinal disorders improves outcome. <i>European Journal of Gastroenterology and Hepatology</i> , 2015, 27, 721-727.	0.8	22
342	The Experience Sampling Method “a new digital tool for momentary symptom assessment in <sc>IBS</sc>: an exploratory study. <i>Neurogastroenterology and Motility</i> , 2015, 27, 1295-1302.	1.6	46

#	ARTICLE	IF	CITATIONS
343	PWE-239 Developing a patient reported outcome measure for symptom assessment in irritable bowel syndrome by experience sampling method outcome of focus groups. <i>Gut</i> , 2015, 64, A317.1-A317.	6.1	0
344	Default Mode Network Connectivity as a Function of Familial and Environmental Risk for Psychotic Disorder. <i>PLoS ONE</i> , 2015, 10, e0120030.	1.1	31
345	Experience Sampling-Based Personalized Feedback and Positive Affect: A Randomized Controlled Trial in Depressed Patients. <i>PLoS ONE</i> , 2015, 10, e0128095.	1.1	43
346	The Influence of Perceived Stress on Cortical Reactivity: A Proof-Of-Principle Study. <i>PLoS ONE</i> , 2015, 10, e0129220.	1.1	23
347	Does Habituation Differ in Chronic Low Back Pain Subjects Compared to Pain-Free Controls? A Cross-Sectional Pain Rating ERP Study Reanalyzed with the ERFIA Multilevel Method. <i>Medicine (United States)</i> , 2015, 94, e0129220.	0.7	43
348	High-level production of <i>Bacillus cereus</i> phospholipase C in <i>Corynebacterium glutamicum</i> . <i>Journal of Biotechnology</i> , 2015, 216, 142-148.	1.9	34
349	Effects of momentary self-monitoring on empowerment in a randomized controlled trial in patients with depression. <i>European Psychiatry</i> , 2015, 30, 900-906.	0.1	38
350	The CCC2000 Birth Cohort Study of Register-Based Family History of Mental Disorders and Psychotic Experiences in Offspring. <i>Schizophrenia Bulletin</i> , 2015, 41, 1084-1094.	2.3	42
351	Differential susceptibility to chronic social defeat stress relates to the number of Dnmt3a-immunoreactive neurons in the hippocampal dentate gyrus. <i>Psychoneuroendocrinology</i> , 2015, 51, 547-556.	1.3	27
352	Emotion processing in schizophrenia is state and trait dependent. <i>Schizophrenia Research</i> , 2015, 161, 392-398.	1.1	26
353	Maternal C-Reactive Protein and Schizophrenia. <i>American Journal of Psychiatry</i> , 2015, 172, 200-200.	4.0	1
354	Relevance of Five-Factor Model personality traits for obsessive-compulsive symptoms in patients with psychotic disorders and their un-affected siblings. <i>Psychiatry Research</i> , 2015, 225, 464-470.	1.7	11
355	Affective symptoms and the overactive bladder – A systematic review. <i>Journal of Psychosomatic Research</i> , 2015, 78, 95-108.	1.2	114
356	Psychiatric genome-wide association study analyses implicate neuronal, immune and histone pathways. <i>Nature Neuroscience</i> , 2015, 18, 199-209.	7.1	701
357	Remission criteria and functional outcome in patients with schizophrenia, a longitudinal study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 266-274.	1.3	16
358	Prevalence, psychosocial correlates and service utilization of depressive and anxiety disorders in Hong Kong: the Hong Kong Mental Morbidity Survey (HKMMS). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 1379-1388.	1.6	147
359	Testing Årdegaard's selective migration hypothesis: a longitudinal cohort study of risk factors for non-affective psychotic disorders among prospective emigrants. <i>Psychological Medicine</i> , 2015, 45, 727-734.	2.7	27
360	Long-term Outcome in Schizophrenia: a Six-year Follow-up in over 1000 Patients. <i>European Psychiatry</i> , 2015, 30, 238.	0.1	1

#	ARTICLE	IF	CITATIONS
361	Childhood abuse and neglect in relation to the presence and persistence of psychotic and depressive symptomatology. <i>Psychological Medicine</i> , 2015, 45, 1363-1377.	2.7	86
362	Altered mesocorticolimbic functional connectivity in psychotic disorder: an analysis of proxy genetic and environmental effects. <i>Psychological Medicine</i> , 2015, 45, 2157-2169.	2.7	7
363	DNMT3A moderates cognitive decline in subjects with mild cognitive impairment: replicated evidence from two mild cognitive impairment cohorts. <i>Epigenomics</i> , 2015, 7, 533-537.	1.0	23
364	Psychotic reactivity to daily life stress and the dopamine system: A study combining experience sampling and [ <sup>18</sup> F]fallypride positron emission tomography.. <i>Journal of Abnormal Psychology</i> , 2015, 124, 27-37.	2.0	19
365	Psychotic reactions to daily life stress and dopamine function in people with severe hearing impairment. <i>Psychological Medicine</i> , 2015, 45, 1665-1674.	2.7	14
366	Psychotic experiences co-occur with sleep problems, negative affect and mental disorders in preadolescence. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2015, 56, 558-565.	3.1	71
367	Evidence that the presence of psychosis in non-psychotic disorder is environment-dependent and mediated by severity of non-psychotic psychopathology. <i>Psychological Medicine</i> , 2015, 45, 2389-2401.	2.7	72
368	The impact of electroconvulsive therapy on the tryptophan-tryptophan metabolic pathway. <i>Brain, Behavior, and Immunity</i> , 2015, 48, 48-52.	2.0	52
369	Mental health research priorities for Europe. <i>Lancet Psychiatry</i> , 2015, 2, 1036-1042.	3.7	158
370	Defeat stress in rodents: From behavior to molecules. <i>Neuroscience and Biobehavioral Reviews</i> , 2015, 59, 111-140.	2.9	185
371	Mental disorder: a public health problem stuck in an individual-level brain disease perspective?. <i>World Psychiatry</i> , 2015, 14, 47-48.	4.8	3
372	Semi-metric analysis of the functional brain network: Relationship with familial risk for psychotic disorder. <i>NeuroImage: Clinical</i> , 2015, 9, 607-616.	1.4	9
373	New data and an old puzzle: the negative association between schizophrenia and rheumatoid arthritis. <i>International Journal of Epidemiology</i> , 2015, 44, 1706-1721.	0.9	53
374	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990-2013: quantifying the epidemiological transition. <i>Lancet</i> , 2015, 386, 2145-2191.	6.3	1,544
375	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet</i> , 2015, 386, 2287-2323.	6.3	2,184
376	Cognitive correlates of frontoparietal network connectivity at rest in individuals with differential risk for psychotic disorder. <i>European Neuropsychopharmacology</i> , 2015, 25, 1922-1932.	0.3	13
377	[ <sup>18</sup> F]MK-0970 PET measurement of cannabinoid CB1 receptor availability in chronic cannabis users. <i>Addiction Biology</i> , 2015, 20, 357-367.	1.4	117
378	Comparative Study of Clinical and Neuropsychological Characteristics Between Early-, Late and Very-Late-Onset Schizophrenia-Spectrum Disorders. <i>American Journal of Geriatric Psychiatry</i> , 2015, 23, 852-862.	0.6	22

#	ARTICLE	IF	CITATIONS
379	Theory of Mind and attachment styles in people with psychotic disorders, their siblings, and controls. Australian and New Zealand Journal of Psychiatry, 2015, 49, 171-180.	1.3	22
380	The transdiagnostic dimension of psychosis: implications for psychiatric nosology and research. Shanghai Archives of Psychiatry, 2015, 27, 82-6.	0.7	8
381	The Association between Negative Symptoms, Psychotic Experiences and Later Schizophrenia: A Population-Based Longitudinal Study. PLoS ONE, 2015, 10, e0119852.	1.1	36
382	Does the Brain Detect 3G Mobile Phone Radiation Peaks? An Explorative In-Depth Analysis of an Experimental Study. PLoS ONE, 2015, 10, e0125390.	1.1	13
383	EEG Changes Due to Experimentally Induced 3G Mobile Phone Radiation. PLoS ONE, 2015, 10, e0129496.	1.1	43
384	From Affective Experience to Motivated Action: Tracking Reward-Seeking and Punishment-Avoidant Behaviour in Real-Life. PLoS ONE, 2015, 10, e0129722.	1.1	19
385	Data Gathering Bias: Trait Vulnerability to Psychotic Symptoms?. PLoS ONE, 2015, 10, e0132442.	1.1	17
386	Bone Mineral Density as a Marker of Cumulative Estrogen Exposure in Psychotic Disorder: A 3 Year Follow-Up Study. PLoS ONE, 2015, 10, e0136320.	1.1	4
387	Treatment of Cognitive Impairment in Schizophrenia: Potential Value of Phosphodiesterase Inhibitors in Prefrontal Dysfunction. Current Pharmaceutical Design, 2015, 21, 3813-3828.	0.9	30
388	Does Assessment Type Matter? A Measurement Invariance Analysis of Online and Paper and Pencil Assessment of the Community Assessment of Psychic Experiences (CAPE). PLoS ONE, 2014, 9, e84011.	1.1	27
389	Evidence That a Psychopathology Interactome Has Diagnostic Value, Predicting Clinical Needs: An Experience Sampling Study. PLoS ONE, 2014, 9, e86652.	1.1	44
390	Stereotype Awareness, Self-Esteem and Psychopathology in People with Psychosis. PLoS ONE, 2014, 9, e88586.	1.1	13
391	Neurofeedback As a Treatment for Major Depressive Disorder – A Pilot Study. PLoS ONE, 2014, 9, e91837.	1.1	45
392	Brain-Derived Neurotrophic Factor/FK506-Binding Protein 5 Genotype by Childhood Trauma Interactions Do Not Impact on Hippocampal Volume and Cognitive Performance. PLoS ONE, 2014, 9, e92722.	1.1	17
393	How to Boost Positive Interpretations? A Meta-Analysis of the Effectiveness of Cognitive Bias Modification for Interpretation. PLoS ONE, 2014, 9, e100925.	1.1	157
394	Epigenetic Genes and Emotional Reactivity to Daily Life Events: A Multi-Step Gene-Environment Interaction Study. PLoS ONE, 2014, 9, e100935.	1.1	27
395	Novel Evidence That Attributing Affectively Salient Signal to Random Noise Is Associated with Psychosis. PLoS ONE, 2014, 9, e102520.	1.1	20
396	Horizon 2020 Priorities in Clinical Mental Health Research: Results of a Consensus-Based ROAMER Expert Survey. International Journal of Environmental Research and Public Health, 2014, 11, 10915-10939.	1.2	20

#	ARTICLE	IF	CITATIONS
397	Towards Horizon 2020: challenges and advances for clinical mental health research &ndash; outcome of an expert survey. <i>Neuropsychiatric Disease and Treatment</i> , 2014, 10, 1057.	1.0	20
398	Psychopathological Mechanisms Linking Childhood Traumatic Experiences to Risk of Psychotic Symptoms: Analysis of a Large, Representative Population-Based Sample. <i>Schizophrenia Bulletin</i> , 2014, 40, S123-S130.	2.3	95
399	Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. <i>Schizophrenia Bulletin</i> , 2014, 40, 729-736.	2.3	229
400	Lessons learned from the psychosis high-risk state: towards a general staging model of prodromal intervention. <i>Psychological Medicine</i> , 2014, 44, 17-24.	2.7	174
401	Sexual minority status and psychotic symptoms: findings from the Netherlands Mental Health Survey and Incidence Studies (NEMESIS). <i>Psychological Medicine</i> , 2014, 44, 421-433.	2.7	68
402	Therapygenetics in mindfulness-based cognitive therapy: do genes have an impact on therapy-induced change in real-life positive affective experiences?. <i>Translational Psychiatry</i> , 2014, 4, e384-e384.	2.4	19
403	Personality Compensates for Impaired Quality of Life and Social Functioning in Patients With Psychotic Disorders Who Experienced Traumatic Events. <i>Schizophrenia Bulletin</i> , 2014, 40, 1356-1365.	2.3	27
404	The Many Continua of Psychosis. <i>JAMA Psychiatry</i> , 2014, 71, 985.	6.0	33
405	A therapeutic application of the experience sampling method in the treatment of depression: a randomized controlled trial. <i>World Psychiatry</i> , 2014, 13, 68-77.	4.8	194
406	Does social defeat mediate the association between childhood trauma and psychosis? Evidence from the <sc>NEMESIS</sc> &#x2013; <sc>S</sc> study. <i>Acta Psychiatrica Scandinavica</i> , 2014, 129, 467-476.	2.2	65
407	ROAMER: roadmap for mental health research in Europe. <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 1-14.	1.1	109
408	Positive emotions from social company in women with persisting subclinical psychosis: lessons from daily life. <i>Acta Psychiatrica Scandinavica</i> , 2014, 129, 202-210.	2.2	8
409	Epigenetic Effects of Electroconvulsive Seizures. <i>Journal of ECT</i> , 2014, 30, 152-159.	0.3	20
410	The Immune System and Electroconvulsive Therapy for Depression. <i>Journal of ECT</i> , 2014, 30, 132-137.	0.3	62
411	Time-Lagged Moment-to-Moment Interplay Between Negative Affect and Paranoia: New Insights in the Affective Pathway to Psychosis. <i>Schizophrenia Bulletin</i> , 2014, 40, 278-286.	2.3	116
412	Systematic review and collaborative recalculation of 133 693 incident cases of schizophrenia. <i>Psychological Medicine</i> , 2014, 44, 9-16.	2.7	123
413	Subclinical psychotic experiences and bipolar spectrum features in depression: association with outcome of psychotherapy. <i>Psychological Medicine</i> , 2014, 44, 325-336.	2.7	46
414	Increased Release of Dopamine in the Striata of Young Adults With Hearing Impairment and Its Relevance for the Social Defeat Hypothesis of Schizophrenia. <i>JAMA Psychiatry</i> , 2014, 71, 1364.	6.0	52



#	ARTICLE	IF	CITATIONS
415	Familial Liability to Psychosis Is Associated With Attenuated Dopamine Stress Signaling in Ventromedial Prefrontal Cortex. <i>Schizophrenia Bulletin</i> , 2014, 40, 66-77.	2.3	32
416	Common variant at 16p11.2 conferring risk of psychosis. <i>Molecular Psychiatry</i> , 2014, 19, 108-114.	4.1	85
417	Poster #T195 PSYCHOLOGICAL MECHANISMS UNDERLYING THE ASSOCIATION BETWEEN CHILDHOOD ADVERSITY AND PSYCHOSIS: AN EXPERIENCE SAMPLING STUDY. <i>Schizophrenia Research</i> , 2014, 153, S358.	1.1	1
418	The epigenome and postnatal environmental influences in psychotic disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 337-348.	1.6	31
419	Can Assertive Community Treatment Remedy Patients Dropping Out of Treatment Due to Fragmented Services?. <i>Community Mental Health Journal</i> , 2014, 50, 454-459.	1.1	8
420	Predicting response to cognitive therapy and interpersonal therapy, with or without antidepressant medication, for major depression: A pragmatic trial in routine practice. <i>Journal of Affective Disorders</i> , 2014, 152-154, 146-154.	2.0	16
421	Effects of mindfulness-based cognitive therapy on self-reported suicidal ideation: results from a randomised controlled trial in patients with residual depressive symptoms. <i>Comprehensive Psychiatry</i> , 2014, 55, 1883-1890.	1.5	61
422	Analysis of pathogenic autoantibodies against the N-methyl-d-aspartate glutamate receptor in schizophrenia. <i>Journal of Neuroimmunology</i> , 2014, 275, 101.	1.1	0
423	Analysis of auto-antibodies in schizophrenia. <i>Journal of Neuroimmunology</i> , 2014, 275, 101.	1.1	0
424	Biological insights from 108 schizophrenia-associated genetic loci. <i>Nature</i> , 2014, 511, 421-427.	13.7	6,934
425	Factors contributing to the duration of untreated psychosis. <i>Schizophrenia Research</i> , 2014, 158, 76-81.	1.1	28
426	No association between genetic or epigenetic variation in insulin growth factors and antipsychotic-induced metabolic disturbances in a cross-sectional sample. <i>Pharmacogenomics</i> , 2014, 15, 951-962.	0.6	6
427	Evidence that childhood urban environment is associated with blunted stress reactivity across groups of patients with psychosis, relatives of patients and controls. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1579-1587.	1.6	13
428	The serotonin transporter 5-HTTLPR polymorphism in the association between sleep quality and affect. <i>European Neuropsychopharmacology</i> , 2014, 24, 1086-1090.	0.3	15
429	Impact of variation in the BDNF gene on social stress sensitivity and the buffering impact of positive emotions: Replication and extension of a gene-environment interaction. <i>European Neuropsychopharmacology</i> , 2014, 24, 930-938.	0.3	33
430	A Genome-wide Association Analysis of a Broad Psychosis Phenotype Identifies Three Loci for Further Investigation. <i>Biological Psychiatry</i> , 2014, 75, 386-397.	0.7	44
431	Validation of a neurofeedback paradigm: Manipulating frontal EEG alpha-activity and its impact on mood. <i>International Journal of Psychophysiology</i> , 2014, 93, 116-120.	0.5	55
432	Genotype-based prevention of psychosis onset and schizophrenia: a personalized approach in a target population. <i>Personalized Medicine</i> , 2014, 11, 167-172.	0.8	2

#	ARTICLE	IF	CITATIONS
433	Almost All Antipsychotics Result in Weight Gain: A Meta-Analysis. PLoS ONE, 2014, 9, e94112.	1.1	382
434	Experimentally Induced Stress Validated by EMG Activity. PLoS ONE, 2014, 9, e95215.	1.1	56
435	Hyper-Theory-of-Mind in Children with Psychotic Experiences. PLoS ONE, 2014, 9, e113082.	1.1	38
436	Testing an mHealth Momentary Assessment Routine Outcome Monitoring Application: A Focus on Restoration of Daily Life Positive Mood States. PLoS ONE, 2014, 9, e115254.	1.1	31
437	The Hong Kong mental morbidity survey: background and study design. East Asian Archives of Psychiatry, 2014, 24, 30-6.	0.5	17
438	Attenuated psychosis syndrome in DSM-5. Schizophrenia Research, 2013, 150, 31-35.	1.1	155
439	COMT Val158Met Genotype Selectively Alters Prefrontal [18F]Fallypride Displacement and Subjective Feelings of Stress in Response to a Psychosocial Stress Challenge. PLoS ONE, 2013, 8, e65662.	1.1	35
440	Antipsychotic medications and cognitive functioning in bipolar disorder: moderating effects of COMT Val108/158Met genotype. BMC Psychiatry, 2013, 13, 63.	1.1	16
441	Genome-wide association analysis identifies 13 new risk loci for schizophrenia. Nature Genetics, 2013, 45, 1150-1159.	9.4	1,395
442	Bone mineral density as a marker of cumulative endogenous estrogen exposure: Relationship to background genetic risk of psychotic disorder. Schizophrenia Research, 2013, 143, 25-31.	1.1	11
443	Molecular genetic gene-environment studies using candidate genes in schizophrenia: A systematic review. Schizophrenia Research, 2013, 150, 356-365.	1.1	80
444	The effect of childhood maltreatment and cannabis use on adult psychotic symptoms is modified by the COMT Val158Met polymorphism. Schizophrenia Research, 2013, 150, 303-311.	1.1	62
445	Genetic relationship between five psychiatric disorders estimated from genome-wide SNPs. Nature Genetics, 2013, 45, 984-994.	9.4	2,067
446	Resilience in mental health: linking psychological and neurobiological perspectives. Acta Psychiatrica Scandinavica, 2013, 128, 3-20.	2.2	286
447	Catatonia in DSM-5. Schizophrenia Research, 2013, 150, 26-30.	1.1	194
448	Schizoaffective Disorder in the DSM-5. Schizophrenia Research, 2013, 150, 21-25.	1.1	106
449	Definition and description of schizophrenia in the DSM-5. Schizophrenia Research, 2013, 150, 3-10.	1.1	491
450	Treatment of hallucinations: A comment. Psychosis, 2013, 5, 98-102.	0.4	5

#	ARTICLE	IF	CITATIONS
451	Beyond DSM and ICD: introducing "precision diagnosis" for psychiatry using momentary assessment technology. <i>World Psychiatry</i> , 2013, 12, 113-117.	4.8	92
452	Unemployment, ethnicity and psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2013, 127, 202-209.	2.2	16
453	Lost in transition: setting the psychosis threshold in prodromal research. <i>Acta Psychiatrica Scandinavica</i> , 2013, 127, 248-252.	2.2	55
454	Can we identify and treat "schizophrenia light" to prevent true psychotic illness?. <i>BMJ</i> , The, 2013, 346, f304-f304.	3.0	36
455	Microstructural white matter alterations in psychotic disorder: A family-based diffusion tensor imaging study. <i>Schizophrenia Research</i> , 2013, 146, 291-300.	1.1	19
456	The clinical effectiveness of evidence-based interventions for depression: A pragmatic trial in routine practice. <i>Journal of Affective Disorders</i> , 2013, 145, 349-355.	2.0	28
457	Follow-up factor structure of schizotypy and its clinical associations in a help-seeking sample meeting ultra-high risk for psychosis criteria at baseline. <i>Comprehensive Psychiatry</i> , 2013, 54, 173-180.	1.5	30
458	826 " An incidence study of diagnosed autism-spectrum disorders among immigrants to the netherlands. <i>European Psychiatry</i> , 2013, 28, 1.	0.1	0
459	Testing the estrogen hypothesis of schizophrenia: Associations between cumulative estrogen exposure and cerebral structural measures. <i>Schizophrenia Research</i> , 2013, 150, 114-120.	1.1	8
460	Redeeming diagnosis in psychiatry: timing versus specificity. <i>Lancet</i> , The, 2013, 381, 343-345.	6.3	177
461	Testing the hypothesis that psychotic illness begins when subthreshold hallucinations combine with delusional ideation. <i>Acta Psychiatrica Scandinavica</i> , 2013, 127, 34-47.	2.2	42
462	Evidence for the early clinical relevance of hallucinatory "delusional states in the general population. <i>Acta Psychiatrica Scandinavica</i> , 2013, 127, 482-493.	2.2	42
463	Cannabis use and vulnerability for psychosis in early adolescence" a TRAILS study. <i>Addiction</i> , 2013, 108, 733-740.	1.7	60
464	FKBP5 as a possible moderator of the psychosis-inducing effects of childhood trauma. <i>British Journal of Psychiatry</i> , 2013, 202, 261-268.	1.7	81
465	Structure of the psychotic disorders classification in DSM-5. <i>Schizophrenia Research</i> , 2013, 150, 11-14.	1.1	170
466	Logic and justification for dimensional assessment of symptoms and related clinical phenomena in psychosis: Relevance to DSM-5. <i>Schizophrenia Research</i> , 2013, 150, 15-20.	1.1	165
467	Emotional Experience in Negative Symptoms of Schizophrenia" No Evidence for a Generalized Hedonic Deficit. <i>Schizophrenia Bulletin</i> , 2013, 39, 217-225.	2.3	140
468	Schizophrenia Candidate Gene ERBB4: Covert Routes of Vulnerability to Psychosis Detected at the Population Level. <i>Schizophrenia Bulletin</i> , 2013, 39, 349-357.	2.3	15

#	ARTICLE	IF	CITATIONS
469	The Forthcoming DSM-5, Critical Care Medicine, and Pediatric Neuropsychiatry: Which New Concepts Do We Need?. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2013, 25, 111-114.	0.9	6
470	The Dynamics of Subthreshold Psychopathology: Implications for Diagnosis and Treatment. <i>American Journal of Psychiatry</i> , 2013, 170, 695-698.	4.0	112
471	Evidence for the impact of the CACNA1C risk allele rs1006737 on 2-year cognitive functioning in bipolar disorder. <i>Psychiatric Genetics</i> , 2013, 23, 41-42.	0.6	18
472	G×E interaction and neurodevelopment II. Focus on adversities in paediatric depression: the moderating role of serotonin transporter. <i>Epidemiology and Psychiatric Sciences</i> , 2013, 22, 21-28.	1.8	6
473	Novel directions for psychiatric diagnosis: from psychopathology to motor function to monitoring technology. <i>Epidemiology and Psychiatric Sciences</i> , 2013, 22, 289-295.	1.8	11
474	Predicting the incidence of antipsychotic-induced movement disorders in long-stay patients: A prospective study. <i>Epidemiology and Psychiatric Sciences</i> , 2013, 22, 375-379.	1.8	8
475	An updated and conservative systematic review and meta-analysis of epidemiological evidence on psychotic experiences in children and adults: on the pathway from proneness to persistence to dimensional expression across mental disorders. <i>Psychological Medicine</i> , 2013, 43, 1133-1149.	2.7	929
476	Psychiatry beyond labels: introducing contextual precision diagnosis across stages of psychopathology. <i>Psychological Medicine</i> , 2013, 43, 1563-1567.	2.7	21
477	Genotype by environment interaction and neurodevelopment III. Focus on the child's broader social ecology. <i>Epidemiology and Psychiatric Sciences</i> , 2013, 22, 125-129.	1.8	1
478	Increased stress reactivity: a mechanism specifically associated with the positive symptoms of psychotic disorder. <i>Psychological Medicine</i> , 2013, 43, 1389-1400.	2.7	83
479	Deconstructing the familiarity of variability in momentary negative and positive affect. <i>Acta Psychiatrica Scandinavica</i> , 2013, 127, 318-327.	2.2	21
480	Is psychotic disorder associated with increased levels of craving for cannabis? An Experience Sampling study. <i>Acta Psychiatrica Scandinavica</i> , 2013, 128, 448-456.	2.2	15
481	An incidence study of diagnosed autism spectrum disorders among immigrants to the Netherlands. <i>Acta Psychiatrica Scandinavica</i> , 2013, 128, 54-60.	2.2	33
482	Dynamic Association Between Interpersonal Functioning and Positive Symptom Dimensions of Psychosis Over Time: A Longitudinal Study of Healthy Adolescents. <i>Schizophrenia Bulletin</i> , 2013, 39, 179-185.	2.3	23
483	To cut a short test even shorter: Reliability and validity of a brief assessment of intellectual ability in Schizophrenia—a control-case family study. <i>Cognitive Neuropsychiatry</i> , 2013, 18, 574-593.	0.7	71
484	Intrauterine environment and cognitive development in young twins. <i>Journal of Developmental Origins of Health and Disease</i> , 2013, 4, 513-521.	0.7	6
485	Childhood Trauma as a Cause of Psychosis: Linking Genes, Psychology, and Biology. <i>Canadian Journal of Psychiatry</i> , 2013, 58, 44-51.	0.9	109
486	Day-to-day associations between subjective sleep and affect in regard to future depression in a female population-based sample. <i>British Journal of Psychiatry</i> , 2013, 202, 407-412.	1.7	84

#	ARTICLE	IF	CITATIONS
487	Psychiatric Diagnosis Revisited: Towards a System of Staging and Profiling Combining Nomothetic and Idiographic Parameters of Momentary Mental States. PLoS ONE, 2013, 8, e59559.	1.1	77
488	Depressive Symptoms in Crohn's Disease: Relationship with Immune Activation and Tryptophan Availability. PLoS ONE, 2013, 8, e60435.	1.1	39
489	Delta-9-Tetrahydrocannabinol-Induced Dopamine Release as a Function of Psychosis Risk: 18F-Fallypride Positron Emission Tomography Study. PLoS ONE, 2013, 8, e70378.	1.1	67
490	Moment-to-Moment Transfer of Positive Emotions in Daily Life Predicts Future Course of Depression in Both General Population and Patient Samples. PLoS ONE, 2013, 8, e75655.	1.1	64
491	Evidence That Transition from Health to Psychotic Disorder Can Be Traced to Semi-Ubiquitous Environmental Effects Operating against Background Genetic Risk. PLoS ONE, 2013, 8, e76690.	1.1	29
492	Introducing the Event Related Fixed Interval Area (ERFIA) Multilevel Technique: a Method to Analyze the Complete Epoch of Event-Related Potentials at Single Trial Level. PLoS ONE, 2013, 8, e79905.	1.1	9
493	Replicated Evidence of Absence of Association between Serum S100B and (Risk of) Psychotic Disorder. PLoS ONE, 2013, 8, e82535.	1.1	11
494	Autoantibodies to neurotransmitter receptors and ion channels: from neuromuscular to neuropsychiatric disorders. Frontiers in Genetics, 2013, 4, 181.	1.1	14
495	Altered Transfer of Momentary Mental States (ATOMS) as the Basic Unit of Psychosis Liability in Interaction with Environment and Emotions. PLoS ONE, 2013, 8, e54653.	1.1	37
496	From Epidemiology to Daily Life: Linking Daily Life Stress Reactivity to Persistence of Psychotic Experiences in a Longitudinal General Population Study. PLoS ONE, 2013, 8, e62688.	1.1	68
497	Putting a Hold on the Downward Spiral of Paranoia in the Social World: A Randomized Controlled Trial of Mindfulness-Based Cognitive Therapy in Individuals with a History of Depression. PLoS ONE, 2013, 8, e66747.	1.1	21
498	How Does MBCT for Depression Work? Studying Cognitive and Affective Mediation Pathways. PLoS ONE, 2013, 8, e72778.	1.1	73
499	Histone Deacetylase 2 in the Mouse Hippocampus: Attenuation of Age-Related Increase by Caloric Restriction. Current Alzheimer Research, 2013, 10, 868-876.	0.7	47
500	Flexible Assertive Community Treatment, Severity of Symptoms and Psychiatric Health Service Use, a Real life Observational Study. Clinical Practice and Epidemiology in Mental Health, 2013, 9, 202-209.	0.6	36
501	Evidence That Onset of Psychosis in the Population Reflects Early Hallucinatory Experiences That Through Environmental Risks and Affective Dysregulation Become Complicated by Delusions. Schizophrenia Bulletin, 2012, 38, 531-542.	2.3	84
502	Age-Related Increase in Levels of 5-Hydroxymethylcytosine in Mouse Hippocampus is Prevented by Caloric Restriction. Current Alzheimer Research, 2012, 9, 536-544.	0.7	90
503	The use of a Cumulative Needs for Care Monitor for individual treatment <i>v</i>. care as usual for patients diagnosed with severe mental illness, a cost-effectiveness analysis from the health care perspective. Epidemiology and Psychiatric Sciences, 2012, 21, 381-392.	1.8	6
504	GÂÃ—ÂE interaction and neurodevelopment I. Focus on maltreatment. Epidemiology and Psychiatric Sciences, 2012, 21, 347-351.	1.8	12

#	ARTICLE	IF	CITATIONS
505	Differences in craving for cannabis between schizophrenia patients using risperidone, olanzapine or clozapine. <i>Journal of Psychopharmacology</i> , 2012, 26, 189-195.	2.0	30
506	All-Cause Mortality and Medication Risk Factors in Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2012, 32, 31-35.	0.7	27
507	Testing the Psychosis Continuum: Differential Impact of Genetic and Nongenetic Risk Factors and Comorbid Psychopathology Across the Entire Spectrum of Psychosis. <i>Schizophrenia Bulletin</i> , 2012, 38, 992-1002.	2.3	82
508	Auditory hallucinations in childhood: associations with adversity and delusional ideation. <i>Psychological Medicine</i> , 2012, 42, 583-593.	2.7	29
509	Childhood Adversities Increase the Risk of Psychosis: A Meta-analysis of Patient-Control, Prospective- and Cross-sectional Cohort Studies. <i>Schizophrenia Bulletin</i> , 2012, 38, 661-671.	2.3	1,839
510	Daily life moment-to-moment variation in coping in people with a diagnosis of schizophrenia: state within trait psychosis. <i>Psychosis</i> , 2012, 4, 115-125.	0.4	3
511	Evidence That Psychotic Symptoms Are Prevalent in Disorders of Anxiety and Depression, Impacting on Illness Onset, Risk, and Severity—Implications for Diagnosis and Ultra-High Risk Research. <i>Schizophrenia Bulletin</i> , 2012, 38, 247-257.	2.3	324
512	Self-monitoring as a familial vulnerability marker for psychosis: an analysis of patients, unaffected siblings and healthy controls. <i>Psychological Medicine</i> , 2012, 42, 235-245.	2.7	15
513	Evidence that genes for depression impact on the pathway from trauma to psychotic-like symptoms by occasioning emotional dysregulation. <i>Psychological Medicine</i> , 2012, 42, 283-294.	2.7	32
514	Do subthreshold psychotic experiences predict clinical outcomes in unselected non-help-seeking population-based samples? A systematic review and meta-analysis, enriched with new results. <i>Psychological Medicine</i> , 2012, 42, 2239-2253.	2.7	341
515	Age at onset of non-affective psychosis in relation to cannabis use, other drug use and gender. <i>Psychological Medicine</i> , 2012, 42, 1903-1911.	2.7	29
516	Evidence that the wider social environment moderates the association between familial liability and psychosis spectrum outcome. <i>Psychological Medicine</i> , 2012, 42, 2499-2510.	2.7	30
517	Replication in two independent population-based samples that childhood maltreatment and cannabis use synergistically impact on psychosis risk. <i>Psychological Medicine</i> , 2012, 42, 149-159.	2.7	87
518	Efficacy of mindfulness-based cognitive therapy in relation to prior history of depression: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2012, 201, 320-325.	1.7	70
519	Psychotic experiences: disadvantaged and different from the norm. <i>British Journal of Psychiatry</i> , 2012, 201, 258-259.	1.7	13
520	Observational evidence that urbanisation and neighbourhood deprivation are associated with escalation in chronic pharmacological pain treatment: a longitudinal population-based study in the Netherlands. <i>BMJ Open</i> , 2012, 2, e000731.	0.8	7
521	Phenotypically Continuous With Clinical Psychosis, Discontinuous in Need for Care: Evidence for an Extended Psychosis Phenotype. <i>Schizophrenia Bulletin</i> , 2012, 38, 231-238.	2.3	85
522	The Effects of FreeSurfer Version, Workstation Type, and Macintosh Operating System Version on Anatomical Volume and Cortical Thickness Measurements. <i>PLoS ONE</i> , 2012, 7, e38234.	1.1	326

#	ARTICLE	IF	CITATIONS
523	A new public health genomics model for common complex diseases, with an application to common behavioral disorders. <i>Personalized Medicine</i> , 2012, 9, 29-38.	0.8	3
524	Genetic Variation Underlying Psychosis-inducing Effects of Cannabis: Critical Review and Future Directions. <i>Current Pharmaceutical Design</i> , 2012, 18, 5015-5023.	0.9	39
525	Symptomatic remission in psychosis and real-life functioning. <i>British Journal of Psychiatry</i> , 2012, 201, 215-220.	1.7	79
526	A time-lagged momentary assessment study on daily life physical activity and affect.. <i>Health Psychology</i> , 2012, 31, 135-144.	1.3	152
527	Self-reported Attenuated Psychotic Symptoms as Forerunners of Severe Mental Disorders Later in Life. <i>Archives of General Psychiatry</i> , 2012, 69, 467.	13.8	177
528	Antipsychotic drugs for prevention of relapse. <i>Lancet, The</i> , 2012, 379, 2030-2031.	6.3	2
529	An environmental analysis of genes associated with schizophrenia: hypoxia and vascular factors as interacting elements in the neurodevelopmental model. <i>Molecular Psychiatry</i> , 2012, 17, 1194-1205.	4.1	95
530	Early trauma and familial risk in the development of the extended psychosis phenotype in adolescence. <i>Acta Psychiatrica Scandinavica</i> , 2012, 126, 266-273.	2.2	52
531	Cognitive functioning and age at onset in non-€ffective psychotic disorder. <i>Acta Psychiatrica Scandinavica</i> , 2012, 126, 274-281.	2.2	23
532	Emotion recognition in psychosis: No evidence for an association with real world social functioning. <i>Schizophrenia Research</i> , 2012, 142, 116-121.	1.1	46
533	Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012, 380, 2197-2223.	6.3	7,061
534	Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012, 380, 2163-2196.	6.3	6,376
535	S.22.03 Positive affect and recovery from depression. <i>European Neuropsychopharmacology</i> , 2012, 22, S140.	0.3	2
536	P.2.a.012 Evidence that self-reported sleep impacts on momentary affect in daily life and predicts follow-up depressive symptomatology. <i>European Neuropsychopharmacology</i> , 2012, 22, S230-S231.	0.3	0
537	Genetic and Environmental Causes of Individual Differences in Daily Life Positive Affect and Reward Experience and Its Overlap with Stress-Sensitivity. <i>Behavior Genetics</i> , 2012, 42, 778-786.	1.4	23
538	Replication of the five-dimensional structure of positive psychotic experiences in young adulthood. <i>Psychiatry Research</i> , 2012, 197, 353-355.	1.7	29
539	Evidence for an association between tumor necrosis factor-alpha levels and lithium response. <i>Journal of Affective Disorders</i> , 2012, 143, 148-152.	2.0	44
540	Cognitive processes and attitudes in bipolar disorder: A study into personality, dysfunctional attitudes and attention bias in patients with bipolar disorder and their relatives. <i>Journal of Affective Disorders</i> , 2012, 143, 265-268.	2.0	31

#	ARTICLE	IF	CITATIONS
541	¿Media la dopamina los efectos psicóticos del Cannabis? Revisión e integración de los hallazgos a través de disciplinas. <i>Psiquiatría Biológica</i> , 2012, 19, 49-58.	0.0	1
542	Prevention of age-related changes in hippocampal levels of 5-methylcytidine by caloric restriction. <i>Neurobiology of Aging</i> , 2012, 33, 1672-1681.	1.5	73
543	Introduction: The Extended Psychosis Phenotype-Relationship With Schizophrenia and With Ultrahigh Risk Status for Psychosis. <i>Schizophrenia Bulletin</i> , 2012, 38, 227-230.	2.3	176
544	Electrophysiological correlates of automatic spreading of activation in patients with psychotic disorder and first-degree relatives. <i>International Journal of Psychophysiology</i> , 2012, 84, 102-112.	0.5	8
545	Epigenetic Epidemiology of Psychiatric Disorders. , 2012, , 343-376.		0
546	Pituitary volume, stress reactivity and genetic risk for psychotic disorder. <i>Psychological Medicine</i> , 2012, 42, 1523-1533.	2.7	36
547	Poster #81 GENETIC VARIATION IN ABCB1 ASSOCIATED WITH P300 AMPLITUDE IN SCHIZOPHRENIA. <i>Schizophrenia Research</i> , 2012, 136, S120.	1.1	0
548	Poster #197 FACTOR STRUCTURE OF SCHIZOTYPY AND ASSOCIATIONS WITH PSYCHOPATHOLOGY AND FUNCTIONING IN A GROUP PREVIOUSLY AT ULTRA-HIGH RISK FOR PSYCHOSIS. <i>Schizophrenia Research</i> , 2012, 136, S256.	1.1	0
549	Poster #24 FROM LAB TO LIFE: PREFRONTAL DOPAMINERGIC HYPOREACTIVITY TO PSYCHOSOCIAL STRESS PREDICTS PSYCHOTIC EXPERIENCES IN RESPONSE TO DAILY LIFE STRESS IN INDIVIDUALS WITH A FAMILIAL RISK OF PSYCHOSIS. <i>Schizophrenia Research</i> , 2012, 136, S289.	1.1	0
550	Poster #31 FUNCTIONAL CONNECTIVITY IN RELATION TO DIFFERENT GENETIC RISK LEVELS FOR PSYCHOTIC DISORDER: A RESTING STATE FMRI STUDY. <i>Schizophrenia Research</i> , 2012, 136, S291-S292.	1.1	0
551	Genetic association study of the P300 endophenotype in schizophrenia. <i>Schizophrenia Research</i> , 2012, 141, 54-59.	1.1	31
552	Plasma concentrations of soluble cytokine receptors in euthymic bipolar patients with and without subsyndromal symptoms. <i>BMC Psychiatry</i> , 2012, 12, 158.	1.1	24
553	Genetic Risk and Outcome of Psychosis (GROUP), a multi site longitudinal cohort study focused on gene-environment interaction: objectives, sample characteristics, recruitment and assessment methods. <i>International Journal of Methods in Psychiatric Research</i> , 2012, 21, 205-221.	1.1	224
554	Epigenetic regulation of the BDNF gene: implications for psychiatric disorders. <i>Molecular Psychiatry</i> , 2012, 17, 584-596.	4.1	262
555	Cannabis use and subclinical positive psychotic experiences in early adolescence: findings from a Dutch survey. <i>Addiction</i> , 2012, 107, 381-387.	1.7	41
556	The association between social phobia, social anxiety cognitions and paranoid symptoms. <i>Acta Psychiatrica Scandinavica</i> , 2012, 125, 213-227.	2.2	47
557	Adversity and psychosis: a 10-year prospective study investigating synergism between early and recent adversity in psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2012, 125, 388-399.	2.2	88
558	Evidence that interactive effects of COMT and MTHFR moderate psychotic response to environmental stress. <i>Acta Psychiatrica Scandinavica</i> , 2012, 125, 247-256.	2.2	50



#	ARTICLE	IF	CITATIONS
559	Epigenetic epidemiology in psychiatry: A translational neuroscience perspective. <i>Translational Neuroscience</i> , 2012, 3, .	0.7	3
560	Risk of psychiatric treatment for mood disorders and psychotic disorders among migrants and Dutch nationals in Utrecht, The Netherlands. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 271-278.	1.6	43
561	Candidate Gene-Based Association Study of Antipsychotic-Induced Movement Disorders in Long-Stay Psychiatric Patients: A Prospective Study. <i>PLoS ONE</i> , 2012, 7, e36561.	1.1	22
562	Antipsychotic-Induced Movement Disorders in Long-Stay Psychiatric Patients and 45 Tag SNPs in 7 Candidate Genes: A Prospective Study. <i>PLoS ONE</i> , 2012, 7, e50970.	1.1	27
563	Lifetime prevalences and correlates of psychotic and bipolar I disorders in general population of Izmir, Turkey. <i>Turk Psikiyatri Dergisi</i> , 2012, , .	0.2	0
564	Affective Dysregulation and Reality Distortion: A 10-Year Prospective Study of Their Association and Clinical Relevance. <i>Schizophrenia Bulletin</i> , 2011, 37, 561-571.	2.3	132
565	The relationship between coping and subclinical psychotic experiences in adolescents from the general population – a longitudinal study. <i>Psychological Medicine</i> , 2011, 41, 2535-2546.	2.7	63
566	Risk factors of auditory hallucinations in childhood: adversity and the formation of psychotic-like ideation. <i>European Psychiatry</i> , 2011, 26, 1343-1343.	0.1	0
567	Evidence that better theory of mind skills in children with auditory hallucinations mitigate the risk of secondary delusion formation. <i>European Psychiatry</i> , 2011, 26, 267-267.	0.1	0
568	Reduced Cortical Thickness as an Outcome of Differential Sensitivity to Environmental Risks in Schizophrenia. <i>Biological Psychiatry</i> , 2011, 69, 487-494.	0.7	122
569	Genome-wide association study identifies five new schizophrenia loci. <i>Nature Genetics</i> , 2011, 43, 969-976.	9.4	1,758
570	Psychosocial stress is associated with in vivo dopamine release in human ventromedial prefrontal cortex: A positron emission tomography study using [18F]fallypride. <i>NeuroImage</i> , 2011, 58, 1081-1089.	2.1	95
571	Persistence and outcome of auditory hallucinations in adolescence: A longitudinal general population study of 1800 individuals. <i>Schizophrenia Research</i> , 2011, 127, 252-256.	1.1	91
572	Subclinical psychosis and depression: Co-occurring phenomena that do not predict each other over time. <i>Schizophrenia Research</i> , 2011, 130, 277-281.	1.1	41
573	Non-replication of interaction between cannabis use and trauma in predicting psychosis. <i>Schizophrenia Research</i> , 2011, 131, 262-263.	1.1	20
574	Depressive symptoms following interferon- $\alpha$ therapy: mediated by immune-induced reductions in brain-derived neurotrophic factor?. <i>International Journal of Neuropsychopharmacology</i> , 2011, 14, 247-253.	1.0	47
575	FC06-03 - Course of auditory vocal hallucinations in childhood: A 5-year follow-up study. <i>European Psychiatry</i> , 2011, 26, 1842-1842.	0.1	0
576	Auditory P300 and N100 components as intermediate phenotypes for psychotic disorder: Familial liability and reliability. <i>Clinical Neurophysiology</i> , 2011, 122, 1984-1990.	0.7	27

#	ARTICLE	IF	CITATIONS
577	Caloric restriction attenuates age-related changes of DNA methyltransferase 3a in mouse hippocampus. <i>Brain, Behavior, and Immunity</i> , 2011, 25, 616-623.	2.0	78
578	Meta-analysis of MTHFR gene variants in schizophrenia, bipolar disorder and unipolar depressive disorder: Evidence for a common genetic vulnerability?. <i>Brain, Behavior, and Immunity</i> , 2011, 25, 1530-1543.	2.0	139
579	COMT Val158Metâ€“Stress Interaction in Psychosis: Role of Background Psychosis Risk. <i>CNS Neuroscience and Therapeutics</i> , 2011, 17, 612-619.	1.9	71
580	From schizophrenia metafacts to non-schizophrenia facts. <i>Schizophrenia Research</i> , 2011, 127, 16-17.	1.1	7
581	Cost of disorders of the brain in Europe 2010. <i>European Neuropsychopharmacology</i> , 2011, 21, 718-779.	0.3	1,253
582	Early improvement in positive rather than negative emotion predicts remission from depression after pharmacotherapy. <i>European Neuropsychopharmacology</i> , 2011, 21, 241-247.	0.3	94
583	The size and burden of mental disorders and other disorders of the brain in Europe 2010. <i>European Neuropsychopharmacology</i> , 2011, 21, 655-679.	0.3	2,930
584	Late onset autism and anti-NMDA-receptor encephalitis. <i>Lancet, The</i> , 2011, 378, 98.	6.3	65
585	Which cannabis users develop psychosis?. , 2011, , 137-143.		1
586	Response to Rietdijk et al. Letter. <i>American Journal of Psychiatry</i> , 2011, 168, 1221-1221.	4.0	1
587	Effectively Working on Rehabilitation Goals: 24-Month Outcome of a Randomized Controlled Trial of the Boston Psychiatric Rehabilitation Approach. <i>Canadian Journal of Psychiatry</i> , 2011, 56, 751-760.	0.9	49
588	Evidence That Onset of Clinical Psychosis Is an Outcome of Progressively More Persistent Subclinical Psychotic Experiences: An 8-Year Cohort Study. <i>Schizophrenia Bulletin</i> , 2011, 37, 84-93.	2.3	350
589	Childhood trauma and increased stress sensitivity in psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2011, 123, 28-35.	2.2	208
590	A 2-year naturalistic study on cognitive functioning in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2011, 123, 190-205.	2.2	94
591	Can obsessions drive you mad? Longitudinal evidence that obsessiveâ€“compulsive symptoms worsen the outcome of early psychotic experiences. <i>Acta Psychiatrica Scandinavica</i> , 2011, 123, 136-146.	2.2	40
592	Translating assessments of the film of daily life into person-tailored feedback interventions in depression. <i>Acta Psychiatrica Scandinavica</i> , 2011, 123, 402-403.	2.2	43
593	Better theory-of-mind skills in children hearing voices mitigate the risk of secondary delusion formation. <i>Acta Psychiatrica Scandinavica</i> , 2011, 124, 193-197.	2.2	32
594	Momentary assessment technology as a tool to help patients with depression help themselves. <i>Acta Psychiatrica Scandinavica</i> , 2011, 124, 262-272.	2.2	108

#	ARTICLE	IF	CITATIONS
595	Neuroticism explained? From a non-informative vulnerability marker to informative person-context interactions in the realm of daily life. <i>British Journal of Clinical Psychology</i> , 2011, 50, 19-32.	1.7	54
596	Emotions, self-esteem, and paranoid episodes: An experience sampling study. <i>British Journal of Clinical Psychology</i> , 2011, 50, 178-195.	1.7	188
597	On the utility of diagnostic instruments for pediatric delirium in critical illness: an evaluation of the Pediatric Anesthesia Emergence Delirium Scale, the Delirium Rating Scale 88, and the Delirium Rating Scale-Revised R-98. <i>Intensive Care Medicine</i> , 2011, 37, 1331-1337.	3.9	79
598	Does monitoring need for care in patients diagnosed with severe mental illness impact on Psychiatric Service Use? Comparison of monitored patients with matched controls. <i>BMC Psychiatry</i> , 2011, 11, 45.	1.1	30
599	More potential in statistical analyses of event-related potentials: a mixed regression approach. <i>International Journal of Methods in Psychiatric Research</i> , 2011, 20, e56-68.	1.1	42
600	Age at onset of psychotic disorder: Cannabis, BDNF Val66Met, and sex-specific models of gene-environment interaction. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 363-369.	1.1	54
601	A twin study of genetic and environmental determinants of abnormal persistence of psychotic experiences in young adulthood. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 546-552.	1.1	45
602	The relationship between neurocognition and social cognition with functional outcomes in schizophrenia: A meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2011, 35, 573-588.	2.9	1,489
603	Continued cannabis use and risk of incidence and persistence of psychotic symptoms: 10 year follow-up cohort study. <i>BMJ: British Medical Journal</i> , 2011, 342, d738-d738.	2.4	241
604	Mindfulness training increases momentary positive emotions and reward experience in adults vulnerable to depression: A randomized controlled trial. <i>Journal of Consulting and Clinical Psychology</i> , 2011, 79, 618-628.	1.6	340
605	Should Attenuated Psychosis Syndrome Be a DSM-5 Diagnosis?. <i>American Journal of Psychiatry</i> , 2011, 168, 460-463.	4.0	84
606	Childhood Trauma and Psychosis: A Case-Control and Case-Sibling Comparison Across Different Levels of Genetic Liability, Psychopathology, and Type of Trauma. <i>American Journal of Psychiatry</i> , 2011, 168, 1286-1294.	4.0	170
607	Function assertive community treatment (FACT) and psychiatric service use in patients diagnosed with severe mental illness. <i>Epidemiology and Psychiatric Sciences</i> , 2011, 20, 273-278.	1.8	18
608	Psychotic exacerbation and emotional dampening in the daily life of patients with schizophrenia switched to aripiprazole therapy: a collection of standardized case reports. <i>Therapeutic Advances in Psychopharmacology</i> , 2011, 1, 145-151.	1.2	14
609	The Structure of The Extended Psychosis Phenotype in Early Adolescence--A Cross-sample Replication. <i>Schizophrenia Bulletin</i> , 2011, 37, 850-860.	2.3	168
610	The Validity of the DSM-IV Diagnostic Classification System of Non-Affective Psychoses. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 1061-1068.	1.3	33
611	Course of auditory vocal hallucinations in childhood: 5-year follow-up study. <i>British Journal of Psychiatry</i> , 2011, 199, 296-302.	1.7	92
612	Evidence for a persistent, environment-dependent and deteriorating subtype of subclinical psychotic experiences: a 6-year longitudinal general population study. <i>Psychological Medicine</i> , 2011, 41, 2317-2329.	2.7	93

#	ARTICLE	IF	CITATIONS
613	Do cannabis and urbanicity co-participate in causing psychosis? Evidence from a 10-year follow-up cohort study. <i>Psychological Medicine</i> , 2011, 41, 2121-2129.	2.7	57
614	Daily cortisol, stress reactivity and psychotic experiences in individuals at above average genetic risk for psychosis. <i>Psychological Medicine</i> , 2011, 41, 2305-2315.	2.7	139
615	Adolescent development of psychosis as an outcome of hearing impairment: a 10-year longitudinal study. <i>Psychological Medicine</i> , 2011, 41, 477-485.	2.7	19
616	Social world interactions: how company connects to paranoia. <i>Psychological Medicine</i> , 2011, 41, 911-921.	2.7	68
617	Genetic moderation of CO <sub>2</sub> -induced fear by 5-HTTLPR genotype. <i>Journal of Psychopharmacology</i> , 2011, 25, 37-42.	2.0	49
618	Affectively Salient Meaning in Random Noise: A Task Sensitive to Psychosis Liability. <i>Schizophrenia Bulletin</i> , 2011, 37, 1179-1186.	2.3	62
619	Evidence That Familial Liability for Psychosis Is Expressed as Differential Sensitivity to Cannabis. <i>Archives of General Psychiatry</i> , 2011, 68, 138.	13.8	106
620	Association Between Event-Related Potentials and Pain Ratings. <i>Journal of Psychophysiology</i> , 2011, 25, 18-25.	0.3	6
621	Long-Stay Psychiatric Patients: A Prospective Study Revealing Persistent Antipsychotic-Induced Movement Disorder. <i>PLoS ONE</i> , 2011, 6, e25588.	1.1	44
622	Identifying at-risk states beyond positive symptoms: a brief task assessing how neurocognitive impairments impact on misrepresentation of the social world through blunted emotional appraisal. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, s175-s196.	0.9	2
623	Emotional Experience and Estimates of D2Receptor Occupancy in Psychotic Patients Treated With Haloperidol, Risperidone, or Olanzapine. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 1397-1404.	1.1	35
624	Izmir Mental Health Survey for Gene-Environment in Psychoses (TurkSch): Objectives and Methodology. <i>Türk Psikiyatri Dergisi</i> , 2011, , .	0.2	6
625	Izmir mental health survey for gene-environment interaction in psychoses (TürkSch): objectives and methodology. <i>Türk Psikiyatri Dergisi</i> , 2011, 22, 65-76.	0.2	7
626	MTHFR genotype and differential evolution of metabolic parameters after initiation of a second generation antipsychotic: an observational study. <i>International Clinical Psychopharmacology</i> , 2010, 25, 270-276.	0.9	49
627	Psychosis reactivity to cannabis use in daily life: an experience sampling study. <i>British Journal of Psychiatry</i> , 2010, 196, 447-453.	1.7	104
628	Systematic Reviews of Categorical Versus Continuum Models in Psychosis: Evidence for Discontinuous Subpopulations Underlying a Psychometric Continuum. Implications for DSM-V, DSM-VI, and DSM-VII. <i>Annual Review of Clinical Psychology</i> , 2010, 6, 391-419.	6.3	245
629	The cumulative needs for care monitor: a unique monitoring system in the south of the Netherlands. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010, 45, 475-485.	1.6	52
630	Refractory agitation as a marker for pediatric delirium in very young infants at a pediatric intensive care unit. <i>Intensive Care Medicine</i> , 2010, 36, 1982-1983.	3.9	34

#	ARTICLE	IF	CITATIONS
631	Prolonged stay at the paediatric intensive care unit associated with paediatric delirium. <i>European Child and Adolescent Psychiatry</i> , 2010, 19, 389-393.	2.8	74
632	Positive and Negative Beliefs About Depressive Rumination: A Psychometric Evaluation of Two Self-Report Scales and a Test of a Clinical Metacognitive Model of Rumination and Depression. <i>Cognitive Therapy and Research</i> , 2010, 34, 196-205.	1.2	30
633	Increased left striatal dopamine transmission in unaffected siblings of schizophrenia patients in response to acute metabolic stress. <i>Psychiatry Research - Neuroimaging</i> , 2010, 181, 130-135.	0.9	36
634	Unveiling patterns of affective responses in daily life may improve outcome prediction in depression: A momentary assessment study. <i>Journal of Affective Disorders</i> , 2010, 124, 191-195.	2.0	137
635	Does illness attribution affect treatment assignment in depression?. <i>Clinical Psychology and Psychotherapy</i> , 2010, 17, 418-426.	1.4	15
636	No major role for Xâ€inactivation in variations of intelligence and behavioral problems at middle childhood. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 1311-1317.	1.1	6
637	No association between MTHFR C677T or A1298C and age at onset of schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 1362-1363.	1.1	8
638	Systematic monitoring of needs for care and global outcomes in patients with severe mental illness. <i>BMC Psychiatry</i> , 2010, 10, 36.	1.1	17
639	Depressive Symptoms and Cognitive Decline in Communityâ€dwelling Older Adults. <i>Journal of the American Geriatrics Society</i> , 2010, 58, 873-879.	1.3	111
640	Psychotic reactivity in borderline personality disorder. <i>Acta Psychiatrica Scandinavica</i> , 2010, 121, 125-134.	2.2	82
641	Meeting risk with resilience: high daily life reward experience preserves mental health. <i>Acta Psychiatrica Scandinavica</i> , 2010, 122, 129-138.	2.2	92
642	Risk factors predicting onset and persistence of subthreshold expression of bipolar psychopathology among youth from the community. <i>Acta Psychiatrica Scandinavica</i> , 2010, 122, 255-266.	2.2	66
643	Evidence for a familial correlation between increased reactivity to stress and positive psychotic symptoms. <i>Acta Psychiatrica Scandinavica</i> , 2010, 122, 395-404.	2.2	58
644	The environment and schizophrenia. <i>Nature</i> , 2010, 468, 203-212.	13.7	1,249
645	Gene-Environment Interaction Research and Transgenic Mouse Models of Alzheimer's Disease. <i>International Journal of Alzheimer's Disease</i> , 2010, 2010, 1-27.	1.1	17
646	Gene-Environment Interaction Research and Transgenic Mouse Models of Alzheimer's Disease (Erratum). <i>International Journal of Alzheimer's Disease</i> , 2010, 2010, 1-1.	1.1	22
647	Incidence and persistence of tardive dyskinesia and extrapyramidal symptoms in schizophrenia. <i>Journal of Psychopharmacology</i> , 2010, 24, 1031-1035.	2.0	34
648	Dyskinesia and Parkinsonism in Antipsychotic-Naive Patients With Schizophrenia, First-Degree Relatives and Healthy Controls: A Meta-analysis. <i>Schizophrenia Bulletin</i> , 2010, 36, 723-731.	2.3	100

#	ARTICLE	IF	CITATIONS
649	THE PREDICTIVE VALUE OF PAIN EVENT-RELATED POTENTIALS FOR THE CLINICAL EXPERIENCE OF PAIN. <i>Journal of Integrative Neuroscience</i> , 2010, 09, 1-10.	0.8	3
650	Extended psychosis phenotype “yes: single continuum” unlikely. <i>Psychological Medicine</i> , 2010, 40, 1963-1966.	2.7	72
651	Evidence that bipolar disorder is the poor outcome fraction of a common developmental phenotype: an 8-year cohort study in young people. <i>Psychological Medicine</i> , 2010, 40, 289-299.	2.7	57
652	Scars in depression: is a conceptual shift necessary to solve the puzzle?. <i>Psychological Medicine</i> , 2010, 40, 359-365.	2.7	68
653	Prevalence and correlates of auditory vocal hallucinations in middle childhood. <i>British Journal of Psychiatry</i> , 2010, 196, 41-46.	1.7	90
654	Delinquency in context; neighbourhood and gender interactions among adolescents. <i>Epidemiologia E Psichiatria Sociale</i> , 2010, 19, 148-158.	1.0	7
655	A cognitive intermediate phenotype study confirming possible gene“early adversity interaction in psychosis outcome: A general population twin study. <i>Psychosis</i> , 2010, 2, 1-11.	0.4	17
656	DSM“5 and the “Psychosis Risk Syndrome“™: Babylonian confusion. <i>Psychosis</i> , 2010, 2, 100-103.	0.4	9
657	Prediction of transition from common adolescent bipolar experiences to bipolar disorder: 10-year study. <i>British Journal of Psychiatry</i> , 2010, 196, 102-108.	1.7	92
658	Seeking Verisimilitude in a Class: A Systematic Review of Evidence That the Criterial Clinical Symptoms of Schizophrenia Are Taxonic. <i>Schizophrenia Bulletin</i> , 2010, 36, 811-829.	2.3	39
659	Early Expression of Negative/Disorganized Symptoms Predicting Psychotic Experiences and Subsequent Clinical Psychosis: A 10-Year Study. <i>American Journal of Psychiatry</i> , 2010, 167, 1075-1082.	4.0	159
660	MURRAY ET AL (2004) REVISITED: IS BIPOLAR DISORDER SCHIZOPHRENIA WITHOUT DEVELOPMENTAL IMPAIRMENT?. <i>Schizophrenia Research</i> , 2010, 117, 128.	1.1	0
661	COMTVAL158MET POLYMORPHISM IN INTERACTION WITH DAILY STRESS: HOW COMT CONNECTS TO PSYCHOSIS. <i>Schizophrenia Research</i> , 2010, 117, 296-297.	1.1	0
662	SYSTEMATIC REVIEW & STANDARDISED RECALCULATION OF INCIDENCE RATES FOR SCHIZOPHRENIA ACROSS THE LIFE SPAN. <i>Schizophrenia Research</i> , 2010, 117, 297.	1.1	0
663	MOMENTARY ASSESSMENT TECHNOLOGY TO ASSESS GENE-ENVIRONMENT INTERACTIONS UNDERLYING THE AFFECTIVE INTERMEDIARY PHENOTYPE OF STRESS SENSITIVITY IN SCHIZOPHRENIA. <i>Schizophrenia Research</i> , 2010, 117, 160-161.	1.1	0
664	EVIDENCE FOR THE BEHAVIORAL SENSITIZATION HYPOTHESIS OF PSYCHOSIS: AN 8-YEAR LONGITUDINAL COHORT STUDY INVESTIGATING THE EFFECTS OF CASCADING PSYCHOLOGICAL STRESSORS ON PSYCHOSIS OUTCOME. <i>Schizophrenia Research</i> , 2010, 117, 183.	1.1	0
665	ONSET OF PSYCHOTIC ILLNESS: NEGATIVE SYMPTOMS INCREASING RISK FOR POSITIVE SYMPTOMS INCREASING RISK FOR IMPAIRMENT?. <i>Schizophrenia Research</i> , 2010, 117, 196-197.	1.1	0
666	MTHFR GENOTYPE AND DIFFERENTIAL EVOLUTION OF METABOLIC PARAMETERS AFTER INITIATION OF A SECOND GENERATION ANTIPSYCHOTIC. <i>Schizophrenia Research</i> , 2010, 117, 218.	1.1	0

#	ARTICLE	IF	CITATIONS
667	THE DEFICIT SYNDROME IN SCHIZOPHRENIA: ASSOCIATIONS WITH HIPPOCAMPAL VOLUME AND PREFRONTAL CORTICAL THICKNESS. Schizophrenia Research, 2010, 117, 226.	1.1	1
668	ARE SOCIAL ANXIETY AND PARANOIA ASSOCIATED, AND WHICH COMES FIRST?. Schizophrenia Research, 2010, 117, 317-318.	1.1	0
669	THE STRUCTURE OF THE EXTENDED PSYCHOSIS PHENOTYPE IN EARLY ADOLESCENCE. Schizophrenia Research, 2010, 117, 322.	1.1	1
670	WIDESPREAD, HERITABLE, BRAIN ALTERATIONS IN INDIVIDUALS WITH SCHIZOPHRENIA AND INDIVIDUALS 'AT RISK': EVIDENCE FOR A CORTICAL THICKNESS INTERMEDIATE PHENOTYPE. Schizophrenia Research, 2010, 117, 339-340.	1.1	1
671	Evidence that the impact of hearing impairment on psychosis risk is moderated by the level of complexity of the social environment. Schizophrenia Research, 2010, 122, 193-198.	1.1	25
672	MTHFR and risk of metabolic syndrome in patients with schizophrenia. Schizophrenia Research, 2010, 121, 193-198.	1.1	84
673	Does dopamine mediate the psychosis-inducing effects of cannabis? A review and integration of findings across disciplines. Schizophrenia Research, 2010, 121, 107-117.	1.1	100
674	Managing complex patients on a medical psychiatric unit: An observational study of university hospital costs associated with medical service use, length of stay, and psychiatric intervention. Journal of Psychosomatic Research, 2010, 68, 295-302.	1.2	51
675	Epigenetic regulation in the pathophysiology of Alzheimer's disease. Progress in Neurobiology, 2010, 90, 498-510.	2.8	237
676	Social needs in daily life in adults with Pervasive Developmental Disorders. Psychiatry Research, 2010, 179, 75-80.	1.7	30
677	REVIEW: Genome-Wide Findings in Schizophrenia and the Role of Gene-Environment Interplay. CNS Neuroscience and Therapeutics, 2010, 16, e185-92.	1.9	61
678	Are psychiatric diagnoses of psychosis scientific and useful? The case of schizophrenia. Journal of Mental Health, 2010, 19, 305-317.	1.0	55
679	Continua or Classes? Vexed Questions on the Latent Structure of Schizophrenia. , 2010, , 333-355.		3
680	Gene-Environment Interactions for Searchers: Collaboration between Epidemiology and Molecular Genetics. , 2010, , 19-50.		1
681	The Natural History of the Course and Outcome of Schizophrenia. , 2010, , 51-65.		2
682	The Genetic Influence on the Cortical Processing of Experimental Pain and the Moderating Effect of Pain Status. PLoS ONE, 2010, 5, e13641.	1.1	51
683	Neurocognitive Functioning as Intermediary Phenotype and Predictor of Psychosocial Functioning Across the Psychosis Continuum. Journal of Clinical Psychiatry, 2010, 71, 764-774.	1.1	79
684	Transition from stress sensitivity to a depressive state: longitudinal twin study. British Journal of Psychiatry, 2009, 195, 498-503.	1.7	123

#	ARTICLE	IF	CITATIONS
685	Reduced Stress-Sensitivity or Increased Reward Experience: The Psychological Mechanism of Response to Antidepressant Medication. <i>Neuropsychopharmacology</i> , 2009, 34, 923-931.	2.8	113
686	Early adversity and 5-HTT/BDNF genes: new evidence of gene-environment interactions on depressive symptoms in a general population. <i>Psychological Medicine</i> , 2009, 39, 1425-1432.	2.7	237
687	Does antidepressant medication in patients with hepatitis C undergoing interferon $\alpha$ treatment reduce therapeutic efficacy?. <i>Gut</i> , 2009, 58, 145-145.	6.1	5
688	Mechanisms of gene-environment interactions in depression: evidence that genes potentiate multiple sources of adversity. <i>Psychological Medicine</i> , 2009, 39, 1077.	2.7	109
689	The psychoses: Cluster 3 of the proposed meta-structure for DSM-V and ICD-11. <i>Psychological Medicine</i> , 2009, 39, 2025-2042.	2.7	74
690	Experience sampling research in psychopathology: opening the black box of daily life. <i>Psychological Medicine</i> , 2009, 39, 1533-1547.	2.7	622
691	A salience dysregulation syndrome. <i>British Journal of Psychiatry</i> , 2009, 194, 101-103.	1.7	117
692	Neighborhood Socioeconomic and Social Factors and School Achievement in Boys and Girls. <i>Journal of Early Adolescence</i> , 2009, 29, 285-306.	1.1	13
693	Subjective Experience of Cognitive Failures as Possible Risk Factor for Negative Symptoms of Psychosis in the General Population. <i>Schizophrenia Bulletin</i> , 2009, 35, 766-774.	2.3	25
694	Heritability of Structural Brain Traits. <i>International Review of Neurobiology</i> , 2009, 89, 85-130.	0.9	30
695	Gene-Environment-Wide Interaction Studies in Psychiatry. <i>American Journal of Psychiatry</i> , 2009, 166, 964-966.	4.0	40
696	Are women better mindreaders? Sex differences in neural correlates of mentalizing detected with functional MRI. <i>BMC Neuroscience</i> , 2009, 10, 9.	0.8	76
697	A community study of psychosocial functioning and weight in young children and adolescents. <i>Pediatric Obesity</i> , 2009, 4, 91-97.	3.2	61
698	Evidence that self-reported psychotic experiences represent the transitory developmental expression of genetic liability to psychosis in the general population. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009, 150B, 1078-1084.	1.1	38
699	Non-therapeutic risk factors for onset of tardive dyskinesia in schizophrenia: A meta-analysis. <i>Movement Disorders</i> , 2009, 24, 2309-2315.	2.2	58
700	Capturing coping with symptoms in people with a diagnosis of schizophrenia: introducing the MACS-24. <i>International Journal of Methods in Psychiatric Research</i> , 2009, 18, 4-12.	1.1	12
701	Berkson's bias and the mood dimensions of bipolar disorder. <i>International Journal of Methods in Psychiatric Research</i> , 2009, 18, 279-286.	1.1	17
702	Diagnostic considerations regarding pediatric delirium: a review and a proposal for an algorithm for pediatric intensive care units. <i>Intensive Care Medicine</i> , 2009, 35, 1843-1849.	3.9	74



#	ARTICLE	IF	CITATIONS
703	Bipolar disorder and dopamine dysfunction: an indirect approach focusing on tardive movement syndromes in a naturalistic setting. <i>BMC Psychiatry</i> , 2009, 9, 16.	1.1	13
704	Subtle gene-environment interactions driving paranoia in daily life. <i>Genes, Brain and Behavior</i> , 2009, 8, 5-12.	1.1	75
705	Does reactivity to stress cosegregate with subclinical psychosis? A general population twin study. <i>Acta Psychiatrica Scandinavica</i> , 2009, 119, 45-53.	2.2	77
706	COMT Val <sup>158</sup> /Met moderation of cannabis-induced psychosis: a momentary assessment study of "switching on" hallucinations in the flow of daily life. <i>Acta Psychiatrica Scandinavica</i> , 2009, 119, 156-160.	2.2	106
707	Preface: Treatment optimization in schizophrenia through active patient management - proceedings from two European consensus meetings. <i>Acta Psychiatrica Scandinavica</i> , 2009, 119, 5-6.	2.2	13
708	Schizophrenia treatment: content versus delivery. <i>Acta Psychiatrica Scandinavica</i> , 2009, 119, 29-32.	2.2	4
709	Cognition as predictor of current and follow-up depressive symptoms in the general population. <i>Acta Psychiatrica Scandinavica</i> , 2009, 120, 45-52.	2.2	55
710	"Salience syndrome" replaces "schizophrenia" in DSM-V and ICD-11: psychiatry's evidence-based entry into the 21st century?. <i>Acta Psychiatrica Scandinavica</i> , 2009, 120, 363-372.	2.2	132
711	Murray et al. (2004) revisited: is bipolar disorder identical to schizophrenia without developmental impairment?. <i>Acta Psychiatrica Scandinavica</i> , 2009, 120, 249-252.	2.2	21
712	Investigating the association between neurocognition and psychosis in bipolar disorder: further evidence for the overlap with schizophrenia. <i>Bipolar Disorders</i> , 2009, 11, 166-177.	1.1	40
713	The role of dopamine D3, 5-HT2A and 5-HT2C receptor variants as pharmacogenetic determinants in tardive dyskinesia in African-Caribbean patients under chronic antipsychotic treatment. <i>Journal of Psychopharmacology</i> , 2009, 23, 652-659.	2.0	42
714	Online mentalising investigated with functional MRI. <i>Neuroscience Letters</i> , 2009, 454, 176-181.	1.0	73
715	Evidence that better outcome of psychosis in women is reversed with increasing age of onset: A population-based 5-year follow-up study. <i>Schizophrenia Research</i> , 2009, 113, 226-232.	1.1	26
716	A systematic review and meta-analysis of the psychosis continuum: evidence for a psychosis proneness-persistence-impairment model of psychotic disorder. <i>Psychological Medicine</i> , 2009, 39, 179-195.	2.7	1,829
717	Exploring the Causal Relationship Between Cannabis and Schizophrenia: What is the Role of Genes and Environment?. <i>European Psychiatry</i> , 2009, 24, .	0.1	1
718	Are psychotic psychopathology and neurocognition orthogonal? A systematic review of their associations.. <i>Psychological Bulletin</i> , 2009, 135, 157-171.	5.5	241
719	Are social phobia and paranoia related, and which comes first?. <i>Psychosis</i> , 2009, 1, 29-38.	0.4	17
720	Schizophrenia. <i>Lancet</i> , The, 2009, 374, 635-645.	6.3	1,820

#	ARTICLE	IF	CITATIONS
721	Does Cannabis Use Affect Treatment Outcome in Bipolar Disorder?. <i>Journal of Nervous and Mental Disease</i> , 2009, 197, 35-40.	0.5	94
722	Using the Stroop task to investigate the neural correlates of symptom change in schizophrenia. <i>British Journal of Psychiatry</i> , 2009, 194, 373-374.	1.7	22
723	The role of affective processing in vulnerability to and resilience against depression. , 2009, , 181-192.		2
724	The use of the Camberwell Assessment of Need in treatment: what unmet needs can be met?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 410-417.	1.6	46
725	Is processing speed predictive of functional outcome in psychosis?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 437-444.	1.6	6
726	Is an Angoff Standard an Indication of Minimal Competence of Examinees or of Judges?. <i>Advances in Health Sciences Education</i> , 2008, 13, 203-211.	1.7	27
727	Executive function does not predict coping with symptoms in stable patients with a diagnosis of schizophrenia. <i>BMC Psychiatry</i> , 2008, 8, 39.	1.1	9
728	A real-life observational study of the effectiveness of FACT in a Dutch mental health region. <i>BMC Psychiatry</i> , 2008, 8, 93.	1.1	33
729	Evidence that the COMT Val158Met polymorphism moderates sensitivity to stress in psychosis: An experience-sampling study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 10-17.	1.1	104
730	The BDNF Val66Met and 5-HTTLPR polymorphisms and child adversity interaction and depressive symptoms: An attempt at replication. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 120-123.	1.1	121
731	Pharmacogenetics of parkinsonism, rigidity, rest tremor, and bradykinesia in African Caribbean inpatients: Differences in association with dopamine and serotonin receptors. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 890-897.	1.1	30
732	Early exposure to cannabis and risk for psychosis in young adolescents in Trinidad. <i>Acta Psychiatrica Scandinavica</i> , 2008, 118, 209-213.	2.2	88
733	Evidence that the Two-Way Communication Checklist identifies patient-doctor needs discordance resulting in better 6-month outcome. <i>Acta Psychiatrica Scandinavica</i> , 2008, 118, 322-326.	2.2	7
734	Antipsychotic-induced tardive dyskinesia and polymorphic variations in COMT, DRD2, CYP1A2 and MnSOD genes: a meta-analysis of pharmacogenetic interactions. <i>Molecular Psychiatry</i> , 2008, 13, 544-556.	4.1	141
735	Are sexual side effects of prolactin-raising antipsychotics reducible to serum prolactin?. <i>Psychoneuroendocrinology</i> , 2008, 33, 711-717.	1.3	78
736	The course of tardive dystonia in Afro Caribbean patients, a population-based study. <i>Schizophrenia Research</i> , 2008, 98, 79-83.	1.1	13
737	Evidence for a relationship between mentalising deficits and paranoia over the psychosis continuum. <i>Schizophrenia Research</i> , 2008, 99, 103-110.	1.1	67
738	Effects of acute metabolic stress on the dopaminergic and pituitary-adrenal axis activity in patients with schizophrenia, their unaffected siblings and controls. <i>Schizophrenia Research</i> , 2008, 100, 206-211.	1.1	65

#	ARTICLE	IF	CITATIONS
739	Social cognition and neurocognition as independent domains in psychosis. <i>Schizophrenia Research</i> , 2008, 103, 257-265.	1.1	150
740	EMOTIONAL CHANGES AND PARANOIA: AN EXPERIENCE SAMPLING STUDY. <i>Schizophrenia Research</i> , 2008, 102, 129-130.	1.1	0
741	VOICE HEARING IN CHILDHOOD: PREVALENCE RATES AND ASSOCIATIONS WITH OBSTETRIC COMPLICATIONS, EARLY DEVELOPMENT AND SOCIAL BEHAVIOUR. <i>Schizophrenia Research</i> , 2008, 102, 163.	1.1	0
742	EMOTIONAL REACTIVITY TO STRESS IN DAILY LIFE, COGNITIVE FUNCTIONING AND THE SYMPTOMS OF PSYCHOSIS: EVIDENCE FOR A POSITIVE VERSUS NEGATIVE SYNDROME. <i>Schizophrenia Research</i> , 2008, 102, 226.	1.1	0
743	NEGATIVE SYMPTOMS IN PSYCHOSIS: DO THEY REALLY EXIST?. <i>Schizophrenia Research</i> , 2008, 102, 229.	1.1	0
744	AUDITORY HALLUCINATIONS IN ADOLESCENCE: A LONGITUDINAL GENERAL POPULATION STUDY. <i>Schizophrenia Research</i> , 2008, 102, 229-230.	1.1	6
745	OBSESSIVE-COMPULSIVE SYMPTOMS ARE ASSOCIATED WITH BUT DO NOT PREDICT PSYCHOTIC SYMPTOMS IN PATIENTS WITH PSYCHOSIS. <i>Schizophrenia Research</i> , 2008, 102, 230.	1.1	0
746	OCD PREDICTS PSYCHOTIC SYMPTOMS IN THE GENERAL POPULATION. <i>Schizophrenia Research</i> , 2008, 102, 230-231.	1.1	0
747	IS INCREASED REACTIVITY TO STRESS AN ENDOPHENOTYPE FOR PSYCHOSIS?. <i>Schizophrenia Research</i> , 2008, 102, 179-180.	1.1	0
748	Gene-Environment Interactions in Schizophrenia: Review of Epidemiological Findings and Future Directions. <i>Schizophrenia Bulletin</i> , 2008, 34, 1066-1082.	2.3	595
749	Rumination and worrying as possible mediators in the relation between neuroticism and symptoms of depression and anxiety in clinically depressed individuals. <i>Behaviour Research and Therapy</i> , 2008, 46, 1283-1289.	1.6	224
750	Evidence that lithium protects against tardive dyskinesia: The Curaçao Extrapiramidal Syndromes study VI. <i>European Neuropsychopharmacology</i> , 2008, 18, 152-155.	0.3	19
751	Evidence that the COMT Val158Met Polymorphism Moderates Subclinical Psychotic and Affective Symptoms in Unaffected First-Degree Relatives of Patients With Schizophrenia. <i>European Psychiatry</i> , 2008, 23, 219-222.	0.1	10
752	Stability and treatment outcome of distinct classes of mania. <i>European Psychiatry</i> , 2008, 23, 360-367.	0.1	18
753	Chronic mania revisited: Factors associated with treatment non-response during prospective follow-up of a large European cohort (EMBLEM). <i>World Journal of Biological Psychiatry</i> , 2008, 9, 313-320.	1.3	22
754	Cognitive Performance and Grey Matter Density in Psychosis: Functional Relevance of a Structural Endophenotype. <i>Neuropsychobiology</i> , 2008, 58, 128-137.	0.9	12
755	Mental Health Care Use in Parkinson's Disease: A Record Linkage Study. <i>Neuroepidemiology</i> , 2008, 30, 71-75.	1.1	6
756	Meta-analyses of cognitive functioning in euthymic bipolar patients and their first-degree relatives. <i>Psychological Medicine</i> , 2008, 38, 771-785.	2.7	603

#	ARTICLE	IF	CITATIONS
757	The Catechol-O-Methyl Transferase Val158Met Polymorphism and Experience of Reward in the Flow of Daily Life. <i>Neuropsychopharmacology</i> , 2008, 33, 3030-3036.	2.8	70
758	Introduction. <i>Schizophrenia Bulletin</i> , 2008, 34, 1064-1065.	2.3	13
759	Ethnic Density of Neighborhoods and Incidence of Psychotic Disorders Among Immigrants. <i>American Journal of Psychiatry</i> , 2008, 165, 66-73.	4.0	290
760	Mood changes after delivery: role of the serotonin transporter gene. <i>British Journal of Psychiatry</i> , 2008, 193, 383-388.	1.7	95
761	Letter to the Editor: The coherence of the evidence linking cannabis with psychosis. <i>Psychological Medicine</i> , 2008, 38, 461-464.	2.7	7
762	A momentary assessment study of the reputed emotional phenotype associated with borderline personality disorder. <i>Psychological Medicine</i> , 2008, 38, 1231-1239.	2.7	50
763	Cannabis use and genetic predisposition for schizophrenia: a case-control study. <i>Psychological Medicine</i> , 2008, 38, 1251-1256.	2.7	35
764	Fluctuations in self-esteem and paranoia in the context of daily life.. <i>Journal of Abnormal Psychology</i> , 2008, 117, 143-153.	2.0	199
765	The psychology of psychiatric genetics: Evidence that positive emotions in females moderate genetic sensitivity to social stress associated with the BDNF Val66Met polymorphism.. <i>Journal of Abnormal Psychology</i> , 2008, 117, 699-704.	2.0	55
766	The influence of 5-HTTLPR and STin2 polymorphisms in the serotonin transporter gene on treatment effect of selective serotonin reuptake inhibitors in depressive patients. <i>Psychiatric Genetics</i> , 2008, 18, 184-190.	0.6	52
767	Pediatric illness severity measures predict delirium in a pediatric intensive care unit. <i>Critical Care Medicine</i> , 2008, 36, 1933-1936.	0.4	73
768	Susceptibility to Depression Expressed as Alterations in Cortisol Day Curve: A Cross-Twin, Cross-Trait Study. <i>Psychosomatic Medicine</i> , 2008, 70, 314-318.	1.3	24
769	Case registers in psychiatry: do they still have a role for research and service monitoring?. <i>Current Opinion in Psychiatry</i> , 2008, 21, 379-384.	3.1	18
770	Psychiatric Diagnosis as an Independent Risk Factor for Metabolic Disturbances. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 1319-1327.	1.1	67
771	Evidence That Patients With Single Versus Recurrent Depressive Episodes Are Differentially Sensitive to Treatment Discontinuation. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 1423-1436.	1.1	115
772	Does the Concept of "Sensitization" Provide a Plausible Mechanism for the Putative Link Between the Environment and Schizophrenia?. <i>Schizophrenia Bulletin</i> , 2007, 34, 220-225.	2.3	205
773	Disentangling associations between poverty at various levels of aggregation and mental health. <i>Epidemiologia E Psichiatria Sociale</i> , 2007, 16, 3-9.	1.0	16
774	Deconstructing Psychosis. <i>Schizophrenia Bulletin</i> , 2007, 33, 861-862.	2.3	43

#	ARTICLE	IF	CITATIONS
775	Serotonin transporter polymorphisms and the occurrence of adverse events during treatment with selective serotonin reuptake inhibitors. <i>International Clinical Psychopharmacology</i> , 2007, 22, 137-143.	0.9	60
776	Social and cognitive functioning, urbanicity and risk for schizophrenia. <i>British Journal of Psychiatry</i> , 2007, 191, 320-324.	1.7	62
777	Genetic risk of depression and stress-induced negative affect in daily life. <i>British Journal of Psychiatry</i> , 2007, 191, 218-223.	1.7	146
778	Depression: Too Much Negative Affect or Too Little Positive Affect?. <i>Twin Research and Human Genetics</i> , 2007, 10, 19-20.	0.3	22
779	COMT Val158Met moderation of stress-induced psychosis. <i>Psychological Medicine</i> , 2007, 37, 1651-1656.	2.7	65
780	Verbal self-monitoring in psychosis: a non-replication. <i>Psychological Medicine</i> , 2007, 37, 569.	2.7	26
781	Suicide and other causes of mortality in bipolar disorder: a longitudinal study. <i>Psychological Medicine</i> , 2007, 37, 839-847.	2.7	88
782	Does normal developmental expression of psychosis combine with environmental risk to cause persistence of psychosis? A psychosis proneness/persistence model. <i>Psychological Medicine</i> , 2007, 37, 513.	2.7	231
783	Relationship between DHA status at birth and child problem behaviour at 7 years of age. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2007, 76, 29-34.	1.0	61
784	Worsening of psychosis in schizophrenia is longitudinally associated with tardive dyskinesia in the European Schizophrenia Outpatient Health Outcomes study. <i>Comprehensive Psychiatry</i> , 2007, 48, 436-440.	1.5	28
785	Stress-reactivity in psychosis: Evidence for an affective pathway to psychosis. <i>Clinical Psychology Review</i> , 2007, 27, 409-424.	6.0	565
786	A momentary assessment study of the relationship between affective and adrenocortical stress responses in daily life. <i>Biological Psychology</i> , 2007, 74, 60-66.	1.1	170
787	Childhood victimization and developmental expression of sub-clinical psychosis. <i>European Psychiatry</i> , 2007, 22, S19.	0.1	1
788	Serotonergic response to stress: A protective factor against abnormal dopaminergic reactivity in schizophrenia?. <i>European Psychiatry</i> , 2007, 22, 362-364.	0.1	11
789	Challenges and options in the treatment of schizophrenia. <i>European Psychiatry</i> , 2007, 22, S122.	0.1	0
790	No ecological effect modification of the association between negative life experiences and later psychopathology in adolescence: A longitudinal community study in adolescents. <i>European Psychiatry</i> , 2007, 22, 296-304.	0.1	11
791	Psychotic experiences in the general population: A twenty-year prospective community study. <i>Schizophrenia Research</i> , 2007, 92, 1-14.	1.1	265
792	Subclinical psychotic experiences and cognitive functioning as a bivariate phenotype for genetic studies in the general population. <i>Schizophrenia Research</i> , 2007, 92, 24-31.	1.1	37

#	ARTICLE	IF	CITATIONS
793	Remission criteria for schizophrenia: Evaluation in a large naturalistic cohort. <i>Schizophrenia Research</i> , 2007, 92, 68-73.	1.1	94
794	Mild hearing impairment and psychotic experiences in a normal aging population. <i>Schizophrenia Research</i> , 2007, 94, 180-186.	1.1	29
795	Impairment of self-monitoring: part of the endophenotypic risk for psychosis. <i>British Journal of Psychiatry</i> , 2007, 191, s58-s62.	1.7	16
796	Dimensions and the psychosis phenotype. <i>International Journal of Methods in Psychiatric Research</i> , 2007, 16, S34-S40.	1.1	90
797	Childhood negative experiences and subclinical psychosis in adolescence: a longitudinal general population study. <i>Microbial Biotechnology</i> , 2007, 1, 201-207.	0.9	50
798	Ethnic composition of schools affects episodic heavy drinking only in ethnic-minority students. <i>Addiction</i> , 2007, 102, 722-729.	1.7	31
799	Mood in Daily Contexts: Relationship With Risk in Early Adolescence. <i>Journal of Research on Adolescence</i> , 2007, 17, 697-722.	1.9	35
800	Evidence that moment-to-moment variation in positive emotions buffer genetic risk for depression: a momentary assessment twin study. <i>Acta Psychiatrica Scandinavica</i> , 2007, 115, 451-457.	2.2	144
801	Cognitive alterations in groups at risk for psychosis: neutral markers of genetic risk or indicators of social disability?. <i>Acta Psychiatrica Scandinavica</i> , 2007, 116, 253-262.	2.2	15
802	The association between cognition and functional outcome in first-episode patients with schizophrenia: mystery resolved?. <i>Acta Psychiatrica Scandinavica</i> , 2007, 116, 119-124.	2.2	46
803	The dynamics of symptomatic and non-symptomatic coping with psychotic symptoms in the flow of daily life. <i>Acta Psychiatrica Scandinavica</i> , 2007, 116, 71-75.	2.2	21
804	The impact of subclinical psychosis on the transition from subclinical mania to bipolar disorder. <i>Journal of Affective Disorders</i> , 2007, 98, 55-64.	2.0	34
805	Suicidality and substance misuse in first-admitted subjects with psychotic disorder. <i>Acta Psychiatrica Scandinavica</i> , 2007, 100, 389-395.	2.2	69
806	Instability in self-esteem and paranoia in a general population sample. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 1-5.	1.6	49
807	An observational, "real life" trial of the introduction of assertive community treatment in a geographically defined area using clinical rather than service use outcome criteria. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 125-130.	1.6	32
808	The relationship between cognitive dysfunction and stress sensitivity in schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 284-287.	1.6	15
809	Psychosis risk as a function of age at onset. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 288-294.	1.6	26
810	Do symptom dimensions or categorical diagnoses best discriminate between known risk factors for psychosis?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 429-437.	1.6	52

#	ARTICLE	IF	CITATIONS
811	The social, psychopathological and consumer context of rate of symptom improvement in acute mania. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 631-638.	1.6	9
812	An application of item response mixture modelling to psychosis indicators in two large community samples. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 771-779.	1.6	16
813	Pediatric delirium in critical illness: phenomenology, clinical correlates and treatment response in 40 cases in the pediatric intensive care unit. <i>Intensive Care Medicine</i> , 2007, 33, 1033-1040.	3.9	177
814	Pets or meds: how to tackle misery in a paediatric intensive care unit. <i>Intensive Care Medicine</i> , 2007, 33, 1492-1493.	3.9	13
815	On the linkage of impact damage to modeling of ballistic performance. <i>WIT Transactions on Modelling and Simulation</i> , 2007, , .	0.0	0
816	P.2.e.006 Outcomes of acute mania: 12 months results from the European mania in bipolar longitudinal evaluation of medication (EMBLEM) study. <i>European Neuropsychopharmacology</i> , 2006, 16, S349.	0.3	0
817	P.3.a.015 Elaboration on the association between urbanicity and schizophrenia. <i>European Neuropsychopharmacology</i> , 2006, 16, S372.	0.3	0
818	P.3.a.031 Prospective cohort study of cannabis use, predisposition for psychosis, and psychotic symptoms in young people. <i>European Neuropsychopharmacology</i> , 2006, 16, S381.	0.3	2
819	Experience in the first four years of Rapid Recovery; is it safe?. <i>Injury</i> , 2006, 37, S37-S40.	0.7	27
820	Associations between COMT Val158Met polymorphism and cognition: direct or indirect effects?. <i>European Psychiatry</i> , 2006, 21, 338-342.	0.1	18
821	WC6D SUBCLINICAL PSYCHOTIC EXPERIENCES IN THE GENERAL POPULATION: EVIDENCE FROM WESTERN EUROPE. <i>Schizophrenia Research</i> , 2006, 86, S16.	1.1	0
822	TC2A COMT VAL 158MET MODERATION OF CANNABIS INDUCED PSYCHOSIS: AN EXPERIENCE SAMPLING STUDY (ESM). <i>Schizophrenia Research</i> , 2006, 86, S25.	1.1	0
823	TC9B AFFECTIVE PROCESSES IN THE ONSET AND PERSISTENCE OF PSYCHOSIS. <i>Schizophrenia Research</i> , 2006, 86, S29-S30.	1.1	0
824	TC15A BEHAVIOURAL AND DOPAMINE SENSITIZATION TO STRESS IN INDIVIDUALS AT RISK FOR PSYCHOSIS. <i>Schizophrenia Research</i> , 2006, 86, S32.	1.1	0
825	TC15D HPA AXIS AND THE STRESS RESPONSE IN PSYCHOSIS. <i>Schizophrenia Research</i> , 2006, 86, S32-S33.	1.1	0
826	TC16C DISCRIMINATION AND ETHNIC DENSITY AS RISK FACTORS OF PSYCHOTIC DISORDERS IN ETHNIC MINORITIES. <i>Schizophrenia Research</i> , 2006, 86, S57.	1.1	1
827	Antipsychotic-induced tardive dyskinesia and the Ser9Gly polymorphism in the DRD3 gene: A meta analysis. <i>Schizophrenia Research</i> , 2006, 83, 185-192.	1.1	134
828	Gene regulation by hypoxia and the neurodevelopmental origin of schizophrenia. <i>Schizophrenia Research</i> , 2006, 84, 253-271.	1.1	119

#	ARTICLE	IF	CITATIONS
829	Hearing impairment and psychosis: A replication in a cohort of young adults. <i>Schizophrenia Research</i> , 2006, 85, 266-272.	1.1	27
830	Evidence that brain tissue volumes are associated with HVA reactivity to metabolic stress in schizophrenia. <i>Schizophrenia Research</i> , 2006, 86, 45-53.	1.1	22
831	Premorbid IQ as a predictor for the course of IQ in first onset patients with schizophrenia: A 10-year follow-up study. <i>Schizophrenia Research</i> , 2006, 88, 47-54.	1.1	38
832	An Experimental Study of Catechol-O-Methyltransferase Val158Met Moderation of $\delta^9$ -Tetrahydrocannabinol-Induced Effects on Psychosis and Cognition. <i>Neuropsychopharmacology</i> , 2006, 31, 2748-2757.	2.8	288
833	Childhood trauma and emotional reactivity to daily life stress in adult frequent attenders of general practitioners. <i>Journal of Psychosomatic Research</i> , 2006, 61, 229-236.	1.2	223
834	Lower birth weight of Dutch neonates who were in utero at the time of the 9/11 attacks. <i>Journal of Psychosomatic Research</i> , 2006, 61, 715-717.	1.2	58
835	Evidence for instrument and family-specific variation of subclinical psychosis dimensions in the general population.. <i>Journal of Abnormal Psychology</i> , 2006, 115, 5-14.	2.0	82
836	Mood reactivity to daily negative events in early adolescence: Relationship to risk for psychopathology.. <i>Developmental Psychology</i> , 2006, 42, 543-554.	1.2	77
837	Evidence that the outcome of developmental expression of psychosis is worse for adolescents growing up in an urban environment. <i>Psychological Medicine</i> , 2006, 36, 407-415.	2.7	67
838	Trends in cannabis use prior to first presentation with schizophrenia, in South-East London between 1965 and 1999. <i>Psychological Medicine</i> , 2006, 36, 1441-1446.	2.7	63
839	A prospective study of the transition rates of subthreshold (hypo)mania and depression in the general population. <i>Psychological Medicine</i> , 2006, 36, 619.	2.7	62
840	Validation of Remission Criteria for Schizophrenia. <i>American Journal of Psychiatry</i> , 2006, 163, 2000-2002.	4.0	94
841	Evidence That Early Extrapyramidal Symptoms Predict Later Tardive Dyskinesia: A Prospective Analysis of 10,000 Patients in the European Schizophrenia Outpatient Health Outcomes (SOHO) Study. <i>American Journal of Psychiatry</i> , 2006, 163, 1438-1440.	4.0	75
842	Genes Making One Feel Blue in the Flow of Daily Life: A Momentary Assessment Study of Gene-Stress Interaction. <i>Psychosomatic Medicine</i> , 2006, 68, 201-206.	1.3	33
843	Evidence That Trait-Anxiety and Trait-Depression Differentially Moderate Cortical Processing of Pain. <i>Clinical Journal of Pain</i> , 2006, 22, 725-729.	0.8	30
844	S100 and Impact of ECT on Depression and Cognition. <i>Journal of ECT</i> , 2006, 22, 206-212.	0.3	28
845	Prediction of change in level of problem behavior among children of bipolar parents.. <i>Acta Psychiatrica Scandinavica</i> , 2006, 113, 23-30.	2.2	4
846	Standardized remission criteria in schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2006, 113, 91-95.	2.2	238



#	ARTICLE	IF	CITATIONS
847	Evidence for three distinct classes of 'typical', 'psychotic' and 'dual' mania: results from the EMBLEM study. <i>Acta Psychiatrica Scandinavica</i> , 2006, 113, 112-120.	2.2	75
848	Validity and reliability of the CAPE: a self-report instrument for the measurement of psychotic experiences in the general population. <i>Acta Psychiatrica Scandinavica</i> , 2006, 114, 55-61.	2.2	423
849	Childhood victimisation and developmental expression of non-clinical delusional ideation and hallucinatory experiences. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 423-428.	1.6	177
850	Social disadvantage and schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 595-604.	1.6	48
851	Evidence that the urban environment specifically impacts on the psychotic but not the affective dimension of bipolar disorder. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 679-685.	1.6	31
852	Cannabis use and expression of mania in the general population. <i>Journal of Affective Disorders</i> , 2006, 95, 103-110.	2.0	153
853	The wider social environment and changes in self-reported quality of life in the transition from late childhood to early adolescence: a cohort study. <i>BMC Public Health</i> , 2006, 6, 133.	1.2	26
854	Impact of psychological trauma on the development of psychotic symptoms: relationship with psychosis proneness. <i>British Journal of Psychiatry</i> , 2006, 188, 527-533.	1.7	274
855	Tardive Dyskinesia in Schizophrenia is Associated with Prolactin-Related Sexual Disturbances. <i>Neuropsychopharmacology</i> , 2006, 31, 1832-1837.	2.8	20
856	Data Gathering: Biased in Psychosis?. <i>Schizophrenia Bulletin</i> , 2006, 32, 341-351.	2.3	178
857	Stress-Related Negative Affectivity and Genetically Altered Serotonin Transporter Function. <i>Archives of General Psychiatry</i> , 2006, 63, 989.	13.8	172
858	The psychosis proneness: psychosis persistence model as an explanation for the association between urbanicity and psychosis. <i>Epidemiology and Psychiatric Sciences</i> , 2006, 15, 252-257.	1.8	19
859	Associations between Delusion Proneness and Personality Structure in Non-Clinical Participants: Comparison between Young and Elderly Samples. <i>Psychopathology</i> , 2006, 39, 218-226.	1.1	31
860	Attribution style and psychosis: evidence for an externalizing bias in patients but not in individuals at high risk. <i>Psychological Medicine</i> , 2006, 36, 771-778.	2.7	72
861	Incidence of Tardive Dyskinesia and Tardive Dystonia in African Caribbean Patients on Long-Term Antipsychotic Treatment. <i>Journal of Clinical Psychiatry</i> , 2006, 67, 1920-1927.	1.1	31
862	Time for a shift in focus in schizophrenia: From narrow phenotypes to broad endophenotypes. <i>British Journal of Psychiatry</i> , 2005, 187, 203-205.	1.7	53
863	The schizophrenia envirome. <i>Current Opinion in Psychiatry</i> , 2005, 18, 141-145.	3.1	122
864	Commentary on Residential Location Papers by Whitfield et al. (2005) and Willemsen et al. (2005). <i>Twin Research and Human Genetics</i> , 2005, 8, 318-319.	0.3	3

#	ARTICLE	IF	CITATIONS
865	Role of distress in delusion formation. <i>British Journal of Psychiatry</i> , 2005, 187, s55-s58.	1.7	37
866	Development of depressed mood predicts onset of psychotic disorder in individuals who report hallucinatory experiences. <i>British Journal of Clinical Psychology</i> , 2005, 44, 113-125.	1.7	124
867	The incidence and outcome of subclinical psychotic experiences in the general population. <i>British Journal of Clinical Psychology</i> , 2005, 44, 181-191.	1.7	377
868	The Environment and Schizophrenia: The Role of Cannabis Use. <i>Schizophrenia Bulletin</i> , 2005, 31, 608-612.	2.3	349
869	The impact of maternal stress on pregnancy outcome in a well-educated Caucasian population. <i>Paediatric and Perinatal Epidemiology</i> , 2005, 19, 421-425.	0.8	30
870	CANNABIS-RELATED PSYCHOSIS AND THE GENE-ENVIRONMENT INTERACTION: COMMENTS ON FERDINANDTAL.2005. <i>Addiction</i> , 2005, 100, 874-875.	1.7	13
871	First cannabis use: does onset shift to younger ages? Findings from 1988 to 2003 from the Dutch National School Survey on Substance Use. <i>Addiction</i> , 2005, 100, 963-970.	1.7	91
872	Are apparent associations between parental representations and psychosis risk mediated by early trauma?. <i>Acta Psychiatrica Scandinavica</i> , 2005, 112, 372-375.	2.2	23
873	The combination of shared family environment and individual-specific developmental deviance as a cause for treated psychiatric morbidity in children. <i>Acta Psychiatrica Scandinavica</i> , 2005, 112, 376-384.	2.2	3
874	Deconstructing the familiarity of the emotive component of psychotic experiences in the general population. <i>Acta Psychiatrica Scandinavica</i> , 2005, 112, 394-401.	2.2	15
875	Childhood trauma, psychosis and schizophrenia: a literature review with theoretical and clinical implications. <i>Acta Psychiatrica Scandinavica</i> , 2005, 112, 330-350.	2.2	1,288
876	Early trauma may increase the risk for psychotic experiences by impacting on emotional response and perception of control. <i>Acta Psychiatrica Scandinavica</i> , 2005, 112, 360-366.	2.2	95
877	Residential instability in socioeconomically deprived neighbourhoods, good or bad?. <i>Health and Place</i> , 2005, 11, 121-129.	1.5	27
878	Social capital and young adolescents' perceived health in different sociocultural settings. <i>Social Science and Medicine</i> , 2005, 61, 185-198.	1.8	108
879	Associations between hallucinations and personality structure in a non-clinical sample: Comparison between young and elderly samples. <i>Personality and Individual Differences</i> , 2005, 39, 189-200.	1.6	47
880	Hospital comorbidity bias and the concept of schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 817-821.	1.6	13
881	Affective processes in the onset and persistence of psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2005, 255, 185-189.	1.8	56
882	Psychiatry in Europe. <i>British Journal of Psychiatry</i> , 2005, 187, 92-92.	1.7	0

#	ARTICLE	IF	CITATIONS
883	Behavioural sensitization to daily life stress in psychosis. <i>Psychological Medicine</i> , 2005, 35, 733-741.	2.7	253
884	Explaining Transitions Over the Hypothesized Psychosis Continuum. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005, 39, 180-186.	1.3	60
885	Incidence and distribution of first-episode mania by age: results from a 35-year study. <i>Psychological Medicine</i> , 2005, 35, 855-863.	2.7	97
886	Prospective cohort study of cannabis use, predisposition for psychosis, and psychotic symptoms in young people. <i>BMJ: British Medical Journal</i> , 2005, 330, 11.	2.4	627
887	Bidirectional associations between depression/anxiety and bowel disease in a population based cohort. <i>Journal of Epidemiology and Community Health</i> , 2005, 59, 434-434.	2.0	14
888	Effect of COMT Val158Met Polymorphism on the Continuous Performance Test, Identical Pairs Version: Tuning Rather Than Improving Performance. <i>American Journal of Psychiatry</i> , 2005, 162, 1752-1754.	4.0	72
889	Gender Differences in Incidence and Age at Onset of Mania and Bipolar Disorder Over a 35-Year Period in Camberwell, England. <i>American Journal of Psychiatry</i> , 2005, 162, 257-262.	4.0	141
890	Size of burden of schizophrenia and psychotic disorders. <i>European Neuropsychopharmacology</i> , 2005, 15, 399-409.	0.3	516
891	Cannabis use and outcome of recent onset psychosis. <i>European Psychiatry</i> , 2005, 20, 349-353.	0.1	196
892	Association of mental health problems in childhood with prenatal and postnatal physical growth. <i>European Psychiatry</i> , 2005, 20, 277-286.	0.1	4
893	Hearing impairment and psychosis revisited. <i>Schizophrenia Research</i> , 2005, 76, 99-103.	1.1	45
894	Schizophrenia and Urbanicity: A Major Environmental Influence--Conditional on Genetic Risk. <i>Schizophrenia Bulletin</i> , 2005, 31, 795-799.	2.3	455
895	Electronic monitoring of salivary cortisol sampling compliance in daily life. <i>Life Sciences</i> , 2005, 76, 2431-2443.	2.0	141
896	Do different psychotic experiences differentially predict need for care in the general population?. <i>Comprehensive Psychiatry</i> , 2005, 46, 192-199.	1.5	54
897	Subtle Fluctuations in Psychotic Phenomena as Functional States of Abnormal Dopamine Reactivity in Individuals at Risk. <i>Biological Psychiatry</i> , 2005, 58, 105-110.	0.7	96
898	Cumulative exposure to estrogen and psychosis: a peak bone mass, case-control study in first-episode psychosis. <i>Schizophrenia Research</i> , 2005, 73, 351-355.	1.1	27
899	Familial covariation of the subclinical psychosis phenotype and verbal fluency in the general population. <i>Schizophrenia Research</i> , 2005, 74, 37-41.	1.1	41
900	Dermatoglyphics and Schizophrenia: A meta-analysis and investigation of the impact of obstetric complications upon a ridge count. <i>Schizophrenia Research</i> , 2005, 75, 399-404.	1.1	49

#	ARTICLE	IF	CITATIONS
901	Cognitive functioning in patients with schizophrenia and bipolar disorder: A quantitative review. <i>Schizophrenia Research</i> , 2005, 80, 137-149.	1.1	275
902	Toward a world consensus on prevention of schizophrenia. <i>Dialogues in Clinical Neuroscience</i> , 2005, 7, 53-67.	1.8	49
903	Effects of Antipsychotic Treatment on Tardive Dyskinesia. <i>Journal of Clinical Psychiatry</i> , 2005, 66, 1130-1133.	1.1	51
904	Asociación de los problemas de salud mental en la infancia con el crecimiento físico prenatal y posnatal. <i>European Psychiatry (Ed Española)</i> , 2005, 12, 396-406.	0.0	0
905	Effects of antipsychotic treatment on tardive dyskinesia: a 6-month evaluation of patients from the European Schizophrenia Outpatient Health Outcomes (SOHO) Study. <i>Journal of Clinical Psychiatry</i> , 2005, 66, 1130-3.	1.1	15
906	Commentary on Residential Location Papers by Whitfield et al. (2005) and Willemsen et al. (2005). <i>Twin Research and Human Genetics</i> , 2005, 8, 318-319.	0.3	1
907	Genetics of depression. , 2004, , 59-77.		1
908	Diagnosing depression. , 2004, , 1-11.		1
909	Life events and depression: is there a causal connection?. , 2004, , 38-58.		3
910	Gene-environment correlation and interaction in depression. , 2004, , 78-90.		0
911	Evaluation of the Two-Way Communication Checklist as a clinical intervention. <i>British Journal of Psychiatry</i> , 2004, 184, 79-83.	1.7	57
912	Cannabis and psychosis. <i>British Journal of Psychiatry</i> , 2004, 185, 352-352.	1.7	1
913	Confirmation of Synergy Between Urbanicity and Familial Liability in the Causation of Psychosis. <i>American Journal of Psychiatry</i> , 2004, 161, 2312-2314.	4.0	147
914	Does the urban environment cause psychosis?. <i>British Journal of Psychiatry</i> , 2004, 184, 287-288.	1.7	140
915	Determinants of outcome in the pathways through care for children hearing voices. <i>International Journal of Social Welfare</i> , 2004, 13, 208-222.	1.0	31
916	Early adolescent cannabis exposure and positive and negative dimensions of psychosis. <i>Addiction</i> , 2004, 99, 1333-1341.	1.7	279
917	The wider social environment and mental health service use. <i>Acta Psychiatrica Scandinavica</i> , 2004, 110, 119-129.	2.2	28
918	Pleasurable auditory hallucinations. <i>Acta Psychiatrica Scandinavica</i> , 2004, 110, 273-278.	2.2	57

#	ARTICLE	IF	CITATIONS
919	Hallucinatory experiences and onset of psychotic disorder: evidence that the risk is mediated by delusion formation. <i>Acta Psychiatrica Scandinavica</i> , 2004, 110, 264-272.	2.2	70
920	Early maternal stress and health behaviours and offspring expression of psychosis in adolescence. <i>Acta Psychiatrica Scandinavica</i> , 2004, 110, 356-364.	2.2	47
921	Does urbanicity shift the population expression of psychosis?. <i>Journal of Psychiatric Research</i> , 2004, 38, 613-618.	1.5	69
922	Ethnic differences in first clinical presentation of bipolar disorder: results from an epidemiological study. <i>Journal of Affective Disorders</i> , 2004, 83, 161-168.	2.0	61
923	Income inequality at neighbourhood level and quality of life. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 457-463.	1.6	22
924	Is the excess risk of psychosis-like experiences in urban areas attributable to altered cognitive development?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 364-368.	1.6	38
925	The association of inequality with the incidence of schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 597-599.	1.6	88
926	Is our concept of schizophrenia influenced by Berkson's bias?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 600-605.	1.6	38
927	Childhood abuse as a risk factor for psychotic experiences. <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 38-45.	2.2	721
928	The role of age in the development of Schneiderian symptoms in patients with a first psychotic episode. <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 264-268.	2.2	18
929	Multiple dimensions of familial psychopathology affect risk of mood disorder in children of bipolar parents. <i>American Journal of Medical Genetics Part A</i> , 2004, 127B, 35-41.	2.4	23
930	Variation in catechol-o-methyltransferase val158 met genotype associated with schizotypy but not cognition: A population study in 543 young men. <i>Biological Psychiatry</i> , 2004, 56, 510-515.	0.7	131
931	The aetiological continuum of psychosis. , 2004, , 342-366.		3
932	Association between short birth intervals and schizophrenia in the offspring. <i>Schizophrenia Research</i> , 2004, 70, 49-56.	1.1	58
933	A developmental model for similarities and dissimilarities between schizophrenia and bipolar disorder. <i>Schizophrenia Research</i> , 2004, 71, 405-416.	1.1	439
934	Improvements in stable patients with psychotic disorders switched from oral conventional antipsychotics therapy to long-acting risperidone. <i>International Clinical Psychopharmacology</i> , 2004, 19, 229-232.	0.9	45
935	Abnormal response to metabolic stress in schizophrenia: marker of vulnerability or acquired sensitization?. <i>Psychological Medicine</i> , 2004, 34, 1103-1111.	2.7	45
936	Dimensions of depression, mania and psychosis in the general population. <i>Psychological Medicine</i> , 2004, 34, 1177-1186.	2.7	91

#	ARTICLE	IF	CITATIONS
937	Psychotic features in the general population. Risk factors for what?. , 2004, , 54-78.		6
938	Is there a role for social factors in a comprehensive development model for schizophrenia?. , 2004, , 224-247.		2
939	Sex Differences in Emotional Reactivity to Daily Life Stress in Psychosis. Journal of Clinical Psychiatry, 2004, 65, 805-809.	1.1	64
940	Childhood social and early developmental factors associated with mental health service use. Social Psychiatry and Psychiatric Epidemiology, 2003, 38, 101-108.	1.6	28
941	How psychotic are individuals with non-psychotic disorders?. Social Psychiatry and Psychiatric Epidemiology, 2003, 38, 149-154.	1.6	146
942	Can cognitive deficits explain differential sensitivity to life events in psychosis?. Social Psychiatry and Psychiatric Epidemiology, 2003, 38, 262-268.	1.6	15
943	Children's mental health service use, neighbourhood socioeconomic deprivation, and social capital. Social Psychiatry and Psychiatric Epidemiology, 2003, 38, 507-514.	1.6	70
944	First admissions for mood disorders in immigrants to the Netherlands. Social Psychiatry and Psychiatric Epidemiology, 2003, 38, 547-550.	1.6	20
945	Mediators of neighbourhood socioeconomic deprivation and quality of life. Social Psychiatry and Psychiatric Epidemiology, 2003, 38, 698-706.	1.6	95
946	Searching for a structural endophenotype in psychosis using computational morphometry. Psychiatry Research - Neuroimaging, 2003, 122, 153-167.	0.9	67
947	Children's health-related quality of life, neighbourhood socio-economic deprivation and social capital. A contextual analysis. Social Science and Medicine, 2003, 57, 825-841.	1.8	308
948	Self-reported psychotic experiences in the general population: a valid screening tool for DSM-III-R psychotic disorders?. Acta Psychiatrica Scandinavica, 2003, 107, 369-377.	2.2	126
949	Alterations in theory of mind in patients with schizophrenia and non-psychotic relatives. Acta Psychiatrica Scandinavica, 2003, 108, 110-117.	2.2	209
950	Emotional reactivity to daily life stress in psychosis and affective disorder: an experience sampling study. Acta Psychiatrica Scandinavica, 2003, 107, 124-131.	2.2	304
951	Cerebral tissue alterations and daily life stress experience in psychosis. Acta Psychiatrica Scandinavica, 2003, 107, 54-59.	2.2	9
952	Impact of Birth Weight and Genetic Liability on Psychopathology in Children of Bipolar Parents. Journal of the American Academy of Child and Adolescent Psychiatry, 2003, 42, 1116-1121.	0.3	29
953	Cannabis use and dimensions of psychosis in a nonclinical population of female subjects. Schizophrenia Research, 2003, 59, 77-84.	1.1	95
954	Age-dependence of Schneiderian psychotic symptoms in bipolar patients. Schizophrenia Research, 2003, 61, 157-162.	1.1	37

#	ARTICLE	IF	CITATIONS
955	How false are "false-positive" psychotic symptoms?. Schizophrenia Research, 2003, 62, 187-189.	1.1	51
956	Sex differences in symptoms of psychosis in a non-selected, general population sample. Schizophrenia Research, 2003, 63, 89-95.	1.1	103
957	Sex differences in psychosis: normal or pathological?. Schizophrenia Research, 2003, 62, 45-49.	1.1	78
958	The influence of inequality on the incidence of schizophrenia – An ecological study. Schizophrenia Research, 2003, 60, 33-34.	1.1	42
959	Childhood abuse as a risk factor for psychotic experiences. Schizophrenia Research, 2003, 60, 40.	1.1	2
960	Hallucinatory experiences and onset of psychotic disorder: The role of cognitive appraisals. Schizophrenia Research, 2003, 60, 42.	1.1	0
961	Nonreplication of the association between ab-ridge count and cerebral structural measures in schizophrenia. Comprehensive Psychiatry, 2003, 44, 459-461.	1.5	4
962	Is there a continuum of psychotic experiences in the general population?. Epidemiology and Psychiatric Sciences, 2003, 12, 242-252.	1.8	114
963	Coping defence and depression in adolescents hearing voices. Journal of Mental Health, 2003, 12, 91-99.	1.0	27
964	Neighbourhood socioeconomic disadvantage and behavioural problems from late childhood into early adolescence. Journal of Epidemiology and Community Health, 2003, 57, 699-703.	2.0	116
965	Can the social environment cause schizophrenia?. British Journal of Psychiatry, 2003, 182, 291-292.	1.7	52
966	When Does Experience of Psychosis Result in a Need for Care? A Prospective General Population Study. Schizophrenia Bulletin, 2003, 29, 349-358.	2.3	80
967	Do life events have their effect on psychosis by influencing the emotional reactivity to daily life stress?. Psychological Medicine, 2003, 33, 327-333.	2.7	90
968	The Experience Sampling Method in psychosis research. Current Opinion in Psychiatry, 2003, 16, S33-S38.	3.1	30
969	Title is missing!. Current Opinion in Psychiatry, 2003, 16, 443-449.	3.1	7
970	Do Urbanicity and Familial Liability Coparticipate in Causing Psychosis?. American Journal of Psychiatry, 2003, 160, 477-482.	4.0	158
971	Continuity of psychotic symptoms in the community. Current Opinion in Psychiatry, 2003, 16, 443-449.	3.1	34
972	Jaspers was right after all – delusions are distinct from normal beliefs. British Journal of Psychiatry, 2003, 183, 285-286.	1.7	16

#	ARTICLE	IF	CITATIONS
973	Discrimination and delusional ideation. <i>British Journal of Psychiatry</i> , 2003, 182, 71-76.	1.7	253
974	Incidence of schizophrenia in south-east London between 1965 and 1997. <i>British Journal of Psychiatry</i> , 2003, 182, 45-49.	1.7	93
975	Social capital and mental health v. objective measures of health in the Netherlands. <i>British Journal of Psychiatry</i> , 2003, 183, 174-174.	1.7	10
976	Psychosis Research at Maastricht University, The Netherlands. <i>British Journal of Psychiatry</i> , 2003, 183, 559-560.	1.7	4
977	Suicide and attempted suicide among people of Caribbean origin with psychosis living in the UK. <i>British Journal of Psychiatry</i> , 2003, 183, 40-44.	1.7	27
978	Psychosis Research at Maastricht University, The Netherlands. <i>British Journal of Psychiatry</i> , 2003, 183, 559-560.	1.7	4
979	Evidence that three dimensions of psychosis have a distribution in the general population. <i>Psychological Medicine</i> , 2002, 32, 347-358.	2.7	772
980	Child psychopathology and lower cognitive ability: a general population twin study of the causes of association. <i>Molecular Psychiatry</i> , 2002, 7, 368-374.	4.1	16
981	Further Evidence That Congenital Dermatoglyphic Abnormalities Are Associated With Psychosis: A Twin Study. <i>Schizophrenia Bulletin</i> , 2002, 28, 697-701.	2.3	17
982	Independent course of childhood auditory hallucinations: A sequential 3-year follow-up study. <i>British Journal of Psychiatry</i> , 2002, 181, s10-s18.	1.7	129
983	Are Cognitive Impairments Associated With Sensitivity to Stress in Schizophrenia? An Experience Sampling Study. <i>American Journal of Psychiatry</i> , 2002, 159, 443-449.	4.0	101
984	Prenatal life and post-natal psychopathology: evidence for negative gene×birth weight interaction. <i>Psychological Medicine</i> , 2002, 32, 1165-1174.	2.7	44
985	Are Impaired Childhood Motor Skills a Risk Factor for Adolescent Anxiety? Results From the 1958 U.K. Birth Cohort and the National Child Development Study. <i>American Journal of Psychiatry</i> , 2002, 159, 1044-1046.	4.0	104
986	Patients' Perceptions of Intensive Case Management. <i>Psychiatric Services</i> , 2002, 53, 1432-1437.	1.1	2
987	Psychotic symptoms in non-clinical populations and the continuum of psychosis. <i>Schizophrenia Research</i> , 2002, 54, 59-65.	1.1	463
988	Evidence that ethnic group effects on psychosis risk are confounded by experience of discrimination. <i>European Psychiatry</i> , 2002, 17, 83-84.	0.1	2
989	Cannabis Use and Psychosis: A Longitudinal Population-based Study. <i>American Journal of Epidemiology</i> , 2002, 156, 319-327.	1.6	746
990	Social and clinical consequences of cognitive deficits in early psychosis: a two-year follow-up study of first-admitted patients. <i>Schizophrenia Research</i> , 2002, 56, 149-159.	1.1	66



#	ARTICLE	IF	CITATIONS
991	Prenatal and perinatal risk factors for schizophrenia. , 2002, , 74-99.		5
992	Urbanization, migration and risk of schizophrenia. , 2002, , 49-68.		3
993	Temporal variation in the incidence, course and outcome of schizophrenia. , 2002, , 34-48.		2
994	Prodrome, onset and early course of schizophrenia. , 2002, , 124-147.		3
995	The value of first-episode studies in schizophrenia. , 2002, , 148-166.		0
996	The "classical" genetic epidemiology of schizophrenia. , 2002, , 195-219.		1
997	Gene-environment correlation and interaction in schizophrenia. , 2002, , 235-253.		3
998	What is the relationship between substance abuse and schizophrenia?. , 2002, , 317-342.		11
999	Diagnosis and classification of schizophrenia: categories versus dimensions, distributions versus disease. , 2002, , 364-410.		19
1000	The implications of epidemiology for service planning in schizophrenia. , 2002, , 411-426.		0
1001	Prevention of schizophrenia "not an impossible dream. , 2002, , 427-440.		1
1002	Formation of delusional ideation in adolescents hearing voices: A prospective study. American Journal of Medical Genetics Part A, 2002, 114, 913-920.	2.4	86
1003	Neuroticism and low self-esteem as risk factors for psychosis. Social Psychiatry and Psychiatric Epidemiology, 2002, 37, 1-6.	1.6	224
1004	Does the urban environment independently increase the risk for both negative and positive features of psychosis?. Social Psychiatry and Psychiatric Epidemiology, 2002, 37, 460-464.	1.6	39
1005	Determinants of occurrence and recovery from hallucinations in daily life. Social Psychiatry and Psychiatric Epidemiology, 2002, 37, 97-104.	1.6	247
1006	2-COM: an instrument to facilitate patient-professional communication in routine clinical practice. Acta Psychiatrica Scandinavica, 2002, 106, 446-452.	2.2	23
1007	Chorion Type and Twin Similarity for Child Psychiatric Symptoms. Archives of General Psychiatry, 2002, 59, 562-564.	13.8	9
1008	Cognitive epidemiology: psychological and social risk mechanisms for psychosis. , 2002, , 39-57.		4

#	ARTICLE	IF	CITATIONS
1009	Is the association between duration of untreated psychosis and outcome confounded? A two year follow-up study of first-admitted patients. <i>Schizophrenia Research</i> , 2001, 49, 231-241.	1.1	135
1010	A prospective twin study of birth weight discordance and child problem behavior. <i>Biological Psychiatry</i> , 2001, 50, 593-599.	0.7	73
1011	Single or multiple familial cognitive risk factors in schizophrenia?. <i>American Journal of Medical Genetics Part A</i> , 2001, 105, 183-188.	2.4	64
1012	High expressed emotion: Marker for a caring family?. <i>Comprehensive Psychiatry</i> , 2001, 42, 504-507.	1.5	35
1013	THE CONTINUITY OF PSYCHOTIC EXPERIENCES IN THE GENERAL POPULATION. <i>Clinical Psychology Review</i> , 2001, 21, 1125-1141.	6.0	791
1014	Neighbourhood level and individual level SES effects on child problem behaviour: a multilevel analysis. <i>Journal of Epidemiology and Community Health</i> , 2001, 55, 246-250.	2.0	134
1015	Neuroticism as a risk factor for schizophrenia. <i>Psychological Medicine</i> , 2001, 31, 1129-1134.	2.7	258
1016	Comparison of the Outcome and Treatment of Psychosis in People of Caribbean Origin Living in the Uk and British Whites. <i>British Journal of Psychiatry</i> , 2001, 178, 160-165.	1.7	68
1017	Neuroticism, life events and mental health: evidence for person-environment correlation. <i>British Journal of Psychiatry</i> , 2001, 178, s72-s77.	1.7	83
1018	Clinical Correlates of Depression following Myocardial Infarction. <i>International Journal of Psychiatry in Medicine</i> , 2001, 31, 255-264.	0.8	15
1019	Comparison of the incidence of schizophrenia in rural Dumfries and Galloway and urban Camberwell. <i>British Journal of Psychiatry</i> , 2001, 179, 335-339.	1.7	70
1020	Associations between nonshared environment and child problem behaviour. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2001, 36, 319-323.	1.6	10
1021	Does socioeconomic status predict course and outcome in patients with psychosis?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2001, 36, 573-581.	1.6	39
1022	Stroke and mental health care: a record linkage study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2001, 36, 608-612.	1.6	9
1023	Neuropsychological performance of psychotic patients in community care: results from the UK700 study. <i>Acta Psychiatrica Scandinavica</i> , 2001, 104, 81-91.	2.2	6
1024	Predictors and outcome characteristics associated with suicidal behaviour in early psychosis: a two-year follow-up of first-admitted subjects. <i>Acta Psychiatrica Scandinavica</i> , 2001, 103, 347-354.	2.2	94
1025	Maastricht Assessment of Coping Strategies (MACS-I): a brief instrument to assess coping with psychotic symptoms. <i>Acta Psychiatrica Scandinavica</i> , 2001, 103, 453-459.	2.2	42
1026	MACS-II: does coping enhance subjective control over psychotic symptoms?. <i>Acta Psychiatrica Scandinavica</i> , 2001, 103, 460-464.	2.2	31

#	ARTICLE	IF	CITATIONS
1027	Prevalence of Psychotic Disorder and Community Level of Psychotic Symptoms. Archives of General Psychiatry, 2001, 58, 663.	13.8	497
1028	Incidence of schizophrenia in ethnic minorities in London: ecological study into interactions with environment. BMJ: British Medical Journal, 2001, 323, 1336-1336.	2.4	401
1029	Emotional Reactivity to Daily Life Stress in Psychosis. Archives of General Psychiatry, 2001, 58, 1137.	13.8	543
1030	Further Evidence of Relation Between Prenatal Famine and Major Affective Disorder. American Journal of Psychiatry, 2000, 157, 190-195.	4.0	332
1031	The Kraepelinian Dichotomy. Journal of Neuropsychiatry and Clinical Neurosciences, 2000, 12, 398-405.	0.9	19
1032	Social influences on risk for disorder and natural history. Current Opinion in Psychiatry, 2000, 13, 209-213.	3.1	14
1033	Neighbourhood variation in incidence of schizophrenia. British Journal of Psychiatry, 2000, 176, 243-248.	1.7	191
1034	At Issue: Commentary on "A Default Analysis for Schizophrenia Research". Schizophrenia Bulletin, 2000, 26, 163-165.	2.3	4
1035	Commentary on "Outcome of Schizophrenia in Relation to Brain Abnormalities" by Staal et al.. Schizophrenia Bulletin, 2000, 26, 515-516.	2.3	0
1036	Medication adherence in psychosis: predictors and impact on outcome. A 2-year follow-up of first-admitted subjects. Acta Psychiatrica Scandinavica, 2000, 102, 203-210.	2.2	179
1037	Diagnostic value of the DSM and ICD categories of psychosis: an evidence-based approach. Social Psychiatry and Psychiatric Epidemiology, 2000, 35, 305-311.	1.6	33
1038	Schizophrenia is not disappearing in south-west Scotland. British Journal of Psychiatry, 2000, 177, 38-41.	1.7	39
1039	Congenital Dermatoglyphic Malformations and Psychosis: A Twin Study. American Journal of Psychiatry, 2000, 157, 1511-1513.	4.0	31
1040	Association between cerebral structural abnormalities and dermatoglyphic ridge counts in schizophrenia. Comprehensive Psychiatry, 2000, 41, 380-384.	1.5	19
1041	Principles of Practice from the European Expert Panel on the Contemporary Treatment of Schizophrenia. International Journal of Psychiatry in Clinical Practice, 2000, 4, 1-11.	1.2	10
1042	From first episode to long-term care: The need for sustained clinical commitment. International Journal of Psychiatry in Clinical Practice, 2000, 4, 19-24.	1.2	2
1043	a-b ridge count and schizophrenia. Schizophrenia Research, 2000, 46, 285-286.	1.1	13
1044	Strauss (1969) revisited: A psychosis continuum in the general population?. Schizophrenia Research, 2000, 41, 8.	1.1	17

#	ARTICLE	IF	CITATIONS
1045	Are psychotic symptoms in the general population useful as a diagnostic test for schizophrenia?. Schizophrenia Research, 2000, 41, 10.	1.1	1
1046	Diagnostic properties of the DSM and ICD categories of psychosis: An evidence-based approach. Schizophrenia Research, 2000, 41, 51.	1.1	0
1047	Neighbourhood variation in schizophrenia incidence: Evidence for person-environment interaction. Schizophrenia Research, 2000, 41, 66.	1.1	2
1048	Increased occurrence of depression in psychosis-prone subjects. A follow-up study in primary care settings. Schizophrenia Research, 2000, 41, 76.	1.1	1
1049	Negative dimension of schizotypy associated with early developmental instability in normal adolescents. Schizophrenia Research, 2000, 41, 84.	1.1	0
1050	Shared genes or shared placenta: What makes MZ twins more similar than DZ twins?. Schizophrenia Research, 2000, 41, 101.	1.1	0
1051	Metabolic stress and cerebral grey matter in psychosis. Schizophrenia Research, 2000, 41, 123.	1.1	0
1052	Psychosis consultation team: Consultation to general practitioners to facilitate early detection and treatment. Schizophrenia Research, 2000, 41, 182.	1.1	0
1053	Predictors and impact on outcome of medication compliance in first-admitted subjects with psychosis. Schizophrenia Research, 2000, 41, 223.	1.1	0
1054	Increased morbid risk for schizophrenia in families of in-patients with bipolar illness. Schizophrenia Research, 2000, 42, 83-90.	1.1	92
1055	Developmental instability and schizotypy. Schizophrenia Research, 2000, 43, 125-134.	1.1	31
1056	Strauss (1969) revisited: a psychosis continuum in the general population?. Schizophrenia Research, 2000, 45, 11-20.	1.1	805
1057	SES01.01 Developmental precursors of affective illness in a general population birth cohort. European Psychiatry, 2000, 15, 213s-213s.	0.1	0
1058	S36.01 A Comparison of the Utility of Dimensional and Categorical Representations of Psychosis. European Psychiatry, 2000, 15, 286s-286s.	0.1	6
1059	S36.03 Delusions in the General Population. European Psychiatry, 2000, 15, 286s-286s.	0.1	0
1060	FC12.03 Recent dermatoglyphic studies in twin samples: Further evidences for an environmental risk factor in schizophrenia. European Psychiatry, 2000, 15, 305s-306s.	0.1	0
1061	Changes in negative symptoms and the risk of tardive dyskinesia: a longitudinal study. UK700 Group. Acta Psychiatrica Scandinavica, 2000, 101, 300-6.	2.2	4
1062	Life events, ethnicity and perceptions of discrimination in patients with severe mental illness. Social Psychiatry and Psychiatric Epidemiology, 1999, 34, 600-608.	1.6	57

#	ARTICLE	IF	CITATIONS
1063	Self-reported psychosis-like symptoms and the continuum of psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1999, 34, 459-463.	1.6	146
1064	Tardive dyskinesia in psychosis: are women really more at risk?. <i>Acta Psychiatrica Scandinavica</i> , 1999, 99, 288-293.	2.2	44
1065	Increased occurrence of depression in psychosis-prone subjects: A follow-up study in primary care settings. <i>Comprehensive Psychiatry</i> , 1999, 40, 462-468.	1.5	97
1066	A comparison of the utility of dimensional and categorical representations of psychosis. <i>Psychological Medicine</i> , 1999, 29, 595-606.	2.7	239
1067	To what extent does symptomatic improvement result in better outcome in psychotic illness?. <i>Psychological Medicine</i> , 1999, 29, 1183-1195.	2.7	41
1068	Early risk factors and adult personâ€™environment relationships in affective disorder. <i>Psychological Medicine</i> , 1999, 29, 1055-1067.	2.7	134
1069	Urbanization and risk for schizophrenia: does the effect operate before or around the time of illness onset?. <i>Psychological Medicine</i> , 1999, 29, 1197-1203.	2.7	136
1070	Psychosis as an Extreme of Continuous Variation in Dimensions of Psychopathology. , 1999, , 59-79.		18
1071	Prenatal Famine and the Spectrum of Psychosis. <i>Psychiatric Annals</i> , 1999, 29, 145-150.	0.1	3
1072	PredicciÃ³n de la duraciÃ³n de la psicosis antes de la primera admisiÃ³n. <i>European Psychiatry (Ed) Tj ETQq0 0 0 rgBT (Overlock 10 Tf 50</i>	0.0	0
1073	Obstetric complications and familial morbid risk of psychiatric disorders. , 1998, 81, 29-36.		60
1074	Risk factors for onset and persistence of psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1998, 33, 596-605.	1.6	99
1075	Shared social environment and psychiatric disorder: a multilevel analysis of individual and ecological effects. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1998, 33, 606-612.	1.6	66
1076	Congenital dermatoglyphic malformations in severe bipolar disorder. <i>Psychiatry Research</i> , 1998, 78, 133-140.	1.7	36
1077	Is early adulthood a critical developmental stage for psychosis proneness? A survey of delusional ideation in normal subjects. <i>Schizophrenia Research</i> , 1998, 29, 247-254.	1.1	168
1078	Is early adulthood a critical developmental stage for psychosis proneness? A survey of delusional ideation in normal subjects. <i>Schizophrenia Research</i> , 1998, 29, 24.	1.1	4
1079	Higher schizophrenia incidence in deprived urban areas: Evidence for a mechanism of social deterioration. <i>Schizophrenia Research</i> , 1998, 29, 26.	1.1	0
1080	High rates of psychosis in urban areas: Effect of urban birth or residence?. <i>Schizophrenia Research</i> , 1998, 29, 27.	1.1	1

#	ARTICLE	IF	CITATIONS
1081	A family study of psychiatric morbidity in a sample of bipolar patients showing increased risk of schizophrenia. <i>Schizophrenia Research</i> , 1998, 29, 141.	1.1	0
1082	The shared social environment and psychiatric disorder: Ecological or individual effect?. <i>Schizophrenia Research</i> , 1998, 29, 190.	1.1	0
1083	The ecogenetics of schizophrenia: a review. <i>Schizophrenia Research</i> , 1998, 32, 127-135.	1.1	88
1084	Characteristics of early- and late-diagnosed schizophrenia: implications for first-episode studies. <i>Schizophrenia Research</i> , 1998, 33, 27-34.	1.1	18
1085	Early antecedents of functional psychoses. <i>European Psychiatry</i> , 1998, 13, 143s-143s.	0.1	0
1086	Prediction of duration of psychosis before first admission. <i>European Psychiatry</i> , 1998, 13, 346-352.	0.1	68
1087	Prenatal exposure to maternal stress and subsequent schizophrenia. <i>British Journal of Psychiatry</i> , 1998, 172, 324-326.	1.7	446
1088	Predictors of Outcome in Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 1998, 18, 2S-4S.	0.7	62
1089	A survey of delusional ideation in primary-care patients. <i>Psychological Medicine</i> , 1998, 28, 127-134.	2.7	192
1090	Urbanization and psychosis: a study of 1942â€“1978 birth cohorts in The Netherlands. <i>Psychological Medicine</i> , 1998, 28, 871-879.	2.7	258
1091	Special Feature: Childhood Personality Characteristics of Schizophrenia: Manifestations of, or Risk Factors for, the Disorder?. <i>Journal of Personality Disorders</i> , 1998, 12, 247-261.	0.8	63
1092	Developmental Precursors of Affective Illness in a General Population Birth Cohort. <i>Archives of General Psychiatry</i> , 1997, 54, 625.	13.8	256
1093	Schizophrenia After Prenatal Famine. <i>Archives of General Psychiatry</i> , 1997, 54, 577.	13.8	52
1094	Affective illness in the mother as a risk factor for obstetric complications. <i>Schizophrenia Research</i> , 1997, 24, 47-48.	1.1	0
1095	Psychopathological dimensions and familial morbid risk of psychosis. <i>Schizophrenia Research</i> , 1997, 24, 48.	1.1	0
1096	Temporal origin of cerebral structural abnormalities in schizophrenia: Associations with second trimester dermatoglyphic ridge counts. <i>Schizophrenia Research</i> , 1997, 24, 158.	1.1	0
1097	What can we learn from the epidemic of schizophrenia in African-Caribbeans in the UK?. <i>Schizophrenia Research</i> , 1997, 24, 255.	1.1	1
1098	City birth and schizophrenia incidence: Is the relationship diagnosis-specific?. <i>Schizophrenia Research</i> , 1997, 24, 260.	1.1	3

#	ARTICLE	IF	CITATIONS
1099	Follow-up studies of schizophrenia I: Natural history and non-psychopathological predictors of outcome. <i>European Psychiatry</i> , 1997, 12, 327s-341s.	0.1	24
1100	Dermatoglyphic abnormalities in psychosis: A twin study. <i>Biological Psychiatry</i> , 1997, 41, 624-626.	0.7	17
1101	Psychopathological syndromes and familial morbid risk of psychosis. <i>British Journal of Psychiatry</i> , 1997, 170, 241-246.	1.7	86
1102	Early detection of schizophrenia. <i>British Journal of Psychiatry</i> , 1997, 170, 579-579.	1.7	8
1103	Persons with intellectual disability receiving psychiatric treatment. <i>Journal of Intellectual Disability Research</i> , 1997, 41, 512-518.	1.2	22
1104	Tardive dyskinesia: who is at risk?. <i>Acta Psychiatrica Scandinavica</i> , 1997, 96, 206-216.	2.2	71
1105	Genetic variation of the 5-HT 2A receptor gene and bipolar affective disorder. <i>Human Genetics</i> , 1997, 100, 582-584.	1.8	47
1106	Cultural differences in pathways to care, service use and treated outcomes. <i>Current Opinion in Psychiatry</i> , 1997, 10, 178-182.	3.1	11
1107	Psychiatric training in the Netherlands. <i>Psychiatric Bulletin</i> , 1997, 21, 58-58.	0.3	0
1108	¿Necesitamos un consenso europeo sobre el uso de medicación antipsicótica?. <i>European Psychiatry</i> (Ed) 1997, 12, 327-341.	0.0	0
1109	Does familiarity predispose to both emergence and persistence of psychosis? A prospective study. <i>Schizophrenia Research</i> , 1996, 18, 113.	1.1	1
1110	A study of monozygotic twins discordant and concordant for psychotic illness examining dermatoglyphic risk factors for psychosis. <i>Schizophrenia Research</i> , 1996, 18, 172.	1.1	0
1111	Dermatoglyphic a-b ridge count and risk for schizophrenia. <i>Schizophrenia Research</i> , 1996, 18, 169.	1.1	1
1112	Do we need a European consensus on the use of antipsychotic medication?. <i>European Psychiatry</i> , 1996, 11, 400-402.	0.1	4
1113	Explaining sex differences in course and outcome in the functional psychoses. <i>Schizophrenia Research</i> , 1996, 21, 161-170.	1.1	23
1114	Ethical issues in European psychiatry. <i>European Psychiatry</i> , 1996, 11, 1-6.	0.1	14
1115	Increased morbid risk of schizophrenia in relatives of patients with severe bipolar disorder. <i>European Psychiatry</i> , 1996, 11, 306s-307s.	0.1	1
1116	Allelic association analysis of the 5-HT2C receptor gene in bipolar affective disorder. <i>Neuroscience Letters</i> , 1996, 212, 65-67.	1.0	63

#	ARTICLE	IF	CITATIONS
1117	Relationship of birth season to clinical features, family history, and obstetric complications in schizophrenia. <i>Psychiatry Research</i> , 1996, 64, 11-17.	1.7	25
1118	Dermatoglyphic a-b ridge count as a possible marker for developmental disturbance in schizophrenia: replication in two samples. <i>Schizophrenia Research</i> , 1996, 20, 307-314.	1.1	72
1119	Psychopathological syndromes in the functional psychoses: associations with course and outcome. <i>Psychological Medicine</i> , 1996, 26, 161-176.	2.7	182
1120	Psychotic illness in ethnic minorities: clarification from the 1991 census. <i>Psychological Medicine</i> , 1996, 26, 203-208.	2.7	155
1121	Does Familiality Predispose to both Emergence and Persistence of Psychosis?. <i>British Journal of Psychiatry</i> , 1996, 168, 620-626.	1.7	81
1122	Life events before psychotic episodes: do clinical and social variables affect the relationship?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1996, 31, 122-128.	1.6	24
1123	The incidence of mania: time trends in relation to gender and ethnicity. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1996, 31, 129-136.	1.6	63
1124	Parasuicide in Camberwell-ethnic differences. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1996, 31, 284-287.	1.6	31
1125	Cuestiones Éticas en psiquiatría europea. <i>European Psychiatry (Ed Española)</i> , 1996, 3, 320-328.	0.0	0
1126	An association study of a neurotrophic3 (NTA€3) gene polymorphism with schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 1995, 92, 425-428.	2.2	34
1127	Increasing age is a risk factor for psychosis in the elderly. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1995, 30, 161-164.	1.6	81
1128	Premorbid abnormalities in mania, schizomania, acute schizophrenia and chronic schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1995, 30, 274-278.	1.6	35
1129	Maternal exposure to influenza and risk of schizophrenia: A 22 year study from The Netherlands. <i>Journal of Psychiatric Research</i> , 1995, 29, 435-445.	1.5	38
1130	Discrepancies on prescribing antipsychotics. <i>British Journal of Psychiatry</i> , 1995, 166, 263-264.	1.7	5
1131	Home-based versus in/out-patient care for people with serious mental illness. <i>British Journal of Psychiatry</i> , 1995, 166, 543-544.	1.7	1
1132	Increased Intracerebral Cerebrospinal Fluid Spaces Predict Unemployment and Negative Symptoms in Psychotic Illness a Prospective Study. <i>British Journal of Psychiatry</i> , 1995, 166, 750-758.	1.7	41
1133	Insight and Psychotic Illness. <i>British Journal of Psychiatry</i> , 1995, 167, 621-628.	1.7	181
1134	5HT2A receptor gene and bipolar affective disorder. <i>Lancet, The</i> , 1995, 346, 969.	6.3	33



#	ARTICLE	IF	CITATIONS
1135	Gender, psychopathology, and development: from puberty to early adulthood. Schizophrenia Research, 1995, 14, 105-112.	1.1	41
1136	Minor physical anomalies in psychoses: associations with clinical and putative aetiological variables. Schizophrenia Research, 1995, 18, 9-20.	1.1	97
1137	Increased intra-cerebral CSF spaces as a risk factor for unemployment and negative symptoms in psychotic illness: A prospective study. Schizophrenia Research, 1995, 15, 201.	1.1	0
1138	Minor physical anomalies in the functional psychoses: Associations with clinical and putative aetiological variables. Schizophrenia Research, 1995, 15, 17-18.	1.1	1
1139	Psychosis with good prognosis in Afro-Caribbean people now living in the United Kingdom. BMJ: British Medical Journal, 1995, 311, 1325-1327.	2.4	95
1140	Community psychiatric nurse teams. British Journal of Psychiatry, 1994, 165, 839-840.	1.7	0
1141	The feasibility of a psychiatric common market. Psychiatric Bulletin, 1994, 18, 193-195.	0.3	2
1142	Response to comments on 'Puberty and the onset of psychosis' by Galdos et al.. Schizophrenia Research, 1994, 13, 85-86.	1.1	2
1143	The influence of life events on the subsequent course of psychotic illness: A prospective follow-up of the Camberwell Collaborative Psychosis Study. Psychological Medicine, 1994, 24, 503-513.	2.7	58
1144	Cerebral ventricle dimensions as risk factors for schizophrenia and affective psychosis: an epidemiological approach to analysis. Psychological Medicine, 1994, 24, 995-1011.	2.7	88
1145	Caring for mentally ill people. BMJ: British Medical Journal, 1994, 309, 1218-1221.	2.4	13
1146	European Union government legislation affecting psychiatric practice. Psychiatric Bulletin, 1994, 18, 390-394.	0.3	3
1147	Puberty and the onset of psychosis. Schizophrenia Research, 1993, 10, 7-14.	1.1	79
1148	Schizophrenia sans frontieres: concepts of schizophrenia among French and British psychiatrists.. BMJ: British Medical Journal, 1993, 307, 489-492.	2.4	40
1149	No association between RFLPs at the porphobilinogen deaminase gene and schizophrenia. Human Genetics, 1992, 90, 131-132.	1.8	13
1150	Dosimetry of cytostatics in hyperthermic regional isolated perfusion. Cancer, 1985, 55, 698-701.	2.0	22
1151	Adult adversity: do early environment and genotype create lasting vulnerabilities for adult social adversity in psychosis?. , 0, , 127-142.		5
1152	Research methods in psychiatry. , 0, , 53-67.		0

#	ARTICLE	IF	CITATIONS
1153	Environmental vulnerability and genetic-environmental interactions. , 0, , 47-60.		3
1154	Preschool Social Participation, the Impact of Early Life Stress and Parental Health. Child Care in Practice, 0, , 1-18.	0.5	0
1155	Synergistic effects of childhood adversity and polygenic risk in first-episode psychosis: the EU-GEI study. Psychological Medicine, 0, , 1-9.	2.7	10