
Jennifer S Potter

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5865352/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Adjunctive Counseling During Brief and Extended Buprenorphine-Naloxone Treatment for Prescription Opioid Dependence. Archives of General Psychiatry, 2011, 68, 1238.	12.3	463
2	Alterations in brain structure and functional connectivity in prescription opioid-dependent patients. Brain, 2010, 133, 2098-2114.	7.6	338
3	Extended vs Short-term Buprenorphine-Naloxone for Treatment of Opioid-Addicted Youth. JAMA - Journal of the American Medical Association, 2008, 300, 2003-11.	7.4	305
4	The NIMH Multisite HIV Prevention Trial: Reducing HIV Sexual Risk Behavior. Science, 1998, 280, 1889-1894.	12.6	286
5	Gender differences in a clinical trial for prescription opioid dependence. Journal of Substance Abuse Treatment, 2013, 45, 38-43.	2.8	180
6	Reasons for opioid use among patients with dependence on prescription opioids: The role of chronic pain. Journal of Substance Abuse Treatment, 2014, 47, 140-145.	2.8	123
7	Long-term outcomes from the National Drug Abuse Treatment Clinical Trials Network Prescription Opioid Addiction Treatment Study. Drug and Alcohol Dependence, 2015, 150, 112-119.	3.2	123
8	Evaluating the impact of prescription drug monitoring program implementation: a scoping review. BMC Health Services Research, 2017, 17, 420.	2.2	123
9	Social cognitive correlates of sexual experience and condom use among 13- through 15-year-old adolescents. Journal of Adolescent Health, 2001, 29, 208-216.	2.5	117
10	Patient characteristics associated with buprenorphine/naloxone treatment outcome for prescription opioid dependence: Results from a multisite study. Drug and Alcohol Dependence, 2013, 131, 112-118.	3.2	116
11	A randomized placebo-controlled trial of N-acetylcysteine for cannabis use disorder in adults. Drug and Alcohol Dependence, 2017, 177, 249-257.	3.2	109
12	Physical Pain and Associated Clinical Characteristics in Treatmentâ€6eeking Patients in Four Substance Use Disorder Treatment Modalities. American Journal on Addictions, 2008, 17, 121-125.	1.4	107
13	The relationship of sexual abuse and HIV risk behaviors among heterosexual adult female STD patients. Child Abuse and Neglect, 1997, 21, 149-156.	2.6	102
14	Buprenorphine/Naloxone and Methadone Maintenance Treatment Outcomes for Opioid Analgesic, Heroin, and Combined Users: Findings From Starting Treatment With Agonist Replacement Therapies (START). Journal of Studies on Alcohol and Drugs, 2013, 74, 605-613.	1.0	100
15	International Stakeholder Community of Pain Experts and Leaders Call for an Urgent Action on Forced Opioid Tapering. Pain Medicine, 2019, 20, 429-433.	1.9	94
16	Quality of life among women diagnosed with breast Cancer: A randomized waitlist controlled trial of commercially available mobile appâ€delivered mindfulness training. Psycho-Oncology, 2018, 27, 2023-2030.	2.3	85
17	A Test of Factors Mediating the Relationship Between Unwanted Sexual Activity During Childhood and Risky Sexual Practices Among Women Enrolled in the NIMH Multisite HIV Prevention Trial. Women and Health, 2001, 33, 163-180.	1.0	83
18	A multi-site, two-phase, Prescription Opioid Addiction Treatment Study (POATS): Rationale, design, and methodology. Contemporary Clinical Trials, 2010, 31, 189-199.	1.8	67

#	Article	IF	CITATIONS
19	Substance use histories in patients seeking treatment for controlled-release oxycodone dependence. Drug and Alcohol Dependence, 2004, 76, 213-215.	3.2	58
20	Predictors of attrition with buprenorphine/naloxone treatment in opioid dependent youth. Addictive Behaviors, 2012, 37, 1046-1053.	3.0	55
21	Predictors of Abstinence: National Institute of Drug Abuse Multisite Buprenorphine/Naloxone Treatment Trial in Opioid-Dependent Youth. Journal of the American Academy of Child and Adolescent Psychiatry, 2011, 50, 1120-1128.	0.5	51
22	The Michigan Alcoholism Screening Test and Its Shortened Form: A Meta-Analytic Inquiry Into Score Reliability. Substance Use and Misuse, 2007, 42, 1783-1800.	1.4	47
23	Retrospective accounts of initial subjective effects of opioids in patients treated for pain who do or do not develop opioid addiction: A pilot case-control study Experimental and Clinical Psychopharmacology, 2008, 16, 429-434.	1.8	42
24	Opioid withdrawal, craving, and use during and after outpatient buprenorphine stabilization and taper: A discrete survival and growth mixture model. Addictive Behaviors, 2015, 41, 20-28.	3.0	42
25	Randomized multi-site trial of the Job Seekers' Workshop in patients with substance use disorders. Drug and Alcohol Dependence, 2012, 120, 55-64.	3.2	41
26	Prevalence of Central Nervous System Polypharmacy and Associations with Overdose and Suicide-Related Behaviors in Iraq and Afghanistan War Veterans in VA Care 2010–2011. Drugs - Real World Outcomes, 2016, 3, 45-52.	1.6	40
27	The relationship between self-compassion and the risk for substance use disorder. Drug and Alcohol Dependence, 2018, 183, 78-81.	3.2	40
28	Short term health-related quality of life improvement during opioid agonist treatment. Drug and Alcohol Dependence, 2015, 157, 121-128.	3.2	39
29	Who benefits from additional drug counseling among prescription opioid-dependent patients receiving buprenorphine–naloxone and standard medical management?. Drug and Alcohol Dependence, 2014, 140, 118-122.	3.2	38
30	Pain and continued opioid use in individuals receiving buprenorphine–naloxone for opioid detoxification: Secondary analyses from the Clinical Trials Network. Journal of Substance Abuse Treatment, 2010, 38, S80-S86.	2.8	36
31	Impulsivity but not sensation seeking is associated with opioid analgesic misuse risk in patients with chronic pain. Addictive Behaviors, 2013, 38, 2154-2157.	3.0	36
32	The multi-site prescription opioid addiction treatment study: 18-month outcomes. Journal of Substance Abuse Treatment, 2015, 48, 62-69.	2.8	36
33	Neurophysiological mechanisms in acceptance and commitment therapy in opioid-addicted patients with chronic pain. Psychiatry Research - Neuroimaging, 2016, 250, 12-14.	1.8	31
34	Survey of Barriers and Facilitators to Prescribing Buprenorphine and Clinician Perceptions on the Drug Addiction Treatment Act of 2000 Waiver. JAMA Network Open, 2022, 5, e2212419.	5.9	31
35	Baseline characteristics and treatment outcomes in prescription opioid dependent patients with and without co-occurring psychiatric disorder. American Journal of Drug and Alcohol Abuse, 2014, 40, 157-162.	2.1	30
36	Gender Differences in the Rates and Correlates of HIV Risk Behaviors Among Drug Abusers. Substance Use and Misuse, 2010, 45, 2444-2469.	1.4	29

#	Article	IF	CITATIONS
37	Research design considerations for clinical studies of abuse-deterrent opioid analgesics: IMMPACT recommendations. Pain, 2012, 153, 1997-2008.	4.2	28
38	High Psychiatric Symptom Severity Is a Moderator of Substance Abuse Treatment Outcomes Among Women in Single vs. Mixed Gender Group Treatment. American Journal of Drug and Alcohol Abuse, 2008, 34, 594-602.	2.1	27
39	Chronic Pain Severity in Opioid-Dependent Patients. American Journal of Drug and Alcohol Abuse, 2008, 34, 101-107.	2.1	25
40	Treatment outcomes in opioid dependent patients with different buprenorphine/naloxone induction dosing patterns and trajectories. American Journal on Addictions, 2015, 24, 667-675.	1.4	25
41	Implementing prescription drug monitoring and other clinical decision support for opioid risk mitigation in a military health care setting: a qualitative feasibility study. Journal of the American Medical Informatics Association: JAMIA, 2018, 25, 515-522.	4.4	24
42	Predictors of Coping with Pain in Mothers and Their Children with Sickle Cell Syndrome. Journal of the American Academy of Child and Adolescent Psychiatry, 1994, 33, 1246-1255.	0.5	22
43	Misuse of Prescribed Pain Medication in a Military Population—A Self-Reported Survey to Assess a Correlation With Age, Deployment, Combat Illnesses, or Injury?. American Journal of Therapeutics, 2017, 24, e150-e156.	0.9	21
44	Opioid Use Patterns Among Active Duty Service Members and Civilians: 2006–2014. Military Medicine, 2018, 183, e157-e164.	0.8	21
45	Mining patterns of comorbidity evolution in patients with multiple chronic conditions using unsupervised multi-level temporal Bayesian network. PLoS ONE, 2018, 13, e0199768.	2.5	19
46	Concurrent substance abuse is associated with sexual risk behavior among adults seeking treatment for prescription opioid dependence. American Journal on Addictions, 2014, 23, 27-33.	1.4	18
47	Characteristics of First-Time Alcohol Treatment Seekers: The COMBINE Study. Journal of Studies on Alcohol and Drugs, 2008, 69, 885-895.	1.0	17
48	Sublingual Buprenorphine for Chronic Pain. Clinical Journal of Pain, 2014, 30, 295-300.	1.9	17
49	Prescription Opioid Use is Associated with Virologic Failure in People Living with HIV. AIDS and Behavior, 2018, 22, 1323-1328.	2.7	17
50	Site Selection in Community-Based Clinical Trials for Substance Use Disorders: Strategies for Effective Site Selection. American Journal of Drug and Alcohol Abuse, 2011, 37, 400-407.	2.1	15
51	The relationship between primary prescription opioid and buprenorphine-naloxone induction outcomes in a prescription opioid dependent sample. American Journal on Addictions, 2014, 23, 343-348.	1.4	15
52	Gaps in the Public's Knowledge About Chronic Pain: Representative Sample of Hispanic Residents From 5 States. Journal of Pain, 2017, 18, 628-636.	1.4	14
53	A feasibility study of a web-based performance improvement system for substance abuse treatment providers. Journal of Substance Abuse Treatment, 2007, 33, 363-371.	2.8	13
54	Conducting Clinical Research with Prescription Opioid Dependence: Defining the Population. American Journal on Addictions, 2010, 19, 141-146.	1.4	13

#	Article	IF	CITATIONS
55	Determining the Primary Endpoint for a Stimulant Abuse Trial: Lessons Learned from STRIDE (CTN 0037). American Journal of Drug and Alcohol Abuse, 2011, 37, 339-349.	2.1	13
56	Peer-based recovery support services delivered at recovery community organizations: Predictors of improvements in individual recovery capital. Addictive Behaviors, 2021, 119, 106945.	3.0	13
57	A test of the fear avoidance model to predict chronic pain outcomes in a polytrauma sample. NeuroRehabilitation, 2020, 47, 35-43.	1.3	12
58	Racial/Ethnic Differences in the Rates and Correlates of HIV Risk Behaviors among Drug Abusers. American Journal on Addictions, 2013, 22, 136-147.	1.4	11
59	Pain Management and Opioid Risk Mitigation in the Military. Military Medicine, 2014, 179, 553-558.	0.8	10
60	Network Alterations in Comorbid Chronic Pain and Opioid Addiction: An Exploratory Approach. Frontiers in Human Neuroscience, 2019, 13, 174.	2.0	10
61	Confronting challenges to opioid risk mitigation in the U.S. health system: Recommendations from a panel of national experts. PLoS ONE, 2020, 15, e0234425.	2.5	10
62	Five-year Pain Intensity and Treatment Trajectories of Post-9/11 Veterans With Mild Traumatic Brain Injury. Journal of Pain, 2020, 21, 1005-1017.	1.4	9
63	Addressing chronic pain with Focused Acceptance and Commitment Therapy in integrated primary care: findings from a mixed methods pilot randomized controlled trial. , 2022, 23, 77.		9
64	A method to diagnose opioid dependence resulting from heroin versus prescription opioids using the Composite International Diagnostic Interview. Contemporary Clinical Trials, 2010, 31, 185-188.	1.8	7
65	Rationale and design of a pilot study examining Acceptance and Commitment Therapy for persistent pain in an integrated primary care clinic. Contemporary Clinical Trials, 2018, 66, 28-35.	1.8	6
66	An Examination of Chronic Pain Indices and the Updated Posttraumatic Stress Disorder Checklist for Diagnostic and Statistical Manual of Mental-Disorders-Fifth Edition. Military Medicine, 2021, 186, e1199-e1206.	0.8	6
67	Social-cognitive theory mediators of behavior change in the National Institute of Mental Health Multisite HIV Prevention Trial Health Psychology, 2001, 20, 369-376.	1.6	4
68	A Difficult Adjustment to School: The Importance of Family Constellation. Journal of Developmental and Behavioral Pediatrics, 2002, 23, 171-174.	1,1	3
69	Pain, psychological flexibility, and continued substance use in a predominantly hispanic adult sample receiving methadone treatment for opioid use disorder. Drug and Alcohol Dependence, 2020, 206, 107681.	3.2	3
70	Mindfulness predicts current risk of opioid analgesic misuse in chronic low back pain patients receiving opioid therapy. Journal of Contextual Behavioral Science, 2020, 18, 111-116.	2.6	3
71	Adapting and scaling a single site DEA X-waiver training program to a statewide initiative: Implementing GetWaiveredTX. Journal of Substance Abuse Treatment, 2021, , 108688.	2.8	3
72	Complex pain phenotypes: Suicidal ideation and attempt through latent multimorbidity. PLoS ONE, 2022, 17, e0267844.	2.5	3

#	Article	IF	CITATIONS
73	Psychological and Behavioral Factors Predicting Attendance at a Community-based HIV Prevention Intervention. Journal of Health Psychology, 1997, 2, 75-84.	2.3	2
74	If there were an effective pharmacotherapy for cocaine use disorder, what would it do?. Addiction, 2021, 116, 714-715.	3.3	2
75	Participant Engagement in a Commercially Available App-Based Mindfulness Training Intervention Delivered to Women Diagnosed with Breast Cancer. Iproceedings, 2018, 4, e11907.	0.1	2
76	Exploring chronic pain with patients: medicine meets art. Medical Education, 2010, 44, 1139-1140.	2.1	1
77	TRSA Abstracts. Alcoholism: Clinical and Experimental Research, 2012, 36, 392A-398A.	2.4	Ο
78	How to avoid opioid misuse. Journal of Family Practice, 2013, 62, S2-7.	0.2	0