## Jennifer S Potter

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5865352/publications.pdf

Version: 2024-02-01

147801 114465 4,136 78 31 h-index citations papers

g-index 78 78 78 4291 docs citations times ranked citing authors all docs

63

#	Article	IF	CITATIONS
1	Addressing chronic pain with Focused Acceptance and Commitment Therapy in integrated primary care: findings from a mixed methods pilot randomized controlled trial., 2022, 23, 77.		9
2	Complex pain phenotypes: Suicidal ideation and attempt through latent multimorbidity. PLoS ONE, 2022, 17, e0267844.	2.5	3
3	Survey of Barriers and Facilitators to Prescribing Buprenorphine and Clinician Perceptions on the Drug Addiction Treatment Act of 2000 Waiver. JAMA Network Open, 2022, 5, e2212419.	5.9	31
4	An Examination of Chronic Pain Indices and the Updated Posttraumatic Stress Disorder Checklist for Diagnostic and Statistical Manual of Mental-Disorders-Fifth Edition. Military Medicine, 2021, 186, e1199-e1206.	0.8	6
5	If there were an effective pharmacotherapy for cocaine use disorder, what would it do?. Addiction, 2021, 116, 714-715.	3.3	2
6	Peer-based recovery support services delivered at recovery community organizations: Predictors of improvements in individual recovery capital. Addictive Behaviors, 2021, 119, 106945.	3.0	13
7	Adapting and scaling a single site DEA X-waiver training program to a statewide initiative: Implementing GetWaiveredTX. Journal of Substance Abuse Treatment, 2021, , 108688.	2.8	3
8	Pain, psychological flexibility, and continued substance use in a predominantly hispanic adult sample receiving methadone treatment for opioid use disorder. Drug and Alcohol Dependence, 2020, 206, 107681.	3.2	3
9	A test of the fear avoidance model to predict chronic pain outcomes in a polytrauma sample. NeuroRehabilitation, 2020, 47, 35-43.	1.3	12
10	Mindfulness predicts current risk of opioid analgesic misuse in chronic low back pain patients receiving opioid therapy. Journal of Contextual Behavioral Science, 2020, 18, 111-116.	2.6	3
11	Confronting challenges to opioid risk mitigation in the U.S. health system: Recommendations from a panel of national experts. PLoS ONE, 2020, 15, e0234425.	2.5	10
12	Five-year Pain Intensity and Treatment Trajectories of Post-9/11 Veterans With Mild Traumatic Brain Injury. Journal of Pain, 2020, 21, 1005-1017.	1.4	9
13	Network Alterations in Comorbid Chronic Pain and Opioid Addiction: An Exploratory Approach. Frontiers in Human Neuroscience, 2019, 13, 174.	2.0	10
14	International Stakeholder Community of Pain Experts and Leaders Call for an Urgent Action on Forced Opioid Tapering. Pain Medicine, 2019, 20, 429-433.	1.9	94
15	Opioid Use Patterns Among Active Duty Service Members and Civilians: 2006–2014. Military Medicine, 2018, 183, e157-e164.	0.8	21
16	Rationale and design of a pilot study examining Acceptance and Commitment Therapy for persistent pain in an integrated primary care clinic. Contemporary Clinical Trials, 2018, 66, 28-35.	1.8	6
17	The relationship between self-compassion and the risk for substance use disorder. Drug and Alcohol Dependence, 2018, 183, 78-81.	3.2	40
18	Prescription Opioid Use is Associated with Virologic Failure in People Living with HIV. AIDS and Behavior, 2018, 22, 1323-1328.	2.7	17

#	Article	IF	Citations
19	Quality of life among women diagnosed with breast Cancer: A randomized waitlist controlled trial of commercially available mobile appâ€delivered mindfulness training. Psycho-Oncology, 2018, 27, 2023-2030.	2.3	85
20	Mining patterns of comorbidity evolution in patients with multiple chronic conditions using unsupervised multi-level temporal Bayesian network. PLoS ONE, 2018, 13, e0199768.	2.5	19
21	Implementing prescription drug monitoring and other clinical decision support for opioid risk mitigation in a military health care setting: a qualitative feasibility study. Journal of the American Medical Informatics Association: JAMIA, 2018, 25, 515-522.	4.4	24
22	Participant Engagement in a Commercially Available App-Based Mindfulness Training Intervention Delivered to Women Diagnosed with Breast Cancer. Iproceedings, 2018, 4, e11907.	0.1	2
23	Misuse of Prescribed Pain Medication in a Military Population—A Self-Reported Survey to Assess a Correlation With Age, Deployment, Combat Illnesses, or Injury?. American Journal of Therapeutics, 2017, 24, e150-e156.	0.9	21
24	A randomized placebo-controlled trial of N-acetylcysteine for cannabis use disorder in adults. Drug and Alcohol Dependence, 2017, 177, 249-257.	3.2	109
25	Gaps in the Public's Knowledge About Chronic Pain: Representative Sample of Hispanic Residents From 5 States. Journal of Pain, 2017, 18, 628-636.	1.4	14
26	Evaluating the impact of prescription drug monitoring program implementation: a scoping review. BMC Health Services Research, 2017, 17, 420.	2.2	123
27	Neurophysiological mechanisms in acceptance and commitment therapy in opioid-addicted patients with chronic pain. Psychiatry Research - Neuroimaging, 2016, 250, 12-14.	1.8	31
28	Prevalence of Central Nervous System Polypharmacy and Associations with Overdose and Suicide-Related Behaviors in Iraq and Afghanistan War Veterans in VA Care 2010–2011. Drugs - Real World Outcomes, 2016, 3, 45-52.	1.6	40
29	Treatment outcomes in opioid dependent patients with different buprenorphine/naloxone induction dosing patterns and trajectories. American Journal on Addictions, 2015, 24, 667-675.	1.4	25
30	Short term health-related quality of life improvement during opioid agonist treatment. Drug and Alcohol Dependence, 2015, 157, 121-128.	3.2	39
31	Long-term outcomes from the National Drug Abuse Treatment Clinical Trials Network Prescription Opioid Addiction Treatment Study. Drug and Alcohol Dependence, 2015, 150, 112-119.	3.2	123
32	The multi-site prescription opioid addiction treatment study: 18-month outcomes. Journal of Substance Abuse Treatment, 2015, 48, 62-69.	2.8	36
33	Opioid withdrawal, craving, and use during and after outpatient buprenorphine stabilization and taper: A discrete survival and growth mixture model. Addictive Behaviors, 2015, 41, 20-28.	3.0	42
34	Baseline characteristics and treatment outcomes in prescription opioid dependent patients with and without co-occurring psychiatric disorder. American Journal of Drug and Alcohol Abuse, 2014, 40, 157-162.	2.1	30
35	Pain Management and Opioid Risk Mitigation in the Military. Military Medicine, 2014, 179, 553-558.	0.8	10
36	Concurrent substance abuse is associated with sexual risk behavior among adults seeking treatment for prescription opioid dependence. American Journal on Addictions, 2014, 23, 27-33.	1.4	18

#	Article	IF	Citations
37	The relationship between primary prescription opioid and buprenorphine-naloxone induction outcomes in a prescription opioid dependent sample. American Journal on Addictions, 2014, 23, 343-348.	1.4	15
38	Sublingual Buprenorphine for Chronic Pain. Clinical Journal of Pain, 2014, 30, 295-300.	1.9	17
39	Reasons for opioid use among patients with dependence on prescription opioids: The role of chronic pain. Journal of Substance Abuse Treatment, 2014, 47, 140-145.	2.8	123
40	Who benefits from additional drug counseling among prescription opioid-dependent patients receiving buprenorphine–naloxone and standard medical management?. Drug and Alcohol Dependence, 2014, 140, 118-122.	3.2	38
41	Patient characteristics associated with buprenorphine/naloxone treatment outcome for prescription opioid dependence: Results from a multisite study. Drug and Alcohol Dependence, 2013, 131, 112-118.	3.2	116
42	Racial/Ethnic Differences in the Rates and Correlates of HIV Risk Behaviors among Drug Abusers. American Journal on Addictions, 2013, 22, 136-147.	1.4	11
43	Impulsivity but not sensation seeking is associated with opioid analgesic misuse risk in patients with chronic pain. Addictive Behaviors, 2013, 38, 2154-2157.	3.0	36
44	Gender differences in a clinical trial for prescription opioid dependence. Journal of Substance Abuse Treatment, 2013, 45, 38-43.	2.8	180
45	Buprenorphine/Naloxone and Methadone Maintenance Treatment Outcomes for Opioid Analgesic, Heroin, and Combined Users: Findings From Starting Treatment With Agonist Replacement Therapies (START). Journal of Studies on Alcohol and Drugs, 2013, 74, 605-613.	1.0	100
46	How to avoid opioid misuse. Journal of Family Practice, 2013, 62, S2-7.	0.2	0
47	Predictors of attrition with buprenorphine/naloxone treatment in opioid dependent youth. Addictive Behaviors, 2012, 37, 1046-1053.	3.0	55
48	Randomized multi-site trial of the Job Seekers' Workshop in patients with substance use disorders. Drug and Alcohol Dependence, 2012, 120, 55-64.	3.2	41
49	Research design considerations for clinical studies of abuse-deterrent opioid analgesics: IMMPACT recommendations. Pain, 2012, 153, 1997-2008.	4.2	28
50	TRSA Abstracts. Alcoholism: Clinical and Experimental Research, 2012, 36, 392A-398A.	2.4	0
51	Site Selection in Community-Based Clinical Trials for Substance Use Disorders: Strategies for Effective Site Selection. American Journal of Drug and Alcohol Abuse, 2011, 37, 400-407.	2.1	15
52	Determining the Primary Endpoint for a Stimulant Abuse Trial: Lessons Learned from STRIDE (CTN 0037). American Journal of Drug and Alcohol Abuse, 2011, 37, 339-349.	2.1	13
53	Predictors of Abstinence: National Institute of Drug Abuse Multisite Buprenorphine/Naloxone Treatment Trial in Opioid-Dependent Youth. Journal of the American Academy of Child and Adolescent Psychiatry, 2011, 50, 1120-1128.	0.5	51
54	Adjunctive Counseling During Brief and Extended Buprenorphine-Naloxone Treatment for Prescription Opioid Dependence. Archives of General Psychiatry, 2011, 68, 1238.	12.3	463

#	Article	IF	CITATIONS
55	Conducting Clinical Research with Prescription Opioid Dependence: Defining the Population. American Journal on Addictions, 2010, 19, 141-146.	1.4	13
56	Exploring chronic pain with patients: medicine meets art. Medical Education, 2010, 44, 1139-1140.	2.1	1
57	Alterations in brain structure and functional connectivity in prescription opioid-dependent patients. Brain, 2010, 133, 2098-2114.	7.6	338
58	Gender Differences in the Rates and Correlates of HIV Risk Behaviors Among Drug Abusers. Substance Use and Misuse, 2010, 45, 2444-2469.	1.4	29
59	Pain and continued opioid use in individuals receiving buprenorphine–naloxone for opioid detoxification: Secondary analyses from the Clinical Trials Network. Journal of Substance Abuse Treatment, 2010, 38, S80-S86.	2.8	36
60	A method to diagnose opioid dependence resulting from heroin versus prescription opioids using the Composite International Diagnostic Interview. Contemporary Clinical Trials, 2010, 31, 185-188.	1.8	7
61	A multi-site, two-phase, Prescription Opioid Addiction Treatment Study (POATS): Rationale, design, and methodology. Contemporary Clinical Trials, 2010, 31, 189-199.	1.8	67
62	Physical Pain and Associated Clinical Characteristics in Treatmentâ€Seeking Patients in Four Substance Use Disorder Treatment Modalities. American Journal on Addictions, 2008, 17, 121-125.	1.4	107
63	Chronic Pain Severity in Opioid-Dependent Patients. American Journal of Drug and Alcohol Abuse, 2008, 34, 101-107.	2.1	25
64	Extended vs Short-term Buprenorphine-Naloxone for Treatment of Opioid-Addicted Youth. JAMA - Journal of the American Medical Association, 2008, 300, 2003-11.	7.4	305
65	High Psychiatric Symptom Severity Is a Moderator of Substance Abuse Treatment Outcomes Among Women in Single vs. Mixed Gender Group Treatment. American Journal of Drug and Alcohol Abuse, 2008, 34, 594-602.	2.1	27
66	Retrospective accounts of initial subjective effects of opioids in patients treated for pain who do or do not develop opioid addiction: A pilot case-control study Experimental and Clinical Psychopharmacology, 2008, 16, 429-434.	1.8	42
67	Characteristics of First-Time Alcohol Treatment Seekers: The COMBINE Study. Journal of Studies on Alcohol and Drugs, 2008, 69, 885-895.	1.0	17
68	The Michigan Alcoholism Screening Test and Its Shortened Form: A Meta-Analytic Inquiry Into Score Reliability. Substance Use and Misuse, 2007, 42, 1783-1800.	1.4	47
69	A feasibility study of a web-based performance improvement system for substance abuse treatment providers. Journal of Substance Abuse Treatment, 2007, 33, 363-371.	2.8	13
70	Substance use histories in patients seeking treatment for controlled-release oxycodone dependence. Drug and Alcohol Dependence, 2004, 76, 213-215.	3.2	58
71	A Difficult Adjustment to School: The Importance of Family Constellation. Journal of Developmental and Behavioral Pediatrics, 2002, 23, 171-174.	1.1	3
72	Social cognitive correlates of sexual experience and condom use among 13-through 15-year-old adolescents. Journal of Adolescent Health, 2001, 29, 208-216.	2.5	117

#	Article	lF	CITATIONS
73	A Test of Factors Mediating the Relationship Between Unwanted Sexual Activity During Childhood and Risky Sexual Practices Among Women Enrolled in the NIMH Multisite HIV Prevention Trial. Women and Health, 2001, 33, 163-180.	1.0	83
74	Social-cognitive theory mediators of behavior change in the National Institute of Mental Health Multisite HIV Prevention Trial Health Psychology, 2001, 20, 369-376.	1.6	4
75	The NIMH Multisite HIV Prevention Trial: Reducing HIV Sexual Risk Behavior. Science, 1998, 280, 1889-1894.	12.6	286
76	Psychological and Behavioral Factors Predicting Attendance at a Community-based HIV Prevention Intervention. Journal of Health Psychology, 1997, 2, 75-84.	2.3	2
77	The relationship of sexual abuse and HIV risk behaviors among heterosexual adult female STD patients. Child Abuse and Neglect, 1997, 21, 149-156.	2.6	102
78	Predictors of Coping with Pain in Mothers and Their Children with Sickle Cell Syndrome. Journal of the American Academy of Child and Adolescent Psychiatry, 1994, 33, 1246-1255.	0.5	22