

Kazutaka Saito

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5870344/publications.pdf>

Version: 2024-02-01

197
papers

4,192
citations

109321

35
h-index

149698

56
g-index

207
all docs

207
docs citations

207
times ranked

4598
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Disparities in Cancer Specific and Overall Survival Outcomes in African Americans With Renal Cell Carcinoma: Analysis From the International Marker Consortium for Renal Cancer (INMARC). <i>Urology</i> , 2022, 163, 164-176. | 1.0 | 5 |
| 2 | Differences in CRP and De Ritis ratio predictive abilities of cancer specific survival between ethnic groups.. <i>Journal of Clinical Oncology</i> , 2022, 40, 394-394. | 1.6 | 0 |
| 3 | Impact of age on functional decline following radical nephrectomy: Analysis of the International Marker Consortium for Renal Cancer (INMARC).. <i>Journal of Clinical Oncology</i> , 2022, 40, 395-395. | 1.6 | 0 |
| 4 | Does presence of diabetes mellitus impact patient oncological outcomes in renal cell carcinoma: A multicenter analysis.. <i>Journal of Clinical Oncology</i> , 2022, 40, 325-325. | 1.6 | 0 |
| 5 | Prognostic Significance of C-reactive Protein in Patients With Non-metastatic Papillary Renal Cell Carcinoma: Results from the INternational Marker Consortium for Renal Cancer (INMARC) Cohort. <i>Clinical Genitourinary Cancer</i> , 2022, 20, e276-e282. | 1.9 | 1 |
| 6 | Significance of Bladder Neck Involvement in Risk Substratification of Intermediate-Risk Nonâ€“muscle-invasive Bladder Cancer. <i>European Urology Focus</i> , 2021, 7, 366-372. | 3.1 | 7 |
| 7 | Outcomes of gasless laparoendoscopic singleâ€“port partial nephrectomy in 356 consecutive patients: Feasibility of a clampless and sutureless technique. <i>International Journal of Urology</i> , 2021, 28, 302-307. | 1.0 | 6 |
| 8 | Early C-reactive protein kinetics predict survival of patients with advanced urothelial cancer treated with pembrolizumab. <i>Cancer Immunology, Immunotherapy</i> , 2021, 70, 657-665. | 4.2 | 20 |
| 9 | Elevated preoperative Câ€“reactive protein is associated with renal functional decline and nonâ€“cancer mortality in surgically treated renal cell carcinoma: analysis from the INternational Marker Consortium for Renal Cancer (INMARC). <i>BJU International</i> , 2021, 127, 311-317. | 2.5 | 11 |
| 10 | Potential of Perfusion Magnetic Resonance Imaging to Predict Residual Renal Function after Radical Nephroureterectomy. <i>Urologia Internationalis</i> , 2021, 105, 507-513. | 1.3 | 1 |
| 11 | Impact of C-reactive protein flare-response on oncological outcomes in patients with metastatic renal cell carcinoma treated with nivolumab. , 2021, 9, e001564. | | 34 |
| 12 | Nonmetastatic castrationâ€“resistant prostate cancer treated with salvage focal brachytherapy after external beam radiotherapy. <i>IJU Case Reports</i> , 2021, 4, 228-230. | 0.3 | 1 |
| 13 | Nonuse of antimicrobial prophylaxis in clean surgeries for adrenal and renal tumors: Results of the riskâ€“based strategy in 1362 consecutive patients. <i>International Journal of Urology</i> , 2021, 28, 1032-1038. | 1.0 | 0 |
| 14 | Medium-term oncological and functional outcomes of hemi-gland brachytherapy using iodine-125 seeds for intermediate-risk unilateral prostate cancer. <i>Brachytherapy</i> , 2021, 20, 842-848. | 0.5 | 5 |
| 15 | Preoperative Elevation of C-Reactive Protein Is a Predictor for Adverse Oncologic Survival Outcomes for Renal Cell Carcinoma: Analysis from the International Marker Consortium Renal Cancer (INMARC). <i>Clinical Genitourinary Cancer</i> , 2021, 19, e206-e215. | 1.9 | 13 |
| 16 | Impact of Bladder Neck Involvement on Recurrence in Patients With Nonâ€“muscle-invasive Bladder Cancer: An Analysis Based on a Time-dependent Model. <i>Clinical Genitourinary Cancer</i> , 2020, 18, e62-e70. | 1.9 | 6 |
| 17 | Female Gender Predicts Favorable Prognosis in Patients With Non-metastatic Clear Cell Renal Cell Carcinoma Undergoing Curative Surgery: Results From the International Marker Consortium for Renal Cancer (INMARC). <i>Clinical Genitourinary Cancer</i> , 2020, 18, 111-116.e1. | 1.9 | 13 |
| 18 | METastasis Reporting and Data System for Prostate Cancer as a Prognostic Imaging Marker in Castration-resistant Prostate Cancer. <i>Clinical Genitourinary Cancer</i> , 2020, 18, e391-e396. | 1.9 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Clinical Outcomes of Patients With Histologic Variants of Urothelial Carcinoma Treated With Selective Tetramodal Bladder-preservation Therapy Incorporating Consolidative Partial Cystectomy. <i>Clinical Genitourinary Cancer</i> , 2020, 18, 268-273.e2. | 1.9 | 4 |
| 20 | The Diagnostic Accuracy of Testicular Torsion by Doctors on Duty Using Sonographic Evaluation with Color Doppler. <i>American Journal of Men's Health</i> , 2020, 14, 155798832095300. | 1.6 | 9 |
| 21 | SRY-Positive 46, XX Testicular Disorder of Sexual Development With Leydig Cell Tumor. <i>American Journal of Men's Health</i> , 2020, 14, 155798832097007. | 1.6 | 5 |
| 22 | Impact of radiotherapy to the primary tumor on the efficacy of pembrolizumab for patients with advanced urothelial cancer: A preliminary study. <i>Cancer Medicine</i> , 2020, 9, 8355-8363. | 2.8 | 15 |
| 23 | Longitudinal changes in patient-reported outcomes after artificial urinary sphincter implantation. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2020, 12, 240-244. | 1.3 | 4 |
| 24 | Contact with renal sinus is associated with poor prognosis in surgically treated pT1 clear cell renal cell carcinoma. <i>International Journal of Urology</i> , 2020, 27, 657-662. | 1.0 | 4 |
| 25 | Postoperative renal impairment and longitudinal change in renal function after adrenalectomy in patients with Cushing's syndrome. <i>International Journal of Urology</i> , 2020, 27, 395-400. | 1.0 | 6 |
| 26 | Application of virtual reality in patient explanation of magnetic resonance imaging-ultrasound fusion prostate biopsy. <i>International Journal of Urology</i> , 2020, 27, 471-472. | 1.0 | 8 |
| 27 | Incidence and Risk Factors of Hypertension Following Partial Nephrectomy in Patients With Renal Tumors: A Cross-sectional Study of Postoperative Home Blood Pressure and Antihypertensive Medications. <i>Clinical Genitourinary Cancer</i> , 2020, 18, e619-e628. | 1.9 | 4 |
| 28 | Treatment-induced changes in levels of brain natriuretic peptide in prostate cancer patients receiving gonadotropin-releasing hormone antagonists or agonists. <i>International Journal of Urology</i> , 2020, 27, 354-355. | 1.0 | 3 |
| 29 | Feasibility and outcomes of selective tetramodal bladder-preservation therapy in elderly patients with muscle-invasive bladder cancer. <i>International Journal of Urology</i> , 2020, 27, 236-243. | 1.0 | 7 |
| 30 | Renal epithelioid angiomyolipoma: Incidence in a Japanese cohort and diagnostic utility of diffusion-weighted magnetic resonance imaging. <i>International Journal of Urology</i> , 2020, 27, 599-604. | 1.0 | 2 |
| 31 | Value of extra-target prostate biopsy for the detection of magnetic resonance imaging-missed adverse pathology according to the Prostate Imaging Reporting and Data System scores: Spatial analysis using magnetic resonance-ultrasound fusion images. <i>International Journal of Urology</i> , 2020, 27, 760-766. | 1.0 | 4 |
| 32 | Association of De Ritis Ratio and Neutrophil Lymphocyte Ratio with renal functional decline and all-cause mortality in renal cell carcinoma. <i>Journal of Clinical Oncology</i> , 2020, 38, 741-741. | 1.6 | 1 |
| 33 | Impact of diabetes mellitus on functional and survival outcomes in renal cell carcinoma: An international multicenter study. <i>Journal of Clinical Oncology</i> , 2020, 38, 666-666. | 1.6 | 0 |
| 34 | Impact of oncological versus nononcological on survival outcomes in African Americans with renal cell carcinoma. <i>Journal of Clinical Oncology</i> , 2020, 38, 749-749. | 1.6 | 0 |
| 35 | Progressive Site-Directed Therapy for Castration-Resistant Prostate Cancer: Localization of the Progressive Site as a Prognostic Factor. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019, 105, 376-381. | 0.8 | 41 |
| 36 | Renal function after bladder-preservation therapy for patients with muscle-invasive bladder cancer: Results of selective bladder-preservation tetramodality therapy consisting of maximal transurethral resection, induction chemoradiotherapy and partial cystectomy. <i>International Journal of Urology</i> , 2019, 26, 1010-1012. | 1.0 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Impact of fluorodeoxyglucose uptake on positron emission tomography/computed tomography on chemosensitivity and survival in patients with metastatic urothelial carcinoma. <i>International Journal of Urology</i> , 2019, 26, 820-826. | 1.0 | 0 |
| 38 | Usefulness of the inchworm sign on DWI for predicting pT1 bladder cancer progression. <i>European Radiology</i> , 2019, 29, 3881-3888. | 4.5 | 20 |
| 39 | Selective tetramodal bladderâ€preservation therapy, incorporating induction chemoradiotherapy and consolidative partial cystectomy with pelvic lymph node dissection for muscleâ€invasive bladder cancer: oncological and functional outcomes of 107 patients. <i>BJU International</i> , 2019, 124, 242-250. | 2.5 | 35 |
| 40 | Application of eye tracking as a user interface for urological surgery. <i>International Journal of Urology</i> , 2019, 26, 680-681. | 1.0 | 2 |
| 41 | Mixed reality computed tomographyâ€based surgical planning for partial nephrectomy using a headâ€mounted holographic computer. <i>International Journal of Urology</i> , 2019, 26, 681-682. | 1.0 | 28 |
| 42 | Incidence and predictive factors of hypoglycemia after pheochromocytoma resection. <i>International Journal of Urology</i> , 2019, 26, 273-277. | 1.0 | 11 |
| 43 | Predictive ability of renal cortex enhancement in dynamic computed tomography for residual renal function after nephroureterectomy: Comparison with 99m Tcâ€diethylenetriaminopentacetic acid renography and validation study. <i>International Journal of Urology</i> , 2019, 26, 266-272. | 1.0 | 3 |
| 44 | Acute kidney injury and intermediateâ€term renal function after clampless partial nephrectomy. <i>International Journal of Urology</i> , 2019, 26, 113-118. | 1.0 | 10 |
| 45 | Association of elevated C-reactive protein with oncologic outcomes in renal CELL carcinoma: A multicenter analysis.. <i>Journal of Clinical Oncology</i> , 2019, 37, 596-596. | 1.6 | 1 |
| 46 | miRNA299 involvement in CYP11B2 expression in aldosterone-producing adenoma. <i>European Journal of Endocrinology</i> , 2019, 181, 69-78. | 3.7 | 8 |
| 47 | Disparities in survival outcomes in African Americans in renal cell carcinoma: Impact of oncological versus nononcological factors.. <i>Journal of Clinical Oncology</i> , 2019, 37, 595-595. | 1.6 | 0 |
| 48 | Clinical outcomes of muscle-invasive bladder cancer patients with hydronephrosis treated with tetra-modality bladder sparing therapy incorporating consolidative partial cystectomy.. <i>Journal of Clinical Oncology</i> , 2019, 37, 430-430. | 1.6 | 0 |
| 49 | Development and validation of a novel scoring index (C-reactive protein, age, race, and tumor size) to predict renal functional decline post partial nephrectomy.. <i>Journal of Clinical Oncology</i> , 2019, 37, 597-597. | 1.6 | 0 |
| 50 | Intensity ratio curve analysis of small renal masses on T2â€weighted magnetic resonance imaging: Differentiation of fatâ€poor angiomyolipoma from renal cell carcinoma. <i>International Journal of Urology</i> , 2018, 25, 554-560. | 1.0 | 5 |
| 51 | Antitumor Activity and Safety of Enzalutamide After Abiraterone Acetate: Seeking the Optimal Treatment Sequence for Castration-resistant Prostate Cancer Patients. <i>European Urology</i> , 2018, 74, 46-47. | 1.9 | 6 |
| 52 | Prediction of Intraoperative Urinary Collecting System Entry in Patients with Peripheral Renal Tumors Undergoing Partial Nephrectomy: Usefulness of Tumor-Centered Multiplanar Reconstruction. <i>Urologia Internationalis</i> , 2018, 100, 85-91. | 1.3 | 2 |
| 53 | Adherent Perinephric Fat in Asian Patients: Predictors and Impact on Perioperative Outcomes of Partial Nephrectomy. <i>Urologia Internationalis</i> , 2018, 101, 437-442. | 1.3 | 25 |
| 54 | Impact of Immunohistochemistry-Based Subtypes in Muscle-Invasive Bladder Cancer on Response to Chemoradiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018, 102, 1408-1416. | 0.8 | 17 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Potential for computer-aided diagnosis using a convolutional neural network algorithm to diagnose fat-poor angiomyolipoma in enhanced computed tomography and T2-weighted magnetic resonance imaging. <i>International Journal of Urology</i> , 2018, 25, 978-979. | 1.0 | 6 |
| 56 | Computer-aided diagnosis of prostate cancer on magnetic resonance imaging using a convolutional neural network algorithm. <i>BJU International</i> , 2018, 122, 411-417. | 2.5 | 84 |
| 57 | Higher Serum C-reactive Protein Level Represents the Immunosuppressive Tumor Microenvironment in Patients With Clear Cell Renal Cell Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2018, 16, e1151-e1158. | 1.9 | 41 |
| 58 | Multitask Imaging Monitor for Surgical Navigation: Combination of Touchless Interface and Head-Mounted Display. <i>Urologia Internationalis</i> , 2017, 98, 486-488. | 1.3 | 6 |
| 59 | Local Treatment of the Prostate in Metastatic Prostate Cancer: Need to Change the Concept?. <i>European Urology</i> , 2017, 72, 20-21. | 1.9 | 0 |
| 60 | Utility of computed diffusion-weighted MRI for predicting aggressiveness of prostate cancer. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 46, 490-496. | 3.4 | 20 |
| 61 | Potential Utility of Diffusion-Weighted Magnetic Resonance Imaging in Diagnosis of Residual Bladder Cancer before Second Transurethral Resection. <i>Urologia Internationalis</i> , 2017, 98, 298-303. | 1.3 | 6 |
| 62 | Standardization of the apparent diffusion coefficient value of bladder cancer across different centers: Applicability in predicting aggressive pathologic phenotypes. <i>Clinical Imaging</i> , 2017, 44, 121-126. | 1.5 | 4 |
| 63 | Real-time three-dimensional image angle rectification to improve hand-eye coordination in single-port laparoendoscopic surgery. <i>International Journal of Urology</i> , 2017, 24, 639-640. | 1.0 | 2 |
| 64 | Impact of the Prostate Imaging Reporting and Data System, Version 2, on MRI Diagnosis for Extracapsular Extension of Prostate Cancer. <i>American Journal of Roentgenology</i> , 2017, 209, W76-W84. | 2.2 | 42 |
| 65 | Stepwise algorithm using computed tomography and magnetic resonance imaging for diagnosis of fat-poor angiomyolipoma in small renal masses: Development and external validation. <i>International Journal of Urology</i> , 2017, 24, 511-517. | 1.0 | 14 |
| 66 | Early response of C-reactive protein as a predictor of survival in patients with metastatic renal cell carcinoma treated with tyrosine kinase inhibitors. <i>International Journal of Clinical Oncology</i> , 2017, 22, 1081-1086. | 2.2 | 25 |
| 67 | Absence of renal artery pseudoaneurysm on computed tomography after minimally-invasive partial nephrectomy using clampless and sutureless techniques. <i>International Journal of Urology</i> , 2017, 24, 472-473. | 1.0 | 9 |
| 68 | Ureteral Involvement Is Associated with Poor Prognosis in Upper Urinary Tract Urothelial Carcinoma Patients Treated by Nephroureterectomy: A Multicenter Database Study. <i>European Urology Focus</i> , 2016, 2, 296-302. | 3.1 | 14 |
| 69 | Re: Nephron-sparing Techniques Independently Decrease the Risk of Cardiovascular Events Relative to Radical Nephrectomy in Patients with a T1a-T1b Renal Mass and Normal Preoperative Renal Function. <i>European Urology</i> , 2016, 69, 538. | 1.9 | 1 |
| 70 | Reply to Umberto Capitanio, Paolo Dell'Oglio, Alessandro Larcher, and Francesco Montorsi's Reply to Kazutaka Saito's Words of Wisdom re: Nephron-sparing Techniques Independently Decrease the Risk of Cardiovascular Events Relative to Radical Nephrectomy in Patients with a T1a-T1b Renal Mass and Normal Preoperative Renal Function. <i>Eur Urol</i> . 2016;69:538. <i>European Urology</i> , 2016, 70, e99. | 1.9 | 0 |
| 71 | Candidate selection for quadrant-based focal ablation through a combination of diffusion-weighted magnetic resonance imaging and prostate biopsy. <i>BJU International</i> , 2016, 117, 94-101. | 2.5 | 10 |
| 72 | Recovery of renal function after radical nephrectomy and risk factors for postoperative severe renal impairment: A Japanese multicenter longitudinal study. <i>International Journal of Urology</i> , 2016, 23, 219-223. | 1.0 | 15 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | A novel interactive educational system in the operating room—the IE system. BMC Medical Education, 2016, 16, 44. | 2.4 | 9 |
| 74 | Re: Evaluation of Functional Outcomes After Laparoscopic Partial Nephrectomy Using Renal Scintigraphy: Clamped vs. Clampless Technique. European Urology, 2016, 69, 753. | 1.9 | 0 |
| 75 | Novel three-dimensional image system for transurethral surgery. International Journal of Urology, 2015, 22, 714-715. | 1.0 | 5 |
| 76 | Progression of hypertension after partial nephrectomy in patients with renal tumors: A preliminary report. International Journal of Urology, 2015, 22, 797-798. | 1.0 | 11 |
| 77 | Pharmacokinetic—Pharmacodynamic Analysis of Sunitinib-Induced Thrombocytopenia in Japanese Patients with Renal Cell Carcinoma. Biological and Pharmaceutical Bulletin, 2015, 38, 402-410. | 1.4 | 14 |
| 78 | Patient's Self-monitoring of Transurethral Surgical Images Using a Head-mounted Display. Urology Case Reports, 2015, 3, 27-29. | 0.3 | 4 |
| 79 | A Novel Approach to Surgical Instructions for Scrub Nurses by Using See-Through—Type Head-Mounted Display. CIN - Computers Informatics Nursing, 2015, 33, 335-338. | 0.5 | 7 |
| 80 | Diagnostic performance and safety of a three-dimensional 14-core systematic biopsy method. BJU International, 2015, 115, 412-418. | 2.5 | 3 |
| 81 | High Ki-67 Expression Predicts Favorable Survival in Muscle-Invasive Bladder Cancer Patients Treated With Chemoradiation-Based Bladder-Sparing Protocol. Clinical Genitourinary Cancer, 2015, 13, e243-e251. | 1.9 | 22 |
| 82 | A Novel Approach to Patient Self-Monitoring of Sonographic Examinations Using a Head-Mounted Display. Journal of Ultrasound in Medicine, 2015, 34, 29-35. | 1.7 | 7 |
| 83 | Risk stratification for bladder recurrence of upper urinary tract urothelial carcinoma after radical nephroureterectomy. BJU International, 2015, 115, 705-712. | 2.5 | 43 |
| 84 | Gasless laparoendoscopic single-port clampless sutureless partial nephrectomy for peripheral renal tumors: Perioperative outcomes. International Journal of Urology, 2015, 22, 349-355. | 1.0 | 27 |
| 85 | Head-Mounted Display for a Personal Integrated Image Monitoring System: Ureteral Stent Placement. Urologia Internationalis, 2015, 94, 117-120. | 1.3 | 19 |
| 86 | Novel image monitoring system using a head-mounted display for assistants in da Vinci surgery. International Journal of Urology, 2015, 22, 520-521. | 1.0 | 6 |
| 87 | Gasless Single-Port RoboSurgeon Retroperitoneoscopic Partial Nephrectomy. , 2015, , 43-64. | | 2 |
| 88 | Gasless Single-Port RoboSurgeon Retroperitoneoscopic Adrenalectomy. , 2015, , 85-104. | | 1 |
| 89 | Application of the RoboSurgeon System in Medical Care. , 2015, , 175-184. | | 0 |
| 90 | Gasless Single-Port RoboSurgeon Retroperitoneoscopic Radical Nephrectomy. , 2015, , 23-42. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Gasless Single-Port RoboSurgeon Partial Cystectomy: A Hybrid Technique Combining an Intravesical and Extravesical Approach. , 2015, , 143-158. | | 0 |
| 92 | Gasless Single-Port RoboSurgeon Retroperitoneoscopic Radical Prostatectomy. , 2015, , 105-126. | | 0 |
| 93 | Gasless Two-Port Access RoboSurgeon Retroperitoneoscopic Radical Nephroureterectomy. , 2015, , 65-84. | | 1 |
| 94 | Gasless Single-Port RoboSurgeon Retroperitoneoscopic Pelvic Lymph Node Dissection and Inguinal Hernia Prevention. , 2015, , 159-173. | | 0 |
| 95 | Gasless Single-Port RoboSurgeon Total Cystectomy with Urinary Diversion. , 2015, , 127-141. | | 1 |
| 96 | A three-dimensional head-mounted display system (RoboSurgeon system) for gasless laparoendoscopic single-port partial cystectomy. <i>Wideochirurgia I Inne Techniki Maloinwazyjne</i> , 2014, 4, 638-643. | 0.7 | 9 |
| 97 | Integrated image monitoring system using head-mounted display for gasless single-port clampsless partial nephrectomy. <i>Wideochirurgia I Inne Techniki Maloinwazyjne</i> , 2014, 4, 634-637. | 0.7 | 6 |
| 98 | New head-mounted display system applied to endoscopic management of upper urinary tract carcinomas. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2014, 40, 842-845. | 1.5 | 13 |
| 99 | Pre-operative Risk Stratification for Cancer-specific Survival in Patients with Renal Cell Carcinoma with Venous Involvement Who Underwent Nephrectomy. <i>Japanese Journal of Clinical Oncology</i> , 2014, 44, 756-761. | 1.3 | 10 |
| 100 | Renal function after radical nephrectomy: Development and validation of predictive models in Japanese patients. <i>International Journal of Urology</i> , 2014, 21, 238-242. | 1.0 | 23 |
| 101 | Clinical Application of a Modern High-Definition Head-Mounted Display in Sonography. <i>Journal of Ultrasound in Medicine</i> , 2014, 33, 1499-1504. | 1.7 | 18 |
| 102 | Bone Abnormal Signal Incidentally Found in Pre-Biopsy Diffusion-Weighted MRI for Suspected Prostate Cancer: What Does It Reflect?. <i>Urologia Internationalis</i> , 2014, 93, 170-175. | 1.3 | 4 |
| 103 | MP8-09 ANTIMICROBIAL PROPHYLAXIS IS AVOIDABLE IN MINIMALLY INVASIVE NEPHROURETERECTOMY WITH NEGATIVE URINE CULTURE. <i>Journal of Urology</i> , 2014, 191, . | 0.4 | 1 |
| 104 | Combined resection of a tumor and the inferior vena cava: report of two cases. <i>Surgery Today</i> , 2014, 44, 166-170. | 1.5 | 1 |
| 105 | Longitudinal change in health-related quality of life after intensity-modulated radiation monotherapy for clinically localized prostate cancer. <i>Quality of Life Research</i> , 2014, 23, 1641-1650. | 3.1 | 9 |
| 106 | Combination of Diffusion-weighted Magnetic Resonance Imaging and Extended Prostate Biopsy Predicts Lobes Without Significant Cancer: Application in Patient Selection for Hemiblative Focal Therapy. <i>European Urology</i> , 2014, 65, 186-192. | 1.9 | 28 |
| 107 | Significance of Positive Urine Cytology on Progression and Cancer-Specific Mortality of Non-Muscle-Invasive Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2014, 12, e87-e93. | 1.9 | 12 |
| 108 | Apparent diffusion coefficient value as a biomarker reflecting morphological and biological features of prostate cancer. <i>International Urology and Nephrology</i> , 2014, 46, 555-561. | 1.4 | 39 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Equivalent survival and improved preservation of renal function after distal ureterectomy compared with nephroureterectomy in patients with urothelial carcinoma of the distal ureter: A propensity score-matched multicenter study. <i>International Journal of Urology</i> , 2014, 21, 1098-1104. | 1.0 | 29 |
| 110 | PD13-06 FAVORABLE OUTCOMES OF GASLESS SINGLE-PORT CLAMPLESS PARTIAL NEPHRECTOMY USING NEW THREE DIMENSIONAL HEAD-MOUNTED DISPLAY SYSTEM (ROBOSURGEON SYSTEM). <i>Journal of Urology</i> , 2014, 191, . | 0.4 | 2 |
| 111 | Impact of bladder neck involvement on progression in patients with primary non-muscle invasive bladder cancer: A prospective validation study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014, 32, 38.e29-38.e36. | 1.6 | 18 |
| 112 | Apparent diffusion coefficient value reflects invasive and proliferative potential of bladder cancer. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 39, 172-178. | 3.4 | 97 |
| 113 | Phase II trial of first-line chemotherapy with gemcitabine, etoposide, and cisplatin for patients with advanced urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014, 32, 35.e1-35.e7. | 1.6 | 3 |
| 114 | External validation of TNM-C score in three community hospital cohorts for clear cell renal cell carcinoma. <i>Anticancer Research</i> , 2014, 34, 921-6. | 1.1 | 2 |
| 115 | Apparent diffusion coefficient as a prognostic biomarker of upper urinary tract cancer: a preliminary report. <i>European Radiology</i> , 2013, 23, 2206-2214. | 4.5 | 33 |
| 116 | Usefulness of Pre-biopsy Multiparametric Magnetic Resonance Imaging and Clinical Variables to Reduce Initial Prostate Biopsy in Men with Suspected Clinically Localized Prostate Cancer. <i>Journal of Urology</i> , 2013, 190, 502-508. | 0.4 | 65 |
| 117 | Diagnostic performance of initial transperineal 14-core prostate biopsy to detect significant cancer. <i>International Urology and Nephrology</i> , 2013, 45, 645-652. | 1.4 | 9 |
| 118 | High Diagnostic Ability of Multiparametric Magnetic Resonance Imaging to Detect Anterior Prostate Cancer Missed by Transrectal 12-Core Biopsy. <i>Journal of Urology</i> , 2013, 190, 867-873. | 0.4 | 69 |
| 119 | Prognostic Factors of Patients With Metastatic Renal Cell Carcinoma With Removed Metastases: A Multicenter Study of 556 Patients. <i>Urology</i> , 2013, 82, 846-851. | 1.0 | 61 |
| 120 | Successful reduction of hospital-acquired methicillin-resistant <i>Staphylococcus aureus</i> in a urology ward: a 10-year study. <i>BMC Urology</i> , 2013, 13, 35. | 1.4 | 12 |
| 121 | Role of C-reactive protein in urological cancers: A useful biomarker for predicting outcomes. <i>International Journal of Urology</i> , 2013, 20, 161-171. | 1.0 | 55 |
| 122 | Sensitivity to chemoradiation predicts development of metastasis in muscle-invasive bladder cancer patients. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013, 31, 1270-1275. | 1.6 | 10 |
| 123 | 49 THE ABNORMALITY OF GLUCOSE TOLERANCE TEST IN PHEOCHROMOCYTOMA: ONE OF THE SIGNIFICANT FINDINGS OF POSTOPERATIVE HYPOGLYCEMIA. <i>Journal of Urology</i> , 2013, 189, . | 0.4 | 1 |
| 124 | 840 NEW THREE-DIMENSIONAL HEAD-MOUNTED DISPLAY SYSTEM (ROBOSURGEON SYSTEM): APPLICATION TO THE INITIAL 80 CASES OF GASLESS SINGLE-PORT ACCESS UROLOGIC SURGERIES. <i>Journal of Urology</i> , 2013, 189, . | 0.4 | 12 |
| 125 | Prognostic impact of pretreatment C-reactive protein for patients with metastatic renal cell carcinoma treated with tyrosine kinase inhibitors. <i>International Journal of Clinical Oncology</i> , 2013, 18, 884-889. | 2.2 | 41 |
| 126 | CRP kinetics could be prognostic predictors in urothelial cancer. <i>Nature Reviews Urology</i> , 2013, 10, 182-182. | 3.8 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Impact of Advanced Age on Biochemical Recurrence After Radical Prostatectomy in Japanese Men According to Pathological Stage. Japanese Journal of Clinical Oncology, 2013, 43, 410-416. | 1.3 | 12 |
| 128 | Diabetes Mellitus with Obesity is a Predictor of Recurrence in Patients with Non-metastatic Renal Cell Carcinoma. Japanese Journal of Clinical Oncology, 2013, 43, 740-746. | 1.3 | 17 |
| 129 | Impact of lower urinary tract symptoms on prostate cancer risk among Japanese men with prostate-specific antigen $\leq 10\text{ ng/mL}$ and non-suspicious digital rectal examination. International Journal of Urology, 2013, 20, 1163-1168. | 1.0 | 5 |
| 130 | Development of a nomogram incorporating serum C-reactive protein level to predict overall survival of patients with advanced urothelial carcinoma and its evaluation by decision curve analysis. British Journal of Cancer, 2012, 107, 1031-1036. | 6.4 | 28 |
| 131 | Editorial Comment from Dr Saito to Impact of hyponatremia on survival of patients with metastatic renal cell carcinoma treated with molecular targeted therapy. International Journal of Urology, 2012, 19, 1059-1059. | 1.0 | 0 |
| 132 | Role of Diffusion-Weighted Magnetic Resonance Imaging in Predicting Sensitivity to Chemoradiotherapy in Muscle-Invasive Bladder Cancer. International Journal of Radiation Oncology Biology Physics, 2012, 83, e21-e27. | 0.8 | 112 |
| 133 | 1105 GASLESS SINGLE-PORT CLAMPLESS PARTIAL NEPHRECTOMY FOR PERIPHERAL RENAL TUMOR SURGICAL, SHORT-TERM ONCOLOGICAL, AND FUNCTIONAL OUTCOMES. Journal of Urology, 2012, 187, . | 0.4 | 1 |
| 134 | Effect of Diabetes Mellitus on High-grade Prostate Cancer Detection Among Japanese Obese Patients With Prostate-specific Antigen Less Than 10 ng/mL. Urology, 2012, 79, 1329-1335. | 1.0 | 12 |
| 135 | Antimicrobial Prophylaxis is Not Necessary in Clean Category Minimally Invasive Surgery for Renal and Adrenal Tumors: A Prospective Study of 373 Consecutive Patients. Urology, 2012, 80, 570-575. | 1.0 | 25 |
| 136 | Gasless Single Port Surgery for Renal Cell Carcinoma: Minimum Incision Endoscopic Surgery. , 2012, , . | | 1 |
| 137 | Diagnostic contribution of C-reactive protein kinetics for gastric metastasis from renal cell carcinoma. International Cancer Conference Journal, 2012, 1, 93-95. | 0.5 | 2 |
| 138 | New three-dimensional head-mounted display system, TMDU-S-3D system, for minimally invasive surgery application: Procedures for gasless single-port radical nephrectomy. International Journal of Urology, 2012, 19, 886-889. | 1.0 | 60 |
| 139 | Performance of prostate-specific antigen mass in estimation of prostate volume in Japanese men with benign prostate hyperplasia. International Journal of Urology, 2012, 19, 929-935. | 1.0 | 2 |
| 140 | Selective bladder-sparing protocol consisting of induction low-dose chemoradiotherapy plus partial cystectomy with pelvic lymph node dissection against muscle-invasive bladder cancer: oncological outcomes of the initial 46 patients. BJU International, 2012, 109, 860-866. | 2.5 | 55 |
| 141 | Characteristics and clinical significance of prostate cancers missed by initial transrectal 12-core biopsy. BJU International, 2012, 109, 665-671. | 2.5 | 36 |
| 142 | Pathology-based risk stratification of muscle-invasive bladder cancer patients undergoing cystectomy for persistent disease after induction chemoradiotherapy in bladder-sparing approaches. BJU International, 2012, 110, E203-8. | 2.5 | 12 |
| 143 | Prostate-specific antigen response to deferred combined androgen blockade therapy using bicalutamide predicts survival after subsequent oestrogen and docetaxel therapies in patients with castration-resistant prostate cancer. BJU International, 2012, 110, 1149-1155. | 2.5 | 10 |
| 144 | Impact of C-reactive protein kinetics on survival of patients with advanced urothelial carcinoma treated by second-line chemotherapy with gemcitabine, etoposide and cisplatin. BJU International, 2012, 110, 1478-1484. | 2.5 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Extended biopsy based criteria incorporating cumulative cancer length for predicting clinically insignificant prostate cancer. <i>BJU International</i> , 2012, 110, E564-9. | 2.5 | 9 |
| 146 | A novel equation and nomogram including body weight for estimating prostate volumes in men with biopsy-proven benign prostatic hyperplasia. <i>Asian Journal of Andrology</i> , 2012, 14, 703-707. | 1.6 | 8 |
| 147 | 1172 ANTIBIOTIC PROPHYLAXIS IS NOT NECESSARY IN MINIMALLY INVASIVE SURGERY FOR RENAL AND ADRENAL TUMORS: A PROSPECTIVE STUDY OF 301 CONSECUTIVE PATIENTS. <i>Journal of Urology</i> , 2011, 185, . | 0.4 | 1 |
| 148 | C-reactive protein as a biomarker for urological cancers. <i>Nature Reviews Urology</i> , 2011, 8, 659-666. | 3.8 | 105 |
| 149 | A Novel Repeat Biopsy Nomogram Based on Three-dimensional Extended Biopsy. <i>Urology</i> , 2011, 77, 915-920. | 1.0 | 6 |
| 150 | Young Age as Favorable Prognostic Factor for Cancer-specific Survival in Localized Renal Cell Carcinoma. <i>Urology</i> , 2011, 77, 842-847. | 1.0 | 24 |
| 151 | Prognostic Impact of C-reactive Protein for Determining Overall Survival of Patients With Castration-resistant Prostate Cancer Treated With Docetaxel. <i>Urology</i> , 2011, 78, 1131-1135. | 1.0 | 46 |
| 152 | Longitudinal Change in Renal Function After Radical Nephrectomy in Japanese Patients With Renal Cortical Tumors. <i>Journal of Urology</i> , 2011, 185, 2066-2071. | 0.4 | 34 |
| 153 | Diffusion-weighted magnetic resonance imaging in the differentiation of angiomyolipoma with minimal fat from clear cell renal cell carcinoma. <i>International Journal of Urology</i> , 2011, 18, 727-730. | 1.0 | 58 |
| 154 | Phase III trial of combination treatment of interferon- α , cimetidine, cyclooxygenase-2 inhibitor and renin-angiotensin system inhibitor (ACECA therapy) for advanced renal cell carcinoma. <i>Cancer Science</i> , 2011, 102, 137-143. | 3.9 | 33 |
| 155 | Diagnostic performance of diffusion-weighted magnetic resonance imaging in bladder cancer: potential utility of apparent diffusion coefficient values as a biomarker to predict clinical aggressiveness. <i>European Radiology</i> , 2011, 21, 2178-2186. | 4.5 | 157 |
| 156 | Treatment outcome and prognostic factors in renal cell cancer patients with bone metastasis. <i>Clinical and Experimental Metastasis</i> , 2011, 28, 405-411. | 3.3 | 25 |
| 157 | Perioperative Complications of Radical Cystectomy After Induction Chemoradiotherapy in Bladder-sparing Protocol Against Muscle-invasive Bladder Cancer: A Single Institutional Retrospective Comparative Study with Primary Radical Cystectomy. <i>Japanese Journal of Clinical Oncology</i> , 2011, 41, 1373-1379. | 1.3 | 30 |
| 158 | Interactions between inducible nitric oxide synthase and cyclooxygenase-2 in response to ischaemia-reperfusion of rabbit bladder. <i>BJU International</i> , 2010, 106, 716-722. | 2.5 | 4 |
| 159 | Editorial Comment to Nomogram to predict seminal vesicle invasion using the status of cancer at the base of the prostate on systematic biopsy. <i>International Journal of Urology</i> , 2010, 17, 540-540. | 1.0 | 0 |
| 160 | Role of C-reactive protein as a biomarker for renal cell carcinoma. <i>Expert Review of Anticancer Therapy</i> , 2010, 10, 1979-1989. | 2.4 | 37 |
| 161 | Initial Experience of Diffusion-weighted Magnetic Resonance Imaging to Assess Therapeutic Response to Induction Chemoradiotherapy Against Muscle-invasive Bladder Cancer. <i>Urology</i> , 2010, 75, 387-391. | 1.0 | 97 |
| 162 | Impact of C-Reactive Protein Kinetics on Survival of Patients with Metastatic Renal Cell Carcinoma. <i>European Urology</i> , 2009, 55, 1145-1154. | 1.9 | 104 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Discarding antimicrobial prophylaxis for transurethral resection of bladder tumor: A feasibility study. <i>International Journal of Urology</i> , 2009, 16, 61-63. | 1.0 | 18 |
| 164 | Safety of transperineal 14â€œcore systematic prostate biopsy in diabetic men. <i>International Journal of Urology</i> , 2009, 16, 930-935. | 1.0 | 25 |
| 165 | Favourable outcomes of patients with clinical stage T3N0M0 bladder cancer treated with induction lowâ€œdose chemoâ€œradiotherapy plus partial or radical cystectomy vs immediate radical cystectomy: a singleâ€œinstitutional retrospective comparative study. <i>BJU International</i> , 2009, 104, 189-194. | 2.5 | 40 |
| 166 | Development and External Validation of a New Outcome Prediction Model for Patients With Clear Cell Renal Cell Carcinoma Treated With Nephrectomy Based on Preoperative Serum C-Reactive Protein and TNM Classification: The TNM-C Score. <i>Journal of Urology</i> , 2009, 181, 1004-1012. | 0.4 | 87 |
| 167 | Oncological outcome of minimum incision endoscopic radical nephrectomy for pathologically organ confined renal cell carcinoma. <i>International Journal of Urology</i> , 2008, 15, 44-47. | 1.0 | 13 |
| 168 | Collecting duct carcinoma with acquired cystic disease of the kidney in a longâ€œterm hemodialysis patient. <i>International Journal of Urology</i> , 2008, 15, 93-95. | 1.0 | 3 |
| 169 | Initial experience of functional imaging of upper urinary tract neoplasm by diffusionâ€œweighted magnetic resonance imaging. <i>International Journal of Urology</i> , 2008, 15, 140-143. | 1.0 | 39 |
| 170 | Female urethral diverticular abscess clearly depicted by diffusionâ€œweighted magnetic resonance imaging. <i>International Journal of Urology</i> , 2008, 15, 460-461. | 1.0 | 7 |
| 171 | Favorable response to combination treatment of cimetidine, cyclooxygenaseâ€œ2 inhibitor and reninâ€œangiotensin system inhibitor in metastatic renal cell carcinoma: Report of three cases. <i>International Journal of Urology</i> , 2008, 15, 848-850. | 1.0 | 8 |
| 172 | Threeâ€œdimensional 26â€œcore biopsyâ€œbased patient selection criteria for nerveâ€œsparing radical prostatectomy. <i>International Journal of Urology</i> , 2008, 15, 1061-1066. | 1.0 | 7 |
| 173 | History of malignancy is a predictor of prostate cancer detection: Incorporation into a preâ€œbiopsy nomogram. <i>International Journal of Urology</i> , 2008, 15, 1055-1060. | 1.0 | 8 |
| 174 | Reactive oxygen species mediate detrusor overactivity via sensitization of afferent pathway in the bladder of anaesthetized rats. <i>BJU International</i> , 2008, 101, 775-780. | 2.5 | 87 |
| 175 | Câ€œreactive protein level predicts prognosis in patients with muscleâ€œinvasive bladder cancer treated with chemoradiotherapy. <i>BJU International</i> , 2008, 101, 978-981. | 2.5 | 63 |
| 176 | Development, Validation, and Head-to-Head Comparison of Logistic Regression-Based Nomograms and Artificial Neural Network Models Predicting Prostate Cancer on Initial Extended Biopsy. <i>European Urology</i> , 2008, 54, 601-611. | 1.9 | 80 |
| 177 | Low-Dose Chemoradiotherapy Followed by Partial or Radical Cystectomy Against Muscle-Invasive Bladder Cancer: An Intent-to-Treat Survival Analysis. <i>Urology</i> , 2008, 72, 384-388. | 1.0 | 40 |
| 178 | Incidence of Benign Pathologic Lesions at Partial Nephrectomy for Presumed RCC Renal Masses: Japanese Dual-Center Experience with 176 Consecutive Patients. <i>Urology</i> , 2008, 72, 598-602. | 1.0 | 127 |
| 179 | Prognostic Impact of Postoperative C-Reactive Protein Level in Patients With Metastatic Renal Cell Carcinoma Undergoing Cytoreductive Nephrectomy. <i>Journal of Urology</i> , 2008, 180, 515-519. | 0.4 | 59 |
| 180 | External Validation of the Mayo Clinic Cancer Specific Survival Score in a Japanese Series of Clear Cell Renal Cell Carcinoma. <i>Journal of Urology</i> , 2008, 180, 1290-1296. | 0.4 | 34 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Lymphovascular Invasion is Independently Associated With Poor Prognosis in Patients With Localized Upper Urinary Tract Urothelial Carcinoma Treated Surgically. <i>Journal of Urology</i> , 2007, 178, 2291-2296. | 0.4 | 61 |
| 182 | Increased preoperative serum C-reactive protein level predicts a poor prognosis in patients with localized renal cell carcinoma. <i>BJU International</i> , 2007, 99, 77-80. | 2.5 | 103 |
| 183 | The impact of preoperative serum C-reactive protein on the prognosis of patients with upper urinary tract urothelial carcinoma treated surgically. <i>BJU International</i> , 2007, 100, 269-273. | 2.5 | 88 |
| 184 | Spatial and Isoform Specific p63 Expression in the Male Human Urogenital Tract. <i>Journal of Urology</i> , 2006, 176, 2268-2273. | 0.4 | 14 |
| 185 | Loss of uroplakin III expression is associated with a poor prognosis in patients with urothelial carcinoma of the upper urinary tract. <i>BJU International</i> , 2006, 97, 1322-1326. | 2.5 | 25 |
| 186 | Possible involvement of bone morphogenetic protein 2 in heterotopic ossification in metastatic lesion from urothelial carcinoma of bladder. <i>International Journal of Urology</i> , 2006, 13, 1126-1128. | 1.0 | 24 |
| 187 | Prognostic Significance of Endothelial Per-Arnt-Sim Domain Protein 1/Hypoxia-Inducible Factor-2 α Expression in a Subset of Tumor Associated Macrophages in Invasive Bladder Cancer. <i>Journal of Urology</i> , 2004, 171, 1080-1084. | 0.4 | 29 |
| 188 | LOCALIZATION OF AQUAPORIN-7 IN HUMAN TESTIS AND EJACULATED SPERM: POSSIBLE INVOLVEMENT IN MAINTENANCE OF SPERM QUALITY. <i>Journal of Urology</i> , 2004, 172, 2073-2076. | 0.4 | 73 |
| 189 | Favorable Outcome of Preoperative Low Dose Chemoradiotherapy Against Muscle-Invasive Bladder Cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2003, 26, 504-507. | 1.3 | 13 |
| 190 | Increased expression of sialyl-Lewis A correlates with poor survival in upper urinary tract urothelial cancer patients. <i>Anticancer Research</i> , 2003, 23, 3441-6. | 1.1 | 12 |
| 191 | Impaired p63 expression associates with poor prognosis and uroplakin III expression in invasive urothelial carcinoma of the bladder. <i>Clinical Cancer Research</i> , 2003, 9, 5501-7. | 7.0 | 115 |
| 192 | Endoscope-assisted Minilaparotomy (Endoscopic Minilaparotomy) for Retroperitoneal Schwannoma: Experience with Three Cases. <i>Japanese Journal of Clinical Oncology</i> , 2002, 32, 177-180. | 1.3 | 13 |
| 193 | Endoscopic Minilaparotomy Partial Nephrectomy for Solitary Renal Cell Carcinoma Smaller than 4 cm. <i>Japanese Journal of Clinical Oncology</i> , 2002, 32, 417-421. | 1.3 | 10 |
| 194 | Malignant Clear Cell "Sugar" Tumor of the Kidney: Clear Cell Variant of Epithelioid Angiomyolipoma. <i>Journal of Urology</i> , 2002, 168, 2533-2534. | 0.4 | 41 |
| 195 | IFN γ enhances the cytotoxicity of 5-fluorouracil against human bladder cancer cells through induction of PD-ECGF / TP. <i>Japanese Journal of Urology</i> , 2002, 93, 323. | 0.1 | 0 |
| 196 | Platelet-derived endothelial cell growth factor/thymidine phosphorylase expression in primary bladder cancer. <i>Japanese Journal of Urology</i> , 2002, 93, 377. | 0.1 | 0 |
| 197 | Malignant clear cell "sugar" tumor of the kidney: clear cell variant of epithelioid angiomyolipoma. <i>Journal of Urology</i> , 2002, 168, 2533-4. | 0.4 | 11 |